



# Industrial Auctions BV

Online auction machinery for the food industry in Kapelle  
(NL)

**Closing: 05 October 2022 from 14:00 hrs.**



**Viewing day:**

**Address:**

Handelsweg 77  
4421 SH Kapelle  
Netherlands



## General terms and conditions of the online auction

Closing date	05 October 2022 from 14:00 hrs.
Viewing	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: <a href="mailto:info@industrial-auctions.com">info@industrial-auctions.com</a>
Buyers premium	17% over the highest bid
VAT	21% over the highest bid including Premium
Pick up date	13 October 2022 from 09:00 till 16:00 hrs.
Pick up address	Handelsweg 77 4421 SH Kapelle Netherlands
Delivery instructions	The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Industrial Auctions B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick up bought lots) will only take place on the mentioned delivery date/time and address..
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 0050339999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Ilpra	Ilpra traysealer, series: FOODPACK, model: ECS V/G, serial number: FP 717, year of construction: 1995, 380 V, chain infeed conveyor with dividers, chain width: 160 mm, distance between dividers: 320 mm, divider height: 40 mm, film width: 240 mm, dimensions dye: 220 mm x 170 mm, total dimensions: 5200 mm x 870 mm x 1370 mm. Including pallet box with dye's, dimensions dye's: 220 mm x 170 and 170 mm x 100 mm / 170 mm x 130 mm. dimensions pallet box: 1200 mm x 1000 mm x 720 mm.	2000
2	Safeline / Mettler Toledo	Safeline / Mettler Toledo metal detector, plastic belt, belt width: 200 mm, clearance: 300 mm x 90 mm, total dimensions: 1450 mm x 1070 mm x 1710 mm. Last calibrated on: 07-01-2021.	500
3	Fortress	Fortress metal detector with elevating belt, model: FORTRESS PHANTOM, type: 4, 100-240 VAC, 50-60 Hz, 1.00 A, plastic belt with dividers, belt width: 700 mm, divider height: 20 mm, distance between dividers: 240 mm, elevating height: 1240 mm, clearance: 800 mm x 180 mm, total dimensions: 1760 mm x 1270 mm x 1550 mm.	1250
4	Mado	Mado mobile grinder, type: MEW 621, number: 30765, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 12.4 A, 5.5 kW, 1450 U/min, diameter plate: 100 mm, total dimensions: 1150 mm x 860 mm x 1500 mm.	2000
5	Mado	Mado mobile grinder, type: MEW 621, number: 30407, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 12.4 A, 5.5 kW, 1450 U/min, diameter plate: 100 mm, total dimensions: 1150 mm x 860 mm x 1500 mm.	2000
6	Mado	Mado mobile grinder, type: MEW 620, number: 30848, 230/400 V, 3 Ph, 50 Hz, 15.2 / 8.8 A, 4.0 kW, 1435 U/min, diameter plate: 100 mm, total dimensions: 1080 mm x 800 mm x 1350 mm.	2000
7	Sorma	Sorma linear weigher, 12 lanes, type: F12.126, serial number: 1021214, 400 V, 50 Hz, maximum weight: 2.5 kg, d=e= 5 gram, gutter width: (12x) 100 mm, 2x plastic outfeed belt, belt width: (2x) 130 mm, total dimensions: 1660 mm x 1370 mm x 1950 mm.	3000
8	Loma Systems	Loma Systems checkweigher with rejector, type: CW <sup>3</sup> , serial number: 22544D, year of construction: 2013, 230 V, 1 Ph, 50 Hz, 3 A, plastic belt, belt width: 400 mm, total dimensions: 2050 mm x 1320 mm x 1880 mm.	2000



9	Loma Systems	Loma Systems metal detector with rejector, model: IQ <sup>2</sup> , serial number: 27876, year of construction: October 2002, 380 V, 3 Ph, 50 Hz, 1.2 A, plastic belt, belt width: 300 mm, clearance: 350 mm x 125 mm, total dimensions: 1700 mm x 980 mm x 1030 mm.	1000
10	A & D	A & D denester, model: TR, number: 27231, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 16 A, dye: 115 mm x 110 mm, plastic belt, belt width: 110 mm, Busch vacuum pump, type: RA 0040 E, year of construction: 2006, capacity: 40 m <sup>3</sup> /h, total dimensions: 1070 mm x 880 mm x 2250 mm. Including tool trolley, dye: 130 mm x 170 mm and 110 mm x 190 mm, dimensions tool trolley: 680 mm x 650 mm x 1840 mm.	750
11	Ishida	Ishida checkweigher, type: DACS-W-012-SB/SSI-N(CTS), factory number: 558930, year of construction: 2008, 220 VAC, 50 Hz, maximum: 1300 gram, minimum: 35 gam, e=d=0.5 gram, PT=-1300 gram, plastic belt, belt width: 220 mm, total dimensions: 1470 mm x 670 mm x 1540 mm. Last calibrated October 2019.	1500
12	Bosch	Bosch checkweigher, type: KWE 3010, number: 789675, year of construction: 2001, 230 V, 50 Hz, maximum: 1250 gram, e=d=0.5 gram, plastic belt, belt width: 200 mm, total dimensions: 980 mm x 660 mm x 1100 mm.	250
13	Tehoba	Tehoba mobile labeller, number: 990998, dimensions: 900 mm x 750 mm x 1980 mm.	1000
14	ALIPACK	ALIPACK top and bottom labeller, type: STA B1-00, type top labeller: TRITO-100, number: 2962, year of construction: 2007, type bottom labeller: TRITO-100, number: 2959, year of construction: 2007, plastic belt, belt width: 350 mm and 240 mm, total dimensions: 2430 mm x 900 mm x 1850 mm.	1500
15	ALTECH s.r.l. / Codipack	ALTECH s.r.l. / Codipack labeller, model: ALCODE, version: SX, serial number: 1811011121919, year of construction: 2018, 110/230 V, 1 Ph, 50/60 Hz, 800 W, dimensions: 1050 mm x 1820 mm x 2400 mm.	1000
16	Safeline / Mettler Toledo	Safeline metal detector with Mettler Toledo checkweigher, model metal detector: 50 H, 100-240 VAC, 50-60 Hz, 330 W, plastic belt, belt width: 200 mm, clearance: 250 mm x 50 mm, type checkweigher: S3, serial number: 333620, year of construction: 2005, 230 V, 50/60 Hz, maximum: 1500 gram, minimum: 20 gram, e=1 gram, d=0.1 gram, T=-1500 gram, total dimensions: 1580 mm x 950 mm x 1480 mm.	2000



17	3M-Matic	3M-Matic box closing machine, type: 29200, serial number: 5920, year of construction: 29-96, 380 V, 50 Hz, 1.4 A, 260 W, plastic belt, belt width: (4x) 75 mm, total dimensions: 900 mm x 1100 mm x 1450 mm.	450
18	HCP	HCP s/s vibrating gutter, type: 00008068, year of construction: 1999, gutter width: 180 mm, total dimensions: 1750 mm x 700 mm x 900 mm.	1000
19	Propak	Propak 1 head linear weigher, type: 1EW rvs trilgoot, machine number: 2010404/068-6, year of construction: 2016, gutter width: 250 mm, total dimensions: 2000 mm x 1500 mm x 2400 mm.	2500
20	NN forming machine	Forming machine on s/s table with plastic top, dye: Ø 90 mm and 90 mm x 20 mm, total dimensions: 1300 mm x 1000 mm x 1900 mm.	2500
21	CFS	CFS knife sharpener, type: USM 300, number: 4040914438, year of construction: 2006, 3x400/220 V, 50/60 Hz, 13 A, dimensions: 1400 mm x 950 mm x 1250 mm. Including box with spare parts.	500
22	NN crusher	S/s crusher, working width: 180 mm, total dimensions: 520 mm x 650 mm x 1030 mm.	250
23	Marco & Baeten	Marco & Baeten ice machine, volume: 250 liter, dimensions: 900 mm x 1020 mm x 1500 mm.	1000
25	A.L. Tech. s.r.l.	A.L. Tech. s.r.l. labeller, model: ALLCODE, series: SX, serial number: 05021116308, year of construction: 2005, 230 V, 1 Ph, 50 Hz, 800 W, dimensions: 1500 mm x 1000 mm x 1930 mm.	1000
26	Tramper	2 Tramper 4 heads linear weigher with s/s infeed screws used for mussels and vegetables, type mussel weigher: TT-994081-01, year of constructions: 2002, 400 Vac, working air pressure: 6 bar, weight: 900 kg, dimensions: 1700 mm x 900 mm x 2200 mm, type vegetable weigher: TT-994081-02, year of constructions: 2002, 400 Vac, working air pressure: 6 bar, weight: 900 kg, dimensions: 1700 mm x 900 mm x 2500 mm.	7500
27	Van Oirschot Roestvrijstaal BV	Van Oirschot Roestvrijstaal BV mobile tilting device for pallet boxes, maximum capacity: 500 kg, clearance: 1240 mm x 830 mm x 840 mm, total dimensions: 1500 mm x 1140 mm x 1150 mm.	2000
28	Henkelman	Henkelman mobile double chamber vacuum machine, model: Polar 2-85, seal length: (2x) 830 mm, dimensions chamber: (2x) 840 mm x 830 mm, Busch vacuum pump, total dimensions: 1990 mm x 1200 mm x 1200 mm.	2000
29	Jinan Guoqiang	Jinan Guoqiang vertical bag form-, fill-, and sealing machine, model: DP-420, diameter pipe: 80 mm, vertical seal length: 330 mm, horizontal seal length: 240 mm, film width: 320 mm, total dimensions: 1250 mm x 1010 mm x 1370 mm.	1500



30	OCS Checkweighers GmbH / Wipotec	OCS Checkweighers GmbH / Wipotec metal detector and checkweigher, type: HC, number: 1006368, year of construction: 2013, maximum, 1500 gram, minimum: 20 gram, e=d= 0.2 gram, weighing's: 110 per minute, type metal detector: MN 7.0 CI 450/125, year of construction: 2019, clearance: (2x) 200 mm x 90 mm, plastic belt, belt width: (2x) 400 mm and (4x) 145 mm, total dimensions: 2950 mm x 880 mm x 2100 mm.	2500
31	Marco & Baeten	Marco & Baeten ice machine, type: DS250, serial number: 0100019/1, year of construction: 2001, 230/400 V, 3 Ph, 50 Hz, 16/10 A, 3600 W, volume: 250 liter, dimensions: 900 mm x 1020 mm x 1500 mm.	1000
32	Kolbe	Kolbe mobile portioner with paper interleaver, type: PF 110, machine number: 76 0429, year of construction: 2006, 230 V, 3 Ph, 50 Hz, 7.6 A, 0.2 kW, portioning length: 60-210 mm, plastic rollers, roller width: 110 mm, total dimensions: 700 mm x 400 mm x 1000 mm.	400
33	Ward Bekker Systems Ltd.	Ward Bekker Systems Ltd. multihead weigher, 10 heads, dimensions: 1900 mm x 1900 mm x 2000 mm, with control panel, dimensions: 600 mm x 480 mm x 740 mm. Including pallet box with parts, dimensions pallet box: 1200 mm x 1000 mm.	1000
34	Sealpac	Sealpac traysealer, type: Sealpac 500, serial number: TVG.0264901, year of construction, 400/230 V, 3 Ph, weight 500 kg, Witt-Gasetechnik gas mixing station, type: KM 100-3 MEM, chain infeed belt, distance between dividers: 360 mm, film width: 310 mm, dye: 245 mm x 300 mm, total dimensions: 4200 mm x 720 mm x 1800 mm.	7500
35	Fuerpla	Fuerpla mixer, model: A-85, number: 1890, year of construction: 1999, 380 V, 3 Ph, 50 Hz, 0.75 kW, volume: 85 liter, dimensions: 600 mm x 1050 mm x 1130 mm.	750
36	Bizerba	Bizerba packaging machine on s/s trolley, year of construction: 2003, film width: 230 mm, seal length: 210 mm and (2x) 170 mm, total dimensions: 780 mm x 500 mm x 1070 mm.	150
37	Epackaging	Epackaging top and bottom labeller, serial number: 6025, year of construction 2015, plastic belt, belt width: 380 mm and 160 mm, total dimensions: 2430 mm x 850 mm x 1770 mm.	1500



38	Marel Townsend Further Processing B.V.	Marel Townsend Further Processing B.V. rolling machine, model: TRM 630, type: 472640, serial number: 10096047, year of construction: 2012, plastic belt, belt width: (2x) 630 mm, s/s mesh belt, belt width: 630 mm, total dimensions: 2050 mm x 1300 mm x 2100 mm.	5000
39	Mettler-Toledo Garvens GmbH / Safeline	Mettler-Toledo Garvens GmbH / Safeline metal detector, checkweigher and labeller, type: PAS 3012, serial number: 17000562, year of construction: 2009, maximum: 6000 gram, minimum: 20 gram, e=d= 1 gram, T= -6000 gram, weighing's: 80 per minute, type metal detector: V4-RAD, clearance: 350 mm x 80 mm, plastic belt, belt width: 275 mm, 2 top labellers and 2 bottom labellers, total dimensions: 3700 mm x 1200 mm x 1870 mm.	5000
40	Mettler-Toledo Garvens GmbH / Safeline	Mettler-Toledo Garvens GmbH / Safeline metal detector, checkweigher and labeller, type: PAS 3012, serial number: 17000562, year of construction: 2009, maximum: 6000 gram, minimum: 20 gram, e=d= 1 gram, T= -6000 gram, weighing's: 125 per minute, type metal detector: V4-RAD, clearance: 350 mm x 90 mm, plastic belt, belt width: 300 mm, 2 top labellers and 2 bottom labellers, total dimensions: 4150 mm x 1250 mm x 1870 mm.	5000
41	Bizerba	Bizerba weigher and labeller, model: GS, number: 2103350, year of construction: 2003, 230 V, 50 Hz, 2.4 A, plastic belt, belt width: 140 mm, total dimensions: 2050 mm x 900 mm x 1780 mm.	1500
42	Domino	Domino inkjet printer, model: Ax350i, serial number: AX000009171, year of construction: 9-dec-2016, 100-240 VAC, 50/60 Hz, 4 A, dimensions: 440 mm x 390 mm x 600 mm.	500
43	Fortress	Fortress metal detector, model: FORTRESS PHANTOM, type: 4, serial number: EN-1873, plastic mesh belt, belt width: 580 mm, clearance: 650 mm x 90 mm, total dimensions: 1750 mm x 1100 mm x 1350 mm.	2500
44	Turbovac	Turbovac mobile double chamber vacuum machine, model: 1000-STE, seal length: (4x) 840 mm, dimensions chamber: (2x) 840 mm x 865 mm, Busch vacuum pump, total dimensions: 2020 mm x 1150 mm x 1360 mm.	1500
45	WPL Industries	WPL Industries weigher and labeller, type: LA46-PC/WPL2200, serial number: 084101-2200, year of construction: 2010, 200/240 V, 50/60 Hz, maximum weight: 3000 g, minimum weight: 50 g, e= 1 g, T= -999 g, plastic belt, belt width: 270 mm, total dimensions: 1950 mm x 660 mm x 1700 mm.	750



46	Grasselli	Grasselli slicer, working width: 600 mm, 30 knives, distance between knives: 20 mm, total dimensions: 1200 mm x 1300 mm x 1860 mm.	500
47	Inauen Maschinen AG	Inauen Maschinen AG mobile vacuum machine, type: VC999/ K6 A, machine number: 16030202, 400 V, 3 Ph, 50 Hz, 15 A, 9 kW, 5-6 bar, seal length: (1x) 940 mm, (2x) 500 mm, chamber dimensions: 900 mm x 480 mm, with Rietschle vacuum pump, type: CLFH 220 (20), number: 2362810, year of construction: 2003, capacity: 220 m <sup>3</sup> /h, total dimensions: 1100 mm x 1040 mm x 1080 mm.	1250
48	Mesutronic	Mesutronic s/s pipe line metal detector, type: MN 5.2 PW 300, serial number: 1213-PW, year of construction: 2017, 100-240 V, 50/60 Hz, 1.25 A, clearance: Ø 300 mm, total dimensions: 600 mm x 550 mm x 650 mm.	1500
49	Maja Maschinenfabrik	Maja Maschinenfabrik mobile skinning machine, type: FEM 436, number: 4087311977, working width: 420 mm, foot control, total dimensions: 750 mm x 600 mm x 900 mm.	200
50	Gardner Denver	Gardner Denver vacuum pump on s/s frame, type: R-VWP 500 (05), serial number: SC107896000014-2010, capacity: 465 m <sup>3</sup> /h, dimensions: 900 mm x 600 mm x 1080 mm.	350
51	Grasselli	Grasselli slicer, model: SL600, working width: 600 mm, total dimensions: 1200 mm x 900 mm x 1790 mm. Missing knives and outfeed belt.	1000
52	Zomerdam	Zomerdam metal detector with rejector, type: MN 5.1 CI 250/110, serial number: 910816-CI, 100-240 V, 50/60 Hz, 50-300 mA, string belt, belt width: 105 mm, clearance: 250 mm x 35 mm, total dimensions: 1900 mm x 780 mm x 1100 mm.	1250
53	Empac S.A.	Empac S.A. labeller, model: CM-92, number: 1115077, year of construction: 00, 330 V, 0.18 kW, dimensions: 1250 mm x 600 mm x 2020 mm.	150
54	Ivas-Hendi	Ivas-Hendi mobile gas heated paella pan, type: Reuzenkoekenpan, serial number: 700815 004, 11.1 kW, gas: propane, dimensions pan: Ø 900 mm x 60 mm, total dimensions: 1100 mm x 1100 mm x 1000 mm.	200
55	Belintra	Belintra packaging table, 220 V, 50 Hz, 1300 W, film width: 600 mm, dimensions heated plate: 660 mm x 330 mm, total dimensions: 1210 mm x 1040 mm x 1100 mm. Including 4 boxes with film, film width: 600 mm, film length: 1500 mm.	150





56	Burgmetaal	Burgmetaal denester, type: BVA 1.33, serial number: 60144997, year of construction: 2015, plastic belt, belt width: 200 mm, dimensions trays: 178 mm x 144 mm, total dimensions: 1500 mm x 900 mm x 1800 mm.	1250
57	Multipond	Multipond multihead weigher, 10 heads, type: MP1024, number: 557, year of construction: 1993, weighing capacity: 2400 gram, dimensions: 1560 mm x 1340 mm x 2120 mm.	2500
58	RotoPack	RotoPack mobile traysealer, model: SVR, serial number: 169, year of construction: 2003, 220 V, 50 Hz, 2000 W, dimensions dye: 320 mm x 250 mm, D.V.P. Vacuum technology srl vacuum pump, type: LV. 25 9601056, serial number: 0302681, year of construction: 2003, capacity: 25 m <sup>3</sup> /h, total dimensions: 890 mm x 570 mm x 1460 mm.	1000
59	Kolbe	Kolbe mobile paddle mixer-grinder, type: MWE 32, machine number: 1251260, year of construction: 2004, plate diameter: 100 mm, total dimensions: 1370 mm x 800 mm x 1540 mm.	2000
60	Kolbe	Kolbe mobile mixer-grinder, type: MW 100, machine number: 124 0240, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 11.4/2.4 A, 5.5/0.75 kW, plate diameter: 100 mm, volume: 80 liter, capacity: 1100 kg/hour, dimensions: 1300 mm x 700 mm x 1500 mm.	2000
61	Kolbe	Kolbe mobile mixer-grinder, number: 125 572, diameter plate: 100 mm, 770 mm x 1400 mm x 1330 mm.	1500
62	Berkel	Berkel slicer, dimensions: 550 mm x 600 mm x 450 mm.	200
63	Atlas Copco	Atlas Copco oil-free rotary tooth air compressor, product type: ZT 37 VSD, serial number: AII 702154, year of construction: 2003, maximum working pressure: 8.6 bar, 125 psi, maximum FAD: 102 l/s, 216 cfm, nominal shaft power: 37 kW, 55 HP, maximum rotary shaft power: 3640 r/min, gross weight: 1430 kg, dimensions air compressor: 2350 mm x 1000 mm x 1800 mm.	2500
65	NN knife cabinet	S/s cabinet for knife storage, dimensions: 1000 mm x 700 mm x 2000 mm.	250
66	MR Etikettiertechnik	MR Etikettiertechnik mobile labeller, type: MR233 BS4222BO, machine number: 22484/04, year of construction: 2004, 230 V, 50 Hz, 700 VA, plastic belt, belt width: 300 mm, total dimensions: 1500 mm x 900 mm x 1720 mm.	1250
67	Tennant	Tennant floor scrubbing machine, model: 7100, serial number: 71005002243, year of construction: 2010, 36 V, 3 kW, weight: 930 kg, dimensions: 1580 mm x 850 mm x 1560 mm. Including battery charger.	750



68	Cyklop	Cyklop inkjet printer with transport belt, type inkjet printer: CM750-60Si, serial number: 18120015, 100-120/200-240 V, 1 Ph, 50/60 Hz, 0.8 A, weight: 27 kg, dimensions: 510 mm x 630 mm x 1130 mm, transport belt aluminium frame and plastic belt, belt width: 170 mm, total dimensions: 1300 mm x 460 mm x 1000 mm.	1000
69	ELS	ELS labelling machine, type: ELS-220, machine number: 4075/2002, 230 V, 50/60 Hz, 750 VA, label width: 100 mm, total dimensions: 750 mm x 620 mm x 175 mm.	1250
70	Rühle	Rühle mobile cooled vacuum tumbler, type: MKR 150, number: 1022, year of construction: 2009, 400 V, 50 Hz, 16 A, 3.0 kW, volume: 150 liter, Busch vacuum pump, type: KC 0010 D IZO, year of construction: 2008, capacity: 10 m <sup>3</sup> /h, total dimensions: 1220 mm x 1000 mm x 1720 mm.	3000
71	Fortified	Fortified mobile jelly machine, serial number: 25094, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 5 kW, dimensions spraying head: 450 mm x 60 mm, total dimensions: 1500 mm x 840 mm x 1380 mm. Including mobile string conveyor, plastic strings, conveyor width: 320 mm, total dimensions string conveyor: 2050 mm x 870 mm x 1080 mm.	7000
72	HD Wiegetechnik + Sonder Maschinen GmbH	HD Wiegetechnik + Sonder Maschinen GmbH mobile batch weigher, 2 to 8 heads, type: HDW-VTS-4.2, year of construction: 04/2009, 400 V, 3 Ph, 50 Hz, 3x 16 A, 24 vdc, dimensions: 1500 mm x 800 mm x 1800 mm.	750
73	Jasa Packaging Systems	Jasa Packaging Systems infeed belt, type: INVOER SET, serie: 001, machine number: JA 12541, year of construction: 2016, 400 V, 3 Ph, 2.96 A, 0.71 kW, weight: 255 kg, s/s frame, plastic belt, belt width: 605 mm, outfeed sorting unit, total dimensions: 2400 mm x 1780 mm x 1480 mm.	850
74	Viscon B.V.	Viscon B.V. crate stacker/de-stacker, type: OP-ONTSTAPELAAR EV, serial number: 67252-30, year of construction: 2007, W= 370 kg, dimensions crates: 600 mm x 400 mm, belt width: 650 mm, total dimensions: 1200 mm x 1100 mm x 1580 mm.	500
75	Viscon B.V.	Viscon B.V. crate stacker/de-stacker, type: OP-ONTSTAPELAAR EV, serial number: 67252-90, year of construction: 2007, W= 370 kg, dimensions crates: 600 mm x 400 mm, belt width: 450 mm, total dimensions: 1000 mm x 1380 mm x 1580 mm.	500



76	Loma Systems	Loma Systems metal detector with elevating belt, model: IQ <sup>3</sup> , head serial number: MD304EV-04735 D, year of construction: January 2007, plastic belt with dividers, belt width: 320 mm, divider height: 30 mm, distance between dividers: 290 mm, elevating height: 1200 mm, clearance: 400 mm x 180 mm, total dimensions: 2400 mm x 860 mm x 1230 mm.	1500
77	NN bulk weigher	S/s bulk weigher, foot control, gutter width: 220 mm, bag clips with weighing cells, weighing scale, dimensions scale: 500 mm x 400 mm, total dimensions: 1350 mm x 1500 mm x 2300 mm.	1250
78	Loma Systems	Loma Systems checkweigher with rejector, type: CW <sup>3</sup> , serial number: 22545D, year of construction: 2018, 230 V, 1 Ph, 50 Hz, 3 A, plastic belt, belt width: 375 mm, total dimensions: 2050 mm x 1300 mm x 1860 mm.	3000
79	Gansow	Gansow floor scrubbing machine, model: 40 B 53, machine number: 0040 1 06497 0401, 24 V, 1105 W, 128/262 kg, diameter brush: 500 mm, length squeeze: 850 mm, total dimensions: 1150 mm x 600 mm x 1120 mm.	150
80	NEWMIX™	NEWMIX™ stirrer, model: NEWMIX SYSTEM 50 - EU, production number: 700229 1027, year of construction: 2010, 230 V, 50 Hz, 0.37 kW, with ATMI s/s double jacketed tempering vessel, type: CONT.DOUB.JACK.50L, year of construction: 01/2011, volume: 50 liter, maximum temperature: 90°C, total dimensions: 650 mm x 800 mm x 1350 mm.	200
81	Soco System	Soco System box closing machine, model: T-400, number: 06-98, year of construction: 1997, 400 V, 3 Ph, 10 A, 250 W, roller width: 400 mm, total dimensions: 1250 mm x 900 mm x 1540 mm. Lightly damaged.	250
82	Pago	Pago labeller, serial number: 89578, 220 V, 50 Hz, dimensions labeller: 1070 mm x 760 mm x 1620 mm, transport belt, steel frame, plastic belt, belt width: 180 mm, dimensions transport belt: 1360 mm x 550 mm x 980 mm.	500
83	ERC Machinery	RC Machinery mobile labelling machine with Toshiba barcode printer, serial number: 2303K221106, year of construction: 2013, 220-240 V, 50-60 Hz, dimensions: 900 mm x 1200 mm x 1750 mm.	500
84	Atoma	Atoma batch weigher, type: 234, number: 100002126, year of construction: 1991, 220 V, 50 Hz, nominal capacity: 10.000 g, 1 lane, lane width: 260 mm, dimensions batch weigher: 2150 mm x 1320 mm x 2730 mm, dimensions control unit on s/s frame: 700 mm x 500 mm x 1800 mm.	2500



85	Sottoriva Prima	Sottoriva Prima dough divider and rounder, model: Prima-ABB.SFF, number: B40114, year of construction: 2007 (fully revised in 2019), 400 V, 3 Ph, 50 Hz, weight:810 kg, diameter rounder: (2x) 75 mm and (2x) 65 mm, weighing range: 30 - 120 gram, total dimensions: 3500 mm x 700 mm x 1850 mm.	5000
86	Henkovac	Henkovac mobile vacuum machine, seal length: 490 mm, chamber dimensions: 610 mm x 510 mm, Busch vacuum pump, type: 063-122, number: 402835, capacity: 63 m <sup>3</sup> /h, total dimensions: 680 mm x 600 mm x 1030 mm.	500
87	Groba	Groba cheese divider, type: MHDM-520-S, year of construction: 2013, weight: 2000 kg, plastic belt, belt width: 550 mm, clearance: (2x) 275 mm x 160 mm, plastic rollers, roll width: 550 mm, combination stamp type: SR-2gro1/SR-4gro1, dimensions cheese divider: 3700 mm x 1600 mm x 2500 mm, Groba infeed belt, type: TB-404, year of construction: 2013, plastic belt, belt width: 400 mm, elevating height: 1200 mm, total dimensions infeed belt: 1800 mm x 800 mm x 1300 mm.	6000
88	Vama	Vama vacuum machine, type: VP 400, number: 2940-4121, 380 V, 50 Hz, 2 A, 0.8 kW, Busch vacuum pump, type: 021~336, number: 444717, capacity: 21 m <sup>3</sup> /h, seal length: 410 mm, dimensions chamber: 420 mm x 400 mm, total dimensions: 670 mm x 500 mm x 300 mm.	50
89	Convotherm Elektrogerate GmbH	Convotherm Elektrogerate GmbH combi steamer, dimensions: 1200 mm x 1100 mm x 1930 mm. Without trolley.	500
90	Albin Pump	Albin Pump low pressure tube pump on s/s trolley, type: ALP25, serial number: 210-0220, dimensions: 1150 mm x 620 mm x 1150 mm.	750
91	Loma Systems	Loma Systems checkweigher with rejector, type: 6000, serial number: DCB10433 22885, year of construction: 2001, maximum capacity: 1500 gram, minimum capacity: 10 gram, plastic belt, belt width: 250 mm, total dimensions: 1600 mm x 1300 mm x 1450 mm.	200
92	WPL Industries	WPL Industries checkweigher, model: IND 2200, maximum weight: 20 kg, plastic belt, belt width: 560 mm, total dimensions: 1480 mm x 1200 mm x 1460 mm.	200
93	HDM	HDM multihead weigher, 10 heads, dimensions: 1200 mm x 1200 mm x 1100 mm.	1000



94	Lock Inspection Systems Ltd.	Lock Inspection Systems Ltd. metal detector with elevating belt, model: met 30+, serial number: 33406, 100-240 VAC, 50/60 Hz, 3 A, plastic belt with dividers, belt width: 400 mm, distance between dividers: 300 mm, divider height: 30 mm, elevating height: 1120 mm, clearance: 450 mm x 180 mm, total dimensions: 3050 mm x 940 mm x 1200 mm.	1500
95	Tecnovac	Tecnovac traysealer, type: LINVAC400, serial number: 24.02.08.02, year of construction: 2002, 380 V, 50 Hz, 5500 W, plastic belt, belt width: 430 mm, film width: 395 mm, dimensions dye: 240 mm x 140 mm, Busch vacuum pump, type: RA0100 E 501, capacity: 100 m <sup>3</sup> per hour, total dimensions: 3700 mm x 1100 mm x 1750 mm. Including pallet with additional dyes, amongst others: (2x) 190 mm x 150 mm and (2x) 212 mm x 152 mm.	8500
96	NN cheese grater	Cheese grater, diameter grinder: Ø255 mm, total dimensions: 780 mm x 660 mm x 1370 mm. Including 1 extra knife drums.	750
97	Dixie Union	Dixie Union slicer line, consisting of: Dixie Union infeed belt, type: Beschickungsband, number: 99.0732, year of construction: 2000, plastic belt, belt width: 320 mm, total dimensions: 1900 mm x 700 mm x 1400 mm; Dixie Union slicer, type: NOVA-SLICER, number: 495.1638, year of construction: 1997, 400 V, 3 Ph, 50/60 Hz, 6.5 kW, wired outfeed belt, belt width: 330 mm, total dimensions: 2700 mm x 1400 mm x 2230 mm; Dixie Union outfeed belt, type: HV091.0180, number: 122, year of construction: 2000, wired belt, belt width: 240 mm, total dimensions: 640 mm x 850 mm x 1200 mm; Scanvaegt checkweigher, type: Dixie Check 2000 MK3 425D, serial number: BMD00370, year of construction: 2004, 200/240 V, 50/60 Hz, 7.0 A, plastic belt, belt width: 420 mm, total dimensions: 800 mm x 900 mm x 1150 mm.	2500
98	Pulsarr / Key Technology	Pulsarr / Key Technology optical sorting machine, type: RX-R2040, serial: 160-2048-4, machine number: 97040-3, year of construction: 1997, G6 Upgrade in April 2008, plastic belt, belt width: 1600 mm, total dimensions: 3500 mm x 2500 mm x 2400 mm.	6000
99	NN denester	Denester for carton plates, dye: 500 mm x 270 mm, total dimensions: 1700 mm x 700 mm x 1100 mm.	250
100	Supertape Systems BV	Supertape Systems BV mobile box closing machine with top taper, type: HF-7, machine number: 95-74307, year of construction: 1995, 400 V, 3 Ph, 50 Hz, 2.4 A, weight: 195 kg, s/s rollers, roller width: 300 mm, total dimensions: 1900 mm x 800 mm x 2070 mm.	200



101	G. Mondini S.p.A.	G. Mondini S.p.A. traysealer, model: CVS/MC-50-T+1, serial number: 2328-03/1, year of construction: 30/09/03, 380 V, 3 Ph, 50 Hz, diameter dye: (3x) Ø 120 mm, (3x) Ø 140 mm, (3x) Ø 160 mm, (2x) Ø 190 mm and (2x) Ø 180 mm, film width: 390 mm, G. Mondini S.p.A. conveyor for trays with denester, dimensions station in denester: 130 mm x 60 mm, belt width: 130 mm, total dimensions: 8220 mm x 950 mm x 2260 mm. Including pallet with dye's, dimensions pallet: 1200 mm x 800 mm x 750 mm and trolley for dye's, dimensions trolley: 1200 mm x 1100 mm x 1450 mm.	1500
102	Electrolux	Electrolux pressure steamer, type: S33/C74.0503, serial number: 809489/1, year of construction: 04-1986, 3x 380 V, 50 Hz, 15 kW, 74 kg, 3 floors, dimensions each floor: 450 mm x 280 mm, inside dimensions: 580 mm x 390 mm x 390 mm, total dimensions: 750 mm x 500 mm x 830 mm.	50
103	Safeline	Safeline metal detector with rejector, serial number: 99024, plastic belt, belt width: 220 mm, clearance: 290 mm x 275 mm, total dimensions: 1630 mm x 1500 mm x 1450 mm. Last calibrated on: 8/06/2020.	500
104	NN dishwasher	Dishwasher, 380 V, 50 Hz, 2080 W, inside dimensions: 1050 mm x 600 mm x 570 mm, total dimensions: 1200 mm x 760 mm x 1670 mm	500
105	Ilpra	Ilpra traysealer, model: FP Speedy V/G, serial number: FD 5880, year of construction: 2004, 380 V, film width: 400, dye: (2x) 135 mm x 105 mm, roller outfeed conveyor, roller width: 400 mm, total dimensions: 2450 mm x 850 mm x 1450 mm.	1000
106	Seydelmann	Seydelmann cutter, type: K60 DC8, machine number: 89310-1, s/s knives and bowl, volume: 60 liter, dimensions cutter: 1300 mm x 1000 mm x 1100 mm, Seydelmann Micro-11 control panel and s/s switch cabinet, dimensions: 800 mm x 320 mm x 1000 mm. Technical condition unknown.	500
107	Finke GmbH	Finke GmbH mobile 2-heads depositor, type: AFP 150-2, machine number: 12.02.14715, year of construction: 2012, inside dimensions tank: 500 mm x 500 mm x 360 mm, total dimensions: 1050 mm x 510 mm x 1710 mm.	250
108	Henkovac	Henkovac mobile vacuum machine, type: H 3000 K, machine number: 308058818, 380 V, 3 Ph, 50 Hz, 15.1 A, 4.2 kW, seal length: 520 mm, dimensions chamber: 750 mm x 520 mm, Busch vacuum pump, type: 100-132, total dimensions: 900 mm x 700 mm x 1050 mm.	500



109	PBI Dansensor	PBI Dansensor leak detector, model: LeakPointer II E2, serial number: 71130557, year of construction: 2013, 230/400 V, 3 Ph, 50 Hz, 1500 VA, dimensions chamber: 680 mm x 570 mm, total dimensions: 980 mm x 800 mm x 1050 mm.	1250
110	NN tank	S/s double jacketed tank with drain, inside dimensions: 710 mm x 710 mm x 1050 mm, total dimensions: 830 mm x 800 mm x 1730 mm.	500
111	Multipond	Multipond batcher 1 to 2, model number: 12-1043-002, year of construction: 2012, dimensions: 1200 mm x 900 mm x 1060 mm, with spare filling head sets, dimensions: (4x) 85 mm x 60 mm, (2x) 140 mm x 85 mm, (2x) 120 mm x 75 mm, (4x) 150 mm x 100 mm, (2x) 90 mm x 60 mm, (2x) 150 mm x 95 mm, (2x) $\varnothing$ 90 mm.	3500
112	NN denester	Denester, dimensions dye: (8x) 210 mm x 140 mm, total dimensions: 1170 mm x 1000 mm x 2120 mm.	250
113	MR Etikettiertechnik GmbH	MR Etikettiertechnik GmbH top and bottom labeller, type: MR339 TQ25 19BA4000RG, machine number: 22727/04, year of construction: 2004, 230 V, 50 Hz, 2500 VA, type top labeller: MR4112, type bottom labeller: 4111, plastic belt, belt width: (2x) 190 mm, total dimensions: 2850 mm x 1200 mm x 1950 mm.	3000
114	Armani	Armani film reel lifter, model: CAR.ELEV.ALFA Small SL 12V 108/08, serial number: 58739-2011, 12 V, weight: 188 kg, battery weight: 22 kg, capacity: 300 kg, elevating height: 800 mm, total dimensions: 1180 mm x 970 mm x 1240 mm.	500
115	PFM Spa	PFM Spa mobile flowpacker, model: SWIFT, serial number: C.5390, year of construction: 1998, 380 V, 50 Hz, 7.1 A, 2.7 kW, chain infeed belt with plastic dividers, distance between dividers: 230 mm, divider height: 45 mm, seal length: 250 mm, plastic outfeed belt, belt width: 185 mm, total dimensions: 4000 mm x 850 mm x 1750 mm.	3000
116	Systemate Numafa b.v.	Systemate Numafa b.v. crate washer, type: 19.50.057.200, serial number: 713144, year of construction: clearance: 660 mm x 200 mm, total dimensions: 4200 mm x 1450 mm x 200 mm, dimensions switch cabinet: 600 mm x 630 mm x 1370 mm.	3000



117	BRN Packaging Engineering	BRN Packaging Engineering cup/tray filling machine used for mini-tomatoes, serial number: M008/09, year of construction: 2009, 2 lanes, cup diameter: (2x) 90 mm, infeed frame for maximum Ø 100 mm cups, plastic infeed belt for trays, belt width: 200 mm with denester, plastic outfeed mesh belt, belt width: 125 mm, total dimensions: 6650 mm x 1270 mm x 2100 mm, with dye sets with 2 lanes Ø 110 mm dyes and 1 lane 180 mm x 110 mm dyes, including spare parts.	15000
118	Bosch Groep	Bosch Groep vertical bag form-, fill- and seal machine, type: SVE 3600 LR, number: 808013MS7536N, year of construction: 2005, Becker vacuum pump, diameter pipe: 150 mm, vertical seal length: 265 mm, horizontal seal length: 390 mm, total dimensions: 1700 mm x 2400 mm x 2200 mm. Including 2 extra filling pipes, diameter: 170 mm and 220 mm x 160 mm.	5000
119	Koppens	Koppens mobile pre-duster, type: PRM 900-M, machine number: PRM 900-M-1034/1, 380 V, 3 Ph, 50 Hz, 5 A, 1.6 kW, weight: 500 kg, s/s mesh belt, belt width: 900 mm, total dimensions: 2900 mm x 1250 mm x 1800 mm.	4000
120	Reepack	Reepack traysealer, model: REEFLEX, serial number: 0401005, year of construction: 2001, 400 V, 3 Ph, 50 Hz, max 21 A, Busch vacuum pump, type: RA0100 E 501, capacity: 100 m <sup>3</sup> /h, dye: (2x) 200 mm x 135 mm, total dimensions: 2950 mm x 900 mm x 1750 mm.	5000
121	Essegi	Essegi vertical bag form-, fill- and seal machine, model: F700 SYNCRO / SP, serial number: 48/2013/A, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 11 KVA, clearance filling pipe: 140 mm x 40 mm, vertical seal length: 400 mm, horizontal seal length: 300 mm, total dimensions: 2650 mm x 1250 mm x 1900 mm.	3500
122	UVA Packaging	UVA Packaging vertical bag form-, fill- and seal machine, type: Butler 2, machine number: 2001513, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 10 kVa, Marken barcode printer, model: SmartDate 2, film width: 420 mm, diameter pipe: 125 mm, vertical seal length: 350 mm, horizontal seal length: 300 mm, total dimensions: 1500 mm x 2200 mm x 2230 mm.	2000
123	Loma Systems	Loma Systems metal detector, serial number: DMC90941-16102, year of construction: 1999, 380 V, 3 Ph, 50 Hz, weight: 210 kg, plastic mesh belt, belt width: 305 mm, clearance: 355 mm x 120 mm, total dimensions: 2700 mm x 850 mm x 1450 mm.	750





124	Treif	Treif dicer, type: 1051, machine number: 105103.57131.0563-1, year of construction: 1989, 220 / 380 V, 50 Hz, 16 / 5.5 A, dimensions chamber: 100 mm x 80 mm, total dimensions: 1320 mm x 730 mm x 1150 mm. Including extra knife and grids.	750
126	NN grids for grater	S/s trolley with 19 grids for grater, outside diameter grids: 560 mm, inside diameter grids: 495 mm, total dimensions: 1190 mm x 560 mm x 1970 mm.	1500
127	NN grater	S/s grater, clearance: 240 mm x 240 mm, total dimensions: 1850 mm x 1000 mm x 800 mm.	2500
128	NN grater	S/s grater, total dimensions: 1700 mm x 900 mm x 600 mm. Incomplete, technical condition unknown.	1000
129	Van De Vecht	Van De Vecht crate washer, clearance: 650 mm x 440 mm, total dimensions: 1270 mm x 860 mm x 1760 mm.	1500
130	Packaging Automation Ltd	Packaging Automation Ltd traysealer, model: Vision 182MAP-U, serial number: 1805V18216053, 415 V, 50 Hz, belt width: 250 mm, dye: (2x) 135 mm x 210 mm, total dimensions: 2800 mm x 1000 mm x 1950 mm.	1000
131	Henkelman	Henkelman mobile double chamber vacuum machine, type: Polar 2-75 KK, machine number: P401106037, year of construction 2011, 400 V, 3 Ph, 50 Hz, 17 A, 5.5 kW, seal length: (2x) 620 mm, dimensions chamber: (2x) 750 mm x 620 mm, Busch vacuum pump, type: RA 0160 D 5I GQXX, year of construction: 2011, capacity: 160m <sup>3</sup> /h, total dimensions: 1480 mm x 1180 mm x 1100 mm.	2000
132	Henkelman	Henkelman mobile double chamber vacuum machine, type: Polar 2-85, seal length: (2x) 840 mm, dimensions chamber: (2x) 840 mm x 830 mm, Busch vacuum pump, type: RD 0200 A 5 H1, year of construction: 2021, capacity: 160 m <sup>3</sup> /h, total dimensions: 1850 mm x 1250 mm x 1150 mm.	5000
133	Bizerba	Bizerba weighing and labelling machine, type: GV, serial number: 10384107, maximum weight: 15/30 kg, minimum weight: 100 g, e=d= 5/10 g, T= -max, type labeller: GV2404, plastic belt, belt width: (3x) 600 mm, total dimensions: 2150 mm x 860 mm x 1700 mm.	1500
134	Audion Elektro	Audion Elektro sealing machine, food control, type: T.I.S.750, serial number: 940647007037, 220 V, 1975 W, seal length: 750 mm, total dimensions: 840 mm x 700 mm x 1160 mm.	500



135	Scanvaegt	Scanvaegt checkweigher with outfeed roller conveyor, type indicator: Scan W1 8526, serial number: BLX 00232 F, type receptor: 498, serial number: BLQ 00762, maximum weight: 40 kg, minimum weight: 0.4 kg, e= 0.02 kg, plastic belt, belt width: 540 mm, total dimensions: 1100 mm x 900 mm x 1620 mm, s/s roller conveyor, s/s rollers roller width: 500 mm, total dimensions: 1150 mm x 1000 mm x 1050 mm.	500
136	FAM	FAM vegetable slicer, working width: 240 mm, total dimensions: 1350 mm x 1320 mm x 1600 mm.	2000
137	Cro-Tech	Cro-Tech dosing pump, model: 142DSD300TAAAA, number: 2943, 380/440 V, dimensions: 1100 mm x 600 mm x 1400 mm.	200
138	Witt-Gasetechnik	Witt-Gasetechnik gas mixing station, type: MG 100-2 ME, serial number: 20807, year of construction: 1993/1999, gas: CO <sub>2</sub> / N <sub>2</sub> , dimensions: 600 mm x 510 mm x 1380 mm.	100
139	Witt Gasetechnik	Witt Gasetechnik gas mixing station, type: MG50-2MEGB50, number: 16185, year of construction: 1991, gas: N <sub>2</sub> -CO <sub>2</sub> , dimensions: 600 mm x 510 mm x 380 mm.	50
140	Witt Gasetechnik	Witt Gasetechnik gas mixing station, type: MG50-2MEPVDU, number: 25465, year of construction: 1996, gas: N <sub>2</sub> -CO <sub>2</sub> , dimensions: 600 mm x 510 mm x 380 mm.	150
141	Bipack	Bipack vertical bag form-, fill- and seal machine, model: Bipack 2000, serial number: S32N11, 380 V, 50 Hz, 2500 W, film width: 265 mm, total dimensions: 1000 mm x 1100 mm x 2200 mm. New control system VH Vertical Packaging.	1000
143	NN transport belt	Transport belt, aluminium frame, plastic belt, belt width: 75 mm, total dimensions: 2450 mm x 500 mm x 1650 mm.	750
144	Loma Systems	Loma Systems metal detector with elevating belt, model IQ <sup>2</sup> , serial number: 1017-22476, year of construction: Apr 2001, 85-265 V, 50/60 Hz, plastic belt and dividers, belt width: 405 mm, distance between dividers: 300 mm, divider height: 50 mm, elevating height: 1200 mm, total dimensions: 2050 mm x 910 mm x 1340 mm.	1500
145	Innotech Verpackungsmaschinen GmbH	Innotech Verpackungsmaschinen GmbH vertical bag form-, fill- and seal machine, type: 3200 EVO, year of construction: 2002, 230-400 V, 50 Hz, vertical seal length: 500 mm, horizontal seal length: 350 mm, diameter filling pipe: 150 mm, total dimensions: 2300 mm x 1550 mm x 2350 mm.	5000



146	Total Lifter	Total Lifter pallet lifter, type: CBGIII, serial number: 08051395-27/002, capacity: 2500 kg, fork dimensions: (2x) 1150 mm x 160 mm, total dimensions: 700 mm x 1500 mm x 1250 mm.	100
147	Vivotec	Vivotec pressure vessel for adding oxygen, model: MD0003, serial number: 529-51, year of construction: 2001, volume: 58 liter, design temperature: 20 °C, design over pressure: -1/+15 bar, dimensions: 680 mm x 450 mm x 1100 mm.	1000
148	Yang srl	Yang mobile traysealer, model: OLYMPUS VAC, serial number: 085027, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 3.85 kW, weight: 250 kg, dimensions dye: 330 mm x 250 mm, total dimensions: 1120 mm x 1070 mm x 1430 mm.	1250
149	Safeline / Groba	Safeline mobile metal detector with Groba mobile elevating infeed belt, Safeline metal detector, model: V4-REM, serial number: 72424, 100-240 Vac, 50/60 Hz, 340 W, clearance: 350 mm x 100 mm, Groba elevating belt, type: TB-304, year of construction: 2006, weight: 75 kg, plastic belt, belt width: 300 mm, elevating height: 1400 mm, total dimensions: 2800 mm x 1050 mm x 1400 mm.	1250
150	Optima Control Systems GmbH	Optima Control Systems GmbH checkweigher, type: EC, number: 1001821, year of construction: 2002, 230 V, 50 Hz, maximum: 1500 gram, e=0.2 gram, plastic belt, belt width: 195 mm, total dimensions: 1030 mm x 670 mm x 1680 mm.	1000
152	NN metal detector	Metal detector, plastic belt, belt width: 310 mm, clearance: 350 mm x 140 mm, total dimensions: 1530 mm x 730 mm x 800 mm.	250
153	Safeline / Mettler Toledo	Safeline metal detector, serial number: 71092, year of construction: 10/2004, plastic belt, belt width: 200 mm, clearance: 250 mm x 50 mm, with Mettler Toledo checkweigher, type: S3, serial number: 333192, year of construction: 2004, 230 V, 50 Hz, maximum: 1500 gram, minimum: 20 gram, e= 1 gram, d=0.1 gram, T=1500 gram, total dimensions: 1500 mm x 970 mm x 1440 mm.	500
154	Loma Systems	Loma Systems metal detector and checkweigher with rejectors, type checkweigher: 6000, serial number: DCB-80871-0678, year of construction: 16-11-1998, minimum weight: 20 gram, maximum weight: 3000 gram, e = 1 gram, plastic belt, belt width: 145 mm, total dimensions: 1700 mm x 800 mm x 860 mm.	850
155	Koppens	Koppens mobile breading machine, s/s mesh belt, belt width: 900 mm, total dimensions: 2950 mm x 1400 mm x 2200 mm.	4000



156	WPL Industries	WPL Industries checkweigher, type: CW2200, serial number: 2015-0-3000-01-1, year of construction: 2015, 200-240 V, 50/60 Hz, 400 W, maximum belt speed: 47 meter per minute, maximum weight: 3000 g, minimum weight: 50 g, e=d 1 g, T=-999 g, temperature range: 5 °C / 40°C, plastic belt, belt width: 190 mm, total dimensions: 1280 mm x 920 mm x 1940 mm.	2000
157	Leximat	Leximat denester, model: 2200, 4 lanes, dimensions trays: (4x) 80 mm x 80 mm, plastic mesh belt, belt width: 80 mm, total dimensions: 980 mm x 660 mm x 1700 mm.	500
158	NN tilting device	Tilting device for pallet boxes, dimensions pallet boxes: 1200 mm x 1040 mm x 850 mm, total dimensions: 2150 mm x 1600 mm x 1670 mm.	750
159	Spako	Spako cooking vessel, type: TRK-120, serial number: 24488, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 9.8 kW, volume: 120 liter, dimensions: 1300 mm x 1050 mm x 1310 mm.	3500
160	Coppens	Coppens packaging machine on mobile s/s trolley, type: FASTPACK MK II, machine number: 465Z00A008, 220/240 V, 50 Hz, 330 W, film width: 236 mm, total dimensions: 800 mm x 500 mm x 1150 mm.	150
161	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: ROBOT DP 10, type: 150/250 B-1, number: 150 0148, year of construction: 1998, 220-240 / 400-460 V, 3 Ph, 50/60 Hz, 37 / 21 A, dimensions: 2000 mm x 1250 mm x 2080 mm.	2000
162	Krämer + Grebe	Krämer + Grebe paddle mixer-grinder, type: MW 160, machine number: 350/111, year of construction: 1994, plate diameter: 160 mm, total dimensions: 2300 mm x 1600 mm x 2300 mm. Machine is overhauled in 2010.	5000
163	Convotherm Elektrogerate GmbH	Convotherm Elektrogerate GmbH oven on s/s trolley, type: OD10 10C, number: 72044022, 200/240 V, 3 Ph, 37/44 A, 13/18 kW, 10 floors, dimensions floor: (10x) 450 mm x 530 mm, total dimensions: 1050 mm x 750 mm x 1830 mm.	150
164	Safeline	Safeline mobile metal detector with elevating belt and rejector, serial number: 31293, year of construction: 10-1998, plastic mesh belt, belt width: 420 mm, clearance: 460 mm x 160 mm, plastic outfeed roller, roller width: 330 mm, total dimensions: 2700 mm x 1000 mm x 1230 mm.	1250
165	Leximat	Leximat denester, model: 2100, 2 lanes, dimensions trays: (2x) 75 mm x 75 mm, plastic mesh belt, belt width: 75 mm, total dimensions: 1070 mm x 530 mm x 1680 mm.	500



166	Stephan Alvac	Stephan Alvac mobile vacuum machine, type: Alvac-11-DG, machine number: 0014 5166, year of construction: 2004, 230/400 V, 3 Ph, 50 Hz, 6.6/3.9 A, 1/5 kW, seal length: (2x) 500 mm, dimensions chamber: 500 mm x 500 mm, Busch vacuum pump, capacity: 63 m <sup>3</sup> /h, total dimensions: 770 mm x 600 mm x 1050 mm.	750
167	Tastymatic	Tastymatic pineapple slicer, type: PINE-O-MATIC, serial number: PM-04, year of construction: 2012, dimensions: 800 mm x 770 mm x 1780 mm. Including box with plastic cups.	1250
168	Waterlander Samach b.v.	Waterlander Samach b.v. clipping machine, type: WSC klip sluitertype XS, machine number: R-7692, year of construction: 2011, 400 V, 50 Hz, 4.2 A, 2.75 kW, plastic infeed belt, belt width: 170 mm, plastic rollers, roller width: 520 mm, total dimensions: 2980 mm x 1310 mm x 1300 mm.	1500
169	NN grater	S/s grater, clearance: 240 mm x 240 mm, total dimensions: 1850 mm x 1000 mm x 800 mm.	2000
170	O/K Packaging Systems	O/K Packaging Systems box closing machine, top and bottom taper, type: SUPERTAPER-1M, machine number: 10-90884, year of construction: 2010, 400 V, 3 PH, 50 Hz, 1.2 A, plastic rollers, roller width: 500 mm, total dimensions: 1800 mm x 950 mm x 1630 mm.	1000
171	GEA CFS Bakel B.V.	GEA CFS Bakel B.V. paddle mixer-grinder, type: ComboGrind 1800/250, machine number: 1005, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 145 A, 80 kW, weight: 2700 kg, volume: 1800 liter, plate diameter: 250 mm, total dimensions: 2200 mm x 2100 mm x 2550 mm. Including switch cabinet, dimensions: 2130 mm x 1200 mm x 260 mm and tool trolley with grind plates, dimensions: 1270 mm x 1080 mm x 1280 mm.	45000
172	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF 300 BN, number: 1505, 380 V, 3 Ph, 50 Hz, 25.3 A, dimensions: 1700 mm x 1330 mm x 2030 mm. Without vacuum pump, was regulated centrally.	3500
173	Siat	Siat mobile box closing machine with bottom taper, model: XL35, type: 4.P A, serial number: 10421, year of construction: 1999, 380 V, 3 Ph, 50 Hz, 1.4 A, 260 W, s/s rollers, roller width: 500 mm, total dimensions: 1920 mm x 1100 mm x 1430 mm.	250



174	Loma Systems	Loma Systems metal detector with elevating belt, model: IQ <sup>2</sup> , serial number: 395316H, year of construction: April 1995, 85-265 V, 50-60 Hz, plastic belt with dividers, belt width: 375 mm, divider height: 30 mm, distance between dividers: 290 mm, elevating height: 1120 mm, clearance: 400 mm x 170 mm, total dimensions: 2300 mm x 710 mm x 1180 mm. Technical condition unknown.	500
175	Handtmann	Handtmann vacuum filling machine, type: VF80, number: 1328, 380 V, 50 Hz, 10.8 A, 4 kW, dimensions: 1170 mm x 1150 mm x 1880 mm.	2000
177	NN turning table	S/s turning table, diameter working top: 1450 mm, total dimensions: 1460 mm x 1460 mm x 800 mm.	500
178	Record	Record flowpacker, model: Panda 1000, serial number: 03-96-128, year of construction: 1996, 4 kW, weight: 810 kg, infeed chain conveyor with plastic dividers, distance between dividers: 240 mm, divider height: 40 mm, seal length: 250 mm, plastic outfeed belt, belt width: 200 mm, total dimensions: 4600 mm x 1200 mm x 1620 mm.	2500
179	Avercon	Avercon lid applicator / box closing machine, type: AVC-LAS10, number: 552, year of construction: 03-2004, s/s rollers, roller width: 500 mm, total dimensions: 3300 mm x 2200 mm x 1950 mm. Missing glue unit.	1250
180	Bosch Groep	Bosch Groep vertical bag form-, fill- and seal machine, type: 1650 A 001, number: 1103, year of construction: 1990, 380 V, 50 Hz, 16 A, diameter pipe: 70 mm, vertical seal length: 300 mm, horizontal seal length: 180 mm, total dimensions: 1700 mm x 1100 mm x 1900 mm. Plastic cover broken. Including wooden crate with infeed/dosing system.	750
181	NN flowpacker	S/s flowpacker, chain infeed belt with s/s dividers, distance between dividers: 150 mm, divider height: 20 mm, film width: 140 mm, seal length: 200 mm, total dimensions: 4000 mm x 1000 mm x 1600 mm.	3000
182	Inauen Maschinen AG	Inauen Maschinen AG shrink tunnel, type: VC999 / TANK 85.47 E, machine number: 95T88428, 380 V, 3 PH, 50 Hz, 40 A, 2x 10 kW + 0.6 kW, s/s rollers, roller width: 470 mm, clearance: 540 mm x 300 mm, total dimensions: 2250 mm x 910 mm x 1800 mm.	850
183	Garvens Automation GmbH	Garvens Automation GmbH checkweigher with ejector, type: S3, number: 330947, year of construction: 2001, maximum weight: 1000 g, minimum weight: 10 g, e= 0,2 g, capacity: 70 measures per minute, weighing cell: BF20, plastic belt, belt width: 300 mm, total dimensions: 1450 mm x 1400 mm x 1550 mm.	2000



184	Webomatic	Webomatic mobile double chamber vacuum machine, type: CD 130, machine number: 5810EF56, 230 V, 3 Ph, 15.6 A, 4,0 kW, seal width: (2x) 630 mm, dimensions chamber: (2x) 630 mm x 840 mm, Busch vacuum pump, type: RA 0165 D 501 QLBC, number: C0402000354, capacity: 160 m <sup>3</sup> /h, total dimensions: 1420 mm x 980 mm x 1180 mm.	1500
185	Newweigh	Newweigh linear weigher, type: C41D, serial number: 09 0420 A, year of construction: 2009, 230 V, 50 Hz, 8 A, weight: 1000 kg, 4 lanes, lane width: 90 mm, total dimensions: 1900 mm x 1450 mm x 1910 mm. Complete control system renewed / overhauled in 2022.	10000
186	Dörr	Dörr denester, 7 lanes, lane width: 130 mm, DVP vacuum pump, type: SB.16 9801024, capacity: 16/19 m <sup>3</sup> /h, total dimensions: 1700 mm x 1550 mm x 1800 mm. 1 missing cover.	1500
187	NN platform	S/s platform, platform height: 800 mm, total dimensions: 4100 mm x 2900 mm x 1950 mm.	2000
188	Bodijn	Bodijn transport belt, s/s frame, plastic belt, belt width: 930 mm, total dimensions: 3100 mm x 1900 mm x 1500 mm.	1000
189	Staan / Alipack	Staan transport belt with Alipack top and bottom labeller, type transport belt: STA B1-00, chain belt with dividers, divider height: 15 mm, distance between dividers: 300 mm, total dimensions: 6200 mm x 800 mm x 1650 mm.	1500
190	Grasselli	Grasselli mobile skinning and derinding machine, number: 060696/514, working width: 440 mm, plastic belt, belt width: (2x) 440 mm, total dimensions: 2100 mm x 800 mm x 1100 mm.	250
191	Ceia	Ceia metal detector with rejector, model: THS/3F, serial number: 20500245015, plastic belt, belt width: 200 mm, clearance: 250 mm x 130 mm, total dimensions: 1450 mm x 930 mm x 1360 mm.	1250
192	Bizerba	Bizerba strip cutter / tenderizer, type: S111, number: 1243899, 220-240 V, 50 Hz, 2.77 A, working width: 180 mm, total dimensions: 400 mm x 340 mm x 350 mm.	150
193	ReTon	ReTon mobile bucket sealer, model: RT-900XXLF, dimensions dye: Ø 310 mm, film width: 405 mm, total dimensions: 960 mm x 730 mm x 1740 mm.	750
194	Rhima	Rhima dishwasher, model: DR 265 E, serial number: DWD1003430, 380-415 V, 3 Ph, 50 Hz, 18.9 A, 12500 W, inside dimensions: 690 mm x 630 mm, total dimensions: 910 mm x 840 mm x 1750 mm.	1000
196	NN grinder plates	5 Grinder plates, plate Ø: 280 mm, perforations: 3, 5, 16 and 19 mm.	150



197	Tecnovac	Tecnovac mobile tray sealer, type: Quick, serial number: 22-01-09-18, year of construction: 2002, 400 V, 3 Ph, 60 Hz, 3500 W, film width: 340 mm, dye: 288 mm x 220 mm, total dimensions: 720 mm x 1100 mm x 1560 mm.	2000
198	Rühle	Rühle mobile injector, type: PR 15, number: 2475, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 1.1 kW, 15 needles, s/s belt, belt width: 270 mm, total dimensions: 1230 mm x 450 mm x 1410 mm.	500
199	Bandall	Bandall mobile banding machine, type: BA32/20-30, machine number: 20524564, year of construction: 2014, 230 V, 50/60 Hz, clearance: 370 mm x 200 mm, total dimensions: 690 mm x 500 mm x 1280 mm.	1500
200	Rovema	Rovema vertical bag fill-, form- and seal machine, type: VPX 250, number: 13771 P, year of revision: 2014, diameter pipe: 100 mm, vertical seal length: 360 mm, horizontal seal length: 280 mm, total dimensions: 2150 mm x 1400 mm x 2010 mm, including pallet with 2 filling pipes, diameters filling pipes: 100 mm & 55 mm.	5000
201	Stephan	Stephan universal machine, type: UM 44 E, machine number: 734863, year of construction: 2012, 230 V, 50 Hz, 28.10 A, 7.5 kW, 1500/3000 rpm, volume bowl: 44 liter, dimensions: 900 mm x 570 mm x 1200 mm.	3000
202	FAM	FAM slicer, 25 knives, working width: 230 mm, distance between knives: 10 mm, total dimensions: 1700 mm x 900 mm x 1400 mm.	3500
203	Alexanderwerk	Alexanderwerk grinder, type: AMW 130, machine number: 4124, 380 V, 50 Hz, 24.5 A, 11 kW, diameter plate: 130 mm, total dimensions: 1100 mm x 950 mm x 1430 mm.	1000
204	ZTI	ZTI peeler, type: CITRUS-KIWI PEELER, serial number: 923302, year of construction: 10-2015, 2 slicing stations, 4 grabbers per station, plastic outfeed belt, belt width: 320 mm, total dimensions: 2600 mm x 1750 mm x 1960 mm. Including crate with spare parts.	5000
205	Thermat	Thermat stationary high pressure cleaner, model: HRG 800/150 ECO, machine number: 08036924, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 12 A, 4.2 kW, 150 bar, capacity: 13.3 l/min, dimensions: 1400 mm x 630 mm x 1140 mm.	500
206	Bauger	Bauger air compressor, type: KOM30028E, number: 202030028E048, year of construction: 2020, 230/400 V, 50 Hz, 12.4 / 7.2 A, volume: 270 liter, capacity: 260 l/min, dimensions: 1600 mm x 500 mm x 1050 mm.	150





207	Burckhardt	Burckhardt rotation feeder, type: BA 500/s 450/850 IU, machine number: 5-2117, year of construction: 2008, 230 V, 25 Hz, inside dimensions: 740 mm x 740 mm x 220 mm, total dimensions: 840 mm x 800 mm x 740 mm.	500
208	Burckhardt	Burckhardt rotation feeder, type: BA 500/s 450/850 IU, machine number: 5-2117, year of construction: 2008, 230 V, 25 Hz, inside dimensions: 740 mm x 740 mm x 220 mm, total dimensions: 840 mm x 800 mm x 740 mm.	500
209	Berkel	Berkel slicer, type: 750L/55, serial number: 9410940, year of construction: 1994, 380 V, 3 Ph, 50 Hz, 3.5 A, dimensions chamber: 180 mm x 180 mm, total dimensions: 1460 mm x 590 mm x 600 mm. Missing knife.	500
210	G. Mondini S.p.a.	G. Mondini S.p.a. traysealer with infeed belt, model: E 360 CVS/V0.1, serial number: 2356-03/1, year of construction: 16/10/03, 380 V, 3 Ph, 50 Hz, dye: (3x) 195 mm x 195 mm, total dimensions traysealer, 3050 mm x 950 mm x 2550 mm, dimensions infeed belt: 8100 mm x 600 mm x 1200 mm.	3500
211	Ulma	Ulma traysealer, type: Scorpius 850-D, serial number: 7300072, year of construction: 2007, 400 V, 50 Hz, wire infeed belt, belt width: (2x) 150 mm, plastic outfeed belt, belt width: 500 mm, dimensions dye: (6x) 210 mm x 120 mm, total dimensions: 4100 mm x 1170 mm x 2120 mm, with divider infeed belt, s/s belt with plastic dividers, roller width: 460 mm, divider width: 150 mm and 2 trolleys for dye set, dimensions: 1500 mm x 1000 mm x 1380 mm.	5000
212	Jasa Packaging Systems	Jasa Packaging Systems vertical bag form-, fill- and seal machine, type: J450, machine number: 10044, year of construction: 1993, 400 V, 3 Ph, 16 A, 3 kW, 6 bar, weight: 1099 kg, film width: 520 mm, diameter filling pipe: 130 mm, vertical seal length: 460 mm, horizontal seal length: 480 mm, total dimensions: 2250 mm x 1500 mm x 1990 mm. Including pallet with 2 extra filling pipes, clearance pipes: 200 mm and 270 mm x 220 mm.	2500
213	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH vertical slicer, type: 2550, machine number: 255005.61634.0406, year of construction: 2000, 230 V, 50/60 Hz, 9.5/16 A, 1.75 kW, weight: 360 kg, maximum clearance: 250 mm x 100 mm, plastic string outfeed belt, belt width: 200 mm, total dimensions: 2100 mm x 870 mm x 1850 mm. Including pallet with knives.	3500



214	Risco	Risco double shaft paddle mixer on weighing cells, model: RS 200, serial number: 1098006, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 1.5 A, volume: 200 liter, dimensions: 1400 mm x 850 mm x 1300 mm.	1500
215	Kolbe	Kolbe mobile grinder, type: SW 100, serial number: 68 5681, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 6.9 A, 2.9 kW, weight: 110-115 kg, diameter plate: 100 mm, total dimensions: 900 mm x 700 mm x 1220 mm.	750
216	NN depositor	Mobile depositor formally used for dosing nuts on cookies, 18-heads, diameter heads: (18x) 35 mm, inside dimensions bunker: 1720 mm x 430 mm x 400 mm, total dimensions: 2080 mm x 1300 mm x 2060 mm.	500
217	Grundfos	Grundfos circulation pump, type: CR5-36 A-FGJ-A-E-HQQE, model: A96525235P10603, serial number: 0003, 50 Hz, 5.50 kW, maximum pressure: 25 bar, maximum temperature: 120 °C, capacity: 5.8 m <sup>3</sup> /h, dimensions: 500 mm x 450 mm x 1800 mm.	250
218	Groba / RMA Techniek	Groba / RMA Techniek cheese slicer, serial number: 2015-313, year of construction: 2015, 400 V, 16 A, plastic belt, belt width: 500 mm, clearance: 460 mm x 230 mm, total dimensions: 2450 mm x 950 mm x 2250 mm.	10000
219	Groba	Groba mobile elevating belt, type: TB-404x2600, year of construction: 2006, weight: 200 kg, plastic belt with dividers, belt width: 340 mm, divider height: 30 mm, distance between dividers: 200 mm, elevating height: 1950 mm, total dimensions: 2500 mm x 630 mm x 2100 mm.	1500
220	FAM	FAM cheese grater, type: CHS-2D, serial number: 5381, year of construction: 2001, 380 V, 3 Ph, 50 Hz, 5.5 kW, knife set: 2.4 mm, total dimensions: 850 mm x 1350 mm x 1660 mm. Extra knife set: 1.8 mm and 3.2 mm.	7500
221	Groba	Groba elevating screw on s/s platform, type: PB 100, number: 96 228, diameter screw: 100 mm, tier: 60 mm, total dimensions: 1800 mm x 1600 mm x 1950 mm.	2500
222	NN elevating belt	Elevating belt, s/s frame and plastic belt, belt width: 470 mm, elevating height: 1800 mm, total dimensions: 4000 mm x 680 mm x 1800 mm.	2500
223	De Kruijf Metaal Techniek	De Kruijf Metaal Techniek tumbler, type: KM-1500/01, year of construction: 2008, diameter: 800 mm, length: 1500 mm, total dimensions: 2180 mm x 1000 mm x 2150 mm.	2500
224	NN switch cabinet	S/S switch cabinet for cheese grating and packaging line, dimensions: 900 mm x 700 mm x 2030 mm.	1500



225	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 560 mm, distance between dividers: 1000, divider height: 10 mm, elevating height: 4700 mm, total dimensions: 6900 mm x 900 mm x 4750 mm.	3000
226	Dataweigh	S/s platform with Dataweigh multihead weigher, 14 heads, type: ADW-F514SV, serial number: WQ120274, 220-240 V, 1 Ph, 50/60 Hz, 10 A, weight range: 8 - 1000 gram, dimensions: 1300 mm x 1300 mm x 1750 mm, working height platform: 3400 mm, dimensions trolley: 2800 mm x 2700 mm x 4350 mm.	15000
227	Innotech Verpackungsmaschinen GmbH	Innotech Verpackungsmaschinen GmbH vertical bag form-, fill- and seal machine, type: 3800REVO, machine number: 136 05 607, year of construction: 2005, 230-400 V, 3x25 A, film width: 800 mm, pipe: 240 mm x 160 mm, vertical seal length: 600 mm, horizontal seal length: 400 mm, total dimensions: 1600 mm x 2700 mm x 2650 mm. Including 2 extra fill pipes, pipe: 140 mm x 170 mm and Ø 120 mm.	15000
229	Wellfood Food Packaging Equipment	Wellfood Food Packaging Equipment s/s turning table, model: TAVOLO ROTANTE, serial number: TR 1654, year of construction: 2021, 400 V, 50 Hz, 0.18 kW, diameter table: 1300 mm, total dimensions: 1300 mm x 1300 mm x 850 mm.	1500
230	Marchant Schmidt Inc	Marchant Schmidt Inc cheese trim cutting line, consisting of: Marchant Schmidt Inc elevating belt, type: MS3000, 400 V, 3 Ph, 50 Hz, 1.9 A, plastic belt and dividers, belt width: 400 mm, divider height: 75 mm, distance between dividers: 300 mm, elevating height: 2200, total dimensions: 3700 mm x 850 mm x 2600 mm; Marchant Schmidt Inc cheese trim cutter, type: TC3000, 400 V, 3 Ph, 50 Hz, 15 / 41.61 A, maximum product size: 355.6 mm x 279.4 mm x 88.9 mm, total dimensions: 1480 mm x 920 mm x 2020 mm.	8500
231	Wetrok	Wetrok floor scrubbing machine, type: Wetrok-Duomatic 650 BM, number: 460-600-1577, 24 V, 1160 W, weight: 298, diameter brush: (2x) 340 mm, length squeeze: 840 mm, total dimensions: 1300 mm x 840 mm x 1040 mm. Including Mori battery charger, model: MT 24/30 w, dimensions: 400 mm x 300 mm x 250 mm.	250
232	Multipond	Multipond multihead weigher, 20 heads, type: MP 20-3800/1250-H, serial number: M2718, year of construction: 2011, 416 V, 3 Ph, 50/60 Hz, maximum: 3000 gram, minimum: 50 gram, e= 0.5 gram, T= 150 gram, d= 1.0 gram, dimensions: 2650 mm x 2100 mm x 1170 mm. Including wooden crate with parts, dimensions crate: 1200 mm x 1500 mm x 1150 mm.	15000



233	Danfoss	4 Danfoss frequency converters, type: FC-302PK75T5E20H1, 3x380-500 V, 50/60 Hz, 1.6/1.4A, dimensions: (4x) 350 mm x 90 mm x 200 mm.	1000
234	Safeline	Safeline fall through metal detector head, model control unit: 50H, 100/240 V, 50/60 Hz, 330 W, diameter clearance: 200 mm, total dimensions: 430 mm x 400 mm x 250 mm and 500 mm x 300 mm x 250 mm.	250
235	Danfoss	9 Danfoss frequency converters, type: FC-302PK55T5E20H1, 3 x 380-500 V, 50/60 Hz, 1.6/1.4A, dimensions: (5x) 350 mm x 90 mm x 200 mm.	1500
236	NN fill pipe	s/s fill pipe for vertical bag form-, fill- and seal machine, diameter: 110 mm, total dimensions: 440 mm x 440 mm x 800 mm.	100
237	Kärcher	Kärcher floor scrubbing machine.	100
238	Delair	Delair drying cabinet, model: ED-120-TC, number: 87-111, 220 V, 650 W, 3 floors, dimensions each floor: 400 mm x 350 mm, inside dimensions: 400 mm x 350 mm x 630 mm, total dimensions: 580 mm x 490 mm x 870 mm.	10
239	Deca	Deca battery charger, model: Class 30A, 230 V, 50/60 Hz, dimensions: 210 mm x 190 mm x 290 mm.	10
240	S.A.M.	S.A.M. automatic slicer, dimensions: 1000 mm x 970 mm x 640 mm. Technical conditions unknown.	350
241	B+B	B+B labeller, serial number: 40112587, 230 V, dimensions: 1200 mm x 900 mm x 900 mm.	750
242	Boulangier	Boulangier vacuump pump with electrical parts on a pallet, technical condition unknown.	150
243	Ishida	Ishida multihead weigher, 16 heads, model: CCW-M-216BL-4M/50-WP, number: 49315, year of construction: June 2006, 240 V, 1 Ph, 50 Hz, 9.8 A, dimensions: 2100 mm x 2000 mm x 2700 mm. Including 2 wooden crates with parts, dimensions crates: (2x) 1530 mm x 1020 mm x 880 mm.	5000
244	Marchant Schmidt Inc	Marchant Schmidt Inc cheese cubing system, model: MS, year of construction: 2008, cube sizes: 30 mm x 30 mm and 35 mm x 35 mm, capacity: 4355 kg per hour, plastic belt, belt width: 450 mm, total dimensions: 2850 mm x 2650 mm x 2200 mm. Including tool trolley, dimensions: 1200 mm x 890 mm x 1280 mm.	7500
245	Elau Pac drive	Elau Pac Drive controller, type: C400 and 2 Elau Pac Drive servo drives, type: MC-4.	250
246	Rexroth	3x Rexroth converters, type: HCS02.1E-W0012.	250



247	Weber	Weber slicer line, consisting of: Weber slicer, type: CCS 9000, number: 720, 380 V, 50 Hz, 8 kW, wired outfeed belt, total dimensions: 3050 mm x 1080 mm x 2420 mm; Wipotec checkweigher, type: IW 15K, serial number: 0011109, year of construction: 1999, maximum weight: 1000 g, d: 0.1 g, wired belt, belt width: 370 mm, total dimensions: 370 mm, 450 mm x 650 mm x 930 mm; Weber line dividing belt, type: CCR, number: 720, line divider, wired belt, belt width: 370 mm, total dimensions: 480 mm x 950 mm x 1030 mm; Weber double outfeed belt, type: CCE, number: 1262, plastic belt, belt width: (2x) 375 mm, total dimensions: 1800 mm x 860 mm x 1310 mm.	4100
248	Typhoon	Typhoon mixer on mobile steel frame, model: 81 5K5, number: 82TY262, dimensions: 850 mm x 900 mm x 1700 mm.	125
249	Elau Pac drive	6 Elau Pac Drive servo drives, type: MC-4.	500
250	Linde Material Handling	Linde Material Handling forklift truck, type: E30/03/600, serial number: G1X336Z50160, year of construction: 2009, rated drive power: 2 x 8 kW, battery voltage: 80 V, rated capacity: 3000 kg, unladen weight: 4115 kg, battery weight minimum / maximum: 1770 kg / 1956 kg, working hours: 14849.7 hours, fork length: 1400 mm, dimensions forklift truck: 4200 mm x 1300 mm x 2860 mm, P.B.M. S.R.L. battery charger, type: SE 80V 100A, serial number OUO610, output: 80 VDC / 100 A, dimensions charger: 500 mm x 400 mm x 1000 mm.	5000
251	Finis	Finis potato peeler, diameter drum: 700 mm, length drum: 1700 mm, total dimensions: 2800 mm x 1200 mm x 2500 mm.	5000
252	FoodLife	FoodLife transport belt, s/s frame, number: 02437876, plastic mesh belt with dividers, belt width: 505 mm, divider height: 100 mm, distance between dividers: 250 mm, total dimensions: 5000 mm x 1000 mm x 1400 mm.	1000
253	NN table	S/S table, dimensions: 1900 mm x 450 mm x 950 mm.	100
254	Pesutekno OY	Pesutekno OY dishwasher, model: TERHI ECO, number: 5002091202, year of construction: 2009, 400 V, 50 Hz, 32 A, 23000 W, inside dimensions: 530 mm x 500 mm x 580 mm, total dimensions: 740 mm x 650 mm x 1640 mm.	100
255	Hobart	Hobart dishwasher, model: FXD200-71, serial number: 87172718, year of construction: 2006, 230 V, 1 Ph, 50 Hz, 16.0 A, 3.6 kW, inside dimensions: 490 mm x 490 mm x 445 mm, total dimensions: 700 mm x 600 mm x 1360 mm. Including 3 baskets.	200



256	Jasa Packaging Systems	Jasa Packaging Systems buffer belt, s/s frame, type: MAB-650P, machine number: 120127, 230 V, 1 Ph, 0.55 kW, weight: 350 kg, plastic belt, belt width: 650 mm, plastic rollers, roller width: 500 mm, total dimensions: 3100 mm x 1100 mm x 1500 mm.	850
257	ENBU bv	ENBU bv tilting device for pallet boxes, order number: 1806, year of construction: 1992, clearance: 1000 mm x 700 mm x 770 mm, total dimensions: 2200 mm x 1600 mm x 2180 mm.	750
258	NN tilting device	S/s tilting device for pallet boxes, clearance: 1330 mm x 980 mm x 870 mm, total dimensions: 1800 mm x 1400 mm x 1350 mm.	1250
259	Scansteel	Scansteel double shaft spiral mixer, volume: 3000 liter, dimensions: 1670 mm x 3200 mm x 1950 mm.	2000
260	NN peeler	S/s peeler, diameter drum: 1120 mm, length drum: 3400 mm, total dimensions: 5000 mm x 1700 mm x 3400 mm.	8500
261	NN tank	S/s tank, volume: 1300 liter, inside dimensions: $\emptyset$ 1140 mm x 1300 mm, total dimensions: 1230 mm x 1230 mm x 1860 mm.	750
262	De Gouwe B.V.	De Gouwe B.V. s/s tank, type: RVS316, project number: 9636192, year of construction: 1996, volume: 1300 liter, weight: 140 kg, dimensions: 1240 mm x 1240 mm x 1880 mm.	500
263	NN tank	S/s tank, volume: 1300 liter, inside dimensions: $\emptyset$ 1140 mm x 1300 mm, total dimensions: 1230 mm x 1230 mm x 1860 mm.	750
264	NN tank	S/s tank, volume: 1300 liter, inside dimensions: $\emptyset$ 1140 mm x 1300 mm, total dimensions: 1230 mm x 1230 mm x 1860 mm.	750
265	NN tank	S/s tank, dimensions: 1700 mm x 1700 mm x 2100 mm.	1000
266	Ferguson	Ferguson drying tunnel, type: FID 61820, number: NE040003, year of construction: 2004, maximum pressure: 24.8 bar, refrigerant: R404A, 29 kg, plastic mesh belt, belt width: 580 mm, clearance: 620 mm x 219 mm, total dimensions: 9400 mm x 1600 mm x 2110 mm. Without cooling compressor.	5000
267	NN vibrating gutter	Mobile s/s vibrating gutter, gutter width: 105 mm, total dimensions: 1550 mm x 800 mm x 2000 mm.	750
268	NN vibrating gutter	Mobile s/s vibrating gutter, gutter width: 110 mm, total dimensions: 1100 mm x 600 mm x 1440 mm.	750
269	Ferguson	Ferguson cooling tunnel, year of construction: 05-11-2004, 400 V, 3 Ph, 50 Hz, 18.5/25 A, 8.6 kW, s/s belt, belt width: 960 mm, total dimensions: 4600 mm x 2500 mm x 3600 mm.	9500
270	NN mixer	Double shaft paddle mixer, number: 0151, inside dimensions: 2450 mm x 1050 mm x 700 mm, total dimensions: 3550 mm x 1200 mm x 1850 mm.	2000



271	Stork Protecon	Stork Protecon injector with filter unit, type: PI-440H, serial number: 528, 380 V, 3 Ph, 50 Hz, air pressure: 6 bar, s/s walking beam, beam width: 400 mm, 440 needles, dimensions injector: 2300 mm x 900 mm x 2050 mm, dimensions filter unit: 1640 mm x 440 mm x 600 mm.	1000
272	NN ham press	Ham press, diameter: 200 mm, total dimensions: 2570 mm x 530 mm x 1880 mm.	750
273	Nowicki	Nowicki crate washer with 2 tilting devices, type: MPU-600 P, number: 94704074, year of construction: 2004, 400 V, 3 Ph, 7.7 kW, weight: 740 kg + (2x) 220 kg, clearance: 855 mm x 745 mm, total dimensions: 4400 mm x 1300 mm x 2200 mm.	1500
274	NN press	S/s press, dimensions press plate: 570 mm x 660 mm, total dimensions: 1300 mm x 1250 mm x 2000 mm.	500
275	Elpress/Stork Titan B.V.	Elpress/Stork Titan B.V. CIP cleaning system, type: TRF-630, serial number: 6700597-9144-21, year of construction: 2006, maximum temperature: 90° C, maximum pressure: 6 bar, dimensions: 2100 mm x 1050 mm x 1510 mm.	500
276	Feltracon	Feltracon weighing belt (bunkerbelt with flowbelt), type: 53W, number: 3845-53W7, year of construction: 2011, 230/400 V, 0.16 kW, s/s frame, plastic belt, belt width: 620 mm, total dimensions: 2550 mm x 800 mm x 1050 mm.	600
277	NN elevating belt	Elevating belt, s/s frame, inside dimensions buffer: 1000 mm x 1000 mm x 1000 mm, s/s belt with dividers, belt width: 290 mm, divider height: 80 mm, distance between dividers: 140 mm, elevating height: 1620 mm, total dimensions: 2200 mm x 1100 mm x 2450 mm.	500
278	SFK-Danfotech	SFK-Danfotech s/s tilting device for pallet boxes, type: HH1000, serial number: 765, year of construction: 2002, 3x400 V, 50 Hz, 3.8 A, 1.5 kW, working pressure: 100 bar, test pressure: 125 bar, maximum load: 1000 kg, maximum dimensions pallet boxes: 740 mm x 520 mm x 980 mm, total dimensions: 1350 mm x 1800 mm x 2300 mm.	1500
279	Packo	Packo s/s cooled tank with agitator, inside dimensions: 1500 mm x 1000 mm x 640 mm, total dimensions: 2400 mm x 1120 mm x 1330 mm.	850
281	Benzon	Benzon vibrating gutter, number: 6211, year of construction: 2010, 240 V, 50 Hz, 1200 W, gutter width: 490 mm & 1190 mm, total dimensions: 1350 mm x 2100 mm x 1440 mm.	850



282	Ishida	Ishida multihead weigher, 16 heads, model: CCW-R-216B-D/30-WP, serial number: 556166, year of construction: 02/2012, 240 V, 1 Ph, 50 Hz, 4.4 A, weight: 850 kg, dimensions: 1550 mm x 1550 mm x 1800 mm.	2500
283	Rema	Rema electrical pallet lifter, number: 02-40, year of construction: 2002, capacity: 1500 kg, lifting height: 2850 mm, net weight: 688 kg, length forks: 1140 mm, total dimensions: 2400 mm x 960 mm x 2000 mm.	850
284	PFM Spa	PFM Spa mobile flowpacker, model: PFM 30, serial number: 3628, year of construction: 1993, 380 V, 7.3 A, 2.8 kW, chain infeed belt with dividers, divider height: 100 mm, distance between dividers: 300 mm, seal width: 250 mm, plastic outfeed belt, belt width: 185 mm, total dimensions: 4130 mm x 900 mm x 1800 mm.	1500
285	HCP	HCP s/s vibrating gutter, type: 00008068, year of construction: 1999, gutter width: 200 mm, total dimensions: 1800 mm x 700 mm x 1140 mm.	1200
286	Loma Systems	Loma Systems metal detector, model: IQ <sup>3</sup> , serial number: MD304EV-05921D, year of construction: 25 June 2007, 85-265 V, 50-60 Hz, clearance: 200 mm x 450 mm, total dimensions: 560 mm x 550 mm x 1820 mm.	500
287	Loma Systems	Loma Systems metal detector, model: IQ <sup>3</sup> , serial number: MD304EV-06074D, year of construction: 11.07.07, 85-265 V, 50-60 Hz, clearance: 200 mm x 450 mm, total dimensions: 500 mm x 500 mm x 1850 mm.	500
288	GNA Packaging	GNA Packaging flowpacker, model: Orange Plus, serial number: 2006/0263, year of construction: 16/04/2007, 230 V, 2.0 kW, film width: 542 mm, total dimensions: 5500 mm x 1150 mm x 1700 mm.	2500
289	NN tumbler	Mobile vacuum tumbler, inside dimensions: Ø 500 mm x 600 mm, total dimensions: 1250 mm x 700 mm x 1300 mm. Without vacuum pump.	200
290	Stephan Bäcker-Boy	Stephan Bäcker-Boy universal machine, type: BB 50, serial number: 2330629, 380 V, 50 Hz, 1410 rpm, volume 50 liter, dimensions: 800 mm x 550 mm x 1150 mm.	200
291	FAM	FAM vegetable slicer, plastic belt, belt width: 80 mm, dimensions chamber: 120 mm x 120 mm, total dimensions: 3000 mm x 750 mm x 1260 mm.	2500





292	Fawema Verpackungsmaschinen	Fawema Verpackungsmaschinen vertical bag form-, fill- and seal machine, type: VI380, machine number: RN29081, year of construction: 2008, 230/400 V, 50 Hz, film width: 520 mm, diameter pipe: 150 mm, vertical seal length: 570 mm, horizontal seal length: 400 mm, total dimensions: 2300 mm x 1600 mm x 2300 mm.	3500
293	Jasa Packaging Systems	Jasa Packaging Systems vertical bag form-, fill- and seal machine, film width: 740 mm, diameter pipe: 210 mm, vertical seal length: 450 mm, horizontal seal length: 370 mm, total dimensions: 2300 mm x 1700 mm x 2050 mm.	2000
294	Key Superior	Key Superior vibrating gutter, type: ST3/4600./5, wos: 6909, year of construction: 1997, gutter width: 1500 mm, total dimensions: 5250 mm x 1750 mm x 1530 mm.	4000
295	Key Superior	Key Superior vibrating gutter, type: MVSL, wos: 12442, year of construction: 2002, gutter width: 1200 mm, total dimensions: 6700 mm x 1400 mm x 1160 mm.	2500
296	NN platform	S/s platform with double stairs, (2x) 6 steps, working height: 1180 mm, total dimensions: 2200 mm x 1600 mm x 2060 mm.	500
297	Zarges	Zarges aluminium platform with stairs, 3 steps, working height: 720 mm, total dimensions: 1200 mm x 800 mm x 1730 mm.	250
298	Tummers Processing Machinery	Tummers Processing Machinery sorting belt for potatoes, type: 97-0208, year of construction: 1997, belt width: 1500 mm, total dimensions: 4750 mm x 2400 mm x 1850 mm.	1500
299	Volkswagen	Volkswagen Caddy, VIN: WV1ZZZ2KZ8X052511, engine type: 1.4 liter I4 DOHC 16V, fuel type: gasoline, transmissions: manual 5-speed, emission standard: EURO-4, first registered: 09-05-2008, mileage: 104268 km, weight: 1470 kg, loading capacity: 760 kg.	5000
300	Velteko s.r.o.	Velteko s.r.o. vertical bag form-, fill- and seal machine, type: HSV101S1M, serial number: 1801, year of construction: 10/2003, 400/230 V, 3 Ph, 50 Hz, 9.6 A, vertical seal length: 350 mm, horizontal seal length: 260 mm, with Safeline metal detector, module serial number: 148340, diameter head: 95 mm, Rietschle Thomas vacuum pump, type: VLT 25 (01), capacity: 25.8/30.7 m <sup>3</sup> , total dimensions: 1400 mm x 2000 mm x 2500 mm. Incomplete, missing filling pipe and 1 horizontal seal bar.	2500



301	Stork Titan B.V.	Stork Titan B.V. mobile forming machine, type: THV 400 versie 3.1, machine number: 4T 211401, year of construction: 1996, 380/415 V, 3 Ph, 50 Hz, 11 kW, s/s mesh belt, belt width: 400 mm, total dimensions: 2500 mm x 900 mm x 2150 mm. Including tool trolley with various forming plates.	4500
302	FAM	FAM vegetable slicer, type: YURAN, serial number: 6162, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 4 kW, weight: 600 kg, plastic belt, belt width: 270 mm, working width: 220 mm, 28 knives, distance between knives: 8 mm, total dimensions: 2700 mm x 850 mm x 1450 mm. Including 2 plastic crates with extra knife set.	5000
303	Busch	Busch vacuum pump, type: RA 0100 F 5R3, serial number: DEM120472124, year of construction: 2020, capacity: 100 m <sup>3</sup> /h, oil quantity = 2 liter, weight: 73 kg, dimensions: 1200 mm x 800 mm x 600 mm. New.	750
304	Busch	Busch vacuum pump, type: RA 0100 F 503, serial number: D14342100, year of construction: 2014, Vmax: 120 m <sup>3</sup> /h, dimensions: 750 mm x 400 mm x 500 mm.	250
305	Dataweigh	Dataweigh multihead weigher with memory bucket, 16 heads, model: ADW-416MD, serial number: WG970478, 220-240 V, 1 Ph, 50/60 Hz, 10 A, weigh range: 8 gram / 1000 gram, dimensions: 1500 mm x 1500 mm x 1700 mm. Including s/s platform, platform height: 2000 mm, total dimensions: 2600 mm x 2800 mm x 3100 mm.	5000
306	Ishida	Ishida multihead weigher, 14 heads, model: CCW-S-211, number: 14029, year of construction: oct-1988, 220 V, 50 Hz, 10.3 A, weighing range: 100 g - 600 g, dimensions: 1400 mm x 1400 mm x 1500 mm.	1750
307	Ishida	Ishida multihead weigher, 14 heads, model: CCW-Z-214W-S/30-PB, number: 18874, year of construction: 1992, 240 V, 50 Hz, 7 A, dimensions: 1500 mm x 1500 mm x 1800 mm. Including s/s platform, dimensions platform: 3300 mm x 2020 mm x 3270 mm.	2500



308	Ishida	Ishida multihead weigher, 14 heads, model: CCW-RS-214W-1S/30-SS, serial number: 559506, year of construction: 05/2009, AC 220 V, 1 Ph, 50 Hz, 7.3 A, weight: 550 kg, total dimensions: 1140 mm x 1140 mm x 1150 mm on steel platform, dimensions platform: 2800 mm x 2800 mm x 3300 mm (2150 mm without fence), with stairs, dimensions: 2200 mm x 1010 mm x 3300 mm, and elevating infeed belt, plastic mesh belt with dividers, belt width: 400 mm, distance between dividers: 140 mm, divider height: 50 mm, elevating height: 3250 mm, dimensions elevating belt: 4000 mm x 650 mm x 3350 mm.	15000
309	Pentavac	Pentavac vertical bag form-, fill- and seal machine used for sausages, model: Penta, type: 2200, serial number: 1228, year of construction: 03/2000, film width: 140 mm, diameter pipe: 20 mm, vertical seal length: 320 mm, horizontal seal length: 310 mm, total dimensions: 1950 mm x 1200 mm x 2050 mm.	2000
310	Newtec	Newtec 14 heads linear weigher, type: 2014D, number: 5639, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 9 A, 1.4 kW, gutter width: (14x) 120 mm, total dimensions: 2250 mm x 3750 mm x 1300 mm.	2500
311	Kärcher	Kärcher universal cleaning machine, model: AP 100/50 M, serial number: 10070580000271, year of construction: 2014, 230 V, 1 Ph, 50 Hz, 7 A, 1.8 kW, 245 kg, 3.0 liter per minute, dimensions: 900 mm x 600 mm x 1500 mm.	750
312	NN rotors	6 rotors, diameter: (5x) 130 mm and (1x) 200 mm.	850
313	Handtmann	Handtmann linking gearbox, type: 34-4, number: 8248.	150
314	Ergoline	Ergoline mobile crate lifter, dimensions platform: 550 mm x 240 mm, total dimensions: 1300 mm x 1000 mm x 1580 mm.	250
315	Sweco	Sweco vibrating sieve/separator, model: ES60S88, serial number: 421465, year of construction: 2009, 400 V, 3 Ph, 2.5 HP, 1500 rpm, diameter sieve: 200 mm, total dimensions: 1750 mm x 1750 mm x 1200 mm.	1500
316	NN sieve screw	Sieve screw, s/s frame, steel screw, diameter screw: 300 mm, tier: 320 mm, total dimensions: 3600 mm x 500 mm x 900 mm.	1000
317	Newtec	Newtec 14 heads linear weigher on steel platform, type: 2014D, number: 5640, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 9 A, 1.4 kW, gutter width: 140 mm, plastic belt, belt width: 200 mm, dimensions weigher: 2500 mm x 1800 mm x 1000 mm, platform height: 2500 mm, dimensions platform: 7150 mm x 2500 mm x 3600 mm.	2500



318	Jasa Packaging Systems	Jasa Packaging Systems vertical bag form-, fill- and seal machine, type: J350QP90-1, machine number: 10648, year of construction: 2000, 380 V, 3 Ph, 16 A, 4.5 kW, film width: 630 mm, diameter pipe: 170 mm, vertical seal length: 460 mm, horizontal seal length: 350 mm, total dimensions: 1600 mm x 2700 mm x 2450 mm. Including elevating belt, s/s frame, plastic belt, belt width: 330 mm, elevating height: 520 mm, total dimensions: 2400 mm x 600 mm x 600 mm.	2500
319	Jasa Packaging Systems	Jasa Packaging Systems vertical bag form-, fill- and seal machine, type: QP 350/90, machine number: 10711, year of construction: 2001, 400 V, 3 Ph, 16 A, 4.5 kW, film width: 630 mm, diameter pipe: 170 mm, vertical seal length: 460 mm, horizontal seal length: 350 mm, total dimensions: 1600 mm x 2900 mm x 2450 mm. Including elevating belt, s/s frame, plastic belt, belt width: 300 mm, elevating height: 500 mm, total dimensions: 2300 mm x 600 mm x 600 mm.	2500
320	Supertape Systems	Supertape Systems box closing machine, type: H 7.2, machine number: 98-701215, year of construction: 1998, 230 V, 1 Ph, 50 Hz, 2 A, weight: 120 kg, plastic rollers, roller width: 500 mm, total dimensions: 1750 mm x 970 mm x 1670 mm.	500
321	Mosca	Mosca mobile binding machine, type: RO-M, number: 11981, year of construction: 1987, 380 V, 3 Ph, 50 Hz, 4 A, 1.1 A, clearance: 400 mm x 290 mm, total dimensions: 850 mm x 650 mm x 1350 mm.	500
322	Volma-Gorredijk	Volma-Gorredijk crate washer, type: C 17, number: 61289, clearance: 415 mm x 485 mm, total dimensions: 3220 mm x 1000 mm x 1550 mm.	1000
323	Numafa	Numafa crate washer, type: N HWR 200/3, serial number: 301001, year of construction: 03/94, 220/380 V, 50 Hz, weight: 300 kg, clearance: 800 mm x 480 mm, total dimensions: 3100 mm x 1370 mm x 1665 mm.	1750
324	Finis	Finis potato peeler, year of construction: 2006-06-26, 230/400 V, 3 Ph, 50 Hz, 96 peeler heads, diameter heads: 176 mm, total dimensions: 6050 mm x 2100 mm x 2950 mm.	3500
325	REA	REA rack, 3 floors, dimensions: 4000 mm x 800 mm x 900 mm.	500
326	NN switch cabinets	2 switch cabinets, dimensions: (2x) 500 mm x 200 mm x 500 mm.	50
327	NN trolley for machine parts	S/s trolley for machine parts, dimensions: 2600 mm x 800 mm x 1800 mm.	150
328	NN trolley for machine parts	S/s trolley for machine parts, dimensions: 2600 mm x 800 mm x 1800 mm.	150
329	NN trolley	S/s trolley, 60 pegs, dimensions: 1200 mm x 750 mm x 1770 mm.	100



330	NN meat bins	2 s/s meat bins, volume: 200 liter.	100
331	NN meat bins	3 s/s meat bins, volume: 200 liter.	100
332	NN BBQ	S/s BBQ with chicken grill spit, length spit: 1400 mm, total dimensions: 1600 mm x 620 mm x 1540 mm.	150
333	NN container trolley	Steel container trolley, dimensions: 800 mm x 600 mm x 1600 mm.	100
334	NN trolley	S/s trolley, 60 pegs, dimensions: 1200 mm x 750 mm x 1770 mm.	100
335	NN evaporator	Evaporator, 2 fans, dimensions: 2200 mm x 1100 mm x 600 mm.	100
336	NN tumbler	Tumbler, model: MARATHON SUPERTUBLER, inside dimensions: Ø 2000 mm x 1600 mm, total dimensions: 1900 mm x 2750 mm x 2400 mm.	4000
337	BQM	BQM tumbler, inside dimensions: Ø 2000 mm x 3000 mm, total dimensions: 2650 mm x 2800 mm x 2300 mm. Technical condition unknown.	3500
338	NN smoke trolleys	2 s/s smoke trolleys, 8 floors, dimensions each floor: 990 mm x 940 mm, total dimensions: (2x) 1020 mm x 1000 mm x 1980 mm.	250
339	NN smoke sticks	S/s trolley with large amount of y-shaped smoke sticks, length each smoke stick: 1000 mm, dimensions trolley: 630 mm x 410 mm x 1100 mm.	200
340	Mesutronic	Mesutronic mobile metal detector, type: MN 7.0 CI 550/350, serial number: 1109-CI, year of construction: 2022, 100-240 V, 50/60 Hz, 1.25 A, plastic mesh belt, belt width: 510 mm, clearance: 550 mm x 310 mm, total dimensions: 2100 mm x 990 mm x 1370 mm.	6000
341	MBP	MBP 1 head linear weigher, serial number: 960620, lane width: 225 mm, total dimensions: 1500 mm x 750 mm x 1920 mm.	750
342	Burg's Machinefabriek	Burg's Machinefabriek transport belt, s/s frame, 4-lanes, 8 plastic belts, belt width: (8x) 65 mm, lane width: (4x) 140 mm, total dimensions: 1340 mm x 900 mm x 1140 mm.	500
343	Van Wamel B.V.	Van Wamel B.V. fruit sorting machine, fruits sorted on colour and size, type: OMS-4, machine number: 3660-WR, year of construction: 1998, 4-lanes, lane width: 150 mm, dimensions cups: 150 mm x 80 mm, 16 outfeed conveyors, belt width: 240 mm, total dimensions sorting machine: 20800 mm x 1700 mm x 2300 mm. With 12 outfeed transport belts, steel frames, plastic belt, belt width: 500 mm, dimensions transport belts, (8x) 3100 mm x 600 mm x 1100 mm / (4x) 2100 mm x 600 mm x 1100 mm and control unit, dimensions control unit: 900 mm x 900 mm x 1900 mm. Complete control system overhauled in 2017.	5000



344	Wolfking	Wolfking grinder, type: C 400-UNI, number: 48595, year of construction: 1996, 380 V, 50 Hz, 175 A, 90 kW, weight: 3500 kg, plate diameter: 400 mm, total dimensions: 1600 mm x 2500 mm x 2950 mm.	5000
350	NN vibrating gutter	S/s vibrating gutter, dimensions holes: 40 mm x 40 mm, gutter width: 895 mm, total dimensions: 2250 mm x 1250 mm x 1520 mm.	3000



## **General terms of the online auction**

### **Article 1. Definitions**

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website [www.Industrial-Auctions.com](http://www.Industrial-Auctions.com), which is maintained by Industrial Auctions, based in Eindhoven;

### **Article 2. Applicability**

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

### **Article 3. Registration on the website and the use**



3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Government laws and regulations, such as the Money Laundering and Terrorist Financing Prevention Act (WWFT), may impose (additional) obligations on Industrial Auctions. The client is required to provide all information requested by Industrial Auctions including (but not limited to) information about the client's identity to establish and verify this further, to verify and record the identity of the ultimate beneficial owner, the purpose and nature of the engagement or to exercise a transaction or an ongoing control over the business relationship or the natural person who represents or is authorized to do so by the client and whether the client is acting for themselves or for a third party. If the requested information is not supplied within





5 days after the first request, Industrial Auctions may immediately terminate the agreement and, pending the information, Industrial Auctions may suspend the services. Industrial Auctions is then not obliged or liable for any compensation for damages.

#### **Article 4. The auction**

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the supporting system;
- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

#### **Article 5. Security**



5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

#### **Article 6. Description lots**

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

#### **Article 7. Adjustments; operation**

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

#### **Article 8. Auction organization by Industrial Auctions**



8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;
- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

### **Article 9. Bid; Purchase Agreement**

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that



moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

#### **Article 10. Guarantees, claims and indemnities**

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no



indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

#### **Article 11. Payment obligations of the buyer**

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

#### **Article 12. Viewing days, auction days, pick-up days**

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so



entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

### **Article 13. Delivery**

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance



policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

#### **Article 14. Termination**

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

#### **Article 15. Liability**

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at



least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care.

Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

## **Article 16. Applicable law**

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.







**Industrial  
Auctions** BV



**Industrial  
Auctions** BV

Address: Looyenbeemd 11  
5652 BH Eindhoven, Netherlands  
Tel.: +31 (0)40 2409 208  
Email: [info@industrial-auctions.com](mailto:info@industrial-auctions.com)  
Web: [www.industrial-auctions.com](http://www.industrial-auctions.com)