



Industrial Auctions BV

Online auction machinery for the food industry at former
location John Rannoch Foods in Stowmarket (UK)

Closing: 24 November 2022 from 14:00 hrs.



Viewing day:

Address:

Haughley Park
IP14 3JZ Stowmarket
United Kingdom



General terms and conditions of the online auction

Closing date	24 November 2022 from 14:00 hrs.
Viewing	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	20% over the highest bid including Premium
Pick up date	01 December 2022 from 09:00 till 16:00 hrs.
Pick up address	Haughley Park IP14 3JZ Stowmarket United Kingdom
Delivery instructions	The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Industrial Auctions B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick up bought lots) will only take place on the mentioned delivery date/time and address..
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 0050339999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Seydelmann	Seydelmann lifter for 200 liter meat bins, machine type: B 300, machine number: 16 128-1, year of construction: 2016, 400 V, 50 Hz, 1.5 kW, 3 A, maximum capacity: 350 kg, weight: 450 kg, elevating height: 2250 mm, total dimensions: 1200 mm x 1050 mm x 3020 mm.	1250
2	Seydelmann	Seydelmann double shaft paddle-mixer, type: MR 600, machine number: 16648-1, year of construction: 2016, 400 V, 50 Hz, 21 A, 11 kW, weight: 1500 Kg, dimensions: 2000 mm x 1400 mm x 2300 mm.	8500
3	CFS	CFS double shaft paddle-mixer grinder, type: Combigrind I 1500/200, machine number: 5000066963, year of construction: 2009, 415 V, 3 Ph, 50 Hz, 105 A, 56 kW, dimensions mixer grinder: 2800 mm x 2300 mm x 2800 mm, including platform, number: 5000066965, year of construction 2009, platform dimensions: 2700 mm x 750 mm x 1100 mm. Including trolley with parts, dimensions: 600 mm x 750 mm x 1100.	15000
4	Tetra laval food	Tetra Laval Food frozen block grinder with Krämer+Grebe lifter for 200 liter meat bins, type grinder: AM280, machine number: 355-124-96, year of construction: 1996, 400 V, 3 Ph, 50 Hz, 139 A, diameter plate: 280 mm, dimensions grinder: 2550 mm x 1300 mm x 1950mm, type Krämer + Grebe lifter: Besch., machine number: 394-0111, year of construction 1997, lifting height: 2150, dimensions lifter: 1000 mm x 1100 mm x 3050 mm.	15000
5	Multivac	Multivac thermoformer, model: R240, serial number: 100578, year of construction: 2005, 415 V, 3 Ph, 50 Hz, 43 A, 15.5 kW, dye: (12x) 160 mm x 180 mm, film width: 560 mm, index: 400 mm, total dimensions: 6400 mm x 1200 mm x 2050 mm. Including suction device for rest film, dimensions: 600 mm x 500 mm x 1150 mm. Without vacuum pump.	12500
6	Multivac	Multivac thermoformer, type: R140, serial number: 109812, year of construction: 2006, 415 V, 3 Ph, 50 Hz, 15 A, 7 kW, dye: (1x) 305 mm x 180 mm, film width: 355 mm, index: 190 mm, dimensions: 4800 mm x 1100 mm x 1950 mm. Including line converging conveyor, model: TADA, serial number: E440, year of construction: 2008, 230 V, 1 Ph, 50 Hz, 16 A, 3 lanes to 1 lane, lane width: (3x) 70 mm, (1x) 500 mm, conveyor dimensions: 1450 mm x 750 mm x 950 mm. Without vacuum pump.	9000
7	Multivac	Multivac thermoformer, type: R126, serial number: 193423, year of construction: 2014, 415/240 V, 3 Ph, 50 Hz, 32 A, 12 kW, dye: (3x) 85 mm x 343 mm, film width: 320 mm, index: 360 mm, total dimensions: 4500 mm x 1000 mm x 2150 mm. Including 1 extra dye plate, dye: 178 mm x 302 mm.	9500



8	Multivac	Multivac suction device for rest film, type: ASE500, serial number: 20118933, year of construction: 2014, 230 V, 50/60 Hz, 10 A, 2.3 kW, dimensions: 650 mm x 700 mm x 1650 mm.	300
9	Kolbe	Kolbe mobile paddle-mixer grinder, type: MWK32-45, serial number: 1230697, year of construction: 2021, 400 V, 3 Ph, 50 Hz, 7.1 A, weight: 250 Kg, diameter plate: 100 mm, total dimensions: 600 mm x 850 mm x 1200 mm.	1000
10	Kolbe	Kolbe mobile portioning machine, type: PF 110, machine number: 760178, year of construction: 2003, 230 V, 50 Hz, 0.2 kW, working width: 125 mm, dimensions: 900 mm x 500 mm x 700 mm. Including Kolbe elevating belt, plastic belt width: 195 mm, distance between dividers: 175 mm, divider height: 10 mm, elevating height: 1200 mm, dimensions elevating belt: 1200 mm x 350 mm x 1200 mm.	500
11	Sealpac GmbH	Sealpac GmbH traysealer, type: Sealpac 800, serial number: TVG 01-1402 01, year of construction: 2006, 400/230 V, 3 Ph, 10 kW, weight: 2000 Kg, infed chain conveyor, distance between dividers: 200 mm, dye: (5x) 145 mm x 195 mm, outfeed chain conveyor width, 175 mm, total dimensions: 9200 mm x 900 mm x 2200 mm. Including s/s rack with extra dye, dimensions dye: (4x) 237 mm x 185 mm, dimensions rack: 1120 mm x 500 mm x 1390 mm and trolley to change dyes, dimensions trolley: 1400 mm x 650 mm x 1280 mm.	17500
12	Food Dosing Packing Machines SP. Z.O.O.	Food Dosing Packing Machines SP. Z.O.O. cup filling and sealing machine, type: PAK 4LP, machine number: 468, year of construction: 2016, 400 V, 3 Ph, 8 kW, weight: 2700 Kg, 4 lane cup denester, 4 lanes, cup dimensions: Ø (4x) 75 mm, total dimensions: 3950 mm x 2100 mm x 2550 mm.	20000
13	Koppens B.V.	Koppens B.V. grill marker, type: GR1046, machine number: 80, year of construction: 1999, 380 V, 3 Ph, 50 Hz, 166 A, 108 kW, weight: 1250 Kg, s/s belt, belt width: 990 mm, clearance: 1100 mm x 70 mm, total dimensions: 1800 mm x 2350 mm x 1850 mm.	12500
14	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH frozen block dicer with lifter for meat bins, model: GFWA, dimensions: 3400 mm x 1800 mm x 2730 mm. Including extra knife set. Missing circle blade.	6000
15	FANUC	FANUC packaging robot with FANUC control unit, type: M-710 i C 50S, maximum box dimensions: 390 mm x 380 mm, total dimensions robot: 1100 mm x 1100 mm x 1600 mm FANUC control unit, type A05B-2510-B150, serial number: E10801934, year of construction: 08-2010, 380-415 V 3 Ph, 50/60 Hz, weight: 180 Kg, dimensions control unit: 730 mm x 600 mm x 1900 mm.	4500
16	Seydelmann	Seydelmann grinder, type: AE 130, machine number: 08051-1, year of construction: 2008, 400 V, 50 Hz, 40 A, 20 kW, plate dimensions: 130 mm, total dimensions: 1200 mm x 1420 mm x 1580 mm.	4500



17	Hoegger Alpina	Hoegger Alpina bowl cutter with rejector, type: PB 90 20, machine number: 805020, 400 V, 3 Ph, 50 Hz, s/s bowl, dimensions: 2000 mm x 1200 mm x 1750 mm.	5000
18	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: ROBOT DP 10 C, type: 153/250 B-1, serial number: 1530316, year of construction: 1999, 220/240 V, 3 Ph, 50/60 Hz, 37 A, dimensions: 2200 mm x 1350 mm x 2050.	6000
19	Vemag	Vemag hamburger forming machine, model: FM 250, number: 350 0046, 220/240 V, 3 Ph, 50/60 Hz, 7 A, plastic belt, belt width: 250 mm, total dimensions: 1900 mm x 900 mm x 1500 mm.	9000
20	Filli Verginio Srl	Filli Verginio Srl infeed hopper, model: 210140343, serial number: 164020, 230 V, 50/60 Hz, 1 A, 0.09 kW, plastic belt, belt width, 235 mm, total dimensions: 1000 mm x 790 mm x 1100 mm.	400
21	Alpha Pack Europe s.r.l.	Alpha Pack Europe s.r.l. infeed elevating belt, model: AP-AC-52h00, machine number: 191006, year of construction: 2020, s/s frame, plastic belt, belt width: 420 mm, distance between dividers: 200 mm, divider height: 65 mm, total dimensions 2900 mm x 1000 mm x 2900.	1250
22	Alpha Pack Europe s.r.l.	Alpha Pack Europe s.r.l. multihead weigher and bagger with outfeed belt, model: PMW-42QE-SS, machine number: 191006, year of construction: 2020, 4 kW, 10 weighing heads, dimensions filling pipe: \varnothing 210 mm, vertical seal length: 260 mm, horizontal seal length: 240 mm, total dimensions: 1150 mm x 1350 mm x 2550 mm, outfeed belt, plastic belt, belt width: 300 mm, distance between dividers: 230 mm, height dividers: 30 mm, dimensions: 2000 mm x 500 mm x 1000 mm.	8000
23	Hermann Waldner GmbH	Hermann Waldner GmbH rotating cup filling and sealing machine, type: DOSOMAT 12.6, machine number: 2245, year of construction: 2008, 230/400 V, 50 Hz, 25 A, 18 kW, weight: 3300 kg, 6 lanes, cup dimensions: \varnothing 82 mm, total dimensions: 3850 mm x 2600 mm x 3000 mm.	50000
24	NN bag sealing machine	Mobile bag sealing machine, type: FRM-1100BL, serial number: L22026, year of construction: 2022, 220 V, 50 Hz, 1.08 kW, plastic belt, belt width: 185 mm, total dimensions: 1150 mm x 500 mm x 1550.	1500
25	NN bag sealing machine	Mobile bag sealing machine, type: FRM-1100BL, serial number: L22033, year of construction: 2022, 220 V, 50 Hz, 1.08 kW, plastic belt, belt width: 185 mm, total dimensions: 1150 mm x 500 mm x 1550.	1500
26	Cryovac	Cryovac rotary chamber vacuum machine, model: VR8620-14, serial number: 0724016, year of construction: 2003, 400 V, 50 Hz, 17 A, 5 chambers, maximum bag dimensions: 440 mm x 290 mm, seal length: 430, plastic infeed belt, belt width: 450, plastic outfeed belt: 580 mm, total dimensions: 3250 mm x 5600 mm x 1950 mm.	15000



27	DC Norris	DC Norris cooled tumbler, model: 48/36, diameter drum: 1200 mm, length drum: 950 mm, total dimensions: 1500 mm x 2200 mm x 1820 mm.	5000
28	Treif Maschinebau GmbH	Treif Maschinebau GmbH slicer, model: Puma-CE/F, type: 1921, machine number: 192105.91723.1017, year of construction: 1999, 400/230 V, 50 Hz, 7.8/16 A, 3.40 kW, weight: 285 kg, dimensions: 1800 mm x 850 mm x 1600 mm.	4000
29	GEA	GEA vacuum cooking bowl cutter with lifter for 200 liter meat bins and ejector, model: CutMaster 500, type: CMV 500, machine number: 288/0301, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 400 A, s/s bowl, volume bowl: 500 liter, dimensions: 4200 mm x 2600 mm x 2250 mm.	55000
30	Krämer+Grebe GmbH	Krämer+Grebe GmbH bowl cutter with lifter for 200 liter meat bins and ejector, type: SM 325, machine number: 173/355, year of construction: 1991, 220/380 V, 3 Ph, 50 Hz, 247/250 A, s/s bowl, volume bowl: 325 liter, total dimensions: 3000 mm x 2800 mm x 1940 mm.	17500
31	Marel Stork Titan B.V.	Marel Stork Titan B.V. twin drum spiral oven, model: TSO 600/96/4 EL TH0302, type: 4786432AA, serial number: 10077687, year of construction: 2010, belt width s/s mesh belt: 600 mm, clockwise rotation, left hand execution, total dimensions oven: 8500 mm x 4000 mm x 3500 mm, dimensions in-and outfeed station: (2x) 1300 mm x 1200 mm x 1400 mm.	65000
32	Multivac	Multivac thermoformer, model: R530, serial number: 1305/MC, year of construction: 1998, 415 V, 3 Ph, 50 Hz, 20 kW, 56 A, film width: 565 mm, dye: (6x) 175 mm x 220 mm, index: 570 mm, with MR Etiketiertechnik cross web labeller, total dimensions: 10000 mm x 1400 mm x 1900 mm. Divided into 2 pieces for transport.	9500
33	Nothum	Nothum mobile drum breading machine, model: FD-40, diameter drum: 1160 mm, length drum: 1250 mm, s/s mesh belt, belt width: 1015 mm, total dimensions: 3450 mm x 1900 mm x 2200 mm.	4000
34	Foss	Foss mobile fat analyser, model: MeatMaster™, type: 78010, serial number: 91730461, date: 28-jan-2013, 420-480 VAC, 3 Ph, 50/60 Hz, 4 A, belt width: 640 mm, clearance: 670 mm x 270 mm, total dimensions: 5000 mm x 1350 mm x 2660 mm.	12500
35	GEA Food Solutions Bakel B.V.	GEA Food Solutions Bakel B.V. mobile screw loader, type: MultiTrack Twin, machine number: 1011, year of construction: 2014, 415 V, 3 Ph, 50 Hz, 8 kW, 7 A, s/s screw, diameter screw: 350 mm, tier: 300 mm, total dimensions: 5400 mm x 1900 mm x 3250 mm.	7500
36	NN turning table	S/s turning table, diameter table top: 1195 mm, total dimensions: 1250 mm x 1250 mm x 770 mm.	500



37	Hermann Wiegand GmbH	Hermann Wiegand GmbH mobile binding machine with V-shaped in- and outfeed conveyor, model: Rollmatic RA 30SE, number: 041001, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 1.5 kW, belt width: (2x) 120 mm, clearance: 250 mm x 200 mm, total dimensions: 3000 mm x 900 mm x 1250 mm.	1250
38	Hermann Wiegand GmbH	Hermann Wiegand GmbH mobile binding machine with V-shaped in- and outfeed conveyor, model: Rollmatic RA 30SE, number: 040401, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 1.5 kW, belt width: (2x) 120 mm, clearance: 250 mm x 200 mm, total dimensions: 3000 mm x 900 mm x 1250 mm.	1250
39	Medoc	Medoc band saw, model: STL390, dimensions saw table: 840 mm x 960 mm, total dimensions: 840 mm x 960 mm x 1750 mm.	1000
40	Schur Technology a/s	Schur Technology a/s pouch packaging machine, type: 3030-C, number: 618 Y309, 3x400 V, 50 Hz, 16 A, 3.5 kW, 500 kPa, capacity: 3-30 m/min, weight: 700 kg, dimensions: 10000 mm x 950 mm x 1300 mm.	15000
41	PFM Spa	PFM Spa flowpacker, model: Scirocco HS, serial number: C. 5603, year of construction: 1999, 415 V, 50 Hz, 16.8 A, 7 kW, weight: 1800 kg, belt width infeed conveyor: 45 mm, belt width flowpacker: 100 mm, seal length: 160 mm, total dimensions: 4900 mm x 1450 mm x 2080 mm.	6500
42	Barriquand Stériflow	Barriquand Stériflow s/s autoclave for 5 baskets, type: Steriflow 1352 EL, serial number: S2567, year of construction: 2002, working medium: overheated water Grp2, design condition: 5 bar at 150 °C, minimum allowable condition: 0 bar at 0 °C, maximum allowable condition: 5 bar at 150 °C, test pressure: 8.6 bar, inlet capacity: 6530 liter, weight: 2420 kg, inside diameter: 1260 mm, total dimensions: 5300 mm x 2000 mm x 2200 mm, including 5 s/s baskets, dimensions baskets: (5x) 900 mm x 860 mm x 900 mm.	25000
43	FMC Europe N.V.	FMC Europe N.V. autoclave for 4 baskets, model: A 144, fabrication number: M4619/2, serial number: 412, year of construction: 2002, register number: ANT 0201023/2, maximum working pressure: 4 bar, maximum working temperature: 150 °C, capacity: 6790 liter, inside diameter: 1380 mm, total dimensions: 5000 mm x 2000 mm x 2850 mm, including 4 steel baskets, dimensions baskets: (4x) 995 mm x 995 mm x 920 mm.	22500
44	FMC Europe N.V.	FMC Europe N.V. autoclave for 4 baskets, model: A 144, fabrication number: M4619/2, serial number: 401, year of construction: 2002, register number: ANT 0201023/1, maximum working pressure: 4 bar, maximum working temperature: 150 °C, capacity: 6790 liter, inside diameter: 1380 mm, total dimensions: 5000 mm x 2000 mm x 2850 mm, including 4 steel baskets, dimensions baskets: (4x) 995 mm x 995 mm x 920 mm.	22500



45	BCH Limited	BCH Limited cook quench chill system, consisting of: double jacketed s/s cooking vessel, vessel number: 9/17128-A3, date: May 2005, design temperature: 2 °C, design pressure: Atmospheric, dimensions: Ø960 mm x 1450 mm single jacketed s/s cooling vessel, vessel number: 9/17128-A2, date: May 2005, design temperature: 10 °C, design pressure: Atmospheric, dimensions: Ø960 mm x 1450 mm, s/s trolley with s/s basket, dimensions: 950 mm x 800 mm x 1150 mm, s/s switch cabinet, dimensions: 760 mm x 300 mm x 760 mm.	2500
46	Anritsu Corp.	Anritsu Corp. checkweigher with metal detector, type checkweigher: KW5504AW5R, serial number: K 129011, year of construction: 1999, 100-120/200-240 VAC, 1 Ph, 50/60 Hz, minimum capacity: 50 gram, maximum capacity: 3000 gram, belt width: 220 mm, clearance: 300 mm x 120 mm, total dimensions: 850 mm x 750 mm x 1420 mm.	750
47	Anritsu Corp.	Anritsu Corp. checkweigher with metal detector, type checkweigher: KW5504AW5R, serial number: K 020028, year of construction: 2000, 100-120/200-240 VAC, 1 Ph, 50/60 Hz, minimum capacity: 50 gram, maximum capacity: 3000 gram, belt width: 220 mm, clearance: 300 mm x 120 mm, total dimensions: 850 mm x 750 mm x 1420 mm.	750
48	Loma Systems	Loma Systems metal detector, model: Loma IQ ³ , serial number: AMC42768-36430, year of construction: 17-09-2004, 400 V, 3 Ph, 50 Hz, 1.2 A, belt width: 505 mm, clearance: 505 mm x 165 mm, total dimensions: 2300 mm x 1050 mm x 1460 mm.	1250
49	BT	BT electric pallet lifter, model: LWE180, number: 6481705, year of construction: 2017, rated capacity: 1800 kg, weight without battery: 325 kg, battery weight: 285/209 kg, battery voltage: 24 V, fork length: 1000 mm, fork width: 685 mm, total dimensions: 1600 mm x 730 mm x 1300 mm.	1250
50	GMC Rapidaire	GMC Rapidaire meat press, diameter chamber: 80 mm, length chamber: 750 mm, total dimensions: 2300 mm x 780 mm x 2440 mm, including extra filling chamber, diameter chamber: 110 mm, length chamber: 750 mm.	750
51	Marchant Schmidt Europe LTD	Marchant Schmidt Europe LTD two-stage cheese portioner, model number: EC23, serial number: MSE10026001, year of construction: September 2013, 415 V, 3 Ph, 10 A, 6 bar, belt width: 350 mm, roller width: 380 V, working width: 400 mm, total dimensions: 4900 mm x 900 mm x 2120 mm. Including various extra portioning grids.	7500
52	Busch	Busch vacuum pump, type: RA 0630 B 4ZI EECJ, number: C0603000023, year of construction: 2006, capacity: 630 m ³ /h, dimensions: 1700 mm x 950 mm x 800 mm.	1500
53	M-TEK	M-TEK modified atmosphere packaging machine, model: Corr-Vac, serial number: 1327, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 2.9 kW, 8 bar, seal length: 1400 mm, total dimensions: 1440 mm x 1000 mm x 1800 mm.	1800



54	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF628, number: 25053, year of construction: 2008, 420 V, 3 Ph, 50/60 Hz, 24.7 A, 18.0 kW, dimensions: 1850 mm x 1400 mm x 2000 mm.	22500
55	Berkel	Berkel table model slicer, model: 800 S, number: 513789, year of construction: 2004, 230 V, 1 Ph, 50 Hz, 180 W, dimensions: 700 mm x 550 mm x 570 mm.	250
56	Formax	Formax forming machine, model: PFM-26, dye: (18x) Ø 50, belt width: 700 mm, total dimensions: 3000 mm x 1200 mm x 2650 mm.	30000
57	Blentech Corporation	Blentech Corporation tumbler with infeed hopper for liquids, model number tumbler: VT1-1000-X, serial number: 950851, Blentech Corporation infeed hopper for liquids on weighing cells, model number: SH-0660, serial number: 950852, total dimensions: 3000 mm x 2400 mm x 3350 mm. Only used for trails.	5000
58	Koppens Alfa-Laval	Koppens Alfa-Laval mobile wet coating machine, type: ER 600, machine number: ER 600-983, 380 V, 3 Ph, 50 Hz, 3.85 A, 1.52 kW, weight: 165 kg, belt width s/s mesh belt: 600 mm, total dimensions: 2800 mm x 1100 mm x 2100 mm.	3500
59	Meyn	Meyn mobile breading machine, machine number: 2001080103, year of construction: 2001, belt width s/s mesh belt: 600 mm, total dimensions: 2800 mm x 1100 mm x 2100 mm.	3500
60	Koppens Machinefabriek BV	Koppens Machinefabriek BV frying tunnel, type: BR 3000/600, machine number: BR 3000/600-415, 380 V, 3 Ph, 50 Hz, 134 A, 88 kW, weight: 1500 kg, belt width s/s mesh belt: 600 mm, clearance: 600 mm x 100 mm, total dimensions: 5150 mm x 1600 mm x 2780 mm.	15000
61	Koppens Machinefabriek BV	Koppens Machinefabriek BV mobile wet coating machine, type: ERT 400, machine number: ERT 400-104/1, 415 V, 3 Ph, 50 Hz, 5.64 A, 1.55 kW, weight: 248 kg, belt width s/s mesh belt: 400 mm, total dimensions: 1400 mm x 750 mm x 1650 mm.	4000
62	Jinan Hiwell Machinery Co., Ltd	Jinan Hiwell Machinery Co., Ltd mobile pre-duster, model: SFJ 400-111, serial number: 0541004, production date: 2010.04.08, 280 V, 50 Hz, 2.81 kW, weight: 630 kg, belt width s/s mesh belt: 400 mm, total dimensions: 2800 mm x 1600 mm x 2100 mm.	3750
63	Wolfking	Wolfking double shaft paddle mixer-grinder on weighing cells, type: TSMIG 850L, number: 59808, year of construction: 1999, 400 V, 50 Hz, 41 kW, 76 A, volume: 850 liter, plate diameter: 220 mm, total dimensions: 2450 mm x 1900 mm x 2500 mm, dimensions switch cabinet: 1200 mm x 360 mm x 1200 mm.	10000



64	Haas Mondomix B.V.	Haas Mondomix B.V. aerator, type: VL, project number: P14931, order number: C121069D, year of construction: 2013, 3x415 V, 50 Hz, 49 A, 24 VDC, 10 bar, weight: 540 kg, dimensions: 2200 mm x 1000 mm x 1630 mm, including Dutch Thermal Engineering B.V. chiller, type: K 008.9, manufacturing number: D0757-D1385000481001, year of construction: 23-04-2013, 380-415 V, 3 Ph, 50 Hz, 8.54 A, 8.950 kW, refrigerant: R407C/3.6 kg, dimensions: 800 mm x 750 mm x 1350 mm.	7500
65	NN portions belt loader	Mobile s/s portions belt loader, dimensions: 1290 mm x 940 mm x 1950 mm.	750
66	NN mesh belt	Mobile mesh belt, s/s frame, s/s belt, belt width: 1000 mm, total dimensions: 3850 mm x 1600 mm x 1700 mm.	1500
67	Weiler	Weiler frozen block grinder, model: 1109B, model number: 1398-5HA, number: 373, plate diameter: 300 mm, total dimensions: 2000 mm x 1030 mm x 1900 mm.	8000
68	Videojet	Videojet inkjet printer, model: 1210, serial number: 1101246C10ZH, 100-120/200-240 V, 1 Ph, 50/60 Hz, 3 A, 120 W, dimensions: 350 mm x 280 mm x 520 mm.	1250
69	Videojet	Videojet inkjet printer, model: 1210, serial number: 1035141C10ZH, 100-120/200-240 V, 1 Ph, 50/60 Hz, 3 A, 120 W, dimensions: 350 mm x 280 mm x 520 mm.	1250
70	DC Norris	DC Norris & CO. LTD can opener, model: 150, serial number: 1528, diameter: 155 mm, dimensions: 280 mm x 400 mm x 800 mm.	200
71	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH vacuum filling machine with lifter for 200 liter meat bins and grinding head, model: HP20 E, number: 630758, year of construction: 2015, 400-460 V, 3 Ph, 50/60 Hz, dimensions: 2100 mm x 1400 mm x 2100 mm.	15000
72	Handtmann	Handtmann AL linking device, type: 141-21, number: 381, year of construction: 2010, dimensions: 1800 mm x 900 mm x 1400 mm.	4500
73	Loma Systems	Loma Systems checkweigher with metal detector and double rejector, type checkweigher: CW, serial number: ACB49188-26223D, year of construction: 2014, 240 V, 1 Ph, 50 Hz, 3 A, belt width: 275 mm, type metal detector: IQ ³ , serial number: Q3B35C15-26228D, year of construction: 2014, 110-240 V, 1 Ph, 50/60 Hz, 0.3-0.6 A, belt width: 300 mm, clearance: 350 mm x 120 mm, total dimensions: 3200 mm x 1100 mm x 1600 mm.	9000
74	Loma Systems	Loma Systems checkweigher with metal detector and double rejector, type checkweigher: CW ³ , serial number: ACB46352-14443D, year of construction: 2010, 230 V, 1 Ph, 50 Hz, 3.0 A, belt width: 300 mm, type metal detector: IQ ³ , serial number: MC 301-14201D, year of construction: 2010, 230 V, 1 Ph, 50 Hz, 1.0 A, belt width: 300 mm, clearance: 350 mm x 110 mm, total dimensions: 2350 mm x 1100 mm x 1350 mm.	8000



75	Record	Record flowpacker, machine model: Jaguar MD NG, serial number: 25-01-019, year of construction: 2001, weight: 1000 kg, 415 V, 3 Ph, 50/60 Hz, 6 kW, 6000 W, 50/120 rpm, distance between chain conveyor: 380 mm, film width: 520 mm, seal length: 250 mm, total dimensions: 4250 mm x 1400 mm x 2000 mm.	5000
76	Ixia Uk Ltd	Ixia Uk Ltd tray denester, model: i7 Series, serial number: IX14/231, maximum tray width: 50 mm, total dimensions: 850 mm x 1400 mm x 1900 mm.	950
77	Farley Greene Limited	Farley Greene Limited powder sieve, model number: SM SLIMLINE EASILIFT 550, serial number: 43902 Rev 1, year of construction: 05.08, 400 V, 3 Ph, 50 Hz, 0.6 A, diameter sieve: 530 mm, total dimensions: 1050 mm x 1000 mm x 2100 mm.	1750
78	Sepamatic	Sepamatic separator, type: SEPA 4000V, machine number: 195689, installation date: 1.99, 400 V, 50 Hz, 24 VDC, 15 kW, 30 A, diameter drum: 370 mm, filter: 2.5 mm, total dimensions: 2350 mm x 1800 mm x 2250 mm.	15000
79	Nienstedt	Nienstedt band saw, type: HBS Yield Plus, serial number: 03.08.1322, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 3.0 kW, 6.7 A, dimensions plastic saw table: 400 mm x 600 mm, total dimensions: 1250 mm x 1150 mm x 1900 mm.	800
80	Risco	Risco double shaft paddle mixer with lifter for 200 liter meat bins, type: RS 750, serial number: I208001, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 24 VDC, 7.5 kW, weight: 1010 kg, volume: 750 liter, total dimensions mixer: 2800 mm x 1250 mm x 1750 mm, dimensions lifter: 1000 mm x 1200 mm x 2800 mm.	7000
81	Weber GmbH & Co. KG	Weber GmbH & Co. KG slicer, type: CCS401, number: 112, 400 V, 50 Hz, 4 kW, belt width: 300 mm, total dimensions: 3700 mm x 1000 mm x 2350 mm.	4500
82	Nowicki	Nowicki tilting device for 200 liter meat bins, type: WP-4, factory number: 80406034, production year: 2006, 3x400 V, 50 Hz, 0.55 kW, 2 A, weight: 220 kg, dimensions: 1200 mm x 1000 mm x 950 mm.	900
83	Nowicki	Nowicki washing machine for 200 liter meat bins, dimensions: 3700 mm x 1900 mm x 2400 mm.	5000
84	Domino	Domino mobile inkjet printer, model: A300, dimensions: 660 mm x 660 mm x 1450 mm. Printing head is incomplete.	200
85	Domino	Domino mobile inkjet printer, model: A300, dimensions: 660 mm x 660 mm x 1450 mm. Printing head is incomplete.	200
89	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH portioning machine for minced meat, model: MMP 220, number: 2200177, year of construction: 2008, 400-460 V, 50/60 Hz, 3 Ph, 3.5/10 A, 1.5 kW, belt width: 250 mm, working width: 205 mm, total dimensions: 1550 mm x 600 mm x 1300 mm.	3500
90	NN frame	S/s frame, dimensions: 770 mm x 470 mm x 920.	25
91	Teknomek Hygienox	Teknomek Hygienox writing desk, dimensions: 910 mm x 610 mm x 1100 mm.	30



92	Loma Systems	Loma Systems metal detector, serial number: 18289, 240 V, 50 Hz, plastic belt, belt width: 190 mm, clearance: 190 mm x 150 mm, total dimensions: 1480 mm x 690 mm x 1210 mm.	300
93	Interscience	Interscience bagmixer, type: BagMixer 400, serial number: 070118322, 220 V, 50/60 Hz - 1.25 A, dimensions working plates: 140 mm x 80 mm, total dimensions: 390 mm x 220 mm x 265 mm.	75
94	NN table	S/s table, dimensions: 1100 mm x 350 mm x 780 mm.	40
95	Delford / Ceia	Delford checkweigher with Ceia metal detector, checkweigher model: G1000, serial number: 1001, year of construction: 2001, 415 V, 3 Ph, 50 Hz, 3 A, minimum weight: 10 G, maximum weight: 990 G, plastic belt, belt width: 295 mm, metal detector model: THS/SL, serial number: 20100236015, total dimensions: 2100 mm x 1150 mm x 1620 mm. Display missing.	1250
96	Protech	Protech conveyor roller conveyor, s/s frame, plastic rollers, roller width: 340 mm, total dimensions: 2000 mm x 450 mm x 750 mm.	100
97	NN table	S/s table with 3 compartments, dimensions compartments: (3x) 500 mm x 315 mm, total dimensions: 1080 mm x 580 mm x 850 mm.	50
98	NN table	S/s mobile table, dimensions: 1860 mm x 860 mm x 870 mm.	75
99	NN insect killers	2 insect killers, model: VSL-30, total dimensions: (2x) 500 mm x 110 mm x 370 mm.	55
100	NN insect killers	2 insect killers, model: VSL-30, total dimensions: (2x) 500 mm x 110 mm x 370 mm.	55
101	NN insect killers	2 insect killers, model: VSL-30, total dimensions: (2x) 500 mm x 110 mm x 370 mm.	55
102	NN insect killers	2 insect killers, model: VSL-30, total dimensions: (2x) 500 mm x 110 mm x 370 mm.	55
103	Vemag	Vemag s/s working table, height adjustable, dimensions: 1030 mm x 920 mm x 800 mm.	75
104	NN trolley	S/s trolley for crates, 3 levels, dimensions: 910 mm x 460 mm x 1550 mm.	50
105	NN trolley	S/s trolley, dimensions: 2050 mm x 900 mm x 1300 mm.	50
106	NN trolleys	3 s/s trolleys for crates, dimensions: (3x) 830 mm x 620 mm x 140 mm.	30
107	NN roller conveyor	S/s roller conveyor, plastic rollers, roller width: 450 mm, total dimensions: 1850 mm x 550 mm x 900 mm.	50
108	NN table	S/s table, dimensions: 930 mm x 630 mm x 1080 mm.	50
109	G.Mondini S.p.a.	G. Mondini S.p.a transport belt, machine number: 3167/06-1, year of construction: 2007, 415 V, 3 Ph, 50 Hz, plastic mesh belt, belt width: 300 mm, total dimensions: 1800 mm x 680 mm x 1100 mm.	50



110	Mectec	Mectec labeller with transport belt, type labeller: A2335M-C70-110/140-4, serial number: 53260, year of construction: 2006, plastic belt, belt width: 400 mm, total dimensions: 1650 mm x 1250 mm x 1740 mm.	500
111	NN transport belt	Transport belt, plastic belt, belt width: 130 mm, total dimensions: 1650 mm x 550 mm x 1150 mm.	300
112	Videojet	Videojet inkjet printer, model: 1550, serial number: 1409214C29ZH, 200/240 V, 1 Ph, 50/60 Hz, 3 A, 120 kW, dimensions: 850 mm x 550 mm x 1600 mm.	600
113	NN table	S/s table, dimensions: 710 mm x 510 mm x 710 mm.	40
114	NN table	S/s table, dimensions: 1000 mm x 810 mm x 810 mm.	50
115	RoHS	RoHS weighing scale, model: LS-TCS-30, serial number: 1303826, 220 V, 50 Hz, 500mA, scale dimensions: 315 mm x 315 mm, total dimensions: 315 mm x 415 mm x 440 mm.	140
116	RoHS	RoHS weighing scale, model: LS-TCS-30, serial number: 13038346, 220 V, 50 Hz, 500mA, scale dimensions: 315 mm x 315 mm, total dimensions: 315 mm x 415 mm x 440 mm.	140
117	RoHS	RoHS weighing scale, model: LS-TCS-30, serial number: 1303805, 220 V, 50 Hz, 500mA, scale dimensions: 315 mm x 315 mm, total dimensions: 315 mm x 415 mm x 440 mm.	140
118	RoHS	RoHS weighing scale, model: LS-TCS-30, serial number: 1303874, 220 V, 50 Hz, 500mA, scale dimensions: 315 mm x 315 mm, total dimensions: 315 mm x 415 mm x 440 mm.	140
119	RoHS	RoHS weighing scale, model: LS-TCS-30, serial number: 1303767, 220 V, 50 Hz, 500mA, scale dimensions: 315 mm x 315 mm, total dimensions: 315 mm x 415 mm x 440 mm.	140
120	NN table	S/s table, dimensions: 610 mm x 610 mm x 590 mm.	40
121	NN platform	S/s platform, height platform: 200 mm, total dimensions: 660 mm x 410 mm x 810 mm.	25
122	NN table	S/s table, dimensions: 800 mm x 510 mm x 900 mm.	40
123	NN table	S/s mobile table, dimensions: 840 mm x 510 mm x 960 mm.	50
124	NN table	S/s table, dimensions: 610 mm x 610 mm x 1000 mm.	40
125	Rheon	Rheon mobile twin head encrusting machine, model: WN055, serial number: 187, year of construction: 2008, 415 V, 3 Ph, 50/60 Hz, 10.5 A, 4,3 A, plastic outfeed belts, belt width (2x) 130 mm, dimension form: 80 mm, total dimensions: 1900 mm x 920 mm x 1950 mm.	15000
126	Teknomek Hygienox	Teknomek Hygienox s/s mobile tub, inside dimensions: 1110 mm x 510 mm x 450 mm, total dimensions: 1200 mm x 600 mm x 850 mm.	75
127	NN table	S/s table, dimensions: 1500 mm x 650 mm x 780 mm.	120
128	Ian Fellows	Ian Fellows weighing scale, mode: CSW-20, serial number: 282764, maximum capacity: 60 kg, minimum capacity 0.4 kg, scale dimensions: 600 mm x 600 mm, total dimensions: 750 mm x 900 mm x 1700 mm.	150
129	Cardinal	2 Cardinal scales on mobile s/s table, model: 190EU, serial numbers: E30815-0344 and E27716-0304, 240 V, 50/60 Hz, dimensions: 1310 mm x 1150 mm x 1350 mm.	100



130	NN table	S/s table, dimensions: 1500 mm x 650 mm x 880 mm.	100
131	NN gutter	S/s gutter, dimensions 1500 mm x 570 mm x 1060 mm.	75
132	NN waste bag holders	3 s/s waste bag holders.	25
133	NN frame	S/s frame, dimensions: 1250 mm x 700 mm x 1350 mm.	50
134	NN table	S/s table, dimensions: 1500 mm x 900 mm x 910 mm.	100
135	NN trolley	S/s trolley, dimensions: 1800 mm x 850 mm x 1680 mm.	100
136	NN trolley	S/s trolley, dimensions: 1800 mm x 850 mm x 1680 mm.	100
137	NN boot rack	Mobile s/s boot rack for 36 pairs of boots, dimensions: 1330 mm x 650 mm x 1850 mm.	150
138	NN cleaning rack	S/s cleaning rack with collection tub, dimensions: 1010 mm x 460 mm x 1650 mm.	75
139	Loma Systems	Loma Systems metal detector, model: IQ2, 400 V, 3 Ph, 50 Hz, year of construction: 2002, plastic belt, belt width: 280 mm, clearance: 350 mm x 170 mm, total dimensions: 1870 mm x 810 mm x 1160 mm.	1000
140	NN platform	S/s mobile platform, working height: 800 mm, total dimensions: 1250 mm x 750 mm x 1800 mm.	200
141	NN boot cleaning platform	S/s boot cleaning platform, dimensions: 1950 mm x 840 mm x 1600 mm.	250
142	NN sink with faucet	S/s sink with faucet, dimensions: 990 mm x 880 mm x 1120 mm.	150
143	NN platform	S/s platform, working height: 700 mm, total dimensions: 1100 mm x 630 mm x 1680 mm.	150
144	Teknomek Hygienox	Teknomek Hygienox s/s table, dimensions: 600 mm x 600 mm x 830 mm.	50
145	NN platform	S/s platform, working height: 580 mm, total dimensions: 1580 mm.	150
146	Proseal	Proseal trolley for dyes, serial number: SN-O-04883, year of construction: 2019, dimensions: 1550 mm x 1100 mm x 1400 mm.	480
147	Proseal	Proseal trolley for dyes, serial number: SN-O-04884, year of construction: 2019, dimensions: 1550 mm x 1100 mm x 1400 mm.	480
148	Mettler-Toledo GmbH	Mettler-Toledo GmbH mobile weighing scale, model: PBA430-B30, serial number: 3342902, maximum weight: 30 kg, scale dimensions: 500 mm x 400 mm, total dimensions: 600 mm x 650 mm x 1680 mm. Missing display.	150
149	Marel	Marel mobile elevating belt, type: 4529525, model: JR0090, serial number: E020639, year of construction: 2018, s/s frame, plastic belt, belt width: 300 mm, elevating height: 1100 mm, total dimensions: 3200 mm x 470 mm x 1100 mm.	1500
150	Avery Berkel	Avery Berkel weighing scale, serial number: 30340177, 220/240 V, 50/60 Hz, scale dimensions: 600 mm x 400 mm, display dimensions: 250 mm x 160 mm x 180 mm.	75
151	NN table	S/s mobile table, dimensions: 1000 mm x 700 mm x 950 mm.	50



152	NN pastry crimper/folder	Mobile pastry crimper/folder, dimensions: 1200 mm x 940 mm x 1640 mm.	400
153	AEW Thurne	AEW Thurne band saw, serial number: LHS 127393, 415 V, 3 Ph, dimensions table: 900 mm x 700 mm, total dimensions: 1100 mm x 800 mm x 1700 mm.	500
154	Herma GmbH	Herma GmbH labelling machine, model: H400 16L, serial number: 21128396, year of construction: 2015, 240 V, 50/60 Hz, 400 W, dimensions: 760 mm x 610 mm x 1570 mm.	400
155	Herma GmbH	Herma GmbH labelling machine, model: H400 8L, serial number: 21025258, year of construction: 2014, 240 V, 50/60 Hz, 400 W, dimensions: 750 mm x 830 mm x 1350 mm.	350
156	Herma GmbH	Herma GmbH labelling machine, model: H400 16R, serial number: 20922621, year of construction: 2013, 240 V, 50/60 Hz, 100 W, dimensions: 850 mm x 850 mm x 1500 mm.	300
157	Italora	Italora labelling machine, dimensions: 900 mm x 600 mm x 1480 mm.	300
158	NN stairs	S/s stairs, dimensions: 770 mm x 610 mm x 600 mm.	40
159	Kranzle	Kranzle high pressure cleaning unit, model: therm 1160, dimensions: 900 mm x 680 mm x 1000 mm. Cover damaged.	75
160	NN table	S/s table, dimensions: 760 mm x 780 mm x 1550 mm.	50
161	NN table	S/s table, dimensions: 760 mm x 760 mm x 1150 mm.	50
162	PACBRO S.r.l.	PACBRO S.r.l. mobile box closing machine, model: GOLDTAPE 50, machine number: GT1500415, year of construction: 2015, 415 V, 3 Ph, 50 Hz, 1 A, 220 W, weight: 120 Kg, aluminium rollers, roller width: 520 mm, total dimensions: 1000 mm x 880 mm x 1550 mm. Incomplete.	150
163	AEW Thurne	AEW Thurne band saw, serial number: 1391952, machine number: 350, 415 V, 3 Ph, 50 Hz, 3.8 A, weight: 142 kg, table dimensions: 680 mm x 1000 mm, total dimensions: 780 mm x 1150 mm x 1750 mm.	500
164	Karmelle	Karmelle labelling machine, type: S2 125 RH, serial number: 60611, 230 V, 50 Hz, 13 A, year of construction: 2018, plastic belt, belt width: 90 mm, total dimensions: 1550 mm x 750 mm x 1800 mm.	750
165	Siebeck	Siebeck mobile binding machine, type: FRT-M, number: 19500382-8, year of construction: 1995, 400 V, 3.5 A, clearance: Ø 280 mm, total dimensions: 750 mm x 700 mm x 1400 mm.	750
166	Ian Fellows ltd	Ian Fellows ltd weighing scale, type: LUCID, serial number: 99114, maximum weight: 30 kg, minimum weight: 0.2 Kg, dimensions scale: 610 mm x 510 mm, total dimensions: 900 mm x 900 mm x 1900 mm.	150
167	Apple Engineering	Apple Engineering mobile depositor, model: MR 900, serial number: 131308, year of construction: 2011, dimensions: 1500 mm x 570 mm x 2000 mm.	750



168	Steck	Steck mobile depositor, 8 nozzles, year of construction: 2004, dimensions: 1700 mm x 770 mm x 2000 mm.	950
169	Weingärtner Maschinenbau	Weingärtner Maschinenbau vacuum tumbler, type: vacomat 1200, 380 V, volume: 1200 liter, dimensions: 2300 mm x 1200 mm x 1600 mm. Without vacuum pump.	1000
170	Multivac	Multivac suction device for rest film, type: ASE230, serial number: 20181204, year of construction: 2016, 230 V, 50/60 Hz, 10 A, 1.8 kW, dimensions: 750 mm x 650 mm x 1650 mm.	500
171	Multivac	Multivac suction device for rest film, type: ASE230, serial number: 20149622, year of construction: 2015, 230 V, 50/60 Hz, 10 A, 1.8 kW, dimensions: 750 mm x 650 mm x 1650 mm.	500
172	APV	APV mixing and blending machine, number: 73905, capacity: 60 gallon, working pressure: 40 LBS, test pressure: 80 LBS.	500
173	NN table	S/s table, dimensions: 1120 mm x 750 mm x 820 mm.	75
174	NN refrigeration doors	5 refrigeration doors, dimensions: (5x) 1120 mm x 200 mm x 1950 mm.	500
175	NN refrigeration doors	3 refrigeration doors, dimensions: (1x) 1400 mm x 100 mm x 1990 mm, (2x) 1600 mm x 150 mm x 2150 mm.	300
176	NN refrigeration doors	3 refrigeration doors, dimensions: (3x) 1600 mm x 120 mm x 2500 mm.	300
177	Teknomek Hygienox	Teknomek Hygienox table, dimensions: 2000 mm x 400 mm x 450 mm.	75
178	Cryovac	Cryovac s/s tub, diameter: 500 mm, height: 550 mm, total dimensions: 500 mm x 500 mm x 1030 mm.	50
179	NN floor weighing scale	S/s floor weighing scale, dimensions: 1450 mm x 1850 mm x 80 mm. Without indicator.	400
180	Ohaus Corporation	Ohaus Corporation weighing scale, model: T32XW, serial number: 0047009-6CM, dimensions scale: 750 mm x 750 mm.	150
181	Bilanciali / AveryWeigh-Tronix	Bilanciali / AveryWeigh-Tronix s/s floor weighing scale, type: Examination, maximum weight: 1500 kg, 110-240 V, dimensions scale: 1450 mm x 2000 mm x 100 mm.	400
182	Mettler Toledo	Mettler Toledo floor weighing scale, serial number: 2983785, 100-240 V, 50-60 Hz, dimensions scale: 1450 mm x 1850 mm x 70 mm.	400
183	Cardinal Detecto	Cardinal Detecto floor weighing scale, model: 825, serial number: E25410-0062, 90-264 V, 50-60 Hz, 1 A, dimensions scale: 1330 mm x 2450 mm x 160 mm.	400
184	Handtmann	Handtmann vacuum filling machine, type: VF300B, number: 2946, year of construction: 1997, 420 V, 50 Hz, 23.6 A, 9.5 kW, dimensions: 1000 mm x 1000 mm x 2000 mm. Incomplete.	1500
185	Handtmann	Handtmann mobile sausage linking machine, type: 141-21, number: 375, year of construction: 2010, dimensions: 1700 mm x 850 mm x 1370 mm.	2500



187	D.C. Norris & Co. Ltd.	D.C. Norris & Co. Ltd. mobile autoclave, capacity: 360 liter, working pressure: 15 PSI, temperature range: -5°C to 95°C, dimensions: 1000 mm x 980 mm x 1530 mm.	400
188	D.C. Norris & Co. Ltd.	D.C. Norris & Co. Ltd. mobile autoclave, serial number: PF 057, year of construction: 12/90, capacity: 360 liter, working pressure: 15 PSI, temperature range: -5°C to 95°C, dimensions: 1000 mm x 980 mm x 1530 mm.	400
189	D.C. Norris & Co. Ltd.	D.C. Norris & Co. Ltd. mobile autoclave, serial number: PF 015, year of construction: 7/90, capacity: 360 liter, working pressure: 15 PSI, temperature range: -5°C to 95°C, dimensions: 1000 mm x 980 mm x 1530 mm.	400
190	D.C. Norris & Co. Ltd.	D.C. Norris & Co. Ltd. mobile autoclave, serial number: ETSC09, year of construction: 9/95, capacity: 360 liter, working pressure: 15 PSI, temperature range: -5°C to 95°C, dimensions: 1000 mm x 980 mm x 1530 mm.	400
191	D.C. Norris & Co. Ltd.	D.C. Norris & Co. Ltd. mobile autoclave, serial number: DCN 002 ETS, capacity: 400 liter, working pressure: 15 PSI, dimensions: 1000 mm x 980 mm x 1530 mm.	400
192	D.C. Norris & Co. Ltd.	D.C. Norris & Co. Ltd. mobile autoclave, serial number: PF 009, year of construction: 7/90, capacity: 360 liter, working pressure: 15 PSI, temperature range: -5°C to 95°C, dimensions: 1000 mm x 980 mm x 1530 mm.	400
193	D.C. Norris & Co. Ltd.	D.C. Norris & Co. Ltd. mobile autoclave, serial number: PF 020, year of construction: 7/90, capacity: 360 liter, working pressure: 15 PSI, temperature range: -5°C to 95°C, dimensions: 1000 mm x 980 mm x 1530 mm.	400
194	D.C. Norris & Co. Ltd.	D.C. Norris & Co. Ltd. mobile autoclave, capacity: 360 liter, working pressure: 15 PSI, temperature range: -5°C to 95°C, dimensions: 1000 mm x 980 mm x 1530 mm.	400
195	D.C. Norris & Co. Ltd.	D.C. Norris & Co. Ltd. mobile autoclave, serial number: 006 ETS, year of construction: 9.94, capacity: 360 liter, working pressure: 15 PSI, temperature range: -5°C to 95°C, dimensions: 1000 mm x 980 mm x 1530 mm.	400
196	CFS	CFS mobile forming machine, type: MLF 400, machine number: 2173, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 16.95 A, 7.77 kW, weight: 1186 kg, s/s mesh belt, belt width: 400 mm, total dimensions: 2300 mm x 900 mm x 2100 mm. Without dye.	8500
197	Tetra Laval Food Koppens B.V.	Tetra Laval Food Koppens B.V. mobile forming machine, type: VM 400-52, machine number: VM 400 HSE-1878, 208 V, 3 Ph, 60 Hz, 12.57 A, 7.61 kW, weight: 1186 kg, dimensions: 2200 mm x 900 mm x 2100 mm.	7500
198	Multiforce Contracts Limited	Multiforce Contracts Limited s/s tilting device for pallet boxes, serial number: 1752, year of construction: 2013, lifting capacity: 2000 kg, dimensions: 1250 mm x 1200 mm x 1250 mm.	1500



199	HC Coils	HC Coils evaporator, model: DDS 264-4 COOLER, serial number: 70954-06, year of construction: 2013, maximum work pressure: 15 bar, dimensions: 1650 mm x 1150 mm x 350 mm.	250
200	Coolers & Condensers Ltd	Coolers & Condensers Ltd evaporator, model: DAQ2-40, 415 V, 3 Ph, 50 Hz, 1.38 A, 0.19 kW, 1 fan, dimensions: 1800 mm x 1400 mm x 600 mm.	250
201	Coolers & Condensers Ltd	Coolers & Condensers Ltd evaporator, model: DAQ2-46, 415 V, 3 Ph, 50 Hz, 1.38 A, 0.19 kW, dimensions: 1750 mm x 1550 mm x 520 mm.	250
202	HC Coils	HC Coils evaporator, model: DDL 6-60 ED0 COOLER, serial number: 70954-05, year of construction: 2013, maximum work pressure: 15 bar, dimensions: 2750 mm x 1700 mm x 650 mm.	350
203	HC Coils	HC Coils evaporator, model: DDL 6-60 ED0 COOLER, serial number: 70954-05, year of construction: 2013, maximum work pressure: 15 bar, dimensions: 2750 mm x 1700 mm x 650 mm.	350
204	HC Coils	HC Coils evaporator, dimensions: 2750 mm x 1700 mm x 650 mm.	350
205	HC Coils	HC Coils evaporator, model: DDL 6-120 ED0 COOLER, serial number: 70954-01, year of construction: 2012, maximum work pressure: 15 bar, dimensions: 3400 mm x 1900 mm x 850 mm.	350
206	Coolers & Condensers Ltd	Coolers & Condensers Ltd evaporator, model: DAQ21-86, serial number: SOP0026649 A, 415 V, 3 Ph, 50 Hz, 0.94 A, 0.18 kW, 3 fans, dimensions: 3700 mm x 1800 mm x 700 mm.	350
207	Coolers & Condensers Ltd	Coolers & Condensers Ltd evaporator, model: DAQ21-86, serial number: SOP0026649 B, 415 V, 3 Ph, 50 Hz, 0.94 A, 0.18 kW, 3 fans, dimensions: 3700 mm x 1800 mm x 700 mm.	350
208	Coolers & Condensers Ltd	Coolers & Condensers Ltd evaporator, model: DAQ2-66, serial number: SOP0026644 A, 415 V, 3 Ph, 50 Hz, 1.38 A, 0.19 kW, 1 fan, dimensions: 1750 mm x 1600 mm x 650 mm.	200
209	Coolers & Condensers Ltd	Coolers & Condensers Ltd evaporator, model: DAQ2-46, serial number: SOP0026641, 415 V, 3 Ph, 50 Hz, 1.38 A, 0.19 kW, 1 fan, dimensions: 1750 mm x 1600 mm x 650 mm.	200
210	HC Coils	HC Coils evaporator, dimensions: 2300 mm x 1750 mm x 750 mm.	250
211	HC Coils	HC Coils evaporator, model: DDL 6-70 ED0 COOLER, serial number: 70954-03, year of construction: 2012, maximum work pressure: 15 bar, dimensions: 2850 mm x 1700 mm x 650 mm.	300
212	HC Coils	HC Coils evaporator, model: DDL 6-120 ED0 COOLER, serial number: 70954-01, year of construction: 2012, maximum work pressure: 15 bar, dimensions: 3400 mm x 1900 mm x 850 mm.	350



213	HC Coils	HC Coils evaporator, model: DDL 6-100 ED0 COOLER, serial number: 70954-04, year of construction: 2013, maximum work pressure: 15 bar, dimensions: 2850 mm x 1700 mm x 650 mm.	350
214	NN table	S/s table, dimensions: 1000 mm x 500 mm x 400 mm.	40
215	NN table	S/s table, dimensions: 1000 mm x 500 mm x 400 mm.	40
216	NN table	S/s table, dimensions: 1000 mm x 500 mm x 400 mm.	40
217	NN table	S/s table, dimensions: 1000 mm x 500 mm x 400 mm.	40
218	NN boot rack	Mobile s/s boot rack for 30 pair of boots, dimensions: 1350 mm x 600 mm x 1950 mm.	150
219	Syspal	Syspal s/s cleaning rack for meat bins, dimensions: 1000 mm x 730 mm x 1190 mm.	100
220	Syspal	Syspal s/s cleaning rack for meat bins, dimensions: 1000 mm x 730 mm x 1190 mm.	100
221	Steck Depositors Ltd	Steck Depositors Ltd mobile depositor, dimensions: 1700 mm x 700 mm x 1100 mm.	500
222	Steck Depositors Ltd	Steck Depositors Ltd mobile depositor, dimensions: 1700 mm x 700 mm x 1100 mm.	500
223	Steck Depositors Ltd	Steck Depositors Ltd mobile depositor, dimensions: 1700 mm x 700 mm x 1100 mm.	500
224	NN boot rack	S/s boot rack for 72 pair of boots, dimensions: 1410 mm x 810 mm x 2050 mm.	150
225	NN boot rack	S/s boot rack for 72 pair of boots, dimensions: 1410 mm x 810 mm x 2050 mm.	150
226	Syspal	2 Syspal mobile s/s racks for gastronorm bins, (2x) 10 floors, dimensions bins: 525 mm x 325 mm x 100 mm, total dimensions: (2x) 590 mm x 450 mm x 1620 mm.	150
227	Syspal	2 Syspal mobile s/s racks for gastronorm bins, (2x) 10 floors, dimensions bins: 525 mm x 325 mm x 100 mm, total dimensions: (2x) 590 mm x 450 mm x 1620 mm.	150
228	Syspal	2 Syspal mobile s/s racks for gastronorm bins, (2x) 10 floors, dimensions bins: 525 mm x 325 mm x 100 mm, total dimensions: (2x) 590 mm x 450 mm x 1620 mm.	150
229	Unitech	2 Unitech mobile s/s racks for gastronorm bins, (2x) 14 floors, 28 perforated gastronorm bins, dimensions perforated bins: (28x) 755 mm x 450 mm x 80 mm, total dimensions: (2x) 835 mm x 490 mm x 1760 mm.	150
230	Unitech	2 Unitech mobile s/s racks for gastronorm bins, (2x) 14 floors, 28 perforated gastronorm bins, dimensions perforated bins: (28x) 755 mm x 450 mm x 80 mm, total dimensions: (2x) 835 mm x 490 mm x 1760 mm.	150
231	Unitech	2 Unitech mobile s/s racks for gastronorm bins, (2x) 14 floors, 24 perforated gastronorm bins, dimensions perforated bins: (24x) 755 mm x 450 mm x 80 mm, total dimensions: (2x) 835 mm x 490 mm x 1760 mm.	150



232	Unitech	2 Unitech mobile s/s racks for gastronorm bins, (2x) 14 floors, 28 gastronorm bins, dimensions bins: (28x) 755 mm x 450 mm x 80 mm, total dimensions: (2x) 835 mm x 490 mm x 1760 mm.	150
233	Unitech	2 Unitech mobile s/s racks for gastronorm bins, (2x) 14 floors, 28 gastronorm bins, dimensions bins: (28x) 755 mm x 450 mm x 80 mm, total dimensions: (2x) 835 mm x 490 mm x 1760 mm.	150
234	NN turning table	S/s turning table, plastic top, diameter top: \varnothing 1490 mm, total dimensions: 1500 mm x 850 mm.	350
235	Anglia Autoflow Ltd	Anglia Autoflow Ltd s/s turning table, machine number: SDC 4196-7, year of construction: 2000, plastic top, diameter top: \varnothing 1490 mm, total dimensions: 1500 mm x 850 mm.	350
236	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 305 mm, total dimensions: 1400 mm x 550 mm x 800 mm.	350
237	NN cleaning rack	S/s cleaning rack with collection tub, dimensions: 1060 mm x 460 mm x 1550 mm.	75
238	NN cleaning rack	S/s cleaning rack with collection tub, dimensions: 1010 mm x 460 mm x 1650 mm.	75
239	NN cleaning rack	S/s cleaning rack with collection tub, dimensions: 1010 mm x 460 mm x 1650 mm.	75
240	NN cleaning rack	S/s cleaning rack with collection tub, dimensions: 1010 mm x 460 mm x 1650 mm.	75
241	NN tub	S/s tub, dimensions: 1550 mm x 1000 mm x 900 mm.	75
242	NN tub	S/s tub, dimensions: 1550 mm x 1000 mm x 900 mm.	75
243	NN tub	S/s tub, dimensions: 1550 mm x 1000 mm x 900 mm.	75
244	NN tub	S/s tub, dimensions: 1550 mm x 1000 mm x 900 mm.	75
245	Ucon Container Systeme	Ucon Container Systeme s/s container, year of construction: 1999, volume: 800 liter, empty weight: 152 kg, dimensions: \varnothing 1020 mm x 1740 mm.	100
246	Thielmann	Thielmann s/s container, year of construction: 1997, dimensions: \varnothing 1020 mm x 1740 mm.	100
247	Thielmann	Thielmann s/s container, year of construction: 1997, dimensions: \varnothing 1020 mm x 1740 mm.	100
248	Ucon Container Systeme	Ucon Container Systeme s/s container, year of construction: 2002, volume: 800 liter, empty weight: 151 kg, dimensions: \varnothing 1020 mm x 1740 mm.	100
249	Ucon Container Systeme	Ucon Container Systeme s/s container, year of construction: 2006, volume: 800 liter, empty weight: 115 kg, dimensions: \varnothing 1000mm x 1650 mm.	100
250	Ucon Container Systeme	Ucon Container Systeme s/s container, year of construction: 2006, volume: 800 liter, empty weight: 117 kg, dimensions: \varnothing 1000mm x 1650 mm.	100
251	Marel Townsend	Marel Townsend mobile modular loader for collating sausages and loading into trays, model: TL1121, type: 4446329, serial number: 10399697, year of construction: 2017, 400-480 V, 3 Ph, 50/60 Hz, 30.7, dimensions: 3900 mm x 1300 mm x 1800 mm.	5000



General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use



- 3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.
- 3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.
- 3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.
- 3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.
- 3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.
- 3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.
- 3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.
- 3.8 Government laws and regulations, such as the Money Laundering and Terrorist Financing Prevention Act (WWFT), may impose (additional) obligations on Industrial Auctions. The client is required to provide all information requested by Industrial Auctions including (but not limited to) information about the client's identity to establish and verify this further, to verify and record the identity of the ultimate beneficial owner, the purpose and nature of the engagement or to exercise a transaction or an ongoing control over the business relationship or the natural person who represents or is authorized to do so by the client and whether the client is acting for themselves or for a third party. If the requested information is not supplied within



5 days after the first request, Industrial Auctions may immediately terminate the agreement and, pending the information, Industrial Auctions may suspend the services. Industrial Auctions is then not obliged or liable for any compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the supporting system;
- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security



5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark.

Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions



8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;
- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that



moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no



indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so



entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance



policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at



least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care.

Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



**Industrial
Auctions** BV



**Industrial
Auctions** BV

Address: Looyenbeemd 11
5652 BH Eindhoven, Netherlands
Tel.: +31 (0)40 2409 208
Email: info@industrial-auctions.com
Web: www.industrial-auctions.com