



Industrial Auctions BV

Online auction machinery for the food industry in
Sevenum (NL)

Closing: 05 December 2022 from 14:00 hrs.



Viewing day:

Address:

Spoorstraat 7
5975 RK Sevenum
Netherlands



General terms and conditions of the online auction

Closing date	05 December 2022 from 14:00 hrs.
Viewing	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	17% over the highest bid
VAT	21% over the highest bid including Premium
Pick up date	13 December 2022 from 09:00 till 16:00 hrs.
Pick up address	Spoorstraat 7 5975 RK Sevenum Netherlands
Delivery instructions	The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Industrial Auctions B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick up bought lots) will only take place on the mentioned delivery date/time and address..
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 0050339999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Meypack	Meypack bottle packaging line consisting of divider/ infeed belt, plastic mesh belt, belt width: 680 mm, 6 lanes, lane width: (6x) 85 mm, clearance: 85 mm x 280 mm, total dimensions: 1240 mm x 1600 mm x 2000 mm, Meypack shrink wrapper, model: SW90 M40-2, serial number: 858308, year of construction: 2003, s/s mesh belt, belt width: 900 mm, clearance: (6x) 65 mm x 230 mm, plastic buffer and outfeed belt, belt width: 800 mm, film width: 500 mm, total dimensions: 5700 mm x 2600 mm x 2200 mm, Meypack shrink tunnel, model: STU 10040-32, serial number: 853660, year of construction: 2003, s/s mesh belt, belt width: 950 mm, clearance: 950 mm x 350 mm, total dimensions: 4850 mm x 1650 mm x 1950 mm, dimensions switch cabinet: 2400 mm x 650 mm x 2150 mm. Capacity: up to 40 cycles per minute.	37500
2	NN dividing belt	Dividing belt, s/s rollers, roller width: 980 mm, plastic dividers, divider width: 250 mm, total dimensions: 2600 mm x 1300 mm x 1450 mm.	2250
3	Imball	Imball SRL carton sleever machine, model: Multipack 200 R P340 DX, serial number: 909080040, 400 V, 40 Hz, 11 kW, weight: 2500 kg, clearance: 275 mm x 250 mm, plastic lane with dividers, lane width: 90 mm, distance between dividers: 350 mm, plastic outfeed belt, belt width: 90 mm, with Nordson glue unit, model: Series 3500 V, total dimensions: 7000 mm x 1400 mm x 2500 mm.	17500
4	Dimac	Dimac bottle packaging line consisting of shrink wrapper, model: Star Film MSV, serial number: A150598, year of construction: 1997, 380 V, 3 Ph, 50 Hz, 58, kW, capacity: up to 3300 trays per hour, range: Ø 50-100 mm, weight: 4000 kg, total dimensions shrink wrapper: 7200 mm x 1400 mm x 1850 mm, plastic infeed belt, belt width: 550 mm, 6 lanes, clearance: (6x) 85 mm x 170 mm, shrink tunnel, s/s mesh belt, belt width: 730 mm, total dimensions shrink tunnel: 6300 mm x 1700 mm x 1850 mm.	12500
5	Engler	Engler pocket filler, type: Volumendos.12, number: 3142/9, year of construction: 2.1990, 380 V, 50 Hz, 4 kW, capacity: 2800 fills per hour, weight: 1200 kg, s/s belt, belt width: 100 mm, total dimensions: 3500 mm x 2300 mm x 2450 mm. Including trolley with various parts, among others: moulds, diameter moulds: Ø 99 mm, 113 mm and 153 mm, dimensions trolley: 1800 mm x 700 mm x 1750 mm.	8000
6	APC	APC server cabinet with back up battery, model battery: SRT6KRMXLI, input: 220-240 V, 30 A, output: 220-230-240 V, 28 A, 6 kW, total dimensions: 750 mm x 1100 mm x 2000 mm.	150



7	NN tank with agitator	S/s tank with Typhoon-Martens B.V. agitator, capacity: 2.000 litres, dimensions: 1400 mm x 1400 mm x 3000 mm.	1500
8	NN tank with agitator	S/s tank with Typhoon-Martens B.V. agitator, capacity: 2.000 litres, dimensions: 1400 mm x 1400 mm x 3000 mm.	1500
9	Krones	Krones bottle labelling machine, type: 480-12, machine number: K 747-554, year of construction: 2001, 380 V, 3 Ph, 50 Hz, 12 A, 1.26 kA, plastic mesh in/outfeed belt, belt width: 80 mm, Ø bottles: 35 mm, total dimensions: 5000 mm x 3200 mm x 2300 mm, 1 pallet with labeller, 1 pallet with roll on unit, dimensions switch cabinet: 800 mm x 650 mm x 2370 mm.	4000
10	Sneyders	Sneyders capping machine, type: ASE-DSTER, machine number: 15.03, year of construction: 02.03, Ø caps: 60 mm, total dimensions: 1800 mm x 1600 mm x 2300 mm. Including pallet with frames for transport belts and pallet with transport belt, belt width: 150 mm. Missing cap grabber.	5000
11	Omac / Veenstra	2 Omac lobe pumps, model: (2x) B100 5680 U, year of construction: 2009, dimensions: 750 mm x 300 mm x 350 mm, 2 Veenstra agitators, type: (2x) FRA-25, machine number: 2008.480 and 2008.481, year of construction: 2008, weight: (2x) 30 kg, dimensions: (2x) 750 mm x 300 mm x 350 mm.	400
12	INDEX-6 LTD	INDEX-6 LTD automatic shrink wrapping machine, model: IND-PACK 29, serial number: 2936, year of construction: 2006, 380 V, 50 Hz, 30 kW, seal length: 570 mm, film width: 300 mm, 4 lane s/s belt, belt width: (4x) 80 mm, total dimensions: 3200 mm x 1500 mm x 1950 mm.	3500
13	Öztiryakiler Madeni ESYA Sanayi ve TIV A.S	Öztiryakiler Madeni ESYA Sanayi ve TIV A.S mobile refrigerated salad bar, model: OSBEC.01V11.7, year of construction: 20.11.2012, 220-240 V, 50 Hz, 1.9 A, 295 W, refrigerant: R134A, 220 gram, dimensions: 1500 mm x 1000 mm x 1530 mm. Including various gastronom bins.	150
14	Serac	Serac bottle closing machine, model: V6/360, serial number: 250, year of construction: 2002, 400 V, 3 Ph, 50 Hz, weight: 2500 kg, plastic belt, belt width: 80 mm, total dimensions: 2800 mm x 1400 mm x 2400 mm, dimensions outfeed belt: 2100 mm x 600 mm x 1200 mm, dimensions switch cabinet: 1000 mm x 500 mm x 2100 mm. Without distancing worms and in/outfeed stars.	9500
15	Schneider Electric	Schneider Electric control cabinet, dimensions: 600 mm x 400 mm x 1500 mm.	150



16	BT	BT electric pallet lifter, model: SWE120S, serial number: 6028360/2008, weight without battery: 650 kg, battery weight: 150-260 kg, rated capacity: 1260 kg, reach height: 2500-2700 kg, dimensions forks: 1150 mm x 180 mm, total dimensions: 1900 mm x 700 mm x 850 mm. Including Benning GmbH battery charger, type: E230 G24/30 B-FENI, 24 V.	1250
17	NN nitrogen injector	Nitrogen injector unit, dimensions dosing unit: 500 mm x 700 mm x 1130 mm, dimensions injector unit: 700 mm x 500 mm x 2200 mm.	950
18	Toshiba Tec Corporation	3 Toshiba Tec Corporation barcode printer, model: B-SX5T-TS22-QM-R and B-SX4T-GS20-QM-R, 100-240 V, 50-60 Hz, 2.5-1.1 A, dimensions: (3x) 530 mm x 300 mm x 310 mm.	150
19	HP	4 HP printers, model: (4x) LaserJet Pro 400 M401dw, 220-240 V, 50/60 Hz, 3.5 A, dimensions: (4x) 370 mm x 370 mm x 280 mm. 1 printer missing paper drawers	60
20	Massi Services	Massi Services mobile cap feeder with magnetic elevating belt, type: Alimentateur, serial number: 06119, year of construction: 1999, inside dimensions bunker: 650 mm x 1300 mm x 500 mm, clearance: 55 mm x 15 mm, elevating height: 3600 mm, total dimensions: 1200 mm x 1500 mm x 4000 mm.	1750
21	NN elevating screw	Mobile s/s elevating screw, diameter screw: 400 mm, tier: 200 mm, elevating height: 1450 mm, total dimensions: 3300 mm x 700 mm x 2400 mm.	1250
22	Schmalbach-Lubeca AG	Schmalbach-Lubeca AG magnetic elevating belt with infeed bunker, type: SLW-ME, serial number: 04.51.32.008, dimensions bunker: 1000 mm x 700 mm x 600 mm, elevating height: 2900 mm, total dimensions: 1200 mm x 1050 mm x 3300 mm.	1750
23	HP	6 HP printers, model: (6x) LaserJet Pro 400 M401dw, 220-240 V, 50/60 Hz, 3.5 A, dimensions: (6x) 370 mm x 370 mm x 280 mm. 3 printers missing paper drawers.	90
24	Ricoh	5 Ricoh printers, model: (5x) SP 4510DN, 220-240 V, 50/60 Hz, 5.3 A, 1110 W, dimensions: (5x) 400 mm x 370 mm x 300 mm. Including toner and service kit.	100
25	NN depositor	Mobile s/s depositor, s/s frame, diameter pipe: 65 mm, total dimensions: 700 mm x 1000 mm x 1750 mm.	2000
26	Turbo Tools	Turbo Tools mobile depositor, serial number: NMD8931189, diameter pipe: 45 mm, total dimensions: 1150 mm x 600 mm x 1900 mm.	2500
27	CAS / AND	CAS floor weighing scale with loading ramp and indicator, type indicator: AD-4406, maximum: 2 ton, dimensions scale: 1200 mm x 1200 mm.	240
28	Polyketting	Polyketting roller conveyor, type: PC, number: 9519000, year of construction: 1995, 0.37 kW, steel rollers, roller width: 300 mm, total dimensions: 4000 mm x 700 mm x 950 mm.	400



29	Polyketting	Polyketting roller conveyor with rejector, type: PC, number: 9519000, year of construction: 1995, 0.37 kW, steel rollers, roller width: 300 mm, total dimensions: 4000 mm x 930 mm x 870 mm.	400
30	Ricoh	4 Ricoh printers, model: (4x) SP 4510DN, 220-240 V, 50/60 Hz, 5.3 A, 1110 W, dimensions: (4x) 400 mm x 370 mm x 300 mm. Including toner and service kit.	60
31	NN desk	S/s mobile desk with drawers, dimensions: 1000 mm x 700 mm x 900 mm.	75
32	HP	6 HP printers, model: (6x) LaserJet Pro 400 M401dw, 220-240 V, 50/60 Hz, 3.5 A, dimensions: (6x) 370 mm x 370 mm x 280 mm. 3 printers missing paper drawers.	90
33	Omar	Omar cap sealer and shrinker, model: M1TT, serial number: 04330, year of construction: 2011, 400 V, 2.1 kW, plastic mesh belt, belt width: 80 mm, total dimensions: 2800 mm x 1100 mm x 2300 mm.	4500
34	Colt International Ltd	8 boxes with Colt International Ltd s/s air handling systems, clearance: \varnothing 245 mm, dimensions: (8x) 630 mm x 630 mm x 350 mm.	100
35	Colt International Ltd	Colt International Ltd calorific heat pump unit, type: CAL/MK2/3/H/L/250XX/1.3/B/1E/E, year of construction: 2013, 16/34/5.1 A, 0.6/0.7 kW, refrigerant: R410A, 0.75 kg, clearance pipes: \varnothing 240 mm and (2x) \varnothing 195 mm, total dimensions: 1250 mm x 250 mm x 1000 mm.	100
36	ACB	ACB transport belt, plastic belt, belt width: 80 mm, total dimensions: 1700 mm x 300 mm x 580 mm, ACB 90° curve conveyor, dimensions: 1100 mm x 750 mm x 950 mm and motor, dimensions: 430 mm x 430 mm x 200 mm. Curve conveyor missing belt.	150
37	NN turning table	S/s turning table with plastic top, dimensions: \varnothing 1200 mm x 1100 mm.	750
38	Getra / Extend Corp.	Getra / Extend Corp. mobile box closing machine with top and bottom taper, type: EXC 103, number: C15031215, year of construction: 2015, s/s roller width: 550 mm, clearance: 530 mm x 500 mm, plastic outfeed rollers, roller width: 500 mm, total dimensions: 2700 mm x 1050 mm x 1800 mm.	750
39	Techniplast	Techniplast depositor with foot control on s/s trolley, type: STANDARD M ROT, number: 3000.33, year of construction: 12.05, diameter pipe: 15 mm, dimensions infeed funnel: \varnothing 500 mm x 500 mm, total dimensions: 1200 mm x 450 mm x 1100 mm, dimensions trolley: 800 mm x 500 mm x 950 mm. Including 2 plastic crates with parts.	3000
40	Alwid	Alwid capping machine, 1-head, diameter head: 60 mm, plastic belt, belt width: 80 mm, total dimensions: 4050 mm x 1250 mm x 2350 mm. Including pallet box with spare parts.	1750



41	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 200 mm, total dimensions: 1800 mm x 300 mm x 280 mm.	100
42	Lubeca	Lubeca twist-off capper with automatic height adjusting, type: LW60, s/s mesh belt, belt width: 100 mm, diameter caps: 85 mm, total dimensions: 3800 mm x 900 mm x 2300 mm.	5000
43	Steinle	Steinle magnetic tray loader, type: RE120P2, machine number: 9012100, year of construction: 11/90, 220/380 V, 50 Hz, 8 kW, pressure: 5 bar, plastic magnetic belt, belt width: 600 mm, dimensions: 2500 mm x 2000 mm x 2750 mm, switch cabinet, dimensions: 3500 mm x 400 mm x 1850 mm.	1500
44	Proseal	Proseal traysealer, model: AP60, serial number: 1701, 415 V, 50 Hz, 2 lane dyes, inside dimensions dye: \varnothing 95 mm, outside dimensions dye: 115 mm x 115 mm, total dimensions: 4300 mm x 1000 mm x 1950 mm. Including pallet with spare parts.	4500
45	Stork Bepak B.V.	Stork Bepak B.V. carton erector, type: SA-25, number: 0327101, year of construction: 1991, 380 V, 24 V DC, 2 s/s chain belts, total belt width: 250 mm, Nordson glue unit, total dimensions: 3800 mm x 2000 mm x 2150 mm.	2750
46	Stork Bepak B.V.	Stork Bepak B.V. top load case packer, type: SIE-1500-PB2, number: 03177102, year of construction: 1991, 380 V, 24 V DC, plastic infeed belt, belt width: 600 mm, 5 lanes, lane width: (5x) 120 mm, s/s outfeed belt, belt width: (2x) 90 mm, steel switch cabinet, dimensions: 1200 mm x 480 mm x 1200 mm, total dimensions: 7200 mm x 2000 mm x 2700 mm. Including pallet with parts.	3250
47	G. Mondini S.p.a.	Steel rack with large amount of parts for G. Mondini S.p.a. traysealers, among others: 3 dye sets, dimensions: (4x) 260 mm x 180 mm, (4x) 235 mm x 100 mm and (4x) 170 mm x 130 mm.	1500
48	Overtoom	Overtoom 90° curve conveyor, 2 lanes, steel rollers, roller width: (2x) 300 mm, total dimensions: 800 mm x 1700 mm x 850 mm.	100
49	Overtoom	Overtoom 90° curve conveyor, 2 lanes, steel rollers, roller width: (2x) 300 mm, total dimensions: 800 mm x 1700 mm x 850 mm.	100
50	Overtoom	Overtoom 90° curve conveyor, 2 lanes, steel rollers, roller width: (2x) 300 mm, total dimensions: 800 mm x 1700 mm x 850 mm.	100
51	NN right angle converter	90° angle converter, steel rollers, roller width: 600 mm, total dimensions: 900 mm x 750 mm x 800 mm, dimensions switch cabinet: 500 mm x 250 mm x 1000 mm.	400



52	Steinbach Errani	Steinbach Errani semi automatic bottle labelling machine, type: UL 300, machine number: 2/ 13/047/94, 220 V, 50 Hz, 1.2 kW, maximum width: 240 mm, total dimensions: 600 mm x 800 mm x 1200 mm. Including switch cabinet.	1500
53	Imball	Imball case packer, model: COMBI S KPH V M SX LQ, serial number: 902270500, year of construction: 2007, 400 V, 50 Hz, 10 kW, weight: 2000 kg, plastic belt, belt width: 500 mm, with Robatech glue unit, concept B 12/4, KPC 12, serial number: 134599, year of construction: 2007, total dimensions: 5850 mm x 1200 mm x 1800 mm.	3000
54	Stork Bepak B.V.	Stork Bepak B.V. palletizer consisting of roller conveyor, steel roller, roller width: 920 mm, dimensions roller conveyor: 2700 mm x 1250 mm x 1170 mm, Stork Bepak B.V. pallet loader, type: Centurion 4000, number: 03567601, year of construction: 1990, 380 V AC, 24 V DC, steel rollers, roller width: 1380 mm, dimensions pallet loader: 2900 mm x 2200 mm x 3400 mm, pallet turning device, steel rollers, roller width: 1300 mm, 1100 mm, 650 mm, dimensions turning device: 2000 mm x 1950 mm x 600 mm, pallet stacking machine, steel rollers, roller width: 1300 mm, dimensions stacking machine: 2100 mm x 1700 mm x 1400 mm and switch cabinet, dimensions: 1200 mm x 480 mm x 1160 mm.	3250
55	Alfa Laval	Alfa Laval plate heat exchanger, type: H7-RC, fabrication number: 30100-18319, year of construction: 1987, volume: 165.6 liter, maximum pressure: 10 bar, maximum temperature: 110°C, dimensions: 570 mm x 2100 mm x 1800 mm.	950
56	NN roller conveyor	Roller conveyor with right angle converter, steel frame, s/s rollers, roller width: 500 mm, total dimensions: 2050 mm x 1800 mm x 1000 mm.	200
57	Ferrum	Ferrum can seamer, number: 37-2412, dimensions: 1500 mm x 1000 mm x 1650 mm.	3500
58	Smurfit Kappa	Smurfit Kappa box erector, 2 lanes, lane width: (2x) 430 mm, 2 Nordson glue units, unit number: 3100-2AA34, total dimensions: 3200 mm x 3100 mm x 2000 mm. Used for carton trays with 12-holes (3 x 4 rows).	4000
59	ERPHI	ERPHI steel planning table, table top dimension: 260 mm, total dimensions: 1410 mm x 5700 mm x 1030 mm.	300
60	NN roller conveyor	Roller conveyor, steel frame, s/s rollers, roller width: 500 mm, total dimensions: 1800 mm x 600 mm x 350 mm.	100
61	Pester	Pester Verpackungsmaschinen shrink packaging machine, type: PEWO-PACK 450 SN, machine number: V-2778, year of construction: 1992, 380 V, 3 Ph, 50 Hz, 75 A, 32.7 kW, plastic mesh belt, belt width: 450 mm, film width: 400 mm, total dimensions: 4400 mm x 2900 mm x 2700 mm.	1500
62	IMC	IMC can seamer, diameter cans: 73 mm, total dimensions: 1500 mm x 1100 mm x 2100 mm.	2250



63	IMC	IMC automatic can seamer, type: 478, serial number: 335, can diameter: 127 mm, total dimensions: 1900 mm x 2700 mm x 2700 mm.	3000
64	Polyketting	Polyketting pallet wrapper, type: BT, number: 89/C-150, platform dimensions: 1200 mm x 1600 mm, total dimensions: 1900 mm x 3000 mm x 3000 mm.	3500
65	VanRiet	VanRiet pallet destacker, dimensions: 2300 mm x 1700 mm x 2000 mm.	1000
66	NN curve conveyor	90° curve conveyor, s/s frame and s/s belt, belt width: 200 mm, total dimensions: 1300 mm x 1800 mm x 700 mm.	400
67	Schmalbach-Lubeca AG	Schmalbach-Lubeca AG dud detector/vacuum detector for cans and jars, type: MFB 93, year of construction: 2003, dimensions: 800 mm x 500 mm x 2100 mm.	500
68	Schmalbach-Lubeca AG	Schmalbach-Lubeca AG dud detector/vacuum detector for cans and jars, type: MFB 93, year of construction: 1995, dimensions: 800 mm x 500 mm x 2000 mm.	500
69	IMC	IMC dewatering screw, 2 messing screws, diameter screws: (2x) 160 mm, tier: 135 mm, total dimensions: 2900 mm x 650 mm x 1700 mm.	1250
70	NN separator	Water separator with press, outfeed diameter: 30 mm, total dimensions: 2500 mm x 600 mm x 1500 mm.	950
71	Ica S.p.A.	Ica S.p.A. shrink tunnel, model: SFE 800V-858, serial number: V4806, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 26/33 A, plastic infeed belt, belt width: 115 mm, seal width: 630 mm, clearance: 185 mm x 260 mm, s/s mesh outfeed belt, belt width: 650 mm, total dimensions: 5000 mm x 1500 mm x 1900 mm.	2500
72	Webe	Webe de-palletizing machine, type: MCC33, pallet size: 1200 mm x 1000 mm, s/s rollers, roller width: 1100 mm, total dimensions: 3150 mm x 2450 mm x 4700 mm.	4950
73	B.C.M. Engineering	B.C.M. Engineering mobile infeed bunker with elevating belt, type: 750 025, year of construction: 1992, plastic belt with dividers, belt width: 500 mm, divider width: 350 mm, divider height: 40 mm, distance between dividers: 270 mm, total dimensions: 1800 mm x 1800 mm x 2670 mm.	750
74	Grabher Indosa Maschinenbau AG	Grabher Indosa Maschinenbau AG elevating belt, type: SF 184, machine number: 15.362, year of construction: 8/1993, 380 V, 3 Ph, 0.6 kW, s/s belt, belt width: 390 mm, elevating height: 3300 mm, total dimensions: 2700 mm x 1600 mm x 3700 mm.	1500
75	Gebhardt	2 Gebhardt roller conveyors, type: 555.2, 555.5, number: 882-650, year of construction: 1989, steel rollers, roller width: 1080 mm, total dimensions: 1350 mm x 1160 mm x 800 mm.	950
77	NN roller conveyor	Electric roller conveyor, s/s rollers, roller width: 500 mm, total dimensions: 700 mm x 500 mm x 740 mm.	150



79	Simoni	Simoni dispenser for coffee cups, model: Opem-BM8, serial number: 001, year of construction: 2013, 400 V, 50 Hz, 5 kW, weight: 875 kg, plastic elevating belt with brush dividers, belt width: 205 mm, distance between dividers: 150 mm, divider height: 100 mm, 18 lanes, lane width: 40 mm, diameter cups: 35 mm, total dimensions: 1850 mm x 2200 mm x 3120 mm.	2500
80	Wolfking A/S	Wolfking A/S cheese-breaker, type: CHEESE-BREAKER, number: 56130, 415/660 V, 50 Hz, 22-20/13 A, 11 kW, width outfeed belt: 500 mm, including elevating belt with dividers, belt width: 500 mm, divider height: 30 mm, distance between dividers: 520 mm, total dimensions: 3600 mm x 1500 mm x 3200 mm.	2500
81	Franken	Franken weighing and filling station used for olives, 2 stations, from 2 to 1 heads, dimensions: 1400 mm x 1200 mm x 3200 mm.	4500
82	NN mixer	S/s mixer on Tedeo-Huntleigh weighing cells with outfeed roller conveyor, dimensions mixer: 1800 mm x 1250 mm x 2650 mm, roller conveyor, steel frame, plastic rollers, roller width: 500 mm, dimensions roller conveyor: 2070 mm x 720 mm x 400 mm. Without indicator.	1450
83	NN mixer	S/s mixer on weighing cells with outfeed roller conveyor, dimensions mixer: 800 mm x 1250 mm x 2650 mm, roller conveyor, steel frame, plastic rollers, roller width: 500 mm, dimensions roller conveyor: 2070 mm x 720 mm x 400 mm. Without indicator.	1450
84	Lieder	Lieder mobile filling machine with vibrating gutter, dimensions hopper: 1000 mm x 600 mm x 240 mm, gutter width: 100 mm, diameter outfeed: 80 mm and 150 mm, total dimensions: 1450 mm x 800 mm x 620 mm.	950
85	NN tray turning table	Tray turning table belt with double belt, steel frame, plastic mesh belt, belt width: 150 mm and 350 mm, total dimensions: 2750 mm x 850 mm x 1070 mm.	500
86	Shuttleworth	Shuttleworth slip-torque roller conveyor with 90° angle, roller width: 230 mm, total dimensions: 1600 mm x 1050 mm x 1100 mm.	500
87	Shuttleworth	Shuttleworth slip-torque roller conveyor with 90° angle, roller width: 230 mm, total dimensions: 1600 mm x 1050 mm x 1100 mm.	500
88	AF Belgium / Mattei / Lorivan	AF Belgium / Mattei air compressor, model: AC 15 L PLUS, serial number: C 7986 20Q/407/0, year of construction: 2007, 1460 N/min, 2.7 m³/minute, 8 bar, 15 kW, dimensions compressor: 1500 mm x 800 mm x 1250 mm, Lorivan steel pressure vessel, fabrication number: 001 06 022, year of construction: 05/2006, volume: 500 liter, working pressure: 11 bar, test pressure: 16.5 bar, working temperature: -10 / 50C, diameter vessel: 600 mm, height: 2100 mm.	2100



89	Safeline	Safeline metal detector, model: Signature ² , serial number: 37372, year of construction: 08/1999, plastic belt, belt width: 230 mm, clearance: 260 mm x 90 mm, total dimensions: 1600 mm x 1000 mm x 1500 mm.	750
91	Polyketting	Polyketting transport belt, type: GB, fabrication number: 951900, year of construction: 1995, 0.25 V, 0.37 kW, steel frame, plastic mesh belt with dividers, belt width: 230 mm, divider height: 55 mm, total dimensions: 2200 mm x 550 mm x 940 mm.	150
92	Polyketting	Polyketting transport belt, type: GB, 0.25 V, 0.37 kW, steel frame, plastic mesh belt with dividers, belt width: 230 mm, divider height: 55 mm, total dimensions: 2200 mm x 550 mm x 940 mm.	150
93	NN chain conveyor	Chain conveyor, conveyor width: 730 mm, total dimensions: 1400 mm x 850 mm x 560 mm.	500
94	Alwid	Alwid bottle filling and capping machine with Stiletto cap feeder, plastic belt, belt width: 80 mm, total dimensions: 3100 mm x 1300 mm x 2200 mm.	1000
95	NN roller conveyor	Roller conveyor, steel frame and rollers, roller width: 1100 mm, total dimensions: 1800 mm x 1250 mm x 780 mm.	500
96	Weldon	Weldon pallet lifter, type: 1500 SPW-Economic, capacity: 1500 kg, year of construction: 2000, weight: 95 kg, fork length: 1150 mm, maximum lifting height: 900 mm.	100
97	NN roller conveyors	Roller conveyors, steel rollers, roller width: 850 mm, 800 mm and 630 mm.	1250
98	NN magnetic transport belt	Magnetic transport belt with side channel blower unit, plastic belt, belt width: 400 mm, total dimensions: 1800 mm x 1205 mm x 1800 mm.	500
99	Bolzoni	Bolzoni grabbing unit for forklift trucks, model: KB09L6A, serial number: 001D009930/001, year of construction: 2001, weight: 582 kg, tilting capacity: 900 kg, dimensions: 1020 mm x 1400 mm x 1220 mm.	400
100	NN transport belt	Transport belt, s/s frame and mesh belt, belt width: 250 mm, total dimensions: 3800 mm x 800 mm x 1520 mm.	400
101	BFB S.p.A.	BFB S.p.A. overwrapping machine, model: 3701u, serial number: 3970, 380 V, 3 Ph, 50 Hz, 12 A, 10 kA, belt width: 190 mm, total dimensions: 2600 mm x 1500 mm x 1800 mm. Including transport belt, plastic belt, belt width: 200 mm, total dimensions: 2550 mm x 550 mm x 400 mm.	2000
102	Stork	Stork box closing machine, plastic infeed belt, belt width: 500 mm, total dimensions infeed belt: 800 mm x 1000 mm x 600 mm, clearance: 490 mm x 700 mm, plastic rollers, roller width: 600 mm, with Nordson glue unit, type: 3400-2AA12/A, total dimensions: 2050 mm x 1220 mm x 1650 mm.	1500



103	Stork Pompen	Stork Pompen circulation pump, type: MCV125X4, number: R604500, dimensions: 270 mm x 270 mm x 970 mm.	25
105	Sterling Fluid Systems	Sterling Fluid Systems fluid pump, type: MSLA 03207 9AA BK3 OR PO, machine number: LU 02147180 01, year of construction: 2005, dimensions: 760 mm x 350 mm x 370 mm.	250
106	NN marathon sport carriage	Steel and aluminium marathon sport carriage for 1 horse, paddle brake, 2 seats, total dimensions: 3800 mm x 1400 mm x 1750 mm.	850
107	Soco System	Soco System dividing belt with switch cabinet, steel frame, plastic belt, belt width: 480 mm, total dimensions: 3000 mm x 1000 mm x 1650 mm.	500
108	NON	NON washing machine for crates, type: 25100800, serial number: 24.11.86, year of construction: 1986, clearance: (2x) 380 mm x 230 mm, total dimensions: 3200 mm x 2100 mm x 2100 mm.	1250
109	Inmarco AG	Inmarco AG carton erector, type: T-900, fabrication number: 05.106, year of construction: 1990, maximum tray width: 645 mm, with Valco Cincinnati glue unit, total dimensions: 4800 mm x 1650 mm x 2600 mm.	1950
110	NN cooking screw	Cooking screw, plastic belt, belt width: 200 mm, total dimensions: 5800 mm x 2100 mm x 2550 mm.	5000
112	Vetter	2 Vetter forks for forklift truck, type: AV85/2/L, dimensions: (2x) 1200 mm x 100 mm x 560 mm.	50
113	Kwang Dah Enterprise Co., Ltd.	Kwang Dah Enterprise Co., Ltd. capsules and tablet inspection machine, model: KDI-1, serial number: F-180, year of construction: 1998, 220 V, 50 Hz, belt width: 240 mm, total dimensions: 1800 mm x 500 mm x 1350 mm.	350
114	NN mixing tank	S/s mixing tank with agitator and outfeed pump, project number: 98 44 185, year of construction: 1999, weight: 375 kg, dimensions tank: \varnothing 1050 mm x 740 mm, total dimensions: 2750 mm x 1100 mm x 2000 mm.	2250
115	NN distilling machine	Distilling machine on s/s frame, year of construction: 2018, volume tanks: 600 liter, distillation capacity: till 100 liter/h, heating circuit: 30 kW - till 95 °C water, cooling circuit: 50 kW dry-cooler, vacuum pump: Induvac, ATEX certified, valves: Alfa Laval, pumps: Ebara, heater: Enon, instrumentation: Krohne, dimensions: 4900 mm x 1200 mm x 4150 mm, Friga Bohn evaporator, type: ECA.139 L2 06P, 400 V, 50 Hz, capacity: 144.8 kW, refrigerant: Freon, dimensions: 3090 mm x 1260 mm x 1030 mm.	9000
116	BT	BT electric pallet lifter, type: PPT 2000 MX, number: 283292AA/1996, capacity: 2000 kg, weight without battery: 325 kg, weight battery: 150/200 kg, 24 V, fork dimensions: 1000 mm x 180 mm, total dimensions: 720 mm x 1600 mm x 900 mm. Including Mori L. Raddrizzatori battery charger.	350



117	BT	BT electric pallet lifter, model: PPT 1400 MX/MXC, number: 285973AA/1996, capacity: 1400 kg, weight without battery: 305 kg, weight battery: 150/210 kg, 24 V, fork dimensions: 1150 mm x 160 mm, total dimensions: 1750 mm x 730 mm x 900 mm. Including battery charger.	350
118	Webe	Webe de-palletizing machine, type: MCC33, pallet size: 1200 mm x 1000 mm, s/s rollers, roller width: 1100 mm, total dimensions: 3150 mm x 2450 mm x 4700 mm.	4950
119	NN magnetic plate	Magnetic plate, dimensions: 1500 mm x 1000 mm x 400 mm.	250
120	Vivotec	Vivotec mobile pressure vessel for adding oxygen, type: MD 005-2, serial number: 521-51, year of construction: 2003, minimum/maximum working pressure: -1/+15 bar, minimum/maximum working temperature: 0/20 °C, volume: 109 liter, dimensions pressure vessel: 600 mm x 700 mm x 1150 mm, switch cabinet, dimensions switch cabinet: 600 mm x 600 mm x 200 mm.	1750
121	NN elevating belt	Elevating belt with dividers, s/s frame, s/s mesh belt, belt width: 400 mm, distance between dividers: 250 mm, divider height: 50 mm, elevating height: 3300 mm, total dimensions: 4400 mm x 600 mm x 3350 mm.	1000
122	NN elevating belt	Elevating belt with dividers, s/s frame, plastic belt, belt width: 480 mm, distance between dividers: 180 mm, divider height: 40 mm, elevating height: 2740 mm, total dimensions: 2000 mm x 680 mm x 2840 mm.	950
123	NN elevating belt	Elevating belt with dividers, s/s frame, plastic belt, belt width: 300 mm, distance between dividers: 290 mm, divider height: 10 mm, elevating height: 1750, total dimensions: 3800 mm x 600 mm x 2050 mm.	950
124	NN elevating belt	Elevating belt with dividers, s/s frame, plastic belt, belt width: 480 mm, distance between dividers: 185 mm, divider height: 40 mm, elevating height: 2200, total dimensions: 2500 mm x 750 mm x 2300 mm.	950
125	NN chain conveyor	Chain conveyor.	400
126	Scheppach	Scheppach saw table, with 2 circle saws, width adjustable, diameter saw: 395 mm, total dimensions: 2300 mm x 1300 mm x 850 mm.	1250
127	Scheppach	Scheppach saw table, with 2 circle saws, width adjustable, total dimensions: 2300 mm x 1300 mm x 850 mm. Incomplete.	750



128	Niko	Niko depalletiser line consisting of: Niko depalletiser, type: 33H:18:015, number: 276/83. steel infeed rollers, roller width: 1020 mm, lifting height: 2080 mm, clearance: 1020 mm x 295 mm, total dimensions: 4400 mm x 1840 mm x 3100 mm, Niko conveyor belt, type: 27:10:027, nr: 277/83, s/s mesh belt, belt width: 1000 mm, total dimensions: 3000 mm x 1260 mm x 2470 mm, Niko 3-1 conveyor, type: 20:03:025, number: 278/83, s/s belt, belt width: (3x) 80 mm, total dimensions: 2550 mm x 1250 mm x 2470 mm, s/s platform 6 steps, working height: 1500 mm x total dimensions: 5100 mm x 1080 mm x 2700 mm.	6000
129	Niko	Niko de-elevating belt, type: 49.01.020, number: 279:83, plastic slide with plastic support conveyor, max width: 420 mm, de-elevating height: 2400 mm, outfeed height: 900 mm, total dimensions: 2000 mm x 830 mm x 2500 mm.	950
130	NN jar cleaner	Jar cleaner, s/s infeed belt, belt width: 100 mm, plastic dividers for jars, Ø jars: 80 mm x 110 mm, total dimensions: 2700 mm x 600 mm x 1360 mm, with spare turners for jars Ø 75 mm x 120 mm and Ø 75 mm x 85 mm.	950
131	Kuipers Woudsend B.V.	Kuipers Woudsend B.V. belt filter press, machine number: 20589, capacity: 3-6 m ³ /h, weight: 3000 kg, dimensions: 4020 mm x 2300 mm x 2100 mm.	7500
132	Anger Brillenfabrik	Anger Brillenfabrik milling machine, dimensions: 1050 mm x 800 mm x 1400 mm.	400
133	Nedpack	Nedpack box lifter, type: Verticon-99726, serial number: Lijn 6, year of construction: 1999, weight: 1000 kg, 400 V, 50 Hz, 1.1 kW, maximum capacity: 50 kg, elevating height: 3250 mm, total dimensions: 1330 mm x 1260 mm x 4150 mm.	750
134	NN rotary piston pump	Rotary piston pump on steel rack, inside diameter pipe: 150 mm, outside diameter pipe: 285 mm, total dimensions: 2050 mm x 1100 mm x 2000 mm.	500
135	Rumag	Rumag milling machine, dimensions: 1150 mm x 950 mm x 1500 mm.	400
136	NN elevating belt	Elevating belt with dividers, belt width: 590 mm, distance between dividers: 250 mm, divider height: 40 mm, elevating height: 2400 mm, total dimensions: 2200 mm x 1050 mm x 2500 mm.	950
137	NN pit remover	Pit remover, diameter fruit: 25 mm, diameter pit: 12 mm, total dimensions: 1750 mm x 1750 mm x 2280 mm.	4750
138	Naddeo	Naddeo dewatering elevating belt, plastic perforated belt, belt width: 750 mm, diameter perforations: 20 mm, elevating height: 1150 mm, total dimensions: 2800 mm x 1200 mm x 1880 mm.	750
139	NN tank	S/s tank, inside dimensions: Ø 500 mm x 500 mm, total dimensions: 600 mm x 550 mm x 1000 mm.	100



140	NN tray loader	Tray loader, plastic mesh infeed belt, belt width: 300 mm, 3 lanes, clearance: 60 mm x 80 mm, wire infeed belt for trays, clearance: (2x) 300 mm x 60 mm, plastic outfeed rollers, roller width: 270 mm, total dimensions: 270 mm x 2800 mm x 2100 mm.	3000
143	Fetak	Fetak transport belt, number: 92144, s/s frame, plastic belt, belt width: 190 mm, total dimensions: 3350 mm x 650 mm x 950 mm.	450
144	NN roller conveyor	Roller conveyor, steel frame, steel rollers, roller width: 600 mm, total dimensions: 3000 mm x 670 mm x 850 mm.	150
145	Soco System	Soco System mobile box closing machine with bottom and top taper, number: 1.029.06, roller width: 510 mm and 560 mm, belt width: 380 mm, total dimensions: 2400 mm x 850 mm x 1860 mm.	700
146	NN roller conveyor	Roller conveyor, steel frame, steel rollers, roller width: 600 mm, total dimensions: 3000 mm x 670 mm x 850 mm.	150
147	Fuji	Fuji flowpacker, model: WRAPPER II, type: FW3400, seal width: 200 mm, plastic belt, belt width: 160 mm, total dimensions: 4400 mm x 1000 mm x 1500 mm.	2500
148	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 400 mm, total dimensions: 6300 mm x 700 mm x 450 mm.	750
149	Holland Food Machinery	Transport belt, year of construction: 1997, s/s frame, plastic belt, belt width: 330 mm, total dimensions: 5800 mm x 500 mm x 550 mm.	750
150	Polypack Industries	Polypack Industries shrink tunnel, type: POLY UC 2100, number: 4957, year of construction: 1988, 380 V, 30 kW, seal length: 1070 mm, clearance: 1080 mm x 400 mm, total dimensions: 5000 mm x 1700 mm x 1950 mm.	1500
151	NN tank	Steel tank, dimensions: 1700 mm x 1050 mm x 1200 mm. Contains bio diesel.	150
152	Soco System	Soco System box closing machine with top and bottom taper, model: T-01, number: 052-05, year of construction: 1980, maximum clearance: 460 mm x 620 mm, total dimensions: 2400 mm x 900 mm x 1800 mm.	700
153	NN vibrating infeed bunker	S/s vibrating infeed bunker, dimensions bunker: 910 mm x 710 mm x 500 mm, gutter width: 100 mm, total dimensions: 1350 mm x 730 mm x 1550 mm.	400
154	Herbort	Herbort Maschinenbau GmbH mobile slicer, type: 122A, machine number: 106, year of construction: 1990, clearance infeed: 350 mm x 220 mm, total dimensions: 1600 mm x 1150 mm x 1630 mm. Including spare parts.	1500
155	Loma Systems	Loma Systems metal detector with rejector, model: Superscan 'S', serial number: 325843, year of construction: 08-1991, 220 V, 50 Hz, 1 A, plastic belt, belt width: 200 mm, clearance: 245 mm x 97 mm, total dimensions: 1550 mm x 1030 mm x 1230 mm.	950



156	Siat	Siat box closing machine with top and bottom taper, model: SM11/89, serial number: 18334, year of construction: 1992, 380/240 V, 3 Ph, 50 Hz, 1.4 A, maximum clearance: 500 mm x 500 mm, total dimensions: 1520 mm x 1000 mm x 1550 mm.	250
157	Breda Packaging	Breda Packaging tray stacker, belt width: 360 mm, stacker length: 1100 mm, total dimensions: 2350 mm x 1200 mm x 1550 mm.	1250
158	PVS	PVS breaker, working width: 480 mm, dimensions infeed bunker: 750 mm x 600 mm x 700 mm, total dimensions: 1250 mm x 1000 mm x 1900 mm.	9500
159	Coudert Constructions	Coudert Constructions can/bottle washing machine, type: LAVEUR, serial number: 02868, year of construction: 1997, belt width: 195 mm, total dimensions: 2100 mm x 800 mm x 1700 mm.	1200
162	Östberg	Östberg blower system, type: IRE 160 C Export, year of construction: 1997, 230 V, 50 Hz, 0.56 A, 0.128 kw, dimensions: 1500 mm x 500 mm x 450 mm.	50
163	RNA	RNA cap feeder / rotation feeder, type: SRC-N 630-1 L, serial number: 02657, 200 V, 1 Ph, 50 Hz, 5.04 A, inside dimensions: Ø 750 mm x 150 mm, clearance caps: 65 mm x 54 mm, total dimensions: 1050 mm x 1050 mm x 1950 mm.	1500
164	Anker	Anker labelling machine, s/s belt, belt width: 85 mm, 8 heads, diameter head: (8x) 20 mm, total dimensions: 3600 mm x 1600 mm x 1650 mm.	1500
165	Steven BV	Steven BV s/s turning table, serial number: DT-48-1250, machine number: 12059, year of construction: July 2012, 400 V, diameter table: 1250 mm, total dimensions: 1260 mm x 1260 mm x 1200 mm.	950
166	NN elevating belt	Elevating belt, s/s frame, plastic belt with dividers, belt width: 390 mm, divider height: 75 mm, distance between dividers: 710 mm, total dimensions: 4890 mm x 840 mm x 780 mm.	750
167	NN infeed bunker	Steel infeed bunker with circular saw and scrapers, inside dimensions: Ø 600 mm x 600 mm, total dimensions: 1000 mm x 1200 mm x 1400 mm.	250
168	Blom & Maters Machiniefabriek NV	Blom & Maters Machiniefabriek NV s/s turning table, type: DMR-RGL-2000, number: 77-7-342, diameter table: 2000 mm, total dimensions: 2100 mm x 2100 mm x 1100 mm.	400
169	NN elevating belt	Mobile elevating belt, plastic infeed belt, belt width: 910 mm, plastic elevating belt with dividers, belt width: 920 mm, distance between dividers: 200 mm, divider height: (2x) 30 mm, elevating height: 2250 mm, total dimensions: 1800 mm x 1520 mm x 2500 mm.	950



170	Kettner	Kettner bottle packing line consisting of: infeed transport belt, s/s belt, belt width: (5x) 80 mm, Kettner packing robot, type: Rob. E2/C-H, year of construction: 1985, 12 suckers, diameter each sucker: 90 mm, outfeed transport belt, plastic belt, belt width: (4x) 50 mm, total dimensions: 4900 mm x 3200 mm x 2660 mm.	1500
171	BT	BT pallet lifter, type: HL10/3, year of construction: 04-2003, weight: 120 kg, Q= 1000 kg, fork length: 1190 mm, total dimensions: 1600 mm x 560 mm x 1280 mm.	100
172	NN washing machine	Washing machine for crates, clearance: 400 mm x 400 mm, total dimensions: 1630 mm x 730 mm x 1410 mm.	950
174	Sollas	Sollas wrapping and shrinking line consisting of Sollas type: SB420 MB, serial number: 067-007, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 4 A, plastic infeed belt, belt width: 395 mm, film width: 310 mm and Sollas shrink machine, type: ELS 300, serial number: 041-001, year of production: 2001, 400 Vac, 3 Ph, 50 Hz, 8.6 A, total dimensions: 2800 mm x 3100 mm x 1670 mm. With pallet film and spare belt.	2750
175	Sacmo	Sacmo elevating belt with infeed bunker, serial number: CG04071/1, year of construction: 2006, dimensions infeed: 760 mm x 760 mm, plastic belt with dividers, belt width: 200 mm, divider width: (2x) 45 mm and (1x) 70 mm, divider height: 45 mm, distance between dividers: 150 mm, total dimensions: 1900 mm x 800 mm x 2200 mm.	1450
176	Sfere Emballage S.A.	Sfere Emballage S.A. shrink wrapping machine consisting of: wrapping machine, model: SL 55.45, number: 14976, year of construction: 2008, 400 V, 5 A, 6 bar, film width: 410 mm, belt width infeed belt: 400 mm, seal length: 550 mm and 460 mm, shrink tunnel, model: Tunnel 40.27, number: 398, year of construction: 2007, 400 V, 10 A, belt width: 445 mm, clearance: 425 mm x 230 mm, dimensions shrink wrapping machine: 2600 mm x 1100 mm x 1700 mm.	2500
177	Lock Inspection Systems LTD	Lock Inspection Systems LTD metal detector, model: Metal check 20, serial number: 88691, year of construction: 18-09-95, 240 V, 1 Ph, 50/60 Hz, 0.11 A, clearance: 230 mm x 85 mm, plastic belt, belt width: 210 mm, total dimensions: 3640 mm x 920 mm x 1180 mm.	1200
179	PRB Packaging Systems / Ucima	PRB Packaging Systems / Ucima bundler and stretch wrapper, machine model: FAR 3001, serial number: 951016, year of construction: 2005, 415 V, 24 VDC, 50 Hz, 4 kW, film width: 90 mm, thread belt width: 100 mm, total dimensions: 1800 mm x 1050 mm x 2500 mm.	1500



180	Numafa	Numafa washing machine for buckets and jerry cans, type: VVC 100, serial number: 600809, year of construction: 2000, Lowara centrifugal pump, type pump: HTS 25-160/22, capacity: 7.5 - 20 m ³ per hour, 2.2 kW, dimensions: 1500 mm x 1300 mm x 1950 mm.	1950
181	Bosch-Strunk	Bosch-Strunk capping machine with cap feeder, type: VSRE01, plastic belt, working width: 300 mm, infeed belt for caps, belt width: 40 mm, total dimensions: 3000 mm x 1000 mm x 2300 mm, dimensions cap feeder: 1100 mm x 1100 mm x 1800 mm.	3500
182	KHS Verpackungstechnik GmbH	KHS Verpackungstechnik GmbH s/s roller conveyor, type: 50008998, year of construction: 1992, roller width: 450 mm, total dimensions: 750 mm x 750 mm x 550 mm.	50
183	Fimer S.N.C.	Fimer S.N.C. monoblock filler for liquids with 12 filling heads and bottle closer, model: DRT 2-12-1PK, serial number: 2506, year of construction: 2007, 380 V, 50 Hz, 5.5 kW, 3-6 bar, input bottle: 9 mm, Canelli Tech srl. elevating belt with dividers, model: VB-CAP, serial number: A07000600, year of construction: 2007, 400 V, 50 Hz, 0.37 kW, s/s frame, plastic belt with dividers, belt width: 150 mm, distance between dividers: 130 mm, elevating height: 3500 mm, total dimensions: 2800 mm x 1420 mm x 3350 mm. Including 2 trolleys with 6 crates of parts.	9250
184	NN elevating screw	Mobile s/s elevating screw, diameter screw: 310 mm, elevating height: 850 mm, total dimensions: 2400 mm x 600 mm x 1700 mm.	950
185	NN elevating belt	Elevating belt, s/s frame, plastic belt with dividers, belt width: 250 mm, divider width: 70 mm, divider height: 20 mm, distance between dividers: 70 mm, total dimensions: 2800 mm x 550 mm x 500 mm.	450
186	Stiletto	Stiletto infeed bunker with vibrating gutter used for spaghetti, type: VR 70, number: 8870, 220 V, 2 A, 3000 vibration per minute, dimensions infeed: 920 mm x 920 mm, total dimensions: 1000 mm x 1000 mm x 1930 mm.	950
187	NN potato peeler	Potato peeler, dimensions drum: \varnothing 750 mm x 500 mm, total dimensions: 1800 mm x 900 mm x 1800 mm.	1500
188	Harland Machine Systems	Harland Machine Systems rotary labelling machine with 12 heads, type: EUROPA, serial number: J17305/02, year of construction: 2007, 240 V, 50 Hz, 20 A, weight: 3000 kg, (2x) plastic mesh belt, belt width: 80 mm, belt width: 60 mm, total dimensions: 3500 mm x 2380 mm x 2230 mm.	2500
190	Machinebouw Ter Hart Ulft	Machinebouw Ter Hart Ulft punching machine, type: E.P. 25, number: 86310, cap pressure: 25000 kg, 140 punches per minute, dimensions: 700 mm x 900 mm x 1900 mm.	750



191	Superfos	Superfos mobile bucket sealing machine with gassing option, year of construction: 1993, dimensions dye: \emptyset 205 mm, film width: 210 mm, s/s rollers, roller width: 350 mm, total dimensions: 1200 mm x 980 mm x 2260 mm.	4500
192	Multi-Homo	Multi-Homo homogenizer, type: MH-150, inside dimensions: \emptyset 600 mm x 800 mm, total dimensions: 1550 mm x 1380 mm x 2050 mm.	2500
194	BBA Pompen	BBA Pompen self priming centrifugal pump, s/s pump casing, type: CL 150/250, number: 3068-02, capacity: 300 m ³ per hour, 7,5 mwk, 15 kW, 1450 rates per minute, dimensions: 1400 mm x 650 mm x 1070 mm.	750
195	Hagra	Hagra melting machine, volume: 300 kg, 220-380 V, 3x 2400 W, maximum heat: 450° C, 3 forms, dimensions forms: (3x) 645 mm x 70 mm x 45 mm, total dimensions: 1200 mm x 650 mm x 1150 mm.	400
196	Fiac	Fiac mobile air compressor, model: HP 2.5 PEAK, year of construction: 2006, 230 V, 50 Hz, 10 A, 1850 W, 8 bar, dimensions: 660 mm x 270 mm x 600 mm.	50
197	Lubeca	Lubeca can seamer, type: 210, number: 51118, diameter cans: 230 mm, foot control, total dimensions: 1100 mm x 970 mm x 1850 mm.	750
199	Supertape	Supertape box closing machine, type: SO-7000-K, code number: 138-306, number: 86-70761, 220 V, 50 Hz, 2 A, dimensions: 1000 mm x 950 mm x 1780 mm.	400
200	NN cap bunker	Mobile s/s cap bunker, inside dimensions: 1200 mm x 480 mm x 690 mm, total dimensions: 1270 mm x 870 mm x 1320 mm.	350
201	NN cap bunker	Mobile s/s cap bunker, inside dimensions: 1200 mm x 480 mm x 690 mm, total dimensions: 1270 mm x 870 mm x 1320 mm.	350
202	Meyn EGG handling B.V.	Meyn EGG handling B.V. separating machine, type: MC 83, machine number: 3117, year of construction: 1984, capacity: 1000-14000, diameter: 320 mm, total dimensions: 640 mm x 640 mm x 1410 mm.	500
203	Schwaben Prazision	Schwaben Prazision horizontal filler on mobile steel table, type: 3.112.1, number: 318117, dimensions pump: 550 mm x 220 mm x 400 mm, dimensions table: 650 mm x 550 mm x 820 mm.	100
204	NN hoses and valves	Pallet with s/s hoses and valves, DN32, PN 63, dimensions: 1200 mm x 1000 mm x 500 mm.	750
205	NN hoses and valves	Pallet with s/s hoses and valves, dimensions: 1200 mm x 1000 mm x 500 mm.	650
206	NN hoses	Pallet with hoses, DN25, DN20, PN10, dimensions: 1200 mm x 1000 mm x 500 mm.	450
207	NN hoses and valves	Pallet with s/s hoses and valves, DN40, dimensions: 1200 mm x 1000 mm x 500 mm.	750
208	Kaup	Kaup part for forklift truck, dimensions: 1050 mm x 600 mm.	300



209	Kaup	Kaup part for forklift truck, dimensions: 1050 mm x 600 mm.	300
210	NN elevating belt	Elevating belt, s/s frame, plastic belt with dividers, belt width: 250 mm, divider width: 70 mm, divider height: 20 mm, distance between dividers: 70 mm, total dimensions: 2800 mm x 550 mm x 500 mm.	250
211	MG2	MG2 vibrating/sorting gutter, serial number: 2621, 380 V, 50 Hz, 1.6 KW, gutter width: 250 mm, total dimensions: 1200 mm x 600 mm x 700 mm.	950
212	NN tilting device	S/s tilting device with weighing cells, clearance: 800 mm x 650 mm, total dimensions: 1200 mm x 1300 mm x 1200 mm.	500
213	Atlas Copco	Pallet box with 3 Atlas Copco pneumatic drills, type: TEX 23 PE / TEX 15 PE / TEX 10 PSR, and large amount of hoses, dimensions: 1200 mm x 1000 mm x 700 mm.	1850
214	NN depositor	Mobile depositor with 3 mobile infeed hoppers, dimensions hoppers: (3x) 880 mm x 880 mm x 850 mm, diameter pipe: 30 mm, dimensions depositor: 800 mm x 1500 mm x 1260 mm.	1500
215	SEW	Pallet with 13 SEW motors, dimensions: 1200 mm x 1000 mm x 500 mm.	500
217	Samson	Samson valve, serial number: 1086, year of construction: 08.2016, dimensions: 940 mm x 620 mm x 540 mm.	200
218	NN elevating screw	Elevating screw, screw diameter: 80 mm, tier: 40 mm, elevating height: 1000 mm, total dimensions: 1850 mm x 350 mm x 300 mm.	200
219	Guk Falzmashinen	Guk Falzmashinen folding machine, type: FA 23/4 - R1-AS 23 Automatic 720, machine number: 31621, year of construction: 1992, 220 V, 50 Hz, 1,7A, 0.2 kW, working width: 235 mm, total dimensions: 1200 mm x 800 mm x 700 mm. Including parts.	400
220	Sander	Sander mini coder, dimensions: 230 mm x 130 mm x 150 mm.	10
221	Comwell	Comwell power converter, 12 V - 220/230 V, dimensions: 170 mm x 125 mm x 52 mm.	10
222	NN shrink caps	2 shrink caps for oil drums.	25
223	Ditzler Dornach	Ditzler Dornach PVC welding device, dimensions: 400 mm x 220 mm x 300 mm.	25
225	Dion Games	Dion Games gambling machine, model: XIMBOLIX, serial number: 21.900-0056-18, year of construction: 2008, 230 Vac, 50 Hz, 1.8 A, 250 W, dimensions: 600 mm x 640 mm x 1640 mm.	100
226	Leibinger	Leibinger inkjet printer, type: Leibinger JET2neoS, serial number: LJ-403581, year of construction: 2014, 100-240 V, 1 Ph, 50-60 Hz, dimensions: 400 mm x 300 mm x 430 mm.	750



227	Leibinger	Leibinger inkjet printer, type: Leibinger JET2neoS, serial number: LJ-403855, year of construction: 2014, 100-240 V, 1 Ph, 50-60 Hz, dimensions: 400 mm x 300 mm x 430 mm.	750
228	Casepacking Systems	Casepacking Systems electric driven roller conveyor, order number: 05.1279, year of construction: 05.2005, s/s frame and s/s rollers, roller width: 390 mm, total dimensions: 810 mm x 780 mm x 420 mm.	200
229	NN tablet grading machine	Tablet grading machine, dimensions: 650 mm x 300 mm x 850 mm.	150
230	Siat	Siat mobile box closing machine with top and bottom taper, model: SM8/4, type: P A, serial number: 25771, year of construction: 1995, 380 V, 3 Ph, 50 Hz, 180 W, 1 A, clearance: 460 mm x 300 mm, total dimensions: 800 mm x 950 mm x 1550 mm.	500
231	NN tanks	3 copper tanks with faucets, dimensions: (2x) 700 mm x 700 mm x 1000 mm and (1x) 650 mm x 650 mm x 700 mm.	450
232	NN pneumatic parts	Pallet box with pneumatic parts, dimensions: 1200 mm x 1000 mm x 700 mm.	500
233	NN electrical parts	Pallet box with electrical parts, dimensions: 1200 mm x 1000 mm x 700 mm.	400
234	Tecno S.r.l.	Tecno S.r.l. coding conveyor, model: NA0038-00, serial number: C-0140/98, year of construction: 1998, plastic belt, belt width: (2x) 150 mm, total dimensions: 970 mm x 750 mm x 1270 mm.	400
235	Bebo Plastik	Bebo Plastik traysealer, type: 500, number: 312, year of construction: 05-92, film width: 360 mm, dimensions dye: 210 mm x 150 mm, total dimensions: 750 mm x 670 mm x 740 mm.	400
236	NN switch cabinet	S/s switch cabinet, dimensions: 1000 mm x 400 mm x 1800 mm.	100
237	Rittal	Rittal s/s switch cabinet, dimensions: 1000 mm x 300 mm x 1200 mm.	100
239	NN lifting platform	S/s lifting platform, dimensions: 1250 mm x 1000 mm x 350 mm.	500
240	NN tank	S/s tank with agitator, dimensions tank: 540 mm x 540 mm x 1030 mm, total dimensions: 700 mm x 700 mm x 1970 mm.	400
241	Herz Electromechanick GmbH	Herz Electromechanick GmbH suction device with filter, type: 4040, serial number: 2003102, 400 V, 50 Hz, 4.0 kW, dimensions: 640 mm x 510 mm x 1850 mm.	250
245	Bopack Systems N.V.	Bopack Systems N.V. Collamat labelling machine, model: 8600, number: 20011670, year of construction: 2001, 230 V, 50 Hz, belt width: 200 mm, total dimensions: 1500 mm x 1050 mm x 1600 mm.	1250



246	NN traysealer	Mobile traysealer, type: 462V, 380 V, 50 Hz, dye: (1x): 290 mm x 225 mm, Busch vacuum pump, type: 100 132, capacity: 100 m ³ /hour, total dimensions: 1350 mm x 1000 mm x 1500 mm.	400
248	Garvens Automation GmbH	Garvens Automation GmbH checkweigher with rejector, type: E3, serial number: 332046, year of construction: 2003, 230 V, 50 Hz, maximum: 1000 gram, minimum: 20 gram, e = 0.5 gram, plastic belt, belt width: 240 mm, total dimensions: 1030 mm x 700 mm x 1470 mm.	1250
249	Rittal	2 Rittal s/s switch cabinets, dimensions: 600 mm x 600 mm x 200 mm, 600 mm x 600 mm x 300 mm.	200
250	NN pressure vessels	3 pressure vessels, dimensions: \varnothing 350 mm x 1000 mm, \varnothing 200 mm x 450 mm, \varnothing 200 mm x 1200 mm.	200
251	EMU-SIHI	EMU-SIHI submersible pump, type: FA101-17, machine number: 156337, 380 V, 3.3 kW, 50 Hz, 8 A, dimensions: 600 mm x 300 mm x 800 mm.	750
252	J. u. Ch. Straßmayr	J. u. Ch. Straßmayr crack-sealing machine, type: RWK 100, number: 1362, year of construction: 1980, dimensions: 2000 mm x 700 mm x 1400 mm.	200
253	Rotodyne	Rotodyne blower, type: CA-160-2T-3, year of construction: 1996, dimensions: 1000 mm x 900 mm x 1300 mm.	750
254	Hobart	Hobart high speed cooker, model: 21, serial number: 86 033561, 380 V, 3 Ph, 50 Hz, 25 A, 16.5 kW, diameter infeed: 270 mm, inside dimensions: 370 mm x 280 mm x 280 mm, total dimensions: 850 mm x 460 mm x 1500 mm.	500
255	NN tank	S/s mobile tank with agitator, diameter: 630 mm, height: 960 mm, total dimensions: 950 mm x 950 mm x 1640 mm. Including part.	400
260	NN work bench	Work bench, steel top with vice, dimensions: 2100 mm x 950 mm x 950 mm.	150
263	NN work bench	Work bench, wooden top, dimensions: 2200 mm x 550 mm x 950 mm.	100
264	Promat	Promat tool trolley, dimensions: 800 mm x 500 mm x 880 mm.	10
268	Meva	2 mobile Meva garbage containers, inside dimensions: (2x) 1170 mm x 870 mm x 1140 mm, total dimensions: (2x) 1310 mm x 1030 mm x 1440 mm.	300
269	Meva	Mobile Meva garbage containers, inside dimensions: 1170 mm x 870 mm x 1140 mm, total dimensions: 1310 mm x 1030 mm x 1440 mm.	150
270	Meva	Mobile Meva garbage containers, inside dimensions: 1170 mm x 870 mm x 1140 mm, total dimensions: 1310 mm x 1030 mm x 1440 mm.	150
272	Aciera	Aciera milling machine, dimensions: 950 mm x 900 mm x 1650 mm. Incomplete.	950
273	NN screen filter	S/s screen filter, sieve: 1 mm, total dimensions: 1800 mm x 1370 mm x 400 mm.	400



274	HP / Canon / DELL	Pallet with large amount of toner ink for printers, brands among others: HP, Canon and DELL, dimensions pallet: 1350 mm x 1050 mm x 1100 mm.	75
275	NN work table	Steel work table with wooden top, dimensions: 2000 mm x 800 mm x 950 mm.	150
276	Ampere System	Ampere System spray cart, type: perfekt striper, dimensions: 470 mm x 700 mm x 800 mm. Including crate with large amount of Traffic spray paint cans.	100
277	Serac	Serac bottle filling machine, type: HERA 8, serial number: 0262, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 15 A, 10 kW, 8 filling head for 200 ml bottles, dimensions: 3000 mm x 1800 mm x 2250 mm, dimensions switch cabinet: 1000 mm x 400 mm x 1700 mm.	7500
278	Groninger + Co GmbH	Groninger + Co GmbH bottle filling machine, type: DFV 6000, number: 3377, year of construction: 1993, 6 filling heads, dimensions: 2400 mm x 1150 mm x 2800 mm, dimensions control cabinet: 760 mm x 650 mm x 900 mm.	5000
279	Polycom	Polycom mobile conference screen with webcam, model: HDX 8000, dimensions: 1250 mm x 600 mm x 1800 mm.	100
280	Groninger + Co GmbH	Groninger + Co GmbH can seamer, type: KVK 104, number: 3378, year of construction: 1993, diameter cans: Ø90 mm, total dimensions: 2850 mm x 1050 mm x 2050 mm, dimensions switch cabinet: 900 mm x 450 mm x 1000 mm.	4000
281	Nijsten	Nijsten tilting device for pallet boxes, type: Palletom, number: 3728, year of construction: 1982, 380 V, maximum: 2000 kg, maximum dimensions pallet boxes: 1700 mm x 1100 mm, total dimensions: 2200 mm x 1850 mm x 2500 mm.	1250
282	ACB	ACB 90° curve roller conveyor, model: SW 00246-02, plastic rollers, roller width: 350 mm, total dimensions: 1700 mm x 600 mm x 830 mm.	150
283	Termaks AS	Termaks AS incubator, type: B8260, serial number: 20 0064, 230 V, 50 Hz, 430 W, 2 perforated floors, floor dimensions: (2x) 550 mm x 600 mm, perforation dimensions: 10 mm, total dimensions: 830 mm x 750 mm x 1160 mm.	400
284	Ampere System	Ampere System spray cart, type: perfekt striper, dimensions: 470 mm x 700 mm x 800 mm. Including crate with large amount of Traffic spray paint cans.	100
285	Hobart	Hobart mixer, type: HL800, dimensions: 1100 mm x 800 mm x 1650 mm. Including 2 s/s trolleys with s/s bowls, bowl dimensions: Ø500 mm x 450 mm, dimensions including trolleys: (2x) 800 mm x 750 mm x 850 mm.	2500
286	eKiosk GmbH	eKiosk GmbH computer cabinet, 230 V, 50 Hz, 200 W, year of construction: 2013, dimensions: 500 mm x 500 mm x 1620 mm.	75



287	Hobart	Hobart mixer, model: M802, serial number: 31-1313-683, 400 V, 3 Ph, 50 Hz, 5.1 A, 2.24 kW, RPM: 150, dimensions: 1050 mm x 750 mm x 1700 mm. Including 5 s/s trolleys with s/s bowls, bowl dimensions: (5x) Ø 510 mm x 450 mm, dimensions including trolleys: (5x) 800 mm x 750 mm x 900 mm.	2750
288	PFM S.p.a	PFM S.pa. flowpacker, model: TORNADO BB LD, serial number: C.6561, year of construction: 2002, 380 V, 50 Hz, 33.5 A, 19.5 kW, weight: 1680 kg: s/s rollers, roller width: 240 mm; plastic belt, belt width: 150 mm; seal length: 220 mm; dimensions roller conveyor: 2750 mm x 600 mm x 1420 mm; dimensions flowpacker: 5700 mm x 1150 mm x 1750 mm; dimensions film holder: 3350 mm x 1050 mm x 1050 mm; dimensions switch cabinet: 1700 mm 620 mm x 2380 mm; Including 2 mobile suction devices for rest films, dimensions: (2x) 500 mm x 500 mm x 1150 mm. Including s/s platform, dimensions: 1600 mm x 600 mm x 350 mm.	12500
290	Torrent	Torrent water based parts cleaning workstation, model: Torrent 500, year of construction: 2018, 230 V, 50/60 Hz, 10 A, weight: 110 Kg, dimensions: 920 mm x 750 mm x 1600 mm.	250
291	SGV Maschinenbau Clemens & Vogl GmbH	SGV Maschinenbau Clemens & Vogl GmbH vacuum can closing machine, type: VAU 482, number: 52390/93030, s/s belt, belt width: 115, tooling in machine: 12 OZ (spam can), total dimensions: 4400 mm x 1060 mm x 2550 mm. With spare tooling: pear shaped: AM1.5 and Ø 73 mm x 110 mm and pallet with spares. Without vacuum pump, vacuum was centrally regulated.	4000
292	SGV Maschinenbau Clemens & Vogl GmbH	SGV Maschinenbau Clemens & Vogl GmbH vacuum can closing machine, type: VAU 482/68 number: 51952/92029, s/s belt, belt width: 115, tooling in machine: 12OZ (spam can) , total dimensions: 4400 mm x 1060 mm x 2550 mm. With spare tooling: pear shaped: AM1.5 and Ø 73 mm x 84 mm. Without vacuum pump, vacuum was centrally regulated.	4000
293	TEC	TEC weighing scale for pallets with indicator, type indicator: SW-121500PP, serial number: 503773, 220 V, 50 Hz, 14 W, maximum capacity: 1500 kg, minimum capacity: 25 kg, dimensions scale: 1200 mm x 1500 mm. Including TEC indicator.	250
294	WEDA	WEDA weighing scale, maximum capacity: 500 kg, minimum capacity: 25 kg, dimensions scale: 1200 mm x 1500 mm, total dimensions: 1950 mm x 1900 mm x 2460 mm. Technical condition unknown.	250
295	NN mixing tanks	2 s/s heated mixing tanks with pumps on s/s platform, dimensions tanks: Ø 600 mm x 1030 mm, working height: 750 mm, total dimensions: 2350 mm x 1500 mm x 2450 mm.	1250



296	NN strapping machine	Mobile strapping machine, clearance: 620 mm x 620 mm, total dimensions: 1650 mm x 800 mm x 1660 mm.	500
297	POL-EKO-APARATURA	POL-EKO-APARATURA refrigerator, type: CHL1450 COMF/S, serial number: C14BF141062, 230 V, 50 Hz, 500 W, refrigerant: R404a/0.20 kg, weight: 220 kg, volume: 1450 liter, capacity: 0 - 15°C, dimensions: 1440 mm x 900 mm x 1920 mm.	500
298	ACB	ACB 90° curve roller conveyor, model: SW 0024446-01, plastic rollers, roller width: 350 mm, total dimensions: 1700 mm x 600 mm x 830 mm.	150
300	NN curve conveyor	90° curve conveyor, s/s frame, plastic mesh belt, belt width: 160 mm, total dimensions: 3000 mm x 2600 mm x 530 mm.	250
301	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 160 mm, total dimensions: 3500 mm x 420 mm x 550 mm.	150
302	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 160 mm, total dimensions: 3350 mm x 420 mm x 550 mm.	150
303	NN curve conveyor	90° curve conveyor, s/s frame, plastic mesh belt, belt width: 160 mm, total dimensions: 3550 mm x 1900 mm x 190 mm. Missing motor.	200
304	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH screw compressor, type: CSH7593-90Y-40P, serial number: 1084301191, capacity: 335/404 m ³ per hour, dimensions: 1300 mm x 600 mm x 600 mm.	750
305	Kiremko	Kiremko screw peeler for potatoes with 4 brushes, brush length: 2100 mm, diameter screw: 900 mm, total dimensions: 2700 mm x 1800 mm x 3250 mm.	6000
306	H.Adrians	H.Adrians elevating belt with infeed bunker, s/s frame, plastic belt with dividers, belt width: 140 mm, divider height: 35 mm, distance between dividers: 205 mm, elevating height: 2150 mm, total dimensions: 1600 mm x 850 mm x 2200 mm.	400
307	H.Adrians	H.Adrians elevating belt with infeed bunker, s/s frame, plastic belt with dividers, belt width: 140 mm, divider height: 35 mm, distance between dividers: 205 mm, elevating height: 2100 mm, total dimensions: 1600 mm x 850 mm x 2150 mm.	400
308	NN cap feeder	Cap feeder, drum dimensions: Ø 1010 mm, total dimensions: 1100 mm x 1010 mm x 2070 mm.	500
309	NN turning table	S/s turning table, diameter table: 1490 mm, total dimensions: 1550 mm x 1550 mm x 1040 mm.	400
310	Rösler	Rösler rotary vibrator, type: R320 EC, number: 45075/09, year of construction: 2009, 400 V, 50 Hz, dimensions: 1300 mm x 1400 mm x 1500 mm.	1250
311	Kaltenbach Maschinenfabrik KG	Kaltenbach Maschinenfabrik KG circular sawing machine, dimensions: 1100 mm x 950 mm x 1650 mm.	500



312	Kaltenbach Maschinenfabrik KG	Kaltenbach Maschinenfabrik KG circular sawing machine, type: KKS 400M, number: 54059, dimensions: 900 mm x 1150 mm x 1830 mm.	500
313	Fromm	Fromm pallet wrapper, type: FS401, serial number: 0200192, year of construction: 2008, 230 V, 50 Hz, 10 A, 1.5 kW, dimensions: 2750 mm x 1650 mm x 3000 mm.	950
314	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 3100 mm x 520 mm x 740 mm. Missing 2 legs.	500
315	NN transport belt	Transport belt, aluminium frame, plastic belt, belt width: 370 mm, total dimensions: 2000 mm x 500 mm x 930 mm.	250
316	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 760 mm, total dimensions: 1710 mm x 1060 mm x 1000 mm. Including extra belt, belt width: 740 mm.	400
317	BCK Holland	BCK Holland transport / sorting belt, type: N60, serial number: 123893-010, year of construction: 2012, aluminium frame, plastic belt, belt width: 610 mm and 600 mm, total dimensions: 3900 mm x 1100 mm x 850 mm.	1500
318	Floraco	Floraco box closing machine, type: SUPERTAPER-HF7, number: 88-74152, 380 V, 50 Hz, 1.7 A, top taper, dimensions: 1800 mm x 1150 mm x 1950 mm.	1000
319	Mettler Toledo	Mettler Toledo weighing scale with indicator and label printer, type: LPe-GT, serial number: 2894545, 100-240 V, 50/60 Hz, 250-100 mA, maximum capacity: 6 kg, minimum capacity: 40 gram, scale dimensions: 350 mm x 280 mm, total dimensions: 480 mm x 400 mm x 530 mm.	50
320	Mettler Toledo	Mettler Toledo weighing scale with indicator and label printer, type: LPe-GT, serial number: 2894546, 100-240 V, 50/60 Hz, 250-100 mA, maximum capacity: 6 kg, minimum capacity: 40 gram, scale dimensions: 350 mm x 280 mm, total dimensions: 480 mm x 400 mm x 530 mm.	50
321	Mettler Toledo	Mettler Toledo weighing scale with indicator and label printer, type: LPe-GT, serial number: 2894548, 100-240 V, 50/60 Hz, 250-100 mA, maximum capacity: 6 kg, minimum capacity: 40 gram, scale dimensions: 350 mm x 280 mm, total dimensions: 480 mm x 400 mm x 530 mm.	50
322	Mettler Toledo	Mettler Toledo weighing scale with indicator and label printer, type: LPe-GT, serial number: 2894547, 100-240 V, 50/60 Hz, 250-100 mA, maximum capacity: 6 kg, minimum capacity: 40 gram, scale dimensions: 350 mm x 280 mm, total dimensions: 480 mm x 400 mm x 530 mm.	50



323	Toshiba	Toshiba label printer, type: B-SX5T-TS22-QM-R, serial number: 2608K500477, 100-240 V, 50-60 Hz, 3.0-1.3 A, dimensions: 550 mm x 300 mm x 310 mm.	50
324	Toshiba	Toshiba label printer, type: B-SX5T-TS22-QM-R, serial number: 2608W500410, 100-240 V, 50-60 Hz, 3.0-1.3 A, dimensions: 550 mm x 300 mm x 310 mm.	50
325	Toshiba	Toshiba label printer, type: B-SX5T-TS22-QM-R, serial number: 2608K500404, 100-240 V, 50-60 Hz, 3.0-1.3 A, dimensions: 550 mm x 300 mm x 310 mm.	50
326	Mettler Toledo	Mettler Toledo weighing scale with indicator and label printer, type: UC-GTT-S, serial number: B502476658, 100-240 V, 50/60 Hz, 0.8 A, maximum capacity: 6 kg, minimum capacity: 40 gram, scale dimensions: 360 mm x 260 mm, total dimensions: 420 mm x 420 mm x 470 mm.	100
327	Mettler Toledo	Mettler Toledo weighing scale with indicator and label printer, type: UC-GTT-S, serial number: B510670225, 100-240 V, 50/60 Hz, 0.8 A, maximum capacity: 6 kg, minimum capacity: 40 gram, scale dimensions: 360 mm x 260 mm, total dimensions: 420 mm x 420 mm x 470 mm.	100
328	Mettler Toledo	Mettler Toledo weighing scale with indicator and label printer, type: UC-GTT-S, serial number: B602980055, 100-240 V, 50/60 Hz, 0.8 A, maximum capacity: 6 kg, minimum capacity: 40 g, scale dimensions: 360 mm x 260 mm, total dimensions: 420 mm x 420 mm x 470 mm.	100
329	Mettler Toledo	Mettler Toledo weighing scale with indicator and label printer, type: UC-GTT-S, serial number: B711826974, 100-240 V, 50/60 Hz, 0.8 A, maximum capacity: 6 kg, minimum capacity: 40 gram, scale dimensions: 360 mm x 260 mm, total dimensions: 420 mm x 420 mm x 470 mm.	100
330	Mettler Toledo	Mettler Toledo weighing scale with indicator and label printer, type: UC-GTT-S, serial number: 3336458, 100-240 V, 50/60 Hz, 0.8 A, maximum capacity: 6 kg, minimum capacity: 40 gram, scale dimensions: 360 mm x 260 mm, total dimensions: 420 mm x 420 mm x 470 mm.	100
331	Mettler Toledo	3 Mettler Toledo weighing scales with indicator and label printer, type: UC-GTT-S, serial numbers: B603014624 - B512729366 - B747041563, 100-240 V, 50/60 Hz, 0.8 A, maximum capacity: 6 kg, minimum capacity 40 gram, scale dimensions: 360 mm x 260 mm, total dimensions: (3x) 420 mm x 420 mm x 470 mm.	300



332	Mettler Toledo	2 Mettler Toledo weighing scales with indicator and label printer, type: UC-GTT-S, serial numbers: 3292794 - B427775847, 100-240 V, 50/60 Hz, 0.8 A, maximum capacity: 6 kg, minimum capacity 40 gram, scale dimensions: 360 mm x 260 mm, total dimensions: (2x) 420 mm x 420 mm x 470 mm.	200
333	Symbol	30 Symbol hand scanners, model: MC3090, dimensions: (30x) 215 mm x 80 mm x 40 mm.	150
334	Sandpiper	Sandpiper membrane pump, type: SB-4-A, model: SB25-A, serial number: 545520, dimensions: 450 mm x 300 mm x 350 mm.	150
335	Busch	Busch vacuum pump, type: RC 0040 E 501, number: 01038510, capacity: 40 m3 per hour, dimensions: 600 mm x 300 mm x 420 mm.	150
336	Cyemsa	Cyemsa flow filling machine, model: LLSA1VT, serial number: 890244/3, dimensions: 450 mm x 370 mm x 880 mm.	250
337	Krumbein	Krumbein horizontal mobile cake slicer, type: HGS 1/1, serial number: E10D, year of construction: 1997, 230 V, 1 Ph, 50/60 Hz, 3.3 A, 2 knives, plastic belt, belt width: 400 mm, total dimensions: 1150 mm x 750 mm x 1350 mm.	1250
338	Nordson	Nordson hotmelt glue unit, unit number: 3400V-2EAT4D/R, serial number: 309552A SA02B 00080, 400/230 V, 50/60 Hz, 26 A, dimensions: 650 mm x 370 mm x 600 mm.	150
339	Demag / ABUS	Demag steel frames for chain hoist, capacity: 250 kg, dimensions: (2x) 4500 mm x 3500 mm, ABUS overhead railing, type: HB 160.	250
340	NN brick crusher	Brick crusher, type: C540, number: 1672, year of construction: 1963, dimensions: 2200 mm x 900 mm x 1460 mm.	400
341	NN ramp protection	4 steel protection frames, dimensions (4x) 2550 mm x 550 mm x 250 mm. Including 5 plastic blocks, dimensions: (5x) 500 mm x 250 mm x 100 mm.	300
342	Siemerink B.V. Geertruidenberg	Siemerink B.V. Geertruidenberg vertical autoclave, model: 5013/2, serial number: 1001100, year of construction: 1991, pressure: 5 bar, inside dimensions: 1200 mm x 1200 mm x 1650 mm, dimensions autoclave: 2100 mm x 1550 mm x 2500 mm, with s/s platform, 6 steps, platform height: 1320 mm, dimensions platform: 1850 mm x 2700 mm. With 3 trolleys, 2 empty baskets and 1 wooden pallet box with spare parts.	3500
343	Kiremko	Kiremko washing drum, order number: 8710067, diameter drum: 1100 mm, length: 2450 mm, total dimensions: 3400 mm x 1200 mm x 1600 mm.	1000
344	NN tank	S/s double jacketed tank, dimensions tank: Ø 1500 mm x 1800 mm, total dimensions: 1700 mm x 1500 mm x 2350 mm.	750



345	NN tank	S/s double jacketed tank, dimensions tank: Ø 1500 mm x 1800 mm, total dimensions: 1700 mm x 1500 mm x 2350 mm.	750
346	Petric	Container with Petric boiler, boiler type: K11 (pp 27 A), serial number: 5-16-007, year of construction: 2016, boiler power: 33 kW, fuel type: C1, wooden pallets, normal heat output: 32,97 kW, minimal heat output: 9,15 kW, power supply: 230 V, 50 Hz, 1,5 A, wattage: 341 W, water content: 85 L, maximum operating water temperature: 80 degrees Celsius, maximum allowable operating pressure: 2 bar, mass of boiler: 315 kg, total dimensions: 2450 mm x 1450 mm x 2650 mm.	3000
347	NN glazing belt	Glazing belt, s/s frame, plastic mesh belt with dividers, belt width: 616 mm, distance between dividers: 260 mm, dividers height: 20 mm, total dimensions: 3600 mm x 1400 mm x 2500 mm.	1500
348	NN cover	S/s cover, dimensions: 2130 mm x 1730 mm x 550 mm.	400
349	NN cover	S/s cover, dimensions: 2220 mm x 2100 mm x 580 mm.	400
350	Van Ballegooie	Van Ballegooie s/s drum blanching machine used for red cabbage, 400 V, 50 Hz, 0.55 kW, steam: approximately 1200 kg per hour at 4 bar, capacity: approximately 6000 kg per hour (depending on the blanching time), diameter drum: 1450 mm, length: 4000 mm, holes in the drum: 25 mm x 3 mm, weight: 2000 kg, total dimensions: 5800 mm x 2300 mm x 2750 mm.	12500
351	NN elevating belt	Mobile elevating belt, plastic belt, belt width: 800 mm, elevating height: 1580 mm, total dimensions: 770 mm x 1020 mm x 1670 mm.	950
352	Humet	Steel pipe trailer with approximately 55 Humet aluminium pipes for irrigation, length pipes: 6500 mm, dimensions trailer: 7100 mm x 1700 mm x 1350 mm.	400
353	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 118 mm, total dimensions: 6400 mm x 1600 mm x 1200 mm.	1250
354	NN blanching screw	S/s blanching screw, diameter screw: 300 mm, elevating height: 1680 mm, steam heated, total dimensions: 6700 mm x 1150 mm x 2000 mm.	1000
355	NN infeed bunker	S/s infeed bunker, diameter pipe: 215 mm, total dimensions: 2150 mm x 1550 mm x 2150 mm.	950
356	Kiremko	Kiremko washing drum, order number: 8710067, diameter drum: 1100 mm, length: 2450 mm, total dimensions: 3400 mm x 1200 mm x 1600 mm.	1500
357	Van Beek BV	Van Beek BV steel transport screw, diameter screw: 200 mm, total dimensions: 4900 mm x 360 mm x 800 mm.	250
358	Superior	Superior vibrating sorting gutter, type: SZV 2000/12 2/3, WOS: 1451, year of construction: 1993, gutter width: 1200 mm, total dimensions: 3500 mm x 1630 mm x 2980 mm.	3000
359	NN vibrating gutter	S/s vibrating sorting gutter, gutter width: 1270 mm, total dimensions: 4200 mm x 1950 mm x 2100 mm.	5500



360	Skako A/S	Skako A/S s/s vibrating gutter, gutter width: 800 mm, total dimensions: 2900 mm x 1400 mm x 2350 mm.	3000
361	NN transport belt	Transport belt, steel galvanized frame, plastic belt, belt width: 700 mm, total dimensions: 5300 mm x 1200 mm x 1270 mm.	750



General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use



3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Government laws and regulations, such as the Money Laundering and Terrorist Financing Prevention Act (WWFT), may impose (additional) obligations on Industrial Auctions. The client is required to provide all information requested by Industrial Auctions including (but not limited to) information about the client's identity to establish and verify this further, to verify and record the identity of the ultimate beneficial owner, the purpose and nature of the engagement or to exercise a transaction or an ongoing control over the business relationship or the natural person who represents or is authorized to do so by the client and whether the client is acting for themselves or for a third party. If the requested information is not supplied within



5 days after the first request, Industrial Auctions may immediately terminate the agreement and, pending the information, Industrial Auctions may suspend the services. Industrial Auctions is then not obliged or liable for any compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the supporting system;
- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security



5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions



8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;
- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that



moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no



indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so



entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance



policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at



least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care.

Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



**Industrial
Auctions** BV



**Industrial
Auctions** BV

Address: Looyenbeemd 11
5652 BH Eindhoven, Netherlands
Tel.: +31 (0)40 2409 208
Email: info@industrial-auctions.com
Web: www.industrial-auctions.com

Upcoming auctions:

20-12 Online auction Marel Stork Poultry Processing B.V. feet processing line for poultry on behalf of Cranswick Country Foods in Eye (UK)