



# Industrial Auctions BV

Online auction machinery for the food industry in Boxtel  
(NL)

**Closing: 01 February 2023 from 14:00 hrs.**



**Viewing day:**

**Address:**

Schouwrooij 29  
5281 RE Boxtel  
Netherlands



## General terms and conditions of the online auction

Closing date	01 February 2023 from 14:00 hrs.
Viewing	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: <a href="mailto:info@industrial-auctions.com">info@industrial-auctions.com</a>
Buyers premium	17% over the highest bid
VAT	21% over the highest bid including Premium
Pick up date	08 February 2023 from 09:00 till 16:00 hrs.
Pick up address	Schouwrooij 29 5281 RE Boxtel Netherlands
Delivery instructions	The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Industrial Auctions B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick up bought lots) will only take place on the mentioned delivery date/time and address..
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 0050339999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Ilpra	Ilpra traysealer, series: FOODPACK, model: FP SPEEDY ME GF, serial number: FP 11285, year of construction: 2019, 400 V, film width: 400 mm, dye: 340 mm x 275 mm, total dimensions: 2900 mm x 1050 mm x 1570 mm.	5000
2	Avery Dennison	Avery Dennison mobile bottom and top labelling machine, model: ALX 720, 230 V, 50 Hz, 26 A, plastic belt, belt width: 380 mm, total dimensions: 900 mm x 700 mm x 1640 mm.	250
3	Inject Star	Inject Star vacuum tumbler for tubs, model: H58-105, dimensions tub: $\varnothing$ 900 mm x 900 mm, dimensions tumbler: 1400 mm x 900 mm x 1200 mm. Including Busch vacuum pump, type: RC 0025 E, number: 99030830, capacity: 25 m <sup>3</sup> /h, dimensions: 550 mm x 300 mm x 390 mm.	400
4	Loma Systems	Loma Systems mobile pipeline metal detector, model: Loma IQ <sup>2</sup> , serial number: DPL30805,-31912, year of construction: 2003, 230 V, 1 Ph, 50 Hz, 0.2 A, clearance: $\varnothing$ 55 mm, total dimensions: 900 mm x 700 mm x 1300 mm. Display defect	400
5	DJM	DJM mobile dosing machine, type: DK01, serial number: N500034, year of construction: 2019, 230 V, 10 A, clearance: $\varnothing$ 55 mm, total dimensions: 1000 mm x 900 mm x 1250 mm.	400
6	Domino	Domino inkjet printer, model: A200+, serial number: W2A11180, 100-120/200-240 V, 4/2 A, 50-60 Hz, dimensions: 660 mm x 660 mm x 1450 mm.	250
7	Videojet	Videojet inkjet printer, model: EXCEL/170i/AF, serial number: 011430014WD, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A, dimensions: 660 mm x 660 mm x 1670 mm.	200
8	Enterpack	Enterpack mobile traysealer, film width: 460 mm, dimensions dye: (2x) 185 mm x 145 mm, Busch vacuum pump, type: RA 0063 F 5K3, number: 130094261, year of construction: 2014, 63 m <sup>3</sup> /h, total dimensions: 1950 mm x 950 mm x 1550 mm.	1500
9	NN crates	Rollie with 12 crates, dimensions crates: (12x) 800 mm x 550 mm x 150 mm.	15
10	Ecoma	Ecoma mobile kebab layer system, type: Donnerhackfleischpresse, machine number: 53423-3, year of construction: 07-2010, 400 V, 50 Hz, 2 A, 0.5 kW, plastic belt, belt width: 450 mm, $\varnothing$ pipe: 50 mm, total dimensions: 2350 mm x 750 mm x 1100 mm.	400



11	Teraoka Seiko Co., LTD / Digi	Teraoka Seiko Co., LTD / Digi weigh/wrap/label system, model: AW-4600e, serial number: 10166611, year of construction: 2010, 220-240 V, 1 Ph, 50 Hz, 7.5 A, 1.7 kW, maximum weight: 3/6 kg, minimum weight: 20 gram, e=1/2 gram, T=2.999 kg, plastic belts, belt width: 400 mm and 150 mm, total dimensions: 1350 mm x 1250 mm x 1500 mm.	2000
12	Aja Ltd	Aja Ltd linear weighing machine, model: AWS-1000, serial number: A1200EX1003, 200-250 Vac, 50-60 Hz, 2 kVa, weighing capacity: 20-500 gram, 10 lanes, lane width: (10x) 85 mm, total dimensions: 1850 mm x 1050 mm x 2030 mm. Incomplete.	250
13	Teraoka Seiko Co., LTD / Digi	Teraoka Seiko Co., LTD / Digi weigh/wrap/label system, model: AW-4600e, serial number: 11161126, year of construction: 2011, 220-240 V, 1 Ph, 50 Hz, 7.5 A, 1.7 kW, maximum weight: 3/6 kg, minimum weight: 20 gram, e=1/2 gram, T=2.999 kg, plastic belts, belt width: 400 mm and 150 mm, total dimensions: 1350 mm x 1250 mm x 1500 mm.	2000
14	Handtmann	Handtmann mobile linking machine, model: PVL5, type: 141-01, number: 379, year of construction: 2010, 420 V, 3 Ph, 50/60 Hz, 6.9 A, 5 kW, 305 kg, portion length: 30-400 mm, calibre: 15-50 mm, dimensions: 1700 mm x 850 mm x 1380 mm. Damaged cover.	2500
15	Otares	Otares mobile pressure vessel, model: Cleanmaster F-6, dimensions: 600 mm x 550 mm x 1300 mm.	25
16	Handtmann	Handtmann mobile linking and hanging line, model: PVLH, type: linking machine: 241, number: 438, year of construction: 1999, 400 V, 50 Hz, 7.6 A, 5 kW, dimensions: 1750 mm x 850 mm x 1400 mm, model hanging line: 220-16, number: 851, year of construction: 2000, dimensions: 2500 mm x 600 mm x 1300 mm.	1500
17	Safeline / Mettler Toledo Garvens GmbH	Safeline / Mettler Toledo Garvens GmbH metal detector, type: 50H, 100-240 Vac, 50/60 Hz, 330 W, with checkweigher, type checkweigher: S3, serial number: 33004286, year of construction: 2006, 230 V, 50 Hz, maximum weight: 5000 gram, minimum weight: 2 gram, d=2 gram, T=5000 gram, plastic belt, belt width: 300 mm, total dimensions: 2700 mm x 1000 mm x 1670 mm.	1000
18	Handtmann	Handtmann mobile linking machine, model: PVL5, type: 125-01, number: 16700283, year of construction: 2011, 420 V, 3 Ph, 50/60 Hz, 8.5 A, 5.5 kW, dimensions: 19900 mm x 850 mm x 1350 mm. Incomplete.	400
19	Novexx	Novexx mobile bottom- and top labelling machine, model: SAMBA 720, type: 720R, serial number: 10000-01-2019, year of construction: 02/2002, 230/115 V, 50/60 Hz, 4/6 A, 600 W, dimensions: 1100 mm x 1800 mm x 1600 mm.	250



20	Rhima	Rhima dishwasher, model: INDR 365 E, type: 76 C. 52301.FN, serial number: 05026947, 400 V, 3 Ph, 50 Hz, 19 A, 4040 W, s/s tray, dimensions: 850 mm x 720 mm, total dimensions: 950 mm x 1000 mm x 1800 mm.	400
21	EBS	2 EBS inkjet printers on s/s frame, model: EBS-6200 and EBS-6600, dimensions: 800 mm x 530 mm x 1470 mm.	300
22	Electrolux	Electrolux combi steamer, model: air-o-steam, s/s trolley, 20 floors, dimensions floors: (20x) 530 mm x 320 mm, dimensions trolley: 750 mm x 510 mm x 1700 mm, total dimensions: 1000 mm x 900 mm x 1870 mm.	1000
23	MHS Schneidetechnik GmbH	MHS Schneidetechnik GmbH slicer, type: ICC 25, serial number: 050407, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 18.1 A, 7.2 kW, plastic belt, belt width: 250 mm, total dimensions: 2250 mm x 1000 mm x 1650 mm.	1500
24	Prisma Industriale S.r.l.	Prisma Industriale S.r.l. checkweigher with rejector, model: Selezionatrice Ponderale, series: 08, machine number: 0814201, year of construction: 2017, 230 V, 50/60 Hz, 0.5 kW, weight: 120 kg, plastic belt, belt width: 200 mm, total dimensions: 1250 mm x 950 mm x 1600 mm.	300
25	NN flattener	Mobile flattener, plastic belt, belt width: 500 mm, total dimensions: 2100 mm x 900 mm x 1200 mm.	250
26	Digi Europe Ltd	Digi Europe Ltd checkweigher, model: HI-700, serial number: 150156007, year of construction: 2015, 230 V, 1 Ph, 50 Hz, 1.15/0.4 A, weighing range: 50 g/3 kg, e=d: 1 g, maximum speed: 48 m/min, 100 packs/min, plastic belt, belt width: (2x) 100 mm, total dimensions: 950 mm x 600 mm x 1450 mm.	200
27	Domino	Domino mobile inkjet printer, serial number: CSB 008187, 90-250 V, 50-60 Hz, 373 mA, dimensions: 750 mm x 650 mm x 1800 mm.	300
28	Varimixer	Varimixer bowl mixer, model: AR40/VL1, machine number: 40004667, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 2.9 A, 1.1 kW, inside dimensions bowl: ø 350 mm x 400 mm, total dimensions: 800 mm x 500 mm x 1200 mm. Including 2 extra bowls, inside dimensions: ø 400 mm x 450 mm, ø 350 mm x 300 mm and extra whisk.	300
29	Lock Inspection Systems LTD	Lock Inspection Systems LTD metal detector, model: MET 30+, serial number: 2339-1, year of construction: april-05, 230 V, 1 Ph, 50 Hz, 1.3 A, last calibration: 7-2-19, plastic belt, belt width: 355 mm, clearance: 410 mm x 210 mm, total dimensions: 1500 mm x 950 mm x 1220 mm.	500
30	H. Glass	H. Glass mobile tumbler, type: VSM 150, number: 1501, year of construction: 1995, 220/380 V, 2.6/1.5 A, 0.55 kW, volume: 150 liter, dimensions: 1100 mm x 750 mm x 450 mm.	400



31	Frima	Frima Vario cooking center, model: VCC 211, serial number: E21VA06028001357, 400 V, 3 Ph, 28 kW, 150-600 Kpa, dimensions: 1150 mm x 900 mm x 1200 mm.	1000
32	Rational	Rational combi steamer, model: ClimaPlus Combi G, year of construction: 1999, 50 Hz, 13 A, 1.5 kW, gas heated, s/s trolley, 20 floors, dimensions floors: (20x) 530 mm x 330 mm, dimensions trolley: 700 mm x 550 mm x 1780 mm, total dimensions: 1000 mm x 850 mm x 1880 mm.	1000
33	Hermann Waldner GmbH & Co. KG	Hermann Waldner GmbH & Co. KG filling machine, type: Dosomat 12.3, machine number: 2269, year of construction: 2009, 230/400 V, 50 Hz, 14 A, 10 kW, weight: 3100 kg, filling range per cup: 450-2500 gram, capacity: 6000 cups per hour, 3 filling heads, dye: 119 mm x 119 mm, plastic belt, belt width: 100 mm, total dimensions: 3800 mm x 2500 mm x 2650 mm, dimensions switch cabinet: 1200 mm x 650 mm x 2350 mm. Including box with various parts.	7500
34	Ross Industries, Inc.	Ross Industries, Inc. mobile slicer, model: 950-2, serial number: 229T, 415 Vac, 50 Hz, 20 A, dimensions dye: (2x) 190 mm x 80 mm, s/s mesh belt, belt width: (2x) 190 mm, total dimensions: 1150 mm x 850 mm x 1730 mm.	400
35	NN ham moulds	2 s/s trolleys with ham moulds, inside dimensions: (36x) 400 mm x 110 mm x 340 mm, total dimensions: (2x) 950 mm x 1020 mm x 1480 mm.	800
36	NN ham moulds	2 s/s trolleys with ham moulds, inside dimensions: (34x) 400 mm x 110 mm x 340 mm, total dimensions: (2x) 950 mm x 1020 mm x 1480 mm.	800
37	Butcher Boy	Butcher Boy frozen block flaker, capacity blocks: 600 mm x 550 mm x 220 mm, total dimensions: 1300 mm x 1100 mm x 2600 mm.	1500
38	T&S	T&S double cooking vessel, gas heated, inside dimensions: (2x) $\emptyset$ 1050 mm x 500 mm, total dimensions: (2x) 1600 mm x 1250 mm x 1050 mm.	1250
40	Ulma	Ulma flowpacker, type: Atlanta Hi-tec, serial number: 111319, year of construction: 2007, 380 V, 50 Hz, 7 A, 4.6 kW, belt width: 300 mm, seal width: 300 mm, total dimensions: 8200 mm x 1200 mm x 2000 mm.	1500
41	NN sink	S/s sink for multihead baskets, dimensions: 2500 mm x 500 mm x 710 mm.	50
42	Ulma	Ulma flowpacker, type: Pacific SSF, machine number: 1310100, year of construction: 2008, 415 V, 50 Hz, 17 A, 11.1 kW, seal width: 300 mm, total dimensions: 2830 mm x 900 mm x 1280 mm and 2800 mm x 1400 mm x 1800 mm.	5000
43	Bosgraaf	Bosgraaf hygiene station with sole cleaner, hand disinfection and tourniquet, brush length: (2x) 1600 mm, total dimensions: 2150 mm x 1000 mm x 1760 mm.	1500



44	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF300B, number: 2211, 420 V, 50 Hz, 23.6A, 9.5 kW, dimensions: 1700 mm x 1300 mm x 1850 mm. Incomplete, missing vacuum pump, vanes and cover.	1500
46	Vemag	Vemag mobile waterwheel, form width: (6x) 20 mm, total dimensions: 1000 mm x 830 mm x 1700 mm. Including extra forms.	500
47	Rühle	Rühle cooled vacuum tumbler, model: MKR 300, serial number: 03 G, 400 V, 50 Hz, 16 A, 2/4.2 kW, L'unite Hermetique cooling compressor, 440 V, 3 Ph, 60 Hz, 2.4 A, refrigerant: R404A, Busch vacuum pump, type: RC 0016, year of construction: 1998, capacity: 16 m <sup>3</sup> /h, dimensions: 1900 mm x 1200 mm x 2000 mm. Without lifter for 200 liter meat bins.	3000
48	Laska	Laska cutter, type: KU 65, number: 10473, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 44 A, 23 kW, s/s bowl, volume: 65 liter, dimensions: 1500 mm x 1300 mm x 1230 mm.	5000
49	Serpack	Serpack tray denester, clearance: (5x) 185 mm x 155 mm, plastic mesh belt, belt width: 180 mm, total dimensions: 1500 mm x 900 mm x 1820 mm.	250
50	NN flame grill	Flame grill belt, s/s belt, belt width: 310 mm, total dimensions: 3600 mm x 950 mm x 2600 mm.	400
51	Fomaco	Fomaco injector, model: FGM 48/288T, machine number: 9020-2009R, 400 V, 3 Ph, 50 Hz, 8/25 A, s/s walking beam, beam width: 420 mm, total dimensions: 2400 mm x 800 mm x 2200 mm.	3500
52	NN elevating screw	Mobile s/s elevating screw, diameter screw: 260 mm, tier: 145 mm, elevating height: 2000 mm, total dimensions: 2550 mm x 1100 mm x 2700 mm.	500
53	Wolfking	Wolfking grinder, type: C250, Ø plate: 250 mm, total dimensions: 1600 mm x 1100 mm x 1820 mm. Missing plates.	3000
54	John Quinn Packaging	John Quinn Packaging mobile shrink tunnel, type: EV 30pp ST/ST, serial number: R002612, 240 V, 1 Ph, 50 Hz, 13 A, plastic belt, belt width: 330 mm, clearance: 280 mm x 100 mm, total dimensions: 1050 mm x 500 mm x 1300 mm.	200
55	NN tubs	3 plastic tubs, dimensions: (3x) 1100 mm x 620 mm x 530 mm.	5
56	Duursma	Duursma elevating belt, s/s frame, plastic belt, belt width: 90 mm, elevating height: 1150 mm, total dimensions: 1800 mm x 600 mm x 1250 mm.	300
57	Koppens	Koppens mobile forming machine, type: VM 600, machine number: VM 600-244, 380 V, 3 Ph, 50 Hz, 30 A, 11.27 kW, weight: 970 kg, s/s mesh belt, belt width: 600 mm, total dimensions: 2300 mm x 1000 mm x 1940 mm. Technical condition unknown.	2000



58	Jex Engineering	Jex Engineering nitrogen freezer for 1 trolley, serial number: CB1000/3/368, year of construction: 2000, inside dimensions: 1150 mm x 750 mm x 1720 mm, total dimensions: 1550 mm x 1550 mm x 2650 mm.	1000
59	NN shuttle conveyor	Shuttle conveyor, s/s frame, plastic belt, belt width: 555 mm, total dimensions: 2200 mm x 950 mm x 1930 mm.	500
60	Dimaco	Dimaco optical sorter with rejector, model: 932-5143, serial number: 1007872, year of construction: 08-10-2010, 240 V, 50 Hz, 6 A, plastic belt, belt width: 300 mm, clearance: 350 mm x 150 mm, total dimensions: 1700 mm x 1000 mm x 1870 mm. Including extra optical sorter.	500
61	Staes	Staes plastic storage tank, volume: 2000 liter, membrane pump, dimensions: 1900 mm x 1200 mm x 2550 mm.	200
62	Staes	Staes plastic storage tank, volume: 2000 liter, membrane pump, dimensions: 1900 mm x 1200 mm x 2550 mm.	200
63	Lutetia	Lutetia injector, type: ISMPB, serial number: 11426, year of construction: 2000, 400 V, 50 Hz, 6.5 A, s/s belt, belt width: 375 mm, clearance: 400 mm x 250 mm, total dimensions: 2200 mm x 1100 mm x 1900 mm.	1250
64	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer, type: 1521, machine number: 152102.68151.0136, year of construction: 1994, 415 V, 3 Ph, 50 Hz, 5.2 A, dimensions chamber: 360 mm x 95 mm x 85 mm, grid: 25 mm x 25 mm, total dimensions: 1400 mm x 750 mm x 1150 mm.	400
65	Winterhalter	Winterhalter dishwasher, type: GR 62, serial number: 2837 2, manufacturing number: 215 371 02, maximum temperature: 60°C, inside dimensions: 740 mm x 580 mm x 500 mm, total dimensions: 850 mm x 720 mm x 1620 mm.	175
66	Espera	Espera labelling machine, labeller, type: ESD 504/ESG 164, serial number: 2500700659/1770000293, 230 V, 50-60 Hz, 3 A, plastic belt, belt width: (2x) 140 mm, total dimensions: 700 mm x 660 mm x 1850 mm. Damaged.	200
67	Lachnit	Lachnit mobile mesh belt with spraying system, type: 2232, serial number: 2797, year of construction: 2011, 400 V, 50 Hz, 0.37 kW, s/s mesh belt, belt width: 900 mm, total dimensions: 1900 mm x 1150 mm x 1300 mm.	250
68	Mobba	Mobba bandsaw, dimensions: 500 mm x 500 mm x 850 mm.	200
69	Total Lifter	Total Lifter pallet lifter, type: TRP0003, capacity: 2500 kg, weight: 85 kg, fork length: (2x) 1000 mm, total dimensions: 1400 mm x 700 mm x 1250 mm.	25
70	Cyklop	Cyklop paper tape dispenser, type: DTM-23, serial number: 02/103790, year of construction: 02, 230 V, 50 Hz, 150 W, dimensions: 550 mm x 300 mm x 270 mm.	50





71	Firex	Firex tiltable cooking vessel, model: PMKIG150 0200000, number: 034103RI26/2013, year of construction: 2013, 220-240 V, 50/60 Hz, power: 0.2 kW, Qn: 21 kW, inside dimensions: Ø 600 mm x 550 mm, total dimensions: 1500 mm x 1300 mm x 1400 mm.	1250
72	KSB	KSB circulation pump, type: ETABLOC GN, number: 9971000836 000100 01, year of construction: 2006, capacity: 20 m <sup>3</sup> /h, dimensions: 800 mm x 500 mm x 500 mm.	100
73	NN tub	S/s tub on steel trolley, inside dimensions: 1230 mm x 670 mm x 350 mm, total dimensions: 1400 mm x 800 mm x 900 mm.	50
74	NN trolleys	2 s/s trolleys, dimensions: (2x) 800 mm x 720 mm x 1450 mm.	50
75	KSB / Rietschle	Pallet with Rietschle roots pump, KSB circulation pump, YHZKB watering vacuum pump and circulation pump.	100
76	Alco food-machines GmbH & Co. KG	Alco food-machines GmbH & Co. KG lifter for 200 liter meat bins, type: L25-3, serial number: 2461, year of construction: 1998, 400 V, 1.1 kW, elevating height: 2250 mm, total dimensions: 1100 mm x 850 mm x 3350 mm.	400
77	NN lifter for 200 liter meat bins	S/s lifter for 200 liter meat bins, capacity: 350 kg, elevating height: 1900 mm, total dimensions: 1100 mm x 650 mm x 2450 mm.	400
78	IDM	IDM Doner kebab grill, model: IDR-V1005, serial number: 28 12 15 448, 220 V, 50 Hz, 1.5 A, 350 W, dimensions: 1200 mm x 1000 mm x 1800 mm. Missing knife, technical condition unknown.	200
79	IDM	IDM Doner kebab grill, model: IDM 2R07, serial number: 536, year of construction: 12-08-16, 3.5 kW, dimensions: 1200 mm x 1000 mm x 1800 mm.	400
80	Segway/Ninebot	Segway/Ninebot electric KickScooter, model: ES4, serial number: N2GSQ1917C0353, 300 W, maximum speed: 30 km/h, maximum payload: 100 kg, dimensions: 1050 mm x 440 mm x 1100 mm.	50
81	Ceia	Ceia metal detector head, model: THS, type: T/MG21-550300005, serial number: 21300215046, clearance: 550 mm x 360 mm, total dimensions: 1200 mm x 500 mm x 630 mm.	400
82	NN battery frame	Steel frames for changing batteries, working width: 230 mm, total dimensions: 900 mm x 840 mm x 370 mm.	50
83	NN battery frame	Steel frames for changing batteries, working width: 230 mm, total dimensions: 900 mm x 840 mm x 370 mm.	50
84	NN inliner	Inliner, plastic belt, belt width: 220 mm, 300 mm, total dimensions: 1050 mm x 950 mm x 1050 mm.	300



85	Bastra GmbH	Bastra GmbH washing machine for crates, type: 074-DSKM, fabrication number: 05156, year of construction: 2006, 400 V, 50 Hz, 14.2 kW, electric heated, clearance: 420 mm x 400 mm, total dimensions: 1700 mm x 800 mm x 1500 mm.	750
86	Food-Trak	Food-Trak transport belt, s/s frame, plastic belt with dividers, belt width: 150 mm, divider height: 20 mm, distance between dividers: 325 mm, total dimensions: 4050 mm x 600 mm x 1500 mm.	200
87	NN valves	Pallet with valves.	25
88	NN baskets	Plastic pallet box and pallet with plastic baskets, dimensions baskets: 980 mm x 440 mm x 175 mm, total dimensions pallet box: 1200 mm x 800 mm x 1120 mm, total dimensions: 1200 mm x 800 mm x 430 mm.	50
89	Sandpiper	Pallet with various parts, among others: Elektrim motor and 2 Sandpiper membrane pumps, type: SA1, DB4A, year of construction: 12-01-2004.	75
90	NN motors	Pallet with 2 motors and switch cabinet, dimensions motor: 1100 mm x 500 mm x 500 mm.	200
91	Weda	Weda weighing scale, number: 2465, year of construction: 1978, minimum weight: 200 gram, maximum weight: 5 kg, d = e = 10 gram, dimensions scale: 460 mm x 350 mm, total dimensions: 500 mm x 460 mm x 730 mm.	25
92	Weda	Weda weighing scale, number: 3213, year of construction: 1980, minimum weight: 200 gram, maximum weight: 5 kg, d = e = 10 gram, dimensions scale: 460 mm x 350 mm, total dimensions: 500 mm x 460 mm x 730 mm.	25
93	G. Mondini S.p.a.	G. Mondini S.p.a. traysealer, model: CVS/VG.1, serial number: 2223-02/3, year of construction: 15/04/03, 415 V, 3 Ph, 50 Hz, plastic wire belt, belt width: 220 mm, total dimensions: 4300 mm x 980 mm x 2200 mm. Including pallet with dyes, dye: (8x) 160 mm x 85 mm, trolley for dyes, model: CPS/R, serial number: 2223-02/5, dimensions: 1320 mm x 820 mm x 1680 mm, s/s rack, dimensions: 2170 mm x 690 mm x 1800 mm. Incomplete.	2000
94	Townsend	Townsend mobile skinning machine, model: 7620, serial number: 518, year of construction: 1995, 380 V, 3 Ph, 50 Hz, 2 A, working width: 500 mm, foot control, total dimensions: 800 mm x 600 mm x 2050 mm. Missing covers. Incomplete.	250
95	Leister	2 s/s heating tunnels with 4 Leister heaters, type heaters: (4x) Hotwind "S", tunnel width: (2x) 240 mm, total dimensions: (2x) 800 mm x 440 mm x 1450 mm.	100



96	Scanvaegt	Scanvaegt metal detector with checkweigher and double rejector, type: SCANVAEGT, serial number: C214851-2, year of construction: 2005, 230 V, 1 Ph, 50 Hz, 0.4 A, plastic belt, belt width: 230 mm, clearance: 350 mm x 95 mm, total dimensions: 2000 mm x 1000 mm x 1310 mm. Technical condition unknown.	300
97	AEW Delford	AEW Delford checkweigher, model: G2200, serial number: 93366, 220 V, 1 Ph, minimum weight: 80 gram, maximum weight: 2 kg, E = 1 gram, T = 330 gram, plastic belt, belt width: 195 mm, total dimensions: 2020 mm x 930 mm x 1580 mm.	200
98	GEI Turbo	GEI Turbo mobile 4-heads depositor, type: M102 P, machine number: M102P4707.015 and M102P4707.016, year of construction: 1997, dimensions: 1600 mm x 1100 mm x 2100 mm. Including s/s trolley for parts, dimensions: 950 mm x 820 mm x 1650 mm.	300
99	NN storage tub	S/s mobile storage tub, inside dimensions: (2x) 550 mm x 550 mm x 450 mm, total dimensions: 1800 mm x 750 mm x 1200 mm.	50
100	PTI	PTI inspection belt for pouches, model: P512, serial number: 0207132, year of construction: 11.2012, 100-240 Vac, 1.7 A, belt width: 80 mm, distance between dividers: 520 mm, divider height: 30 mm, total dimensions: 4750 mm x 2000 mm x 1850 mm.	500
101	AEW Delford	AEW Delford labelling machine with 2 top labeller, type: Delford 8000, plastic belt, belt width: 200 mm and (2x) 90 mm, total dimensions: 2200 mm x 700 mm x 1780 mm.	750
102	NN oil and water separator	Oil and water separator, dimensions: 900 mm x 660 mm x 1150 mm.	20
103	Selo UK Ltd	Selo UK Ltd flowpacker, serial number: WAT85, year of construction: 2007, 415 V, 3 Ph, 30 A, 16.0 kW, weight: 1380 kg, infeed belt with dividers, belt width: 120 mm, divider height: 45 mm, distance between dividers: 200 mm, seal width: 250 mm, Witt-Gasetechnik gas mix station, type: KM100-3MEM, serial number: 935690, year of construction: 2015, gas: CO2/O2/N2, total dimensions infeed belt: 5950 mm x 550 mm x 1030 mm, total dimensions flow packer: 2200 mm x 1170 mm x 1680 mm.	750
104	NN boot rack	Mobile s/s boot rack, for 30 pair of boots, dimensions: 1450 mm x 600 mm x 1680 mm.	100
105	Digi Europe Ltd	Digi Europe Ltd checkweigher, model: HI-700, serial number: 160756005, year of construction: 2016, 230 V, 1 Ph, 50 Hz, 1.15/0.4 A, weighing range: 50 g/3 kg, e=d: 1 g, maximum speed: 48 m/min, 100 packs/min, plastic belt, belt width: (2x) 100 mm, total dimensions: 950 mm x 600 mm x 1450 mm.	200



106	Rivacold	Rivacold condensing unit, code: 7067/1, serial number: 08341790, 230 V, 1 Ph, 50 Hz, 3550 W, temperature range: -10C / + 100C, refrigerant: R404A/R507, dimensions: 1250 mm x 870 mm x 630 mm.	100
107	NN submersible pumps	3 submersible pumps, type pumps: (3x) PW 4040 FE-H, capacity: 390 m <sup>3</sup> /h and Woods fan, dimensions fan: 780 mm x 780 mm x 300 mm.	200
108	Witt-Gasetechnik	Witt Gasetechnik gas mixing station, type: KM.100 3M, serial number: 11284, year of construction: 1988, serial number: 11284, gas: N2 C02 02, 3 bar, dimensions: 470 mm x 400 mm x 260 mm.	50
109	Microwa AG	Microwa AG weighing machine, type: 6641 Prozentwaage, number: 67116, dimensions: 370 mm x 230 mm x 440 mm.	10
110	Organon Teknika NV	Organon Teknika NV heating block system microelisa system, model: N202 020, serial number: 24 183, year of construction: 1988, 220 V, 50 Hz, 0.2 A, dimensions: 200 mm x 200 mm x 120 mm, Organon Teknika NV strip reader, model: 330, serial number: 1303 819, year of construction: 1987, 220 V, 50/60 Hz, 2 x 200 mA, dimensions: 220 mm x 250 mm x 100 mm.	10
111	Cryovac	3 Cryovac sealing machine, model number: (3x) BW 18 E, year of construction: 2009, 24 V, 50 Hz, 0.2 A, dimensions: (3x) 470 mm x 180 mm x 135 mm.	75
112	Weda	Weda indicator for weighing scale, type: SPH, number: 2169, year of construction: 1989, maximum: 6 kg, minimum: 0.04 kg, e = d = 2 gram, dimensions: 270 mm x 150 mm x 400 mm.	10
113	CFS / Wolfking	3 CFS multitrack detector units, number: 5000066685 / 60943 / 60050, weight: (3x) 18 kg and Wolfking switch cabinet and valves, dimensions: (2x) 500 mm x 200 mm x 270 mm and 1200 mm x 800 mm x 530 mm.	250
114	Siemens	2 Siemens fans and motor, dimensions fans: (2x) 500 mm x 500 mm x 450 mm.	50
115	Woods	Woods fan, dimensions: 780 mm x 780 mm x 300 mm.	5
116	Robot Pumps B.V.	Robot Pumps B.V. submersible pump, type: RW2131DG-VB000X1, number: 0904562, 400 V, 3 Ph, 50 Hz, 4.5 A, 3.5 kW, 75m <sup>3</sup> /h, 7 m.	400
117	NN hydraulic hoses	Pallet box with hydraulic hoses, dimensions pallet box: 1100 mm x 1100 mm x 770 mm.	150
118	Gardner Denver	Gardner Denver vacuum pump, type: VC 303 (20), number: 2834980, year of construction: 2009, capacity: 300 m <sup>3</sup> per hour, dimensions: 950 mm x 550 mm x 600 mm.	500
119	Gardner Denver	Gardner Denver vacuum pump, type: VC 303 (20), number: 2834979, year of construction: 2009, capacity: 300 m <sup>3</sup> per hour, total dimensions: 950 mm x 550 mm x 600 mm.	500
120	NN motor	Drive motor, dimensions: 270 mm x 270 mm x 430 mm.	25



121	NN centrifugal pump	Centrifugal pump, dimensions: 270 mm x 270 mm x 600 mm.	25
122	NN pumps	Submersible pump and part for pump, dimensions: (2x) 400 mm x 300 mm x 300 mm.	75
123	NN motors	Pallet with 3 motors, switch cabinet, pneumatic arm and drum motor, working width: 600 mm.	100
124	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 250 mm, s/s holding frame for inkjet printer, total dimensions: 1050 mm x 600 mm x 1200 mm.	100
125	Loma Systems	Loma Systems rejector, plastic belt, belt width: 250 mm, total dimensions: 800 mm x 1150 mm x 1050 mm.	150
126	Riggs Autopack Ltd.	Riggs Autopack Ltd. mobile depositor, dimensions: 1350 mm x 800 mm x 1200 mm.	250
127	Alma	Alma bag sealing machine, serial number: F1617, 415 V, 3 Ph, 50 Hz, working width: 520 mm, seal width: (2x) 470 mm, total dimensions: 1640 mm x 750 mm x 1550 mm. Missing transport belt and motor.	500
128	Mesutronic	Mesutronic mobile metal detector, type: MN 5.0 CI 600/250, serial number: 954254.OI, 100-240 V, 50/60 Hz, 50-300 mA, plastic belt, belt width: 500 mm, clearance: 600 mm x 210 mm, total dimensions: 2950 mm x 1050 mm x 1120 mm.	1250
129	NN pin bone remover	Pin bone remover, 2 lanes, plastic belt, belt width: (2x) 350 mm, total dimensions: 1700 mm x 900 mm x 1700 mm.	400
130	Thermo Ramsey	Thermo Ramsey checkweigher with rejector, model: Sentron C, serial number: 5773, year of construction: 2003, 230 V, 50 Hz, 0.6 kVA, maximum weight: 1500 gram, minimum weight: 35 gram, e=: 0.5 gram, plastic belt, belt width: 195 mm, total dimensions: 900 mm x 800 mm x 1250 mm. With Thermo Ramsey control panel, dimensions: 500 mm x 430 mm x 1770 mm.	750
131	Henkovac/HFE Vacuum Systems BV	Henkovac/HFE Vacuum Systems BV mobile traysealer, type: TPS Compact, serial number: 07245, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 4 A, weight: 150 kg, diameter dye: 235 mm, Busch vacuum pump, total dimensions: 940 mm x 770 mm x 1300 mm.	1250
132	Minipack-Torre	Minipack-Torre mobile sealing machine, model: SG55, seal length: 570 mm x 520 mm, dimensions chamber: 550 mm x 420 mm, total dimensions: 860 mm x 730 mm x 1150 mm. Incomplete.	150



133	Sealed Air	Sealed Air mobile shrink packaging machine, model: Opti-Seal 4500, serial number: 00659, year of construction: 2004, film width: 390 mm, seal length: 700 mm and 500 mm, total dimensions: 2200 mm x 1000 mm x 1500 mm, Sealed Air mobile shrink tunnel, model: Opti-Seal 1300, serial number: 002896, year of construction: 2006, belt width: 450 mm, clearance: 450 mm x 280 mm, total dimensions: 1350 mm x 800 mm x 1500 mm.	1500
134	Unitech Filling Systems Ltd	Unitech Filling Systems Ltd mobile depositor, type: Optifill 750, machine number: 0253, inside dimensions: 390 mm x 425 mm x 380 mm, total dimensions: 1650 mm x 1250 mm x 1350 mm.	200
135	Safeline	Safeline mobile metal detector with rejector, model: Signature <sup>2</sup> , serial number: 8394, year of construction: 1994, clearance: 350 mm x 145 mm, plastic belt, belt width: 300 mm, total dimensions: 1780 mm x 750 mm x 1800 mm.	1250
136	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH mobile bread slicer, model: Diskus SB, machine number: 609102.190467.120949, year of construction: 2014, 400 V, 50 Hz, 2.25/10 A, weight: 225/495 kg, dimensions: 950 mm x 700 mm x 1300 mm.	450
137	Urschel	Urschel mobile slicer with s/s mobile storage tub, type: OC, plastic infeed belt, clearance: 100 mm x 100 mm, dimensions slicer: 3000 mm x 1100 mm x 1900 mm, inside dimensions storage tub: (2x) 550 mm x 550 mm x 450 mm, total dimensions storage tub: 1800 mm x 750 mm x 1200 mm.	2750
138	Espera	Espera labelling machine, labeller, type: ESD 504/ESG 164, serial number: 2500700650/1770000292, 230 V, 50-60 Hz, 10 A, plastic belt, belt width: (2x) 140 mm, total dimensions: 700 mm x 660 mm x 1850 mm.	400
139	PS SystemPack GmbH/Variovac	PS SystemPack GmbH/Variovac traysealer, type: 830A, machine number: 6901057, year of construction: 1997, 400 V, 16 A, 3 kW, 6 bar, dyes: (2x) 100 mm x 290 mm and (1x) 290 mm x 215 mm, total dimensions: 2200 mm x 950 mm x 1800 mm.	400
140	MegaPack	MegaPack BV denester, number: 106045-2, clearance: (4x) 155 mm x 110 mm, total dimensions: 1100 mm x 1450 mm x 1800 mm. Incomplete.	200
141	Safeline / Mettler Toledo	Safeline / Mettler Toledo X-Ray scanner, model: ADV 3, serial number: 2670ADV3, year of construction: July 2012, 230 V, 50 Hz, 10 A, 2.3 kW, pressure: 6 bar, plastic belt, belt width: 325 mm, clearance: 355 mm x 200 mm, total dimensions: 1760 mm x 850 mm x 1400 mm.	2000
142	Thermo/ Goring Kerr	Thermo / Goring Kerr pipeline X-Ray scanner, type: PROx, clearance: Ø 60 mm, dimensions: 800 mm x 1000 mm x 2050 mm.	1500



144	NN part for thermoformer	Pallet with part for thermoformer, dye: (4x) 280 mm x 230 mm, total dimensions: 580 mm x 480 mm x 140 mm.	25
145	Nord	Nord motor, type: SK 90LH/4 BRE20 TF F, number: 201339221-100 / 19538908, 1.5 kW, 1415/1725 rpm, dimensions: 850 mm x 300 mm x 250 mm.	50
147	NN nets	Large amount of nets, length: 1500 mm.	50
148	SIHI / Vector / Leroy-Somer	Pallet with Sihi pump, type: BL3.02, year of construction: 1999, Vector motor, 0.55 kW and Leroy-Somer motor, 0.75 kW, dimensions: 1200 mm x 800 mm x 600 mm. Including s/s cover and valve, dimensions: 1200 mm x 800 mm x 500 mm.	100
149	NN meat hooks	Pallet box with large amount of meat hooks, type: Din 250, length hooks: 330 mm, dimensions pallet box: 1200 mm x 1000 mm x 750 mm.	200
150	NN electrical parts	Various electrical parts.	50
151	Johnson Pump	Johnson Pump pump, type: MCH 12.5X7-3.2, number: 08-1689661, dimensions: 1200 mm x 480 mm x 400 mm.	200
152	NN cylinders	Pallet with hydraulic cylinders, various size.	25
153	Fläkt Woods AB	Fläkt Woods AB blower, type: HDCB-012-11-1-1, maximum speed: 5900 rates per minute, maximum temperature: 100°C, dimensions: 1600 mm x 900 mm x 1050 mm.	200
154	Fläkt Woods AB	Fläkt Woods AB blower, type: HDCB-012-11-1-1, maximum speed: 5900 rates per minute, maximum temperature: 100°C, dimensions: 1600 mm x 900 mm x 1050 mm.	200
155	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 445 mm, total dimensions: 900 mm x 750 mm x 1000 mm.	100
156	Marlin	Marlin mobile mixer, dimensions: 1050 mm x 750 mm x 1620 mm.	300
157	NN turning table	Mobile turning table, s/s frame, s/s top, diameter top: 1230 mm, total dimensions: 1380 mm x 1250 mm x 1000 mm.	500
158	Marel	Marel checkweigher, model: 9000, serial number: 95191W, 230 V, 50 Hz, maximum capacity: 10/30 kg, minimum capacity: 400 gram, e: 10/20 gram, Marel control panel, serial number: A130670, 24 Vdc, maximum: 2 A, total dimensions: 1320 mm x 960 mm x 2660 mm. Incomplete.	150
159	Syspal	2 Syspal s/s washing tubs of which 1 with knife sterilizer, dimensions: 600 mm x 500 mm x 1150 mm and 600 mm x 500 mm x 1050 mm.	50
160	NN film roll holder	S/s trolley for plastic film rolls, arm length: 425 mm, total dimensions: 650 mm x 480 mm x 1240 mm.	200
161	AEW Delford	AEW Delford labelling machine with 2 top labellers, type: Delford 8000, plastic belt, belt width: 200, total dimensions: 2150 mm x 900 mm x 1820 mm.	750



162	Alpas	Alpas smoke generator on wood chips, dimensions: 750 mm x 1500 mm x 1720 mm.	500
163	Lock	Lock metal detector with rejector, clearance: 260 mm x 70 mm, plastic belt, belt width: 180 mm, total dimensions: 1300 mm x 900 mm x 1170 mm. Calibrated till 08-2021.	650
164	NN washing table	S/s washing table, 2 sinks, dimensions: 2230 mm x 620 mm x 930 mm. Without faucets.	50
165	Berner	Berner induction plate, type: BWEB5, serial number: 131970, 400 V, 50/60 Hz, 5 kW, 22-35 kHz, diameter plate: 295 mm, total dimensions: 400 mm x 400 mm x 280 mm.	20
166	NN sink	S/s sink, dimensions: 760 mm x 550 mm x 150 mm.	10
167	NN sink	S/s sink, dimensions: 760 mm x 550 mm x 150 mm.	10
168	Grasselli S.P.A.	Grasselli S.P.A. slicer, model: MTS, serial number: X11002/017, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 8 kW, 14 A, Ø infeed: (4x) 90 mm, belt width: 580 mm, total dimensions: 2400 mm x 700 mm x 2400 mm.	3000
169	Loma Systems	Loma Systems metal detector with rejector, model: IQ2, serial number: MH01EV-03388D, year of construction: 2006, 85-265 V, 50-60 Hz, frequency: 204.80 kHz, plastic belt, belt width: 400 mm, clearance: 390 mm x 75 mm, total dimensions: 2050 mm x 1150 mm x 1450 mm.	400
170	Bilwinco A/S	Bilwinco A/S 2-heads multihead weigher, type: AFG001, serial number: 766, dimensions: 1070 mm x 900 mm x 1900 mm.	500
171	KOME+A BV	KOME+A BV double lane mobile mesh belt, machine type: K FC 01, year of construction: 2012, 400 V, 50 Hz, 18 A, weight: 200 kg, s/s mesh belt, belt width: (2x) 150 mm, total dimensions: 2860 mm x 830 mm x 1120 mm.	300
172	John Quinn Packaging	John Quinn Packaging mobile shrink tunnel, type: EV 30, plastic belt, belt width: 330 mm, clearance: 280 mm x 100 mm, total dimensions: 1050 mm x 500 mm x 1300 mm.	200
173	Ryll	Ryll mobile tray denester, type: Q-Rector, s/s frame, total dimensions: 1350 mm x 1200 mm x 1760 mm.	250
174	Multivac	Multivac mobile double chamber vacuum machine, type: C550, serial number: 179602, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 27 A, 6 kW, seal length: (4x) 870 mm, dimensions chamber: (2x) 960 mm x 870 mm, Busch vacuum pump, type: RA 0302 D 5Z3 DIXZ, total dimensions: 1950 mm x 1200 mm x 1150 mm.	1500
175	Mesoma	Mesoma 14-heads multihead weigher, machine type: Combimat 14 SI, control type: ME1000, machine number: 11.05-012, year of construction: 1998, s/s heads, dimensions: 1700 mm x 1700 mm x 1850 mm. Including trolley for heads, dimensions: 1300 mm x 700 mm x 1400 mm.	1500





176	NN noodle mixer	S/s noodle mixer with safety sensors, dimensions tumbler: ø 750 mm x 1820 mm, total dimensions: 2950 mm x 810 mm x 1830 mm.	1000
177	Attec Food Technology	Attec Food Technology loin trimmer, type: ALTL, series: 200, year of construction: 2001, working width: 250 mm, plastic belt, belt width: 400 mm, total dimensions: 3050 mm x 1050 mm x 1520 mm.	1000
179	Leventi	Leventi double combi steamer, type: BM MM Q2.1, CM MM Q2 DI, serial number: 10020025D, 09040043, year of construction: 2015, 2009, 380-415 V, 3 Ph, 50/60 Hz, 9.5 kW, water pressure: 150-500 kPa/1.5-5 Bar, 4 floors, 6 floors, dimensions floors: 615 mm x 405 mm, total dimensions: 900 mm x 950 mm x 2000 mm.	750
180	Multivac	2 Multivac gas mixing stations, type: (2x) KM 100 3M, number: 10812, 5967, year of construction: 1988, 1987, gas: N <sup>2</sup> / CO <sup>2</sup> / O <sup>2</sup> , Pv: minimum 4 bar, maximum: 8 bar, dimensions: (2x) 470 mm x 400 mm x 280 mm.	75
181	AEG	AEG heater, model: WK/TPN 2001 W, 230 V, 50 Hz 2000 W, dimensions: 850 mm x 100 mm x 400 mm.	5
182	Witt-Gasetechnik GmbH & Co. KG	Witt-Gasetechnik GmbH & Co. KG gas mixing station, type: KM 100-3 M, serial number: 35538, date: 1999, gas: CO <sub>2</sub> /O <sub>2</sub> /N <sub>2</sub> , dimensions: 380 mm x 315 mm x 270 mm.	50
183	Odic	Odic refrigerated counter, plastic work top, adjustable floors, dimensions floors: 640 mm x 320 mm, total dimensions: 1700 mm x 700 mm x 900 mm.	350
184	SF Engineering	SF Engineering transport belt, serial number: 13228 103, year of construction: 2013, s/s frame, plastic mesh belt, belt width: 250 mm, total dimensions: 1500 mm x 750 mm x 1300 mm.	100
185	Greefa	Greefa transport belt, type: 103 008 403, serial number: 33466-071-002, year of construction: 2009, 400 V, 50 Hz, plastic belt, belt width: 600 mm, total dimensions: 2180 mm x 830 mm x 940 mm. Missing motor.	150
186	Digi Europe Ltd	Digi Europe Ltd checkweigher, model: HI-700, serial number: 151056003, year of construction: 2015, 230 V, 1 Ph, 50 Hz, 1.15/0.4 A, weighing range: 50 g/3 kg, e=d: 1 g, maximum speed: 48 m/min, 100 packs/min, plastic belt, belt width: (2x) 100 mm, total dimensions: 950 mm x 600 mm x 1450 mm.	200
187	Consol Converging Solutions	Consol Converging Solutions stacker, model: Stacker MK2, serial number: CS5788, year of construction: 2012, 230 V, 16 A, plastic belt, belt width: 180 mm, total dimensions: 3000 mm x 850 mm x 1300 mm.	300
188	T. Freemantle Ltd.	T. Freemantle Ltd. mobile semi automatic pre-glued sleeve, model: S11, serial number: 03-178, year of construction: 03-2004, 240 V, 1 Ph, plastic belt, belt width: 250 mm, total dimensions: 4200 mm x 1200 mm x 1700 mm.	2000



189	Consol Converging Solutions	Consol Converging Solutions stacker, model: Collator, serial number: CS5374, year of construction: 2007, 230 V, 16 A, plastic belt, belt width: 180 mm, total dimensions: 3000 mm x 850 mm x 1300 mm.	300
190	Marpet Fabrications Ltd	Marpet Fabrications Ltd transport belt, serial number: 305206, year of construction: 2006, 240 V, 1 Ph, 0.31 kW, s/s frame, plastic belt, belt width: 650 mm, total dimensions: 1400 mm x 750 mm x 1000 mm.	150
191	Opal	Opal transport belt, serial number: OP11201072, year of construction: 2007, s/s frame, plastic belt, belt width: 700 mm, total dimensions: 1100 mm x 1000 mm x 1050 mm.	150
192	Cintex	Cintex double rejector, model: ACB43676, serial number: 41328F, year of construction: 2006, 230 V, 1 Ph, 50 Hz, 2.5 A, plastic belt, belt width: 250 mm, total dimensions: 1550 mm x 850 mm x 1080 mm.	200
193	AEW Delford	AEW Delford checkweigher, type: 6060, serial number: 61.084, year of construction: 2004, 230 V, 50/60 Hz, minimum weight: 20 gram, maximum weight: 2000 gram, E = 2 gram, plastic belt, belt width: 200 mm, total dimensions: 1150 mm x 700 mm x 1460 mm. Incomplete.	200
194	Turbo Systems Ltd	Turbo Systems Ltd mobile depositor, type: D150P, machine number: D150P5607543, year of construction: 2006, dimensions: 2100 mm x 600 mm x 1550 mm.	450
195	NAT'L BD	NAT'L BD s/s tiltable double jacketed cooking kettle, inside dimensions: ø 420 mm x 350 mm, total dimensions: 1250 mm x 900 mm x 1200 mm.	100
196	Fri-Jado bv	Fri-Jado bv rotary grill with heating cabinet, model: TGW 50, number: 1120072, year of construction: 1997, 400/230 V, 50 Hz, 10.6 A, 4500 W, 3 floors, dimensions floors: (3x) 350 mm x 320 mm, total dimensions: 1000 mm x 500 mm x 700 mm.	150
197	Convotherm	Convotherm combi steamer, model: OSP 6.10 (O1R01030A100) number: O1R03012486, 380-415 V, 3 Ph, 50/60 Hz, 14-16 A, 9-11 kW, 6 floors, dimensions floors: (6x) 460 mm x 530 mm, total dimensions: 1080 mm x 750 mm x 750 mm.	250
198	Winterhalter	Winterhalter dishwasher, type: GSR 36, serial number: 830230, 400 V, 3 Ph, 50 Hz, 1.4/5.0 kW, inside dimensions: 640 mm x 500 mm, total dimensions: 870 mm x 600 mm x 1540 mm.	200
199	NN mixing tank	S/s double jacketed mixing tank, inside dimensions: ø 920 mm x 800 mm, total dimensions: 1550 mm x 1000 mm x 2100 mm. Missing motor.	150



200	Digi Europe Ltd	Digi Europe Ltd checkweigher, model: HI-700, serial number: 150556003, year of construction: 2015, 230 V, 1 Ph, 50 Hz, 1.15/0.4 A, weighing range: 50 g/3 kg, e=d: 1 g, maximum speed: 48 m/min, 100 packs/min, plastic belt, belt width: (2x) 100 mm, total dimensions: 950 mm x 600 mm x 1450 mm.	200
201	Simo	Simo checkweigher with rejector, plastic belt, belt width: 200 mm, total dimensions: 1040 mm x 650 mm x 1680 mm.	350
202	Thermo Electron Corporation	Thermo Electron Corporation checkweigher with rejector, model: AC9000plus, serial number: 6858, year of construction: 2006, 230 V, 50 Hz, 0.6 kVA, weighing range: 35/1500 gram, e= 0,5 gram, d=0.5 gram, T= 1500 gram, plastic belt, belt width: 150 mm, 190 mm, total dimensions: 1700 mm x 750 mm x 1950 mm.	400
203	ThermoFisher Scientific	ThermoFisher Scientific X-ray scanner, type: Nextguard C330 SP/SR, serial number: 15050253, year of construction: February 2015, 195-250 V, 50/60 Hz, 10 A, clearance: 210 mm x 90 mm, plastic mesh belt, dimensions scanner: 2200 mm x 1050 mm x 1590 mm, total dimensions: 3400 mm x 1500 mm x 1590 mm.	2750
204	Thermo Fisher Scientific	Thermo Fisher Scientific metal detector with rejector, type: APEX 300, serial number: 16119260A, 120/230 Vac, 50/60 Hz, 0.4 A, plastic belt, belt width: 215 mm, clearance: 350 mm x 100 mm, total dimensions: 1050 mm x 1050 mm x 1480 mm.	500
205	Herbert & Sons Ltd	Herbert & Sons Ltd weighing scale, type: IH500, weighing range: 0.4 kg/60 kg, e=0.02 kg, dimensions scale: 600 mm x 500 mm, total dimensions: 850 mm x 630 mm x 1250 mm.	75
206	NN mixer-grinder	S/s mixer-grinder, inside dimensions: 500 mm x 500 mm x 600 mm, total dimensions: 900 mm x 600 mm x 1600 mm. Incomplete.	200
207	Flintec	Flintec weighing scale, type: PC7-100kg C3, serial number: 12618813, total dimensions: 600 mm x 500 mm x 140 mm.	50
208	NN turning table	Turning table, s/s frame, plastic top, diameter top: 1200 mm, total dimensions: 1250 mm x 1250 mm x 1000 mm.	500
209	DC Norris	DC Norris s/s tub, inside dimensions: ø 750 mm x 600 mm, total dimensions: 1000 mm x 1000 mm x 1100 mm.	100
210	Lock Inspection Systems	Lock Inspection Systems metal detector with rejector, model: MET30+, plastic mesh belt, belt width: 300 mm, clearance: 355 mm x 130 mm, total dimensions: 1300 mm x 1000 mm x 2100 mm.	1000



211	Grote	Grote mobile slicer, model: 713, serial number: 1079340, s/s mesh belt, belt width: 325 mm, total dimensions: 1200 mm x 1250 mm x 1800 mm. Including extra saw blades.	1250
212	Kohlhoff	Kohlhoff mobile washing machine for crates, clearance: 405 mm x 350 mm, total dimensions: 2900 mm x 800 mm x 1610 mm. Missing filter tray.	1250
213	Rhima	Rhima dishwasher, model: DR 60, serial number: 98.811, year of construction: 2000, 380 V, 3 Ph, 50 Hz, 25 A, inside dimensions: 500 mm x 500 mm, total dimensions: 750 mm x 700 mm x 1450 mm.	200
214	Stephan	Stephan universal machine, type: UM44, machine number: 712995.01, year of construction: 1990, 380 V, 50 Hz, 10.5/13.8 A, 4/5.5 kW, 1440/2980 rpm, volume: 44 liter, dimensions: 800 mm x 530 mm x 1160 mm.	2000
215	NN picking device	Picking device, 6 suction cups, dimensions: 1100 mm x 500 mm x 1550 mm.	50
216	Ross Industries, Inc.	Ross Industries, Inc. mobile steaker, model: TCS700M, serial number: 4734, year of construction: 2000, 380/415 V, 3 Ph, 50 Hz, 8.5 A, s/s belt, belt width: 300 mm, clearance: 310 mm x 180 mm, total dimensions: 2600 mm x 650 mm x 1600 mm. Technical condition unknown.	400
217	Ishida Co., Ltd.	Ishida Co., Ltd. labelling machine with 2 top-and 1 bottom labelling unit, model: WPL-5000, serial number: 5116514, 230 V, 50 Hz, 3.5 A, 2 W, maximum conveyor speed: 70 m/min, temperature range: 0 °C/+40 °C, Automatic Weigh-Price Labeller, weighing range: 0.04 kg/4 kg, e=d=0.002 kg, PT=-3.998 kg, Automatic Catchweighing Instrument, weighing range: 0.25 kg/4 kg, e=d=0.002 kg, PT=-3.998 kg, plastic belt, belt width: 300 mm, total dimensions: 1620 mm x 900 mm x 1770 mm.	750
219	VLB	VLB mobile bread slicer, type: BN 45/11, number: 3320, year of construction: 2000, 220-380 V, 50 Hz, 0.37 kW, belt width: 400 mm, total dimensions: 1550 mm x 700 mm x 1400 mm.	200
220	Loma Systems	Loma Systems mobile metal detector with rejector, model: LomalQ, serial number: 1008B-15785, year of construction: 1999, frequency: 115.20 Khz, plastic belt, belt width: 405 mm, clearance: 450 mm x 130 mm, total dimensions: 2050 mm x 1000 mm x 1680 mm.	500
221	Loma Systems	Loma Systems checkweigher, model: 6000, serial number: AGW40813 1520, year of construction: 1999, 240 V, 1 Ph, 50 Hz, plastic belt, belt width: 300 mm, total dimensions: 1150 mm x 900 mm x 1100 mm.	300



222	Lock	Lock mobile metal detector with rejector, type: MET 30+, number: 3583, year of construction: 05/04, 230/400 V, 50 Hz, pressure: 3 bar, plastic mesh belt, belt width: 330 mm, clearance: 360 mm x 140 mm, total dimensions: 1850 mm x 1050 mm x 1560 mm.	750
223	Tipper Tie Inc	Tipper Tie Inc mobile throat clipper for plastic bags, model: THZ400, serial number: 919-362-8811, (4x) bag holders, dimensions bag holders: 140 mm x 330 mm, foot control, total dimensions: 1280 mm x 620 mm x 1450 mm.	300
224	Grasselli	Grasselli mobile skinning machine, model: RST 520-M, serial number: 522000/M481, 400 V, 3 Ph, 50 Hz, 14.86 A, working width: 500 mm, foot control, total dimensions: 700 mm x 700 mm x 940 mm. Technical condition unknown. Incomplete.	200
225	Smurfit Kappa	Smurfit Kappa case packer, system: SYS2400, serial number: UKB578, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 80 A, 50KA, plastic belt: 220 mm and 170 mm, maximum working width carton infeed: 450 mm, total dimensions: 5000 mm x 3900 mm x 2650 mm. Including Nordson glue unit and cover, dimensions cover: 3620 mm x 1500 mm x 1850 mm, switch cabinet, dimensions switch cabinet: 3040 mm x 500 mm x 2300 mm.	3000
226	Schröter	Schröter Smokejet RH smoke generator on wood chips, dimensions: 850 mm x 750 mm x 1750 mm. Incomplete.	500
227	Schröter	Schröter Smokejet RH smoke generator on wood chips, dimensions: 850 mm x 750 mm x 1750 mm. Incomplete.	500
228	Vemag	Vemag mobile vacuum filling machine, model: Robot 500, number: 128 5024, year of construction: 2016, 400-460 V, 3 Ph, 50/60 Hz, 13 A, 4.9 kW, knee control, dimensions: 950 mm x 700 mm x 1750 mm.	1500
229	Saturn Spraying Systems	Saturn Spraying Systems mobile top sprayer, serial number: S3574, year of construction: 2006, 4 spraying heads, s/s mesh belt, dimensions: 1100 mm x 1040 mm x 2200 mm.	400
230	Lexovac	Lexovac vacuum machine, type: 100, machine number: 15709061, 230 V, 1.600 W, seal length: 350 mm, dimensions chamber: 420 mm x 330 mm, total dimensions: 530 mm x 380 mm x 400 mm. Incomplete. Without vacuum pump.	100
231	Precia	Precia weighing scale, dimensions scale: 520 mm x 420 mm, total dimensions: 700 mm x 420 mm x 900 mm. Technical condition unknown.	20
232	Hobart	Hobart bowl mixer, model: M-802, serial number: 11-034-366, 415 V, 3 Ph, 50 Hz, 4.1 A, inside dimensions bowl: ø 510 mm x 400 mm, total dimensions: 700 mm x 700 mm x 1650 mm. Including 2 s/s bowls, 1 rollie and 2 extra whisks, inside dimensions bowls: (2x) 510 mm x 530 mm.	500



233	BCH Limited	BCH Limited double jacketed s/s tank with agitator, number: 9/11633, year of construction: 1999, 6.05 bar, 165°C, dimensions tank: Ø 900 mm x 900 mm, total dimensions: 1400 mm x 900 mm x 2100 mm.	100
234	Loma Systems	Loma Systems IQ <sup>3</sup> metal detector with rejector, serial number: MD 301E408466D, belt width: 100 mm, clearance: 150 mm x 230 mm, total dimensions: 1200 mm x 750 mm x 1500 mm.	1250
235	Ross Industries, Inc.	Ross Industries, Inc. mobile meat press, model: 914 E, serial number: 1282, year of construction: 1998, 380/415 V, 3 Ph, 50 Hz, 17 A, dimensions chamber: 780 mm x 240 mm x 180 mm, total dimensions: 2400 mm x 700 mm x 1650 mm.	700
236	NN platform	S/s platform, working height: 1000 mm, total dimensions: 2350 mm x 730 mm x 2080 mm.	350
237	LTEC	LTEC tramp oil separator, model: TOS 2.0, dimensions: 500 mm x 700 mm x 1000 mm.	200
238	ETT Verpackungstechnik GmbH	ETT Verpackungstechnik GmbH carton erector, type: 892-PB-H, year of construction: 1994, 400 V, 3 Ph, 50/60 Hz, 23 A, 5.5 kW, Nordson glue unit, dimensions: 3200 mm x 1600 mm x 2080 mm.	500
239	Soco System	Soco System box closing machine, top taper, model: T-460, year of construction: 1999, 415 V, 3 Ph, 50 Hz, dimensions: 1200 mm x 850 mm x 1900 mm.	200
240	NN capping machine	Vacuum capping machine for jars, suitable for 250 ml, 500 ml and 750 ml jars, belt width: 100 mm, total dimensions: 2400 mm x 1600 mm x 1900 mm.	750
241	AL Tech	AL Tech mobile labelling machine, type: SUPERTAPER-1M, serial number: 12-90904, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 2.5 A, 120 kg, dimensions: 1400 mm x 1100 mm x 1800 mm.	150
242	Opal	Opal transport belt, serial number: OP116851031, year of construction: 2010, s/s frame, plastic belt with dividers, belt width: 400 mm, divider height: 20 mm, distance between dividers: 490 mm, total dimensions: 2750 mm x 800 mm x 1050 mm.	250
243	Garvens Automation GmbH	Garvens Automation GmbH checkweigher, type: E3, serial number: 333578, year of construction: 2005, 230 V, 50 Hz, min/max: 120/1500 g, dimensions: 650 mm x 650 mm x 1500 mm. Incomplete.	50
244	Pesutekno OY	Pesutekno OY dishwasher, inside dimensions: 600 mm x 600 mm, total dimensions: 800 mm x 780 mm x 1700 mm. Technical condition unknown.	50
245	Teraoka Seiko Co., LTD	Teraoka Seiko Co., LTD weighing scale, model: S-WP, max: 6 kg. Incomplete.	5
246	Dini Argeo	Dini Argeo weighing scale.	20
247	Digi Europe Ltd	Digi Europe Ltd weighing scale, model: DPS700, serial number: 080172201, year of construction: 2008.	10



248	NN membrane pump	Membrane pump, dimensions: 800 mm x 600 mm x 200 mm.	20
249	NN membrane pump	Membrane pump, dimensions: 800 mm x 600 mm x 200 mm.	20
250	Mafo Howden B.V.	Mafo Howden B.V. crate washing machine, type: MAFO 230, serial number: 1398-527/8 1991, clearance: 630 mm x 550 mm, total dimensions: 3400 mm x 950 mm x 1860 mm.	500
251	Jacob White Packaging Ltd.	Jacob White Packaging Ltd. mobile case packer, working width: 200 mm , total dimensions: 2200 mm x 950 mm x 1400 mm.	1000
252	Novexx	Novexx mobile bottom- and top labelling machine, model: SAMBA 720, type: 720R, serial number: 10000-01-2019, year of construction: 02/2002, 230/115 V, 50/60 Hz, 4/6 A, 600 W, dimensions: 1100 mm x 1800 mm x 1600 mm.	250
253	Gardner Denver	Gardner Denver vacuum pump, type: VLR 500 , number: 2813959, year of construction: 2008, capacity: 485 m <sup>3</sup> /h, dimensions: 1600 mm x 750 mm x 1550 mm.	500
254	NN film roll holder	Mobile film roll holder, arm length: 280 mm, total dimensions: 630 mm x 500 mm x 980 mm.	50
255	Soco System	Soco System box closing machine, top-and bottom taper, model: T-402, number: 186-93, year of construction: 1993, 380 V, 3 Ph, 50 Hz, dimensions: 1400 mm x 920 mm x 1680 mm.	200
256	W&VE	W&VE; mobile jelly machine, 2 spray pistols, dimensions: 700 mm x 400 mm x 1200 mm.	100
257	Thermo Ramsey	Thermo Ramsey checkweigher, type: AC9000Plus Sentron, serial number: 5290, year of construction: 2005, 230 V, 50 Hz, 10 A, temperature: 0-40°C, pressure: 6 bar, maximum weight: 1500 gram, minimum weight: 35 gram, e=0.5 gram, dimensions: 480 mm x 480 mm x 1840 mm.	150
258	Grundfos	Grundfos circulation pump, type: CRN5-13Z-PGI-E-HQQE, model: A97821359P11529, 50 Hz, 3.0 kW, 2950 rpm, Q: 5 m <sup>3</sup> /h, Hmax: 126.9 m, dimensions: 950 mm x 250 mm x 250 mm. New, never used.	200
259	Intec pumper AS	Intec pumper AS centrifugal pump, type: AL-1102/4N, number: 244534.32 2016 PN10, year of construction: 2016, 230/400 V, 3 Ph, 50 Hz, 2.2 kW, 4.6/7.95 A, diameter: 188 mm, maximum temperature: 120°C, dimensions: 460 mm x 320 mm x 610 mm. New in box.	100
260	Grundfos	Grundfos circulation pump, type: CR3-12 A-A-A-E-HQQE, model: A96530815P31121, serial number: 0001, capacity: 3 m <sup>3</sup> /h, maximum pressure: 16 bar, maximum temperature: 120°C, dimensions: 810 mm x 360 mm x 360 mm.	250



261	Toshiba	Toshiba barcode printer, type: B-SX8T-TS12-QM-R, serial number: 2301S070186, 100-240 V, 50/60 Hz, 3.5-1.4 A, dimensions: 420 mm x 300 mm x 400 mm.	50
262	Grundfos	Grundfos inline centrifugal pump, type: TP 65-180/2 A-F-A-BUBE, model: A96402325P217010004, capacity: 29.0 m <sup>3</sup> /h, maximum pressure: 10 bar, maximum temperature: 140°C, dimensions: 860 mm x 455 mm x 520 mm. New in box.	200
263	Systemair	2 Systemair transformers, type: RTRD 14, 400 V, 3 Ph, 50 Hz, 50/60 Hz, 14 A, dimensions: (2x) 290 mm x 150 mm x 400 mm.	20
264	Mono	Mono compact C progressing cavity pumps, model: E118, serial number: C123699/01, year of construction: 2019, maximum pressure: 16 bar, maximum temperature: 20°C, 498 rpm, dimensions: 1250 mm x 310 mm x 460 mm. New in box.	250
265	Ceia	Ceia metal detector head, model: THS, clearance: 345 mm x 245 mm, total dimensions: 835 mm x 400 mm x 500 mm.	300
266	ALLWEILER GmbH	ALLWEILER GmbH progressing cavity pump, type: AEB IE 200, number: 17047169, year of construction: 2017, dimensions: 1420 mm x 540 mm x 610 mm. New in box.	250
267	Marco	Marco weighing scale, model: Linemaster III, serial number: 50529, 90-250 V, 50-60 Hz, 0.8 A, maximum weight: 3000 gram, minimum weight: 20 gram, e= 1 gram, last calibrated: May 2020, dimensions scale: 200 mm x 200 mm, total dimensions: 770 mm x 450 mm x 1540 mm.	100
268	Foster	Foster refrigerator, model: FSL800L, serial number: E5528803, year of construction: 2018, 230 V, 50 Hz, 1 Ph, 875 W, 4.4 A, refrigerant: R404 A, 350 g, capacity: 509.3 L, 6 floors, dimensions floors: (6x) 500 mm x 450 mm, total dimensions: 1200 mm x 700 mm x 1900 mm.	200
269	Rational	Rational combi steamer, type: CPC 201, serial number: E21CC00121038594, 400 V, 3 Ph, 50 Hz, 38 kW, 150-600 kPa, electric heated, dimensions: 1120 mm x 900 mm x 1960 mm. Including s/s trolley, 20 floors, dimensions floors: (20x) 530 mm x 330 mm, dimensions trolley: 700 mm x 550 mm x 1780 mm and s/s trolley, (3x) 17 floors, ø: 210 mm, total dimensions: 850 mm x 550 mm x 1720 mm.	1000
270	Ras	Ras fries making machine, type: KA 2000, dimensions: 320 mm x 320 mm x 970 mm. Including 2 bags with Ras Patat powder.	20
271	Stephan	Stephan universal machine, machine number: 10-18.15/1984, dimensions: 500 mm x 400 mm x 460 mm.	100
272	Dito-Sama	Dito-Sama vegetable slicer, number: 66924, 127-220 V, 50 Hz, 250 W dimensions: 450 mm x 250 mm x 480 mm.	50





273	Atag	Atag 2 burner stove, type: P602170H, number: 23022612, 9.2 kW, dimensions: 700 mm x 350 mm x 200 mm.	50
274	Bereila BV	Bereila BV heated sauce dispenser, type: JHE, number: 2-3202, 230 V, 50 Hz, 1200 W, dimensions: 230 mm x 250 mm x 500 mm.	20
275	Proseal	Proseal mobile traysealer, model: GT1, serial number: 3078, year of construction: 2014, 415 V, 50 Hz, dye: (2x) Ø 210 mm x 200 mm, plastic wired belt, belt width: 190 mm, weight: 772 kg, total dimensions: 3200 mm x 850 mm x 1950 mm.	4000
276	Espera	Espera transport belt for labelling machine, type: ESG 144, 230 V, 50-60 Hz, 10 A, plastic belt, belt width: (2x) 1450 mm, total dimensions: 700 mm x 650 mm x 1200 mm.	100
277	Multivac	Multivac belt vacuum machine, type: B 500, serial number: 22, year of construction: 2002, 400 V, 50 Hz, 3 Ph, 27 A, 8.5 kW, plastic belt, belt width: 750 mm, Busch vacuum pump, type: RA 0630 B 4Z1, serial number: C0310000192, capacity: 630 m <sup>3</sup> per hour, dimensions pump: 1750 mm x 1150 mm x 1150 mm, dimensions vacuum machine: 3450 mm x 1380 mm x 2350 mm.	4000
278	Scanvaegt / Mettler Toledo	Scanvaegt 10-heads multihead weigher on s/s platform, type: ScanCombinator 5414, serial number: BMT00158, year of construction: 2003, 400/230 V, 3 Ph, 50 Hz, 2.0 A, weight: 520 kg, dimensions weigher: 1400 mm x 1400 mm x 1500 mm, dimensions platform: 3500 mm x 2750 mm x 3250 mm, height working platform: 2200 mm, Mettler Toledo pipe line metal detector, model: V4-REM, 100-240 VAC, 50-60 Hz, 340 W, diameter clearance: 150 mm, total dimensions metal detector: 1300 mm x 1000 mm x 900 mm. Already dismantled.	3750
279	Frey	Frey piston filler, type: KOMPAKTA 2, machine number: K230 12036006, year of construction: 2016, 400 V, 50 Hz, dimensions: 800 mm x 800 mm x 1250 mm.	4000
280	Kolbe	Kolbe mobile grinder, model: MWE 32, serial number: 125697, diameter plate: Ø 98 mm, total dimensions: 1200 mm x 800 mm x 1650 mm.	2500



281	Variovac PS Systempack	Variovac PS Systempack GmbH thermoformer for hard film, type: Primus, serial number: 420.761.09, machine number: 761, year of construction: 2009, 230/400 V, 50 Hz, 40/35 A, 20 kW, 6 bar, film width hard film: 427 mm, film width top film: 415 mm, index: 590 mm, dye: (4x) 145 mm x 75 mm, belt width outfeed belt: 390 mm, ELS Variolabel cross-web labeller, model: OP2-SL5210-SMSK30TT, machine number: 7450/2008, Busch vacuum pump, type: RA 0063, capacity: 63 m <sup>3</sup> /h, Busch roots pump, type: WV 0500, capacity: 500 m <sup>3</sup> /h, total dimensions thermoformer: 7500 mm x 1150 mm x 1980 mm, Additif film unwinding device, dimensions: 1140 mm x 1120 mm x 910 mm.	3000
282	NN sole cleaner	Sole cleaner, brush length: 300 mm, total dimensions: 720 mm x 570 mm x 1150 mm.	100
283	Elpress	Elpress s/s hose reel, type: W-22, year of construction: 2012, maximum 200 bar, maximum 90 °C, dimensions: 500 mm x 260 mm x 550 mm.	75
284	Variovac PS Systempack	Variovac PS Systempack GmbH thermoformer for hard film, machine type: Primus, number: 779, year of construction: 2010, 230/400 V, 50 Hz, 36 A, 25 kW, 6 bar, film with hard film: 463 mm, film width top film: 455 mm, index: 400 mm, belt width outfeed belt: 425 mm, Busch vacuum pump, type: RA 0100, capacity: 100 m <sup>3</sup> /h, Busch roots pump, type: WV 0500, capacity: 500 m <sup>3</sup> /h, ELS Variolabel cross-web labeller, model: OP2-SL4710-SMSK202TT, machine number: 8025/2010, 230 V, 50/60 Hz, 1500 VA, total dimensions thermoformer: 7500 mm x 1300 mm x 1900 mm, Additif film unwinding device, type: Jumbo, number: 543, year of construction: 2010, 230 V, 1.9 A, 150 W, 15 meter per minute, dimensions film unwinding device: 1000 mm x 1200 mm x 900 mm.	3000
285	OK	OK bag blowing machine, dimensions: 800 mm x 400 mm x 1000 mm.	50
286	NN gastronorm bins	63 s/s perforated gastronorm bins, dimensions: (40x) 530 mm x 330 mm x 40 mm.	30
288	Berdob b.v.	Berdob b.v. mobile grinder, type: VMT-32 CE, machine number: 8001729, year of construction: 2007, 400 V, 3 Ph, 3000 W, diameter plate: Ø 98 mm, total dimensions: 950 mm x 510 mm x 1400 mm.	200
289	Pulsarr Industrial Research BV / Barco Machine Vision	Pulsarr Industrial Research BV / Barco Machine Vision optical sorting machine with 4 cameras, machine type: RX-B1020, machine number: LRXB0008, series: ALG-5, year of construction: 1999, 400 V, 3 Ph, 50 Hz, belt width: 1300 mm, total dimensions: 3600 mm x 2000 mm x 2300 mm.	2750



290	Welger	Welger recycling roll compactor for rest film, type: RC 660, serial number: 1905.00.128, year of construction: 2015, 400 V, 50 Hz, 5 A, 2.2 kW, weight: 780 kg, dimensions: 2200 mm x 900 mm x 2270 mm.	1500
291	Sealed Air	Sealed Air mobile shrink tunnel, model: OPTI-SEAL DG, machine number: 3385, year of construction: 2006, 415 V, 50/60 Hz, 21.0 A, 7200 W, steel belt, belt width: 440 mm, clearance: 440 mm x 255 mm, total dimensions: 1300 mm x 800 mm x 1500 mm.	400
292	Marden Edwards Ltd.	Marden Edwards Ltd. overwrapping machine, type: PSB 300 FF/8, machine number: P095, year of construction: 2003, cloth belt, belt width: 290 mm, total dimensions: 3000 mm x 850 mm x 1700 mm.	400
293	Domino	Domino inkjet printer, model: Multi Head Base, serial number: CSB_016438, 100-250 V, 50-60 Hz, 2.5 A, dimensions: 550 mm x 400 mm x 1680 mm.	300
294	Ingersoll Rand	Ingersoll Rand pressure unit, type: T2 325, fabrication number: 07/45740, year of construction: 2007, 230 V, 50/60 Hz, dimensions: 1400 mm x 1200 mm x 2100 mm. Including pallet with filters.	500
295	Lutetia	Lutetia vacuum tumbler, type: 0, serial number: 16237, year of construction: 2002, 400 V, 50 Hz, volume: 150 liter, dimensions: 1250 mm x 860 mm x 2000 mm. Missing lid. Without vacuum pump.	750
296	Buhmann Pac Solutions	Buhmann Pac Solutions inline cup filling machine, type: SERVOFILL F100, serial number: 12.140.066, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 8 A, 0.6 kA, weight: 800 kg, belt width: 75 mm, optional infeed for filled cups, foil top seal, diameter seal: 90 mm, including large amount of plastic cups with lids, (+/-1550) 535 ml cups, diameter: 95.7 mm, height: 120.9 mm, (+/- 2000) 315 ml cups, diameter: 95.7 mm, height: 72.4 mm, (+/- 2750) lids, diameter lids: 95.7 mm, transport belt, s/s frame, plastic mesh belt, belt width: 400 mm, total dimensions: 1250 mm x 500 mm x 800 mm.	4000
297	Variovac PS Systempack	Variovac PS Systempack GmbH thermoformer for hard film, type: Primus, serial number: 420.644.07, machine number: 644, year of construction: 2007, 230/400 V, 50 Hz, 37/32 A, 19.7 kW, 6 bar, film width: 427 mm, index: 575 mm, belt width outfeed belt: 390 mm, with interleaver, dye: (3x) 140 mm x 75 mm, total dimensions thermoformer: 7500 mm x 930 mm x 1920 mm, including Additif film unwinding device, dimensions: 1140 mm x 1120 mm x 910 mm, Busch vacuum pump, type: RA 0100 F 503, serial number: DEM120220912, year of construction: 2020, 0.1 mbar, 1500 rpm, and Busch vacuum pump type: WV 0500 B 001 RAGM, number: C0713000371, year of construction: 2007.	3000



298	Busch	Busch roots pump, type: WV 1000, serial number: C1527000226, year of construction: 2015, capacity: 1000 m <sup>3</sup> /h, 3000 rpm, 250 kg, dimensions: 1250 mm x 600 mm x 800 mm.	500
299	CFS / Allweiler	3 thermic oil pump units for CFS CookStar, consisting of various Allweiler pumps, type: NTT 40-160/01 USA-W4 , NTT40-160USA-W4, NTT 50-200 179, dimensions: (2x) 1680 mm x 1550 mm x 1800 mm and (1x) 1550 mm x 1430 mm x 1800 mm.	2500
300	KSB Pump	KSB Pump standardized water pump, model: ETANORM SYT 050-160 SYT8 Ø171 mm, serial number: 9972563973 000300 02, year of construction: 2013, Q: 50 m <sup>3</sup> /h, dimensions: 2000 mm x 700 mm x 1300 mm.	200
301	Kohlhoff	Kohlhoff s/s sink with 5 Dyson faucets with blower, model: WD06, dimensions: 1550 mm x 620 mm x 1450 mm.	1000
302	Kohlhoff	Kohlhoff s/s sink with 5 Dyson faucets with blower, model: WD06, dimensions: 1550 mm x 620 mm x 1450 mm.	1000
303	Teraoka Seiko Co., LTD / Digi	Teraoka Seiko Co., LTD / Digi mobile weigh/wrap/label system, model:AW-4600, serial number: 10164632, year of construction: 2010, 220-240 V, 1 Ph, 50/60 Hz, 7.5 A, 1.7 kW, maximum weight: 3/6 kg, minimum weight: 20 gram, e = 1/2 gram, T = -2.999 kg, total dimensions: 1400 mm x 1300 mm x 1450 mm.	2000
304	ThermoFisher Scientific	ThermoFisher Scientific X-ray scanner, model: NEXTGUARD C330 SP/SR, serial number: 16517906, year of construction: 01.2017, 195-250 Vac, 50/60 Hz, 4-10 A, plastic belt, belt width: 330 mm, total dimensions: 1300 mm x 1050 mm x 1480 mm.	2750
305	Lutetia	Lutetia injector, type: IMPB.2, serial number: 11277, year of construction: 2000, 400 V, 50 Hz, s/s mesh belt, belt width: 370 mm, clearance: 395 mm x 230 mm, total dimensions: 2150 mm x 800 mm x 1900 mm. Missing covers and control panel.	1000
306	Key Technology B.V.	Key Technology B.V. mobile vibrating gutter, type: MVDFD, number: 10695/99, year of construction: 1999, gutter width: 750 mm, total dimensions: 1900 mm x 1100 mm x 1800 mm.	1500
307	Cariba	Cariba case packer, model: PHB 220, machine number: 471, Nordson glue unit, model: Problue 4, dimensions pouch conveyor: 120 mm x 100 mm, total dimensions: 2970 mm x 1500 mm x 2300 mm. Including steel switch cabinet, dimensions: 800 mm x 600 mm x 2100 mm.	1500
308	Sealed Air	Sealed Air mobile shrink tunnel, model: OPTI-SEAL DG, machine number: 003673, year of construction: 2007, 415 V, 50/60 Hz, 11.0 A, 7200 W, steel belt, belt width: 440 mm, clearance: 440 mm x 255 mm, total dimensions: 1300 mm x 800 mm x 1500 mm.	400



309	Teltek AB	Teltek AB checkweigher with rejector, type: C80, serial number: 112560, year of construction: 2012, 230 Vac, 50/60 Hz, weighing capacity: 200-3000 g, e=1.0 g, temperature range: +5 to +40 °C, pieces per minute: 40-65, plastic belt, belt width: 315 mm, total dimensions: 1540 mm x 860 mm x 1650 mm.	200
310	NN vacuum machine	Mobile double chamber vacuum machine, seal length: (4x) 830 mm, dimensions chamber: (2x) 970 mm x 890 mm, Busch vacuum pump, type: 250-132, total dimensions: 1820 mm x 1100 mm x 1400 mm.	300
311	Safeline / Mettler Toledo	Safeline / Mettler Toledo metal detector with rejector, head serial number: 92698, plastic belt, belt width: 580 mm, clearance: 550 mm x 145 mm, rejector with shuttle conveyor, total dimensions: 3000 mm x 1350 mm x 1230 mm.	2000
312	Wichelmann	Wichelmann mobile cordon bleu machine, type: CBS, machine number: 03/060, year of construction: 2003, 2.15 kW, plastic mesh belt, belt width: (4x) 130 mm, s/s mesh belt, belt width: (2x) 200 mm, plastic belt, belt width: (4x) 250 mm, total dimensions: 4000 mm x 1500 mm x 2110 mm.	2500
313	Hilclare Ltd	Pallet with large amount of Hilclare Ltd lights.	50
314	Berko	Berko screw air compressor, type: C40 10 SS, number: 095.0590, year of construction: 1985, 4050 liter/minute, 10 bar, 30 kW, dimensions: 1700 mm x 800 mm x 1400 mm.	250
315	Kern	S/s floor weighing scale with Kern indicator, dimensions: 1600 mm x 1200 mm x 70 mm.	500
316	Kiekens	Kiekens mobile dust extraction unit, type: C-337, serial number: 6346-34, year of construction: 05-92, 380 V, 3 Ph, 50 Hz, 1.4/2.2 kW, air flow: 290 m <sup>3</sup> per hour, weight: 90 kg, dimensions: 850 mm x 700 mm x 1150 mm.	25
317	Cretel	Cretel mobile skinning machine, type: 746PX, serial number: A7466132, 230-400 V, 3 Ph, 50 Hz, 4.7-2.7 A, 1.1 kW, working width: 440 mm, foot control, total dimensions: 750 mm x 700 mm x 950 mm. Incomplete.	200
318	Townsend	Townsend mobile skinning machine, model: 7620, 380 V, 3 Ph, 50 Hz, 2 A, working width: 500 mm, foot control, total dimensions: 800 mm x 600 mm x 990 mm. Incomplete.	200
320	EBAC	EBAC air dryer, model: BD150, serial number: 264001128, 230 V, 1 Ph, 50 Hz, 10 A, 1.5 kW, weight: 75 kg, refrigerant: R407C/0.54 kg, dimensions: 550 mm x 450 mm x 900 mm.	15
321	Tipper Tie Technopack	Tipper Tie Technopack table model clipper, model: TCMP-H.2, number: 1069-510, dimensions: 400 mm x 200 mm x 650 mm.	50



322	Safeline / Mettler Toledo	Safeline / Mettler Toledo metal detector, clearance: 550 mm x 200 mm, total dimensions: 1100 mm x 350 mm x 450 mm.	300
323	Safeline / Mettler Toledo	Safeline / Mettler Toledo metal detector, model: V48-RAD, 100-240 V, 50/60 Hz, 340 W, clearance: 550 mm x 200 mm, total dimensions: 1100 mm x 350 mm x 450 mm.	300
324	Marel	Marel weighing and sorting line, consisting of: Marel checkweigher machine, model: 4716.275.10, serial number: E012187, year of construction: 2011, 230/400 V, 3 Ph, 50 Hz, 16 A, belt width: 280 mm, weight: 135 kg, total dimensions checkweigher: 900 mm x 750 mm x 2000 mm, Marel sorting belt with 8 stations, model: Separator-4767 4767, serial number: E012186, year of construction: 2011, weight: 500 kg, belt width: 255 mm, total dimensions sorting belt: 5300 mm x 900 mm x 2150 mm, 2 Marel transport belts, s/s frame, plastic belt, belt width: 405 mm, total dimensions transport belts: 6250 mm x 600 mm x 1500 mm and 3600 mm x 600 mm x 1350 mm, pallet with spare parts, dimensions pallet: 1200 mm x 800 mm x 550 mm.	4000
325	Thermo Ramsey	Thermo Ramsey checkweigher, model: RXM, serial number: 5774, year of construction: 2003, 230 V, 50 Hz, 0.6 kVa, plastic belt, belt width: 140 mm, total dimensions: 1080 mm x 630 mm x 1600 mm.	500
326	Thermo Ramsey	Thermo Ramsey checkweigher, model: RXM, serial number: 5466, year of construction: 2003, 230 V, 50 Hz, 0.6 kVA, plastic belt, belt width: 140 mm, total dimensions: 1260 mm x 670 mm x 1700 mm.	500
327	Safeline / Mettler Toledo	Safeline / Mettler Toledo X-ray scanner, model: ADV 8, serial number: 2324ADV3, year of construction: August 11, 230 V, 50 Hz, 10 A, 23 kW, plastic belt, belt width: 330 mm, clearance: 360 mm x 60 mm, total dimensions: 1420 mm x 900 mm x 1400 mm.	2000
328	Thermo Ramsey	Thermo Ramsey checkweigher, type: AC9000Plus Rx, serial number: 5468, year of construction: 2004, 230 V, 50 Hz, 10 A, temperature: 0-40°C, pressure: 6 bar, plastic belt, belt width: 140 mm, clearance: 210 mm x 70 mm, total dimensions: 640 mm x 580 mm x 1590 mm.	500
329	Fomaco	Fomaco injector, type: FGM 48 SC, machine number: 7829, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 17-32 A, 6 bar, (2x) 48 needles, plastic mesh belt, belt width: 400 mm, dimensions injector: 1270 mm x 750 mm x 2200 mm. Including Fomaco mobile filter unit, model: PFS 5/225 CS, machine number: 7831, year of construction: 1999, dimensions filter unit: 1700 mm x 650 mm x 700 mm. Filter unit is incomplete.	2000



330	Henkovic / HFE Vacuum Systems BV	Henkovic / HFE Vacuum Systems BV mobile vacuum machine, type: E-303 KK, serial number: 20031008, year of construction: 2003, 400 V, 50 Hz, 8.5 A, weight: 262 kg, seal length: (2x) 585 mm, chamber dimensions: 585 mm x 720 mm, Busch vacuum pump, total dimensions: 940 mm x 770 mm x 1050 mm.	1250
331	Stahlwelt	Stahlwelt tool trolley with large amount of tools, wooden top, dimensions: 1130 mm x 550 mm x 1100 mm. New.	600
332	Stahlwelt	Stahlwelt tool trolley with large amount of tools, wooden top, dimensions: 1130 mm x 550 mm x 1100 mm. New.	600
333	Stahlwelt	Stahlwelt tool trolley with large amount of tools, wooden top, dimensions: 1130 mm x 550 mm x 1100 mm. New.	600
334	Stahlwelt	Stahlwelt tool trolley with large amount of tools, wooden top, dimensions: 1130 mm x 550 mm x 1100 mm. New.	600
335	NN trolley	S/s trolley, dimensions: 1200 mm x 900 mm x 1930 mm.	75
336	NN trolleys	2 s/s trolleys, dimensions: (2x) 1000 mm x 1200 mm x 1780 mm.	100
337	NN trolleys	2 s/s trolleys, dimensions: (2x) 1000 mm x 1200 mm x 1780 mm.	100
338	NN trolley	S/s trolley, dimensions: 1400 mm x 500 mm x 1190 mm.	50
339	NN table	Table, wooden top, aluminium frame, dimensions: 2900 mm x 800 mm x 920 mm.	50
340	NN table	Table, s/s top, aluminium frame, dimensions: 4770 mm x 820 mm x 840 mm.	75
341	Marvu	Marvu transport belt, s/s frame, plastic belt, belt width: 500 mm, total dimensions: 2500 mm x 800 mm x 600 mm.	75
342	NN table	Table, s/s top, aluminium frame, dimensions: 2300 mm x 840 mm x 850 mm.	75
343	NN table	S/s mobile table, dimensions: 3100 mm x 800 mm x 880 mm.	100
344	SF Engineering	SF Engineering sorting belt, serial number: SF 540014-733, year of construction: 25-7-2014, s/s frame, plastic mesh belt, belt width: 200 mm, plastic belt, belt width: 400 mm, total dimensions: 5850 mm x 1100 mm x 1900 mm.	700
345	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 400 mm, total dimensions: 2600 mm x 700 mm x 300 mm.	50
346	NN table	S/s table, dimensions: 1900 mm x 700 mm x 910 mm.	75
347	Alco food-machines GmbH & Co. KG	Alco food-machines GmbH & Co. KG mobile mesh belt, s/s frame, s/s mesh belt, belt width: 700 mm, total dimensions: 4100 mm x 1000 mm x 1000 mm.	300



348	Marvu	Marvu elevating belt, plastic belt with dividers, belt width: 500 mm, divider height: 50 mm, distance between dividers: 260 mm, elevating height: 1000 mm, total dimensions: 3500 mm x 1600 mm x 1470 mm.	150
349	NN platform	S/s platform, working height: 1450 mm, total dimensions: 2550 mm x 2450 mm x 1570 mm.	250
350	NN infeed bunker	S/s infeed bunker for pallet boxes, infeed width: 1000 mm, total dimensions: 1800 mm x 1600 mm x 1900 mm.	100
351	NN trolley for meat hooks	Trolley for meat hooks, dimensions: 1200 mm x 700 mm x 1700 mm.	100
352	NN trolley	S/s trolley, dimensions: 1060 mm x 660 mm x 890 mm.	25
353	NN grids	Pallet with large amount of plastic grids, dimensions pallet: 2000 mm x 1200 mm x 510 mm.	5
354	NN light fixtures	5 pallets with large amount of light fixtures, fixture width: 1530 mm.	100
355	Vacuvane	Vacuvane side channel vacuum machine, model: VSC1050-1MT851-7, serial number: 13/10 13373 080 0005, dimensions: 1200 mm x 800 mm x 650 mm.	25
357	Delrue	Delrue cooking vessel, serial number: 20011162, year of construction: 2001, inside dimensions: 780 mm x 620 mm x 500 mm, total dimensions: 1070 mm x 1100 mm x 1750 mm.	400
358	Kolbe GmbH	Kolbe GmbH mobile portioning machine, type: P 100, machine number: 66 0578, year of construction: 2000, 230 V, 3 Ph, 50 Hz, 0.2 kW, 7.6 A, $\varnothing$ clearance: 80 mm, working width: 100 mm, total dimensions: 550 mm x 400 mm x 800 mm.	250
359	NN tenderiser	Tenderiser, working surface: 210 mm x 80 mm, total dimensions: 850 mm x 600 mm x 1620 mm.	75
360	Franz	Franz mobile strip cutter, type: MST 70/400 10 S, machine number: 690701, year of construction: 1996, 400 V, 50 Hz, 1.2 kW, 20 knives, distance between knives: 19 mm, working width: 360 mm, total dimensions: 1250 mm x 580 mm x 1800 mm. Including extra knives.	750
361	Matton	Matton dishwasher, model: VW M1, dimensions: 1050 mm x 1000 mm x 1850 mm.	400
362	Hobart	Hobart dishwasher, model: UXTLH-10N, serial number: 86644408, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 21.6 kW, 35.1 A, dimensions: 1450 mm x 1000 mm x 2000 mm. Including s/s in- and outfeed table, dimensions: (2x) 1450 mm x 930 mm x 1280 mm.	400
363	NN slicer	Automatic slicer, dimensions: 850 mm x 700 mm x 550 mm.	400
364	CEG	CEG slicer, type: BF330, number: 20463, 220 V, 50 Hz, 0.4 HP, dimensions: 600 mm x 500 mm x 450 mm.	200
365	NN table	S/s table with plastic worktop, dimensions: 1500 mm x 800 mm x 1000 mm.	100





366	CRM	CRM mobile strip cutter, type: Simplex, working width: 390 mm, 30 knives, distance between knives: 9 mm, total dimensions: 930 mm x 550 mm x 1320 mm.	1500
367	NN decorer	S/s decorer, ø: 40 mm, total dimensions: 360 mm x 320 mm x 300 mm.	75
368	Bizerba GmbH & Co.KG	Bizerba GmbH & Co.KG weighing scale, number: 675 558 -86, min/max weight: 5/150 kg, e=d=100 g, dimensions scale: 600 mm x 450 mm, total dimensions: 750 mm x 630 mm x 1400 mm.	50
369	NN table	S/s table with plastic worktop, dimensions: 2000 mm x 800 mm x 1360 mm.	125
370	Röschermatic	Röschermatic mobile tumbler, type: MII 80, number: 254, 380/220 V, 0.65 kW, capacity: 80 liter, dimensions: 1400 mm x 850 mm x 1500 mm. Missing agitator.	400
371	Conpax	Conpax packaging machine, type: Rapidpack, serial number: AKK7927, year of construction: 2002, 230 V, 0.5 kW, film width: 225 mm, seal length: (2x) 170 mm and (1x) 220 mm, on mobile s/s table, total dimensions: 1050 mm x 480 mm x 1100 mm.	200
372	Rubbens	Rubbens mobile s/s double roasting pan, inside dimensions: (2x) 630 mm x 630 mm x 200 mm, total dimensions: 2450 mm x 1150 mm x 1080 mm.	500
373	Air Products	Air Products cryogenic freezer, inside dimensions: 1000 mm x 780 mm x 1780 mm, total dimensions: 1600 mm x 1700 mm x 2650 mm.	1000
374	Air Products	Air Products cryogenic freezer, inside dimensions: 1000 mm x 780 mm x 1780 mm, total dimensions: 1600 mm x 1700 mm x 2650 mm. Missing PLC.	1000
375	CFS	CFS s/s lifter for meat bins, type: Besch, machine number: 393/050, year of construction: 2001, elevating height: 3150 mm, total dimensions: 1100 mm x 600 mm x 3900 mm.	250
376	Variovac	Variovac thermoformer, type: Optimus, number: OL0143, year of construction: 2014, 230/400 V, 50 Hz, 13 kw, 21 A, 6 bar, dye: 185 mm x 175 mm, index: 200 mm, film width: 420 mm, Busch vacuum pump, type: RA 0100 F 5R3, serial number: 140037127, year of construction: 2014, 100 m <sup>3</sup> /h, 1500 rpm, total dimensions: 6000 mm x 1050 mm x 1770 mm.	4000
377	Convotherm	Convotherm mobile combi steamer, type: OD 12.20 P, number: P5P99043005, 380-415 V, 3 Ph, 30-36 kW, 46-50 A, 12 floors, dimensions floors: 600 mm x 530 mm, total dimensions: 1220 mm x 1200 mm x 1450 mm.	300
378	Bizerba GmbH & Co.KG	Bizerba GmbH & Co.KG automatic slicer, type: A 406 FB, machine number: 10224253, year of construction: 2006, 230/400 V, 3 Ph, 50 Hz, 2.5/1.4 A, s/s mesh belt, belt width: 255 mm, total dimensions: 1750 mm x 1200 mm x 800 mm.	750



379	Townsend	Townsend mobile skinning and derinding machine, type: 9000 EURO, serial number: 8102, year of construction: 2006, 380 V, 3 Ph, 50 Hz, plastic mesh belt, belt width: 500 mm, working width: 500 mm, total dimensions: 1600 mm x 950 mm x 1500 mm. Missing outfeed belt, including box with extra knives.	500
380	Scharfen	Scharfen tenderiser, type: TH, number: 2024011, 230/400 V, 4.2/2.4 A, 1100 W, working surface: 240 mm x 110 mm, total dimensions: 800 mm x 700 mm x 860 mm.	150
381	Peal	Peal s/s turning table, diameter top: Ø 1500 mm, total dimensions: 1500 mm x 1500 mm x 2100 mm.	400
382	Sealed Air / Cryovac	Sealed Air / Cryovac belt vacuum machine, model: VS90, serial number: A)3302022, year of construction: 2005, 3x 400 V, 50 Hz, 20 A, 6 bar, 15 Nm <sup>3</sup> /h, belt width: 660 mm, total dimensions: 2850 mm x 1300 mm x 2000 mm. Including waste collector, dimensions: 2000 mm x 950 mm x 1500 mm. Without vacuum pump.	3000
383	Lutetia	Lutetia s/s tumbler, Ø: 1100 mm, length: 2100 mm, total dimensions: 3450 mm x 1450 mm x 2200 mm. Including 2 switch cabinets.	1500
384	Mado	Mado mobile mixer-grinder, type: MEW 620, number: 30937, number: 30937, year of construction: 2002, 230/400 V, 3 Ph, 50 Hz, 4.0 kW, 15.2/8.8 A, 1435 rpm, plate Ø: 980 mm, total dimensions: 1050 mm x 900 mm x 1350 mm. Including box with extra knives and plates.	2000
385	La Minerva	La Minerva mobile portioning machine, type: MPM 500, number: 10, serial number: 10E3103, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 0.44 kW, 1.56 A, 150 kg, belt width: 205 mm, clearance: 135 mm x 90 mm, working width: 205 mm, total dimensions: 1500 mm x 550 mm x 1170 mm.	1000
386	Rational	Rational combi steamer, model: CPC 101G, serial number: G11CD1091052254, 230 V, 1 Ph, 50-60 Hz, 1.0 kW, gas type: B13/A3, 10 floors, dimensions floors 550 mm x 330 mm, total dimensions: 1000 mm x 1100 mm x 1220 mm.	400
387	NN trolley	S/s trolley, dimensions: 1400 mm x 900 mm x 1130 mm.	50
388	NN trolley	S/s trolley with plastic plates, dimensions: 1500 mm x 1000 mm x 1560 mm.	100
389	Risco S.p.A.	Risco S.p.A. vacuum filling machine, model: RS 1040 C R, serial number: A404009, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 24 V, 3.5 kW, 370 kg, dimensions: 900 mm x 700 mm x 1750 mm. Including 3 s/s safety covers.	2000
390	NN table	Mobile s/s table, dimensions: 1200 mm x 750 mm x 1230 mm.	50
391	NN turning table	S/s turning table, plastic top, Ø: 1200 mm, height: 900 mm.	400
392	NN table	S/s table, dimensions: 2000 mm x 600 mm x 870 mm.	100



393	DiverseyLever	DiverseyLever drip tray with pump unit, dimensions: 1300 mm x 1000 mm x 1310 mm.	50
394	DiverseyLever	DiverseyLever drip tray with pump unit, dimensions: 1050 mm x 700 mm x 1300 mm.	50
395	DiverseyLever	DiverseyLever drip tray with pump unit, dimensions: 1050 mm x 700 mm x 1300 mm.	50
396	Domino	Domino mobile inkjet printer, model: A420i, serial number: AST000108392, 100-240 V, 50-60 Hz, 4 A, dimensions: 700 mm x 650 mm x 1150 mm.	200
397	PBI Dansensor	PBI Dansensor leak tester, type: LeakPointer II, serial number: 71120547, year of construction: 2012, 207-253 V, 50/60 Hz, dimensions chamber: 505 mm x 420 mm x 200 mm, total dimensions: 600 mm x 700 mm x 950 mm.	200
398	Kärcher	Kärcher scrubber/dryer, type: BD55/60 W BAT, number: 014087, year of construction: 2007, 305 kg, working width: 600 mm, width squeegee: 950 mm, total dimensions: 1400 mm x 950 mm x 1200 mm.	250
399	Statts of Oldham	Statts of Oldham double jacketed cooking vessel, 415 V, 3 Ph, ø inside: 600 mm, height: 500 mm, total dimensions: 1000 mm x 1050 mm x 950 mm.	200
400	Falcon	Falcon double jacketed cooking vessel, model: E30/8 135I, serial number: 50188, 415/240 V, 11.4 kW, ø inside: 555 mm, height: 480 mm, total dimensions: 950 mm x 800 mm x 950 mm.	200
401	Hitachi	Hitachi mobile inkjet printer, model: PXR-D460W, serial number: PXR0908680, 100-120 V/200-240 V, 1 Ph, 50/60 Hz, 1.5/0.75 A, 25 kg, dimensions: 530 mm x 440 mm x 1550 mm.	250
402	NN table	S/s table with plastic top, dimensions: 720 mm x 720 mm x 830 mm.	50
403	Doosan	Doosan electric pallet lifter, model: LED5 12.5 C, number: 8732-2017, capacity: 1250 kg, weight: 590 kg, weight battery: 120/25 kg, max. speed: 5.66 km/h, fork length: 1200 mm, elevating height: 2400 mm, total dimensions: 1950 mm x 700 mm x 2080 mm. Without charger.	200
404	Fenwick	Fenwick electric pallet lifter, type: XG10.33156.115, number: 831 843, elevating height: 2600 mm, fork length: 1150 mm, including charger, total dimensions: 2000 mm x 850 mm x 2150 mm. Technical condition unknown.	200
405	NN cabinet	S/s cabinet, dimensions: 950 mm x 550 mm x 540 mm.	25
406	NN table	S/s table, dimensions: 1550 mm x 700 mm x 920 mm.	50
407	Matton	Matton mobile vacuum machine, type: VVM63-2LP, serial number: BUY11001, 400 V, 3 Ph, 50 Hz, seal length: (2x) 500 mm, dimensions chamber: 500 mm x 550 mm, Busch vacuum pump, total dimensions: 760 mm x 610 mm x 1020 mm.	250



408	Reepack	Reepack mobile traysealer, model: REETRAY100, serial number: 2401006, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 25 A, film width: 400 mm, with vacuum pump, total dimensions: 950 mm x 800 mm x 1780 mm. Without dye set.	1000
409	NN roasting pan	Mobile tiltable roasting pan, inside dimensions: 870 mm x 670 mm x 180 mm, total dimensions: 1300 mm x 1100 mm x 1860 mm.	400
410	Spako	Spako mobile cooking vessel, $\varnothing$ inside: 535 mm, height: 500 mm, total dimensions: 1040 mm x 780 mm x 1550 mm.	400
411	Itec	Itec sole cleaner, type: 2380, serial number: 181, year of construction: 2/1998, 3x 400 V, 50 Hz, 0.25 kW, length brush: 300 mm, total dimensions: 850 mm x 600 mm x 1050 mm.	200
412	NN table	Steel table with plastic top, dimensions: 1000 mm x 500 mm x 810 mm.	50
413	NN trolley	S/s trolley, dimensions: 1250 mm x 770 mm x 1300 mm.	50
414	NN trolley	S/s trolley for E-2 crates, inside dimensions: (2x) 600 mm x 580 mm, total dimensions: 1400 mm x 800 mm x 1660 mm.	50
415	M&M Wyroby	M&M; Wyroby mobile double jacketed cooking vessel, article number: 150 L Tersmosta, year of construction: 05/2021, 400 V, 9 kW, volume: 150 liter, dimensions: 950 mm x 900 mm x 850 mm. Never used.	750
416	Graef	Graef slicer, type: Master 3370, serial number: 7557831, year of construction: 2018, 230 V, 50 Hz, 2.2 A, 450 W, dimensions: 660 mm x 500 mm x 630 mm.	200
417	Maxima	Maxima cutter, model: Deluxe 9L, serial number: 18HL7120-0269, 230 V, 1 Ph, 50 Hz, 950 W, volume: 9 liter, dimensions: 480 mm x 280 mm x 400 mm.	100
418	CaterChef	CaterChef induction plate, model: 688060, serial number: C452111162, year of construction: 11.2021, 220-240 V, 1 Ph, 50 Hz, 15 A, 3500 W, dimensions: 420 mm x 340 mm x 120 mm.	25
419	ENE	ENE transport belt, 230 V, s/s frame, plastic belt, belt width: 500 mm, elevating height: 2400 mm, total dimensions: 4700 mm x 1250 mm x 2500 mm.	500
420	NN cage	Mobile s/s cage, dimensions: 1000 mm x 800 mm x 1810 mm.	100
421	NN cages	2 mobile s/s cages, dimensions: 1000 mm x 800 mm x 1810 mm.	200
422	NN racks	2 s/s racks with 16 pegs each, dimensions: 390 mm x 390 mm x 2320 mm.	50
423	NN trolleys	3 Aluminium trolleys, 5 floors each, dimensions floors: 820 mm x 810 mm, total dimensions: 870 mm x 680 mm x 1350 mm.	30



424	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 300 mm, total dimensions: 1100 mm x 900 mm x 1000 mm.	100
425	NN rack	S/s rack for boot cleaning, dimensions: 670 mm x 550 mm x 1330 mm.	25
426	NN tilting device	S/s tilting device for meat bins, dimensions: 950 mm x 760 mm x 1800 mm.	75
427	NN tilting devices	S/s tilting device for meat bins, dimensions: 950 mm x 760 mm x 1800 mm.	150
428	Spako	Spako smoke trolley, 26 floors, dimensions floors: 850 mm x 850 mm, total dimensions: 920 mm x 920 mm x 1860 mm.	100
429	NN trolley	S/s trolley, 6 floors, dimensions floors: 900 mm x 610 mm, total dimensions: 1100 mm x 760 mm x 1750 mm.	50
430	NN tilting device	S/s tilting device for meat bins, dimensions: 950 mm x 760 mm x 1800 mm.	75
431	NN cabinet	S/s cabinet, dimensions: 1500 mm x 500 mm x 920 mm.	50
432	NN frame	S/s frame, dimensions: 780 mm x 300 mm x 240 mm.	25
433	NN trolley	S/s trolley, 6 floors, dimensions floors: 650 mm x 470 mm, total dimensions: 700 mm x 500 mm x 1440 mm.	50
434	NN trolleys	2 s/s trolleys, 15 floors each, dimensions floors: 550 mm x 330 mm, total dimensions: 600 mm x 380 mm x 1750 mm.	300
435	NN trolleys	S/s trolley, 8 floors, dimensions floors: 700 mm x 600 mm, total dimensions: 770 mm x 620 mm x 1320 mm.	50
436	NN trolley	S/s trolley, 10 floors, dimensions floors: 660 mm x 535 mm, total dimensions: 690 mm x 600 mm x 920 mm.	50
437	NN tilting device for meat bins	S/s mobile tilting device for meat bins, elevating height: 1000 mm, total dimensions: 1880 mm x 1600 mm x 1900 mm.	400
438	NN rack	S/s rack, 6 floors, dimensions: 1700 mm x 500 mm x 1820 mm.	100
439	Scanio	Scanio vacuum tumbler and tilting device for tubs, diameter drum: 1050 mm, height drum: 1150 mm, total dimensions: 2050 mm x 2200 mm x 1800 mm. Missing lid.	1000
440	Teraoka Seiko Co., LTD / Digi	Teraoka Seiko Co., LTD / Digi weigh/wrap/label system, model: AW-4600e, serial number: 14166676, year of construction: 2014, 220-240 V, 1 Ph, 50/60 Hz, 1.7 kW, 7.5 A, 460 kg, max. weight: 3/6 kg, min. weight: 20 g, e=1/2 g, belt width: 155 mm and 200 mm, roller width: 240 mm, total dimensions: 1500 mm x 1600 mm x 1500 mm.	2000



441	Teraoka Seiko Co., LTD / Digi	Teraoka Seiko Co., LTD / Digi weigh/wrap/label system, model: AW-4600e, serial number: 13166402, year of construction: 2013, 220-240 V, 1 Ph, 50/60 Hz, 1.7 kW, 7.5 A, 460 kg, max. weight: 3/6 kg, min. weight: 20 g, e=1/2 g, belt width: 155 mm and 200 mm, roller width: 240 mm, total dimensions: 1500 mm x 1600 mm x 1500 mm.	2000
442	Urschel	Urschel mobile slicer, type: CC, serial number: 3876, year of construction: 1999, ø: 350 mm, power: 3 x 400V, 50Hz, total dimensions: 1300 mm x 850 mm x 1830 mm.	4000
443	Domino	Domino inkjet printer, model: A200+, 100-120 V/ 200-240 V, 50-60 Hz, 4/2 A, dimensions: 1100 mm x 750 mm x 1630 mm.	250
444	Siat	Siat box closing machine, model: SM8 P A, serial number: 32103, year of construction: 1998, 240 V, 1 Ph, 50 Hz, 180 W, roller width: 400 mm, total dimensions: 950 mm x 800 mm x 1750 mm. Without bottom taper.	100
445	NN separator	Separator on mobile s/s frame, dimensions hopper: 380 mm x 280 mm x 530 mm, total dimensions: 1550 mm x 750 mm x 1420 mm.	500
446	Röscher	Röscher mobile double chamber vacuum machine, model: OSNAVAC 21/2, seal length: (2x) 450 mm, dimensions chamber: (2x) 450 mm x 450 mm, Busch vacuum pump, type: 063-136, capacity: 63 <sup>3</sup> /h, total dimensions: 1060 mm x 700 mm x 1050 mm. Missing 2 seals.	200
447	NN trolleys	2 s/s trolleys, dimensions: 750 mm x 450 mm x 1220 mm.	100
448	Saxon	Saxon mobile bag sealing machine, machine number: 50618, 110 V, 1 Ph, 50 Hz, 8 A, seal length: 800 mm, total dimensions: 1200 mm x 900 mm x 1400 mm.	250
449	Siebeck	Siebeck mobile binding machine, type: FRT-ASB-G, machine number: 05/05307045, year of construction: 2005, 230 V, 3 Ph, 50 Hz, 1.7 kW, clearance: 295 mm x 195 mm, total dimensions: 850 mm x 700 mm x 2000 mm. Incomplete.	250
450	NN lid denester	Mobile lid denester, plastic belt, belt width: 285 mm, 5 denester, diameter lids: (5x) ø 115 mm, total dimensions: 2000 mm x 800 mm x 2150 mm.	400
451	NN fan	Fan in s/s cabinet, dimensions: 1000 mm x 1000 mm x 1200 mm.	75
452	Promax	Promax mobile vacuum machine, model: SC520-LR-E, serial number: FM12111806, year of construction: 2012, 220 V, 1 Ph, 50 Hz, 15 A, seal length: (2x) 540 mm, dimensions chamber: 540 mm x 500 mm, Busch vacuum pump, type: RB0021, capacity: 21m <sup>3</sup> /h, total dimensions: 770 mm x 630 mm x 980 mm.	250
453	NN depositor	Mobile depositor, dimensions: 1050 mm x 700 mm x 1330 mm.	200



454	NN trolley	S/s trolley, 17 floors, dimensions floors: 620 mm x 410 mm, total dimensions: 620 mm x 460 mm x 1630 mm. Including 7 plates.	50
455	NN tub	Mobile s/s tub with drain, inside dimensions: 1100 mm x 730 mm x 350 mm, total dimensions: 1250 mm x 800 mm x 830 mm.	150
456	NN sink	S/s sink, sensor control, with 2 Bartscher soap dispensers, dimensions: 440 mm x 510 mm x 630 mm.	25
457	NN sink	S/s sink, dimensions: 1000 mm x 600 mm x 300 mm and s/s sink, dimensions: 470 mm x 430 mm x 280 mm. Without faucets.	25
458	NN sink	S/s sink, dimensions: 550 mm x 440 mm x 450 mm.	25
459	NN tub	S/s mobile tub, inside dimensions: 1200 mm x 740 mm x 200 mm, total dimensions: 1330 mm x 840 mm x 1070 mm.	50
460	Becker	Becker vacuum system, vacuum pump, type: U4.250F/K, number: H2759960, year of construction: 2013, capacity: 250 m <sup>3</sup> /h, Robusch pump, type: RBS_45_/AV-H-SGA, dimensions: 1150 mm x 1000 mm x 1600 mm.	500
461	NN meat bin pushing device	Mobile s/s meat bin pushing device, total dimensions: 950 mm x 630 mm x 1750 mm.	100
462	NN frame	S/s frame for crates, dimensions: 700 mm x 390 mm x 630 mm.	25
463	Spako	Spako cooking vessel, type: DK01, ø inside: 590 mm, height: 530 mm, total dimensions: 1000 mm x 700 mm x 1200 mm.	350
464	Turbo Systems LTD	Turbo Systems LTD mobile depositor, type: D250P, machine number: D250P6001121, year of construction: 2011, dimensions: 1300 mm x 600 mm x 1800 mm.	750
465	Alco	Alco mobile transport belt, type: ATG 680/800, serial number: 11404214, year of construction: 2003, 400 V, 0.18 kW, 130 kg, plastic mesh belt, belt width: 680 mm, total dimensions: 1200 mm x 1000 mm x 1200 mm.	200
466	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF628, number: 17530, year of construction: 2003, 420 V, 3 Ph, 50 Hz, 13.5 kW, 18.6 A, dimensions: 2000 mm x 1800 mm x 2070 mm. Technical condition unknown.	7500
467	NN rack	Aluminium rack, 5 floors, dimensions: 1880 mm x 400 mm x 1740 mm.	25
468	Roeder	Roeder mobile s/s tiltable roasting pan, 61 445 3, number: 651169 006, 380 V, 3 Ph, 14400 W, inside dimensions: 850 mm x 650 mm x 180 mm, total dimensions: 1550 mm x 1050 mm x 1050 mm.	400
469	NN chairs	Pallet with 25 chairs, dimensions: (25x) 410 mm x 400 mm x 850 mm.	25
470	NN frame	S/s frame with 3 holes, ø: 165 mm, total dimensions: 770 mm x 660 mm x 980 mm.	25



471	NN clipper	Table model clipper, dimensions: 1150 mm x 350 mm x 800 mm.	200
472	NN table	Mobile s/s table with plastic top, dimensions: 1850 mm x 950 mm x 1280 mm.	75
473	Ca.Ve.Co. S.r.l	Ca.Ve.Co. S.r.l denester, type: AC80LTV/PH, year of construction: 07/2014, 400 V, 50 Hz, 1.5 A, 1 kW, tray width: 110 mm, chain conveyor, width: 80 mm, distance between dividers: 245 mm, total dimensions: 1800 mm x 750 mm x 255 mm.	250
474	Sinap	Sinap flat sheet membrane module, model: SINAP80-50, 5 plates, membrane area: 40 m <sup>2</sup> , capacity: 16-24 m <sup>3</sup> /d, aeration rate: 0.5-0.6 m <sup>3</sup> /min, weight: 250 kg, dimensions: 830 mm x 750 mm x 1600 mm.	250
475	NN table	S/s table, plastic worktop with press and knife, dimensions: 1900 mm x 600 mm x 850 mm.	75
476	NN frame	S/s frame with drane, dimensions: 730 mm x 720 mm x 170 mm.	10
477	NN cabinet	S/s cabinet with plastic top, dimensions: 1200 mm x 750 mm x 940 mm.	25
478	Logopak	Logopak label printer, model: VLP 210 II F, serial number: 205 0503, year of construction: 2005, 115/230 V, 88-264 VAC, 47-63 Hz, 7/3.5 A, dimensions: 650 mm x 630 mm x 340 mm.	50
479	NN burners	S/s table with 2 gas burners, dimensions burners: (2x) 350 mm x 350 mm, dimensions table: 1300 mm x 600 mm x 700 mm. One burner incomplete.	50
480	NN table	S/s table, dimensions: 2050 mm x 600 mm x 750 mm.	50
481	NN table	S/s table, dimensions: 900 mm x 600 mm x 850 mm.	25
482	NN table	S/s table, dimensions: 1100 mm x 550 mm x 1140 mm.	25
483	NN water softeners	2 water softeners, ø: 250 mm, height: 1520 mm.	25
484	NN water softeners	2 water softeners, ø: 250 mm, height: 1520 mm.	25
485	NN frame	Mobile s/s frame, dimensions: 700 mm x 1550 mm x 1900 mm.	25
486	NN tub	Mobile s/s tub, inside dimensions: 1100 mm x 500 mm x 400 mm, total dimensions: 1270 mm x 660 mm x 1250 mm.	50
487	NN trolley	S/s trolley, dimensions: 610 mm x 410 mm x 720 mm.	25
488	NN rollies	2 steel rollies, dimensions: 800 mm x 600 mm x 150 mm.	10
489	Burco	Burco s/s sink, type: BCO hand wash boiler 76100, serial number: 10800343, 220-240 V, 50-60 Hz, 13 A, 1680-2000 W, capacity: 10 liter, ø: 300 mm, height: 1000 mm.	20
490	NN table	Aluminium table, dimensions: 610 mm x 610 mm x 480 mm.	10
491	NN mixer	Mobile mixer, plastic tub, ø: 600 mm, height: 700 mm, total dimensions: 900 mm x 900 mm x 1600 mm.	20
492	NN frame	S/s frame for crates, dimensions: 730 mm x 400 mm x 500 mm. Including crate.	25





493	NN sink	S/s sink, dimensions: 1000 mm x 600 mm x 300 mm and s/s sink, dimensions: 470 mm x 430 mm x 280 mm. Without faucets.	25
494	NN trolley	S/s trolley, dimensions: 1750 mm x 700 mm x 1230 mm.	75
495	NN table	S/s table, dimensions: 500 mm x 500 mm x 750 mm.	25
496	NN smoke trolley	S/s smoke trolley, 9 floors, dimensions floors: 1000 mm x 950 mm, total dimensions: 1000 mm x 1000 mm x 1940 mm.	75
497	NN table	S/s mobile table, dimensions: 1490 mm x 490 mm x 620 mm.	25
498	NN lobe pump	Lobe pump, dimensions: 1300 mm x 550 mm x 470 mm.	300
499	NN membrane pump	Membrane pump, dimensions: 600 mm x 550 mm x 420 mm.	50
500	SF	SF elevating belt, serial number: 1195310-159, year of construction: 20-11-2010, s/s frame, plastic belt with dividers, belt width: 300 mm, distance between dividers: 300 mm, divider height: 70 mm, elevating height: 1900 mm, total dimensions: 2800 mm x 800 mm x 2150 mm.	500
501	Rheon	Rheon encrusting machine, model: KN400, number: 579, year of construction: 1-2000, 380 V, 50 Hz, 3.17 kW, 7.7 A, dimensions: 1800 mm x 1100 mm x 1820 mm. Incomplete missing belt, s/s cover and screws among others.	500
502	APV	APV mobile product pump, dimensions: 1500 mm x 620 mm x 500 mm. Incomplete.	200
503	APV	APV mobile product pump, dimensions: 1500 mm x 620 mm x 500 mm. Incomplete.	200
504	APV	APV mobile product pump, dimensions: 1500 mm x 620 mm x 500 mm. Incomplete.	200
505	APV	APV mobile product pump, dimensions: 1500 mm x 620 mm x 500 mm. Incomplete.	200
506	NN table	Mobile s/s table, dimensions: 2900 mm x 1400 mm x 820 mm.	150
507	DiverseyLever	DiverseyLever CHE-cleaning system, consisting of 3 Grundfoss pumps, type: CR110 22 A-P-I-E-Hook, 50 Hz, 7.5 kW, 2919 rpm, 10 m <sup>3</sup> /h, h max: 225 m, dimensions: 1400 mm x 1600 mm x 2200 mm.	750
508	Scanvaegt	Scanvaegt checkweigher with 2 rejecters, type: ScanCheck RF5, serial number: BMP01003, year of construction: 2008, 200-240 V, 50/60 Hz, 1 Ph, 5.0 A, 125 kg, belt width: 205 mm, total dimensions: 1400 mm x 1500 mm x 1400 mm.	400
509	NN table	Table with s/s frame and plastic worktop, dimensions: 1460 mm x 800 mm x 1000 mm.	100
510	NN product pump	Mobile product pump, dimensions hopper: 820 mm x 660 mm x 500 mm, total dimensions: 2000 mm x 1100 mm x 1200 mm.	500



511	NN transport belt	Mobile transport belt, s/s frame, plastic mesh belt, belt width: 680 mm, total dimensions: 1800 mm x 900 mm x 1500 mm.	100
512	Hidria	S/s frame with Hidria 2 fans, 400 V, 3 Ph, 50 Hz, 560/410 W, 1.25/0.70 A, dimensions: 1450 mm x 600 mm x 550 mm.	50
513	Proseal	Proseal mobile traysealer, serial number: 2388, year of construction: 2012, 230 V, 50 Hz, dye: (2x) 225 mm x 175 mm, film width: 335 mm, total dimensions: 1750 mm x 950 mm x 1700 mm.	1500
514	NN apron washer	S/s apron washer, dimensions: 1200 mm x 400 mm x 2020 mm.	75
515	Easiweigh	Easiweigh linear weighing system, type: Midi, number: 100634, year of construction: 2010, gutter width: 150 mm, infeed height: 2200 mm, outfeed height: 1300 mm, foot control, total dimensions: 1290 mm x 900 mm x 2250 mm. Including 2 boxes with spare parts.	750
516	Technigroup	Technigroup cooling installation, with Prestcold cooling compressor, model: L 400/0050, number: 57170/1247, 210/240 V, 3 Ph, 50 Hz, 25 bar, 1450 rpm, refrigerant: R417 A, dimensions: 1500 mm x 900 mm x 1700 mm.	200
517	Systec GmbH / Zomerdam	Zomerdam s/s floor weighing scale, type: Putweger, serial number: 3342-7, 240 V, 2 A, 0.5 kW, dimensions: 1500 mm x 1250 mm, with Systec GmbH indicator, type: IT1000, serial number: 1308634, 110-240 Vac, 50/60 Hz, 100 mA. Including s/s floor frame with anchoring, dimensions: 2600 mm x 2100 mm x 200 mm. New, never used.	1500
518	NN boot rack	S/s boot rack for 18 pairs of boots, dimensions: 2000 mm x 480 mm x 1600 mm. Some pegs are broken.	75
519	NN boot rack	S/s boot rack for 23 pairs of boots, dimensions: 2000 mm x 480 mm x 1600 mm. One peg is broken.	75
520	NN boot rack	S/s boot rack, for 20 pairs of boots, dimensions: 1090 mm x 360 mm x 1800 mm.	50
521	NN boot rack	S/s boot rack with 39 pegs, dimensions: 800 mm x 450 mm x 1500 mm.	50
522	Kersting	Kersting gooseneck elevating belt, type: FB Z-Förderer, machine number: Pos.01, year of construction: 2011, 400 V, 50 he, s/s frame, plastic belt with dividers, belt width: 295 mm, divider height: 80 mm, distance between dividers: 200 mm, elevating height: 2230 mm, total dimensions: 3450 mm x 700 mm x 2350 mm.	500
523	NN trolleys	2 s/s trolleys, 8 floors with perforated plates, ø perforations: 15 mm, dimensions floors: 1100 mm x 750 mm x 70 mm, total dimensions: (2x) 1100 mm x 830 mm x 1270 mm.	300



524	NN trolleys	2 s/s trolleys, 8 floors with perforated plates, $\emptyset$ perforations: 15 mm, dimensions floors: 1100 mm x 750 mm x 70 mm, total dimensions: (2x) 1100 mm x 830 mm x 1270 mm.	300
525	NN trolleys	4 s/s trolleys, 8 floors with perforated plates, $\emptyset$ perforations: 15 mm, dimensions floors: 1100 mm x 750 mm x 70 mm, total dimensions: (4x) 1100 mm x 830 mm x 1270 mm.	600
526	NN trolleys	8 s/s trolleys, 8 floors with perforated plates, $\emptyset$ perforations: 15 mm, dimensions floors: 1100 mm x 750 mm x 70 mm, total dimensions: (8x) 1100 mm x 830 mm x 1270 mm.	1200



## **General terms of the online auction**

### **Article 1. Definitions**

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website [www.Industrial-Auctions.com](http://www.Industrial-Auctions.com), which is maintained by Industrial Auctions, based in Eindhoven;

### **Article 2. Applicability**

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

### **Article 3. Registration on the website and the use**



3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Government laws and regulations, such as the Money Laundering and Terrorist Financing Prevention Act (WWFT), may impose (additional) obligations on Industrial Auctions. The client is required to provide all information requested by Industrial Auctions including (but not limited to) information about the client's identity to establish and verify this further, to verify and record the identity of the ultimate beneficial owner, the purpose and nature of the engagement or to exercise a transaction or an ongoing control over the business relationship or the natural person who represents or is authorized to do so by the client and whether the client is acting for themselves or for a third party. If the requested information is not supplied within



5 days after the first request, Industrial Auctions may immediately terminate the agreement and, pending the information, Industrial Auctions may suspend the services. Industrial Auctions is then not obliged or liable for any compensation for damages.

#### **Article 4. The auction**

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the supporting system;
- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

#### **Article 5. Security**



5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

#### **Article 6. Description lots**

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark.

Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

#### **Article 7. Adjustments; operation**

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

#### **Article 8. Auction organization by Industrial Auctions**



8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;
- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

### **Article 9. Bid; Purchase Agreement**

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that





moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

#### **Article 10. Guarantees, claims and indemnities**

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no



indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

#### **Article 11. Payment obligations of the buyer**

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

#### **Article 12. Viewing days, auction days, pick-up days**

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so



entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

### **Article 13. Delivery**

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance



policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

#### **Article 14. Termination**

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

#### **Article 15. Liability**

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at



least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care.

Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

## **Article 16. Applicable law**

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.





**Industrial  
Auctions** BV



**Industrial  
Auctions** BV

Address: Looyenbeemd 11  
5652 BH Eindhoven, Netherlands  
Tel.: +31 (0)40 2409 208  
Email: [info@industrial-auctions.com](mailto:info@industrial-auctions.com)  
Web: [www.industrial-auctions.com](http://www.industrial-auctions.com)

**Upcoming auctions:**

- 27-02 Day 1: Online auction machinery and inventory at former production location Homann Feinkost GmbH on behalf of Progressu GmbH in Dissen aTW (DE)**
- 28-02 Day 2: Online auction machinery and inventory at former production location Homann Feinkost GmbH on behalf of Progressu GmbH in Dissen aTW (DE)**
- 01-03 Day 3: Online auction machinery and inventory at former production location Homann Feinkost GmbH on behalf of Progressu GmbH in Dissen aTW (DE)**