



Industrial Auctions BV

Online auction machinery for the food industry in
Emmeloord (NL)

Closing: 08 February 2023 from 14:00 hrs.



Viewing day:

Address:

Bedrijfsweg 7
8304 AA Emmeloord
Netherlands



General terms and conditions of the online auction

Closing date	08 February 2023 from 14:00 hrs.
Viewing	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	17% over the highest bid
VAT	21% over the highest bid including Premium
Pick up date	15 February 2023 from 09:00 till 16:00 hrs.
Pick up address	Bedrijfsweg 7 8304 AA Emmeloord Netherlands
Delivery instructions	The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Industrial Auctions B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick up bought lots) will only take place on the mentioned delivery date/time and address..
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 0050339999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	BBC Technologies	BBC Technologies mobile height adjustable low drop inspection table, product: ITLD, model number: 50482, serial number: 115039, s/s frame, plastic belt, belt width: 1015 mm, total dimensions: 3950 mm x 1400 mm x 1600 mm. Belt damaged.	1000
2	BBC Technologies	BBC Technologies 10-lanes linear weigher, product: FBW, model number: 30174, serial number: 115018, 200-240 V, 1 Ph, 50 Hz, 10 A, with height adjustable tray conveyor with dividers, belt width: 255 mm, height dividers: 75 mm, distance between dividers: 150 mm (adjustable), total dimensions weigher: 2450 mm x 1450 mm x 1900 mm, total dimensions tray conveyor: 4750 mm x 1250 mm x 1200 mm.	12500
3	Mettler Toledo Safeline	Mettler Toledo Safeline X-ray machine, model: ADV3, serial number: 1143ADV3, year of construction: September 2008, 220 V, 50 Hz, 10 A, 2.2 kW, clearance: 360 mm x 200 mm, total dimensions: 1800 mm x 1000 mm x 1680 mm. Missing belt.	4000
4	Christiaens Agro Systems	Christiaens Agro Systems 90° curve conveyor, type: 3000 200, machine number: 150506011, year of construction: 2015, s/s frame, plastic mesh belt, belt width: 200 mm, total dimensions: 3150 mm x 1350 mm x 940 mm.	500
5	Espera	Espera mobile labelling machine with top and bottom labeller, type: ES 1220, year of construction: 2015, 230 V, 50-60 Hz, 4 A, belt width: 272 mm, total dimensions: 1500 mm x 1100 mm x 1700 mm.	5000
6	Niro-Tech	Niro-Tech tiltable paddle mixer, model: RX-150, volume: 150 liter, dimensions: 1300 mm x 700 mm x 1600 mm.	4000
7	Yamato Scale Dataweigh LTD	S/s platform with s/s vibrating gutter and Yamato Scale Dataweigh LTD multihead weigher, model number: ADW-A-03108, serial number: WG171267, year of construction: 2018.03, 200-240 V, 1 Ph, 50/60 Hz, 3.5 A, maximum weight range: 1000 gram, infeed height: 3530 mm, total dimensions: 5850 mm x 3300 mm x 4070 mm.	20000
8	BBC Technologies	BBC Technologies mobile lift belt, product: LIFT BELT, model number: 50270, serial number: 115036, s/s frame, plastic belt with dividers, belt width: 860 mm, elevating height adjustable, elevating height: 1650 mm, total dimensions: 2900 mm x 1400 mm x 2180 mm.	500



9	Poly-clip System GmbH	Poly-clip System GmbH mobile double clipper, type: PDC 600, number: 648, year of construction: 2000, dimensions: 1100 mm x 600 mm x 1920 mm.	2000
10	Norfo	Norfo portioning machine, type: 900.80.324, number: 80.269, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 20 A, 6 kW, plastic belt width: 300 mm, total dimensions: 3100 mm x 1300 mm x 1880 mm.	4000
11	Mettler Toledo Garvens GmbH	Mettler Toledo Garvens GmbH checkweigher with rejecter, type: XS 3, fabrication number: 35004534, year of construction: 2013, 100-240 V, 50-60 Hz, maximum weight: 1000 gram, minimum weight: 7 gram, e=d=: 0.5 gram, capacity: 95 pieces per minute, maximum belt speed: 40 meters per minute, plastic belts, belt width: 270 mm, total dimensions: 1320 mm x 700 mm x 1500 mm.	3000
12	Transpak	Transpak mobile binding machine, model: TP-601Y3S, machine number: 60902768, year of construction: September 2006, 400 V, 1 Ph, 50 Hz, 3.5 A, clearance: 600 mm x 480 mm, plastic rollers, roller width: 250 mm, total dimensions: 1550 mm x 610 mm x 1900 mm.	250
13	Multiweigh / HD Wiegetechnik	Multiweigh / HD Wiegetechnik 14-heads multihead weigher, type: HDW 14.1.5, machine number: 106, year of construction: 05-2005, dimensions: 1250 mm x 1250 mm x 1650 mm.	5000
14	Noypack	Noypack mobile double chamber vacuum machine, model: DZ400/2SB, 50 Hz, motor power: 0.75 kW, electrothermal power: 0.8 kW, dimensions chamber: (2x) 450 mm x 375 mm x 100 mm, seal length: (2x) 400 mm, total dimensions: 1000 mm x 570 mm x 880 mm.	1500
15	Kronen	Kronen vegetable spiral cutter, type: Spirello SP150, number: 199, year of construction: 2017, 230 V, 1 PH, 50 Hz, 0.9 kW, suitable for spiralsing carrots, courgettes, squash, celeriac etc.	3000
16	Grasselli	Grasselli 4-lane horizontal slicer, model: MPS, serial number: Z20015/300, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 9.1 A, 4.1 kW, air pressure: 7 bar, plastic belt, belt width: (4x) 180 mm, total dimensions: 2000 mm x 1670 mm x 1300 mm. Including large amount of spare parts.	7500



17	Mettler Toledo Garvens GmbH	Mettler Toledo Garvens GmbH metal detector and checkweigher with rejecter, type: XS 3 CC, serial number: 35002315, year of construction: 2010, 100-240 V, 50-60 Hz, maximum capacity: 1300 gram, minimum capacity: 7 gram, e=d=0.5 gram, T=-1170 gram, capacity: 85 pieces per minute, maximum belt speed: 50 meters per minute, plastic belt, belt width: 200 mm, clearance: 250 mm x 160 mm, total dimensions: 2430 mm x 1180 mm x 1730 mm.	5000
18	Fomaco Food Machinery Company A/S	Fomaco Food Machinery Company A/S mobile depositor, model: DPD 20, machine number: 7863 1999, year of construction: 1999, 1x230 V, 50 Hz, 3.0/16 A, dimensions: 700 mm x 900 mm x 1800 mm.	750
19	Koppens Machinefabriek BV	Koppens Machinefabriek BV mobile forming machine, type: VM 400 HD, machine number: VM 400 HD-1335, 380 V, 3 Ph, 50 Hz, 23 A, 7.77 kW, dimensions: 1900 mm x 750 mm x 1850 mm. Incomplete.	3000
20	Auriol	Auriol tiltable double jacketed cooking vessel with agitator, model: M500BM.B, serial number: 5481, year of construction: 2008, volume: 535 liter, 380 V, 50 Hz, 4 kW, dimensions: 2120 mm x 1600 mm x 1800 mm.	3250
21	Mettler Toledo Garvens GmbH	Mettler Toledo Garvens GmbH checkweigher and labelling machine, type: PAS 3012, serial number: 17000579, year of construction: 2010, 100-240 V, 50-60 Hz, maximum weight: 6 kg, minimum weight: 0.020 kg, e=d=0.001 kg, T= 6 kg, capacity: 70 pieces per minute, maximum belt speed: 50 meters per minute, plastic belt, belt width: 300 mm, total dimensions: 2150 mm x 900 mm x 1650 mm.	5000
22	Record	Record flowpacker, model: Scorpion 2010 HD, serial number: 09-10-461, year of construction: 2010, 380 V, 3 Ph, 50/60 Hz, 6 kW, 750 kg, capacity: 20/120 rpm, Markem Imaje date printer, chain infeed belt with dividers, distance between dividers: 350 mm, divider height: 50 mm, seal width: 350 mm, plastic belt, belt width: 180 mm, total dimensions: 4000 mm x 1350 mm x 1900 mm.	7500
23	Kortlever	Kortlever mobile dough sheeter with Alfa-Laval lobe pump, type pump: Optilobe 22, serial number: 157685, 2 s/s rollers, roller width: 800 mm, total dimensions: 1800 mm x 1300 mm x 1750 mm.	2000



24	Jasa	Jasa vertical bag form-, fill-, and seal machine, type: QP 350, machine number: 12210, year of construction: 2013, 400 V, 3 Ph, 16 A, 4.5 kW, 925 kg, operating hours: 11900, Herma labelling machine, side in-fold, seal width: 370 mm, film width: 480 mm, total dimensions: 2400 mm x 2100 mm x 2270 mm.	4500
25	Jasa	Jasa vertical bagging machine for vacuum pouches or with liquid filling, type: J450FV, serie: 10001, machine number: 12323, year of construction: 2014, 400 V, 3 Ph, 3 kW, 16 A, 6 bar, forming set for 400 mm wide pouches, variable length, total dimensions: 2400 mm x 1500 mm x 2480 mm.	8500
26	Jasa	Jasa vertical bag form-, fill-, and seal machine, type: QP 350/912, machine number: 11959, year of construction: 2011, 400 V, 3 Ph, 16 A, 4.5 kW, 925 kg, operating hours: 11958, side in-fold, seal width: 370 mm, film width: 480 mm, total dimensions: 2400 mm x 1600 mm x 2870 mm.	4500
27	Memmert	Memmert incubator, type: B50, fabrication number: 850 695, 220 V, 50/60 Hz, 1600 W, 2 floors, floor dimensions: 790 mm x 480 mm, total dimensions: 920 mm x 660 mm x 890 mm.	100
29	Poly-clip System GmbH	Poly-clip System GmbH mobile double clipper, type: PDC A 700, number: 206, year of construction: 2006, dimensions: 1100 mm x 650 mm x 1920 mm.	5000
30	Unitech	Unitech washing / drying machine for crates with outfeed conveyor, clearance: 800 mm x 250 mm, heating: 4 x 18 kW immersion heaters, dimensions washing machine: 4300 mm x 1500 mm x 1700 mm, outfeed table with s/s belt, belt width: 190 mm, dimensions outfeed table: 2000 mm x 1300 mm x 1300 mm, pallet with Fans & Blower LTD ventilator, dimensions ventilator: 900 mm x 900 mm x 700 mm, s/s switch cabinet, dimensions: 1000 mm x 1000 mm x 300 mm.	3000
31	Koppens	Koppens mobile breeding machine, type: PR400, machine number: PR400-419, 380 V, 3 Ph, 50 Hz, 3.4 A, 0.96 kW, 225 kg, s/s mesh belt, belt width: 400 mm, total dimensions: 3000 mm x 600 mm x 2100 mm.	1750
32	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: ROBOT HP 10 C, type: 142 250 B-1, number: 1420943, 220-240/400-460 V, 3 Ph, 50-60 Hz, 37/21 A, dimensions: 2400 mm x 1310 mm x 1950 mm. Including crate with filling pipes.	6000



34	Prewa Verpackungsmaschinenbau	Prewa Verpackungsmaschinenbau vertical bag form-, fill-, and seal machine, type: 250, number: 5890, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 16 A, seal width: 270 mm, total dimensions: 2000 mm x 1200 mm x 1670 mm.	250
35	Inauen Maschinen AG	Inauen Maschinen AG vacuum machine, type: VC999/07 P/W500, machine number: 0791 1515, 380 V, 3 Ph, 50 Hz, 11.5 A, 7.5 kW, 5-6 bar, dimensions chamber: 455 mm x 950 mm x 180 mm, seal length: 950 mm and (2x) 450 mm, roller width: 400 mm, with Rietschle vacuum pump, total dimensions: 1200 mm x 800 mm x 1050 mm.	200
36	Marel	Marel mobile quickloader, type: QL 3565, serial number: A047814, year of construction: 2007, 3x400-480 Vac, 6 kW, belt width: 350 mm, total dimensions: 2000 mm x 1100 mm x 1400 mm.	500
37	Krämer + Grebe GmbH & Co. KG	Krämer + Grebe GmbH & Co. KG mobile grinder, type: EW114, machine number: 259/408/1, year of construction: 1986, plate diameter: 114 mm, total dimensions: 700 mm x 1050 mm x 1200 mm.	500
38	Cretel	Cretel mobile skinning machine, type: 856 PX, serial number: E8560141, year of construction: 2013, 230-400 V, 3 Ph, 50 Hz, 3.8-2.8 A, 1.1 kW, foot control, working width: 530 mm, total dimensions: 950 mm x 610 mm x 1000 mm. Missing knife.	500
39	Scanvaegt	Scanvaegt portion cutter, type: B-36, serial number: 17142.80.0615, year of construction: 2006, 3x400 V, 50/60 Hz, 8 kW, 13/32 A, belt width: 300 mm, clearance: 350 mm x 115 mm, total dimensions: 3050 mm x 1150 mm x 1850 mm.	4000
41	MPL	MPL horizontal sealing machine, type: MK5, serial number: 0705/61S, seal width: 720 mm, plastic rollers, roller width: 200 mm, foot control, total dimensions: 1250 mm x 800 mm x 1500 mm.	100
43	MPL	MPL horizontal sealing machine, type: MK5, seal width: 720 mm, plastic rollers, roller width: 200 mm, foot control, total dimensions: 1250 mm x 800 mm x 1500 mm.	100
44	Newtec	Newtec checkweigher, type: CW5000, number: 4085, year of construction: 1998, 230 V, 1 Ph, 50 Hz, 1 A, 0.2 kW, s/s frame, plastic rollers, roller width: 350 mm, total dimensions: 900 mm x 800 mm x 1300 mm. Defect.	250



45	Webomatic	Webomatic double chamber vacuum machine, type: PNC 30-A-D-MZ, number: 559cc2222, 230/400 V, 50 Hz, seal length: (2x) 850 mm, dimensions chamber: (2x) 850 mm x 650 mm, total dimensions: 1900 mm x 900 mm x 1500 mm. Without vacuum pump.	1250
46	Safeline/ Mettler Toledo Garvens	Safeline metal detector with Mettler Toledo Garvens checkweigher, 100-240 V, 50/60 Hz, 330 W, type checkweigher: S 3, serial number: 33004802, year of construction: 2006, 230 V, 50/60 Hz, maximum weight: 1500 gram, minimum weight: 10 gram, e=: 0.5 gram, d=: 0.1 gram, T=: -1500 gram, plastic belt, belt width: 300 mm, clearance: 350 mm x 160 mm, total dimensions: 2600 mm x 1100 mm x 1960 mm.	5000
47	Newtec	Newtec checkweigher, type: CW5000, number: 3756, year of construction: 1997, 230 V, 1 Ph, 50 Hz, 1 A, 0.2 kW, s/s frame, plastic rollers, roller width: 350 mm, total dimensions: 900 mm x 800 mm x 1300 mm.	500
48	Newtec	Newtec checkweigher, type: CW5000, number: 3002, year of construction: 1995, 240 V, 1 Ph, 50 Hz, 1 A, 0.2 kW, s/s frame, plastic rollers, roller width: 350 mm, total dimensions: 900 mm x 800 mm x 1300 mm.	500
49	Newtec	Newtec checkweigher, type: CW5000, number: 3563, year of construction: 1997, 240 V, 1 Ph, 50 Hz, 1 A, 0.2 kW, s/s frame, plastic rollers, roller width: 350 mm, total dimensions: 900 mm x 800 mm x 1300 mm.	500
50	Kaj Olesen	Kaj Olesen mobile pin bone remover, type: C, serial number: 011-14-20, year of construction: 1.8.99, plastic belt, belt width: 670 mm, total dimensions: 2100 mm x 900 mm x 1350 mm.	500
51	Ishida Europe Manufacturing LTD	Ishida Europe Manufacturing LTD checkweigher, model: DACS-W-050-SB-WP-I, serial number: 550080, year of construction: JAN 2000, 220 V, 1 Ph, 50 Hz, 2 A, weighing range: 5000 gram, belt width: 370 mm, total dimensions: 2450 mm x 1420 mm x 1450 mm.	1500
52	Ishida Europe LTD	Ishida Europe LTD multihead weigher, 14-heads, model: CCW-RS-214W-1S-30-WP, serial number: 561876, year of construction: 01/2012, 240 V, 1 Ph, 50 Hz, 8 A, machine weight: 550 kg, dimensions: 1350 mm x 1350 mm x 1500 mm. Some weighing heads are missing.	4500



53	Automation Systems BV	Automation Systems BV infeed belt for Record flowpacker, type: PAT114, year of construction: 2006, 400 V, 13 A, 6 kW, belt width: 200 mm and (2x) 60 mm, total dimensions: 2700 mm x 800 mm x 1900 mm.	3500
54	Record	Record flowpacker, model: Scorpion MD SP, serial number: 09-06-536, year of construction: 2006, speed: 20/100 rpm, power: 6 kW, weight: 850 kg, seal length: 350 mm, working width: 250 mm, belt width outfeed belt: 220 mm, total dimensions: 3950 mm x 1260 mm x 2150 mm.	7500
55	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile skinning machine, type: EVM 4004, number: 46319, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 2.15 A, 0.75 kW, working width: 425 mm, total dimensions: 800 mm x 700 mm x 1000 mm.	500
56	Ulma	Ulma flowpacker, model: Sienna LS BI, serial number: 1219817, year of construction: 2010, 400 V, 50 Hz, 10 A, 6.5 kW, belt width infeed belt: 300 mm, belt width outfeed belt: 280 mm, total dimensions flowpacker: 2650 mm x 1300 mm x 1760 mm, total dimensions infeed belt: 3000 mm x 1400 mm x 1000 mm.	7500
57	Lowara	Lowara centrifugal pumps, dimensions: 600 mm x 350 mm x 500 mm.	50
58	Schröder	Schröder tenderizer, 95 needles, s/s walking beam, beam width: 350 mm, total dimensions: 1750 mm x 650 mm x 1570 mm.	1250
59	Risco S.P.A.	Risco S.P.A. minced meat portioner, model: RS 913, serial number: P304001, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 2.8 kW, 670 kg, dimensions trays: 235 mm x 180 mm, s/s chain conveyor, width: 240 mm, distance between chains: 180 mm, outfeed belt width: 225 mm, total dimensions: 3600 mm x 950 mm x 2450 mm.	1000
60	Multipond	Multipond 14-heads multihead weigher, type: MP 1401-FFC-70°, serial number: M 2199, year of construction: 2006, 416 V, 3 Ph, 50/60 Hz, maximum weight: 1000 gram, minimum weight: 20 gram, e=d= 0.2/0.5 gram, T= 100 gram, dimensions: 1000 mm x 900 mm x 1730 mm.	2500
61	Ilapak	Ilapak vertical bag form, fill and seal machine, type: VT 400 S, serial number: S 486 96, year of construction: 11-96, 400 V, 50 Hz, 5000 W, clearance filling pipe: 80 mm x 50 mm, vertical seal length: 340 mm, horizontal seal length: 400 mm, total dimensions: 2100 mm x 1500 mm x 2200 mm.	3750



62	Laurijsen Weegautomaten	Laurijsen Weegautomaten 14-heads multihead weigher, dimensions: 1100 mm x 1100 mm x 1500 mm. Including spare bins for multihead weigher.	5000
63	Vemag	Vemag mobile linking machine, model: LPG, type: 202, number: 2020174, 220-240/400-460 V, 3 Ph, 50/60 Hz, 10/7.5 A, dimensions: 1260 mm x 680 mm x 1220 mm. Including 1 extra divider belt. Vacuum filling machine is another lot number, see lot number 38.	2000
64	Ilapak MVS S.p.A.	Ilapak MVS S.p.A. vertical bag form, fill and seal machine, machine type: VT 3000 400 S, serial number: S 1456 04, delivery date: 04/04, 400 V, 50 Hz, 5000 W, diameter filling pipe: 100 mm, vertical seal length: 200 mm, horizontal seal length: 400 mm, total dimensions: 1700 mm x 2100 mm x 1640 mm.	2500
65	TAP Machinebouw BV	TAP Machinebouw BV mobile lid denester, type: DEKMc, serial number: 006-011975, year of construction: belt width: 125 mm, lid dimensions: (4x) 220 mm x 175 mm (oval shaped), total dimensions: 2400 mm x 900 mm x 2100 mm.	500
66	Waldys S.A.	Waldys S.A. packaging machine, model: B-220, serial number: 98-974, year of construction: 2004, 400 V, 3 Ph, 50-60 Hz, 7.5 A, belt width: 375 mm, roller width: 355 mm, total dimensions: 3200 mm x 1600 mm x 1480 mm. Incomplete, covers are damaged.	2000
67	Zebra Technologies	Zebra Technologies mobile label printer, model: 110Xi4, serial number: 14J111800350, 200-240 V, 47-63 Hz, 4 A, 300 W, dimensions: 1000 mm x 800 mm x 1450 mm.	100
68	Nemesis	Nemesis checkweigher, model: PL30, serial number: 14297, 230 V, 50-60 Hz, 20 W, maximum: 3000 gr, minimum: 100 gr, d=0.2 gr, e= 1 gr, plastic belt, belt width: 210 mm, total dimensions: 970 mm x 690 mm x 1550 mm.	500
69	Waldys S.A.	Waldys S.A. packaging machine, model: B-220, serial number: 55-549, year of construction: 2004, 400 V, 3 Ph, 50-60 Hz, 7.5 A, 680 kg, belt width: 375 mm, roller width: 355 mm, total dimensions: 3200 mm x 1600 mm x 1480 mm. Incomplete, covers are damaged.	2000
70	Tehabo	Tehabo mobile labelling machine, serial number: 930672, steel frame, plastic belt, belt width: 500 mm, total dimensions: 1580 mm x 950 mm x 1900 mm.	100



71	AEW Delford	AEW Delford labeller, model: LS40, serial number: LS4054, year of construction: 2007, 220 V, 1 Ph, 3 A, belt width: 195 mm, total dimensions: 1200 mm x 600 mm x 1600 mm.	500
72	Record	Record flowpacker, model: Panda 1000, serial number: 03-99-299, year of construction: 1999, 4 kW, weight: 810 kg, film width: 320 mm, seal length: 250 mm, plastic belt, belt width: 200 mm, total dimensions: 4650 mm x 1100 mm x 1600 mm.	1500
73	CMS-MDG Benelux	CMS-MDG Benelux mobile labelling machine, type: Pat-Lab 60 Vac., serial number: C1301, year of construction: 07-2013, 110-240 V, 50-60 Hz, 2.5 A, dimensions: 1300 mm x 670 mm x 2020 mm.	50
74	Bizerba	Bizerba checkweigher, model: CWE-Neptune, belt width: 200 mm, total dimensions: 1300 mm x 850 mm x 1950 mm.	1500
75	CMS-MDG Benelux	CMS-MDG Benelux mobile labelling machine, type: Compact 70 Vac., serial number: C1403, year of construction: 01-2014, 110-240 V, 50-60 Hz, 2.5 A, dimensions: 1400 mm x 500 mm x 1300 mm.	50
76	AEW Delford	AEW Delford checkweigher and labelling machine, type: 8060, fabrication number: 81056, year of construction: 2004, 230 V, 50 Hz, maximum weight: 4000 gram, minimum weight: 40 gram, e=: 2 gram, T=-1000 gram, capacity: 100 pieces per minute, top and bottom labeller, plastic belt, belt width: 195 mm, total dimensions: 1200 mm x 700 mm x 1600 mm and 1500 mm x 680 mm x 2000 mm.	1750
77	AEW Delford	AEW Delford checkweigher and labelling machine, type: 8060, fabrication number: 86123, year of construction: 2004, 230 V, 50 Hz, maximum weight: 4000 gram, minimum weight: 40 gram, e=: 2 gram, T=-1000 gram, capacity: 100 pieces per minute, top and bottom labeller, plastic belt, belt width: (2x) 90 mm and (1x) 195 mm, total dimensions: 1200 mm x 700 mm x 1600 mm and 1500 mm x 680 mm x 2000 mm.	1500
78	Collamat	Collamat labelling machine, type: C6600, serial number: 3530, year of construction: 02/01, 230 V, 2 A, 200 W, dimensions: 1100 mm x 480 mm x 750 mm	100
79	Packaging Automation Ltd	Packaging Automation Ltd mobile rotary traysealer, serial number: E158918213456, 240 V, 50 Hz, dimensions dye: (2x) 200 mm x 135 mm, total dimensions: 1300 mm x 1200 mm x 1670 mm.	1000



80	HDM	HDM 10-heads linear weigher, model: Multihead weigher AC-6B 10-4A, 29FA, serial number: 88171352, year of construction: 2018-1-12, 230 V, 50 Hz, maximum weight: 5000 g, minimum weight: 50 g, maximum speed: 50 per minute, belt width: 150 mm, total dimensions: 1700 mm x 1900 mm x 2100 mm.	1500
81	Marco	Marco weighing scale, model: LMIII, serial number: 49473, 90-250 V, 50-60 Hz, 0.8 A, minimum weight: 40 gram, maximum weight: 6000-12000 gram, e = 2/5 gram, T = -12000 gram, dimensions scale: 650 mm x 500 mm, total dimensions: 1000 mm x 900 mm x 1850 mm.	200
82	NN transport belt	Transport belt, s/s frame, plastic belt with dividers, belt width: 380 mm, distance between dividers: 190 mm, divider height: 20 mm, total dimensions: 2000 mm x 570 mm x 370 mm.	150
83	AEW Sortaweigh LTD	AEW Sortaweigh LTD checkweigher, type: 8060, factory number: 86125, year of construction: 2004, temperature range: 0/+35 °C, maximum: 4000 gram, minimum: >40 gram, e= 2 grams, weighing speed: 58 pieces per minute, BBK labeller, serie: Rapid "S", serial number: SR 120/0404-3115 S, machine number: 24201118, year of construction: 2004, belt width: 200 mm and (2x) 90 mm, total dimensions: 3100 mm x 1000 mm x 1850 mm.	2500
84	Ceia	Ceia metal detector head, model: THS/G-100, serial number: 20200231003, 115/230 V, 50-60 Hz, diameter pipeline: 100 mm, total dimensions: 600 mm x 300 mm x 400 mm.	150
85	Robbe	Weighing scale with Robbe indicator, model: Robbe 9306, type: 9306/PWE/SS 1510, number: 14904, maximum weight: 60 kg, minimum weight: 400 gram, e=: 20 gram, dimensions weighing scale: 600 mm x 400 mm.	100
86	Busch	Busch vacuum pump, type: RA0063 F 503, serial number: D16300504, Vmax: 63 m ³ /h, dimensions: 600 mm x 400 mm x 300 mm.	250
87	Noypack	Noypack mobile double chamber vacuum machine, model: DZ400/2SB, 50 Hz, motor power: 1.1 kW, electrothermal power: 1.5 kW, dimensions chamber: (2x) 600 mm x 425 mm x 100 mm, seal length: (2x) 600 mm, total dimensions: 1400 mm x 650 mm x 930 mm.	1750



88	Ulma	Ulma shrink tunnel, machine model: T-150-MR, machine number: 1530025, year of construction: 2005, 415 V, 50 Hz, 26 A, 17 kW, roll width: 450 mm, clearance: 470 mm x 250 mm, total dimensions: 1750 mm x 1250 mm x 1450 mm.	1250
89	MBP S.r.l	MBP S.r.l 14-heads multihead weigher, model: 14 Teste M, serial number: 0436, year of construction: 2004, dimensions: 1800 mm x 1800 mm x 2000 mm.	2500
90	Newtec	Newtec tray filling machine with 2 batch weighers, type: NBM50G, number: 10636, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 0.6 MPa, dimensions trays: 185 mm x 135 mm x 45 mm, belt width: 200 mm, distance between dividers: 150 mm, divider height: 150 mm, total dimensions: 2300 mm x 2200 mm x 1550 mm.	4000
91	ACB Solutions	ACB Solutions turning table, s/s frame, plastic top, machine number: 003, diameter top: 1500 mm, dimensions: 1500 mm x 1500 mm x 980 mm.	500
92	Hiwell	Hiwell mobile batter mixer, model: DJJ100-II, serial number: 1312156, year of construction: 2021.07.10, 380 V, 3 Ph, 50 Hz, 3.00 kW, volume: 100 liter, dimensions: 1350 mm x 800 mm x 1750 mm.	2500
93	Sivaron	Sivaron mobile automatic strapping machine, model: SS-80MD, machine number: 13324509, 400 V, 3 Ph, 50 Hz, 0.95 KVA, clearance: 640 mm x 480 mm, total dimensions: 1500 mm x 600 mm x 2100 mm.	250
94	Sealpac GmbH	Sealpac GmbH traysealer, type: Sealpac 350, serial number: TVG 02 955 01, year of construction: 2004, 400/230 V, 3 Ph, 3 kW, 450 kg, dimensions dye: 330 mm x 185 mm, film width: 220 mm, chain conveyor, distance between dividers: 100 mm and 75 mm, total dimensions: 5500 mm x 800 mm x 1800 mm.	3500
95	Packaging Automation Ltd	Packaging Automation Ltd mobile rotary traysealer, serial number: 182715, 240 V, 50 Hz, dimensions: 1320 mm x 1090 mm x 1710 mm. Incomplete, missing dyes.	1000
96	HM Scales	HM Scales weighing scale, type: ISCI-R, serial number: 3M60 1263, 230 V, maximum weight: 60 kg, minimum weight: 400 gram, e=: 20 gram, T=: -60 kg, dimensions: 600 mm x 500 mm x 830 mm.	100
97	Busch	Busch vacuum pump, type: RA0100 F 503, number: D17062308, Vmax: 100 m ³ /h, year of construction: 2017, dimensions: 700 mm x 400 mm x 300 mm.	250



98	Busch	Busch vacuum pump, type: RA 0100 F 503, number: D17062306, Vmax: 100 m ³ /h, year of construction: 2017, dimensions: 700 mm x 400 mm x 300 mm.	250
99	Sorma S.p.A	Sorma S.p.A netting machine, model: RTR 122B, serial number: 1050437, year of construction: 2015, dimensions pipe: Ø 190 mm x 800 mm, brush width: 220 mm, total dimensions: 900 mm x 800 mm x 1550 mm.	150
100	NN quad	Quad, 50 cc, 2 stroke engine, maximum speed: 50 km/hour, road legal, dimensions: 1500 mm x 900 mm x 1120 mm.	500
102	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt, belt width: 480 mm, elevating height: 1600 mm, total dimensions: 2650 mm x 680 mm x 1600 mm.	250
104	Herbert Industrial LTD	Herbert Industrial LTD mobile labelling machine with top labeller, part number: CYCLONE II, serial number: H585487, year of construction: 2003, 230 V, 1 PH, 50 Hz, plastic belt, belt width: 250 mm, total dimensions: 1700 mm x 900 mm x 2130 mm.	500
105	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer, model: Caseus, machine number: 4140P0.135901.103688, year of construction: 2007, 380-480 V, 3 Ph, 50/60 Hz, 10/16 A, 5.0 kW, weight: 800 kg, dimensions chamber: 165 mm x 165 mm, total dimensions: 1900 mm x 2100 mm x 1900 mm.	5000
106	Lock Inspection Systems	Lock Inspection Systems metal detector head, model: Insight, serial number: 53055-1, year of construction: 01-13, 100-240 V, 50/60 Hz, 3 A, diameter: 150 mm, total dimensions: 400 mm x 380 mm x 120 mm.	150
107	Avery Berkel	Avery Berkel checkweigher with top labeller, type number checkweigher: 70724-134, serial number: 119 00 0230, maximum: 3 / 6 / 8 kg, minimum: 0.02 kg, e = 1 / 2 / 5 gram, 230 V, 1 Ph, 50-60 Hz, 3 A, labeller type number: 70724-129, serial number: 54 01 1296, plastic belt, belt width: (2x) 130 mm, total dimensions: 1300 mm x 700 mm x 1750 mm.	250
108	Tevopharm	Switch cabinet for Tevopharm flowpacker, type: P5-HS-L, dimensions: 1900 mm x 500 mm x 1700 mm.	100



109	Kronen	Kronen vegetable washer with filter and elevating outfeed belt, type: GEWA 5000B Plus, serial number: 861, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 13.0 kW, plastic elevating belt, belt width: 830 mm, elevating height: 1700 mm, dimensions washer: 3850 mm x 1050 mm x 1480 mm, dimensions filter and elevating belt: 2350 mm x 1600 mm x 1900 mm.	7500
110	Comek S.r.L.	Comek S.r.L. 20-heads multihead weigher, model: CK20ST, serial number: 0061, year of construction: 2006, dimensions: 1600 mm x 1600 mm x 1750 mm.	2000
111	Kronen	Kronen vegetable washer with filter and vibrating gutter, type: GEWA 5000B Plus, serial number: 870, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 12.0 kW, s/s gutter, gutter width: (6x) 130 mm, elevating height: 1700 mm, dimensions washer: 3850 mm x 1050 mm x 1480 mm, dimensions filter and vibrating gutter: 1950 mm x 1550 mm x 1750 mm.	7500
112	Safeline / Mettler Toledo	Safeline / Mettler Toledo mobile metal detector with rejector, serial number: 94250, 415 V, 3 Ph, 50 Hz, 300 W, plastic belt, belt width: 300 mm, clearance: 350 mm x 115 mm, total dimensions: 2350 mm x 1350 mm x 1520 mm.	1500
113	Feltracon	Feltracon centrifuge, type: 80D, number: 3433-80D1, year of construction: 2008, 400 V, 11 kW, diameter centrifuge: 1190 mm, dimensions sieve holes: 2 mm, total dimensions: 1800 mm x 1400 mm x 1770 mm and 1750 mm x 1470 mm x 1850 mm.	7500
114	Multivac	Multivac thermoformer, type: R245, serial number: 140990, year of construction: 2010, 415 V, 3 Ph, 50 Hz, 58-80 A, 20 kW, dimensions dye: (1x) 395 mm x 475 mm, film width: 460 mm, total dimensions: 6000 mm x 1100 mm x 2210 mm. Without vacuum pump.	20000
117	Jasa	Jasa mobile elevating belt, type: AUTB, machine number: 11603, year of construction: 2008, 400 V, 3 Ph, 1 A, 0.25 kW, s/s frame, plastic mesh belt with dividers, belt width: 300 mm, distance between dividers: 200 mm, divider height: 30 mm, elevating height: 1300 mm, total dimensions: 2900 mm x 630 mm x 1350 mm.	250
118	Sealpac GmbH	Sealpac GmbH traysealer, type: SEALPAC 350, serial number: TVG 02 2172 01, year of construction: 2010, 3 x 400/230 V, 3 kW, weight: 450 kg, film width: 230 mm, dye: (2x) 170 mm x 120 mm, total dimensions: 3200 mm x 700 mm x 1800 mm.	4000



119	Jasa	Jasa mobile elevating belt, type: AUTB, machine number: 11394, year of construction: 2006, 400 V, 3 Ph, 1 A, 0.25 kW, s/s frame, plastic mesh belt with dividers, belt width: 300 mm, distance between dividers: 200 mm, divider height: 30 mm, elevating height: 1300 mm, total dimensions: 2900 mm x 630 mm x 1350 mm. Belt missing.	250
120	Gardner Denver	Gardner Denver air compressor, type: ESS 11-10 EANA, serial number: 14010369, year of construction: 2001, 400 V, 50 Hz, 11 kW, pressure: 10 bar, 6315 rpm, capacity: 1.43 m ³ /min, weight: 360 kg, dimensions: 960 mm x 720 mm x 1400 mm.	250
121	Ishida/Optima	Ishida/Optima 14-heads multihead weigher, model: CCW-NZ-2T4WS/20 WP, serial number: 500886, year of construction: 1999, 230 V, 1 Ph, 6.1 A, weight: 530 kg, dimensions: 1500 mm x 1500 mm x 1700 mm, switch cabinet on s/s frame, dimensions: 1200 mm x 950 mm x 670 mm.	1000
122	Dema	Dema mobile high pressure foam unit, dimensions: 550 mm x 600 mm x 900 mm.	200
123	Jasa	Jasa mobile elevating belt, type: AUTB, machine number: 11271, year of construction: 2005, 400 V, 3 Ph, 2 A, 0.5 kW, s/s frame, plastic mesh belt with dividers, belt width: 300 mm, distance between dividers: 200 mm, divider height: 30 mm, elevating height: 1300 mm, total dimensions: 2900 mm x 630 mm x 1350 mm.	250
124	Repak	Repak thermoformer, type: RE 25, machine number: 2500020, year of construction: 2006, 220/240 V, 3 Ph, 50 Hz, 12 kW, 30 A, dye: (12x) 85 mm x 110 mm, index: 400 mm, total dimensions: 10600 mm x 1400 mm x 2100 mm, with MR Etikettiertechnik GmbH & Co. KG labellers, type: MR635 and MR625, year of construction: 2009, dimensions: (2x) 1400 mm x 500 mm x 500 mm, switch cabinet, dimensions: 700 mm x 600 mm x 1650 mm, suction device for rest film and 3 pallets with parts and dyes, dye dimensions: (6x) 115 mm x 190 mm.	4000
125	NN trolley for dye's	S/s trolley for dye's, dimensions: 1200 mm x 700 mm x 1330 mm.	250
126	OK Packaging Systems bv	OK Packaging Systems bv box closing machine with top and bottom labeller, machine type: H7.2, machine number: 00-701484, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 0.8 + 1.9 A, weight: 120 kg, roller width: 500 mm, dimensions: 1800 mm x 1000 mm x 1700 mm. Technical condition unknown.	100



128	Cryovac	Cryovac belt vacuum machine, model number: VS20DC RH, serial number: SN01106, year of construction: 2008, 400 V, 50 Hz, 40 A, 13 kW, 6 bar, 10 Nm ³ /h, belt width: 510 mm, seal length: 950 mm, total dimensions: 2500 mm x 1000 mm x 1150 mm. Vacuum pump is missing.	1500
129	Fuji	Fuji flowpacker, model: FW3710/B, Videojet Dataflex date printer, model: DataFlex 6530, year of construction: 2021, chain infeed conveyor with dividers, distance between dividers: 300 mm, plastic belt, belt width: 240 mm, dimensions flowpacker: 3100 mm x 1400 mm x 1750 mm, dimensions infeed conveyor: 5000 mm x 700 mm x 970 mm.	1500
130	Proseal uk Ltd	Proseal uk Ltd mobile traysealer, serial number: 2063, year of construction: 2010, 230 V, 50 Hz, 6 bar, dye: (4x) 870 mm x 870 mm, total dimensions: 1400 mm x 1000 mm x 1700 mm. Incomplete, technical conditions unknown.	750
131	Safeline/ Ishida	Safeline metal detector with Ishida checkweigher and rejector, model metal detector: Signature ² , plastic belts, belt width: 300 mm and (2x) 370 mm, clearance: 450 mm x 250 mm, total dimensions: 2750 mm x 1400 mm x 1580 mm.	3500
132	Loma Systems	Loma Systems metal detector, model: Loma Superscan Micro ISC, belt width: 400 mm, clearance: 450 mm x 310 mm, total dimensions: 2100 mm x 1000 mm x 1250 mm.	750
133	Metalcheck	Metalcheck metal detector with weighing scale, plastic belt, belt width: 240 mm, clearance: 350 mm x 255 mm, total dimensions: 3000 mm x 900 mm x 1700 mm. Scale is incomplete.	750
134	NN tray denester	Mobile tray denester, dimensions trays: (3x) 200 mm x 170 mm, total dimensions: 1000 mm x 950 mm x 1900 mm. Including extra set for trays, dimensions trays: (3x) 120 mm x 120 mm.	500
135	Scotsman	Scotsman ice machine, dimensions: 1100 mm x 780 mm x 1300 mm. Technical condition unknown.	250
136	Newtec	Newtec checkweigher, type: CW5000, number: 3001, year of construction: 1995, 230 V, 1 Ph, 50 Hz, 1 A, 0.2 kW, s/s frame, plastic rollers, roller width: 350 mm, total dimensions: 900 mm x 800 mm x 1300 mm.	250



137	Boccuzzi	Boccuzzi mobile electric double deck oven, model: YCD-2-4D1, manufacturing date: 2022-06, 380 V, 50 Hz, 13.2 kW, temperature: 300 °C, weight: 135 kg, inside dimensions each deck: 870 mm x 680 mm x 225 mm, total dimensions: 1250 mm x 820 mm x 1300 mm.	1500
138	Boccuzzi	Boccuzzi mobile electric triple deck oven, model: YCD-3-6D, serial number: 0114, manufacturing date: 2022-06, 380 V, 50 Hz, 19.8 kW, temperature: 300 °C, weight: 175 kg, inside dimensions each deck: 870 mm x 680 mm x 225 mm, total dimensions: 1250 mm x 820 mm x 1450 mm.	2000
139	Marel	Marel sorting belt, type: dis-ma42, serial number: A033542, year of construction: 2005, 400 V, 3 Ph, 0.37 kW, 12 rejecters, plastic belt, belt width: 300 mm, total dimensions: 4700 mm x 1550 mm x 1400 mm.	1500
140	FMT	FMT vegetable washer with filter and elevating outfeed belt, type: SW-3060/A, serial number: 1579-01, year of construction: 2003, 230/400 V, 3 Ph, 50 Hz, 6 A, 3 kW, plastic belt, belt width: 700 mm, elevating height: 1450 mm, dimensions washer: 3400 mm x 1100 mm x 1450 mm, dimensions filter: 1600 mm x 1400 mm x 930 mm, dimensions elevating belt: 2800 mm x 1150 mm x 1860 mm. Missing 1 pump.	5000
141	Marel	Marel portion cutter, type: IPM3 X400, model: Laser Eye, serial number: A029534, year of construction: 2004, 380-480 V, 3 Ph, 32 A, 10 kW, approximate belt width: 400 mm, total dimensions: 3200 mm x 1050 mm x 1900 mm.	4000
142	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 400 mm, total dimensions: 6300 mm x 530 mm x 400 mm.	250
143	Carnitech Marel Food Systems	Carnitech Marel Food Systems checkweigher, type: IPS 3000, ID number: 9515, year of construction: 2008, with Marel weighing scale, type: PL2010, serial number: A061829, maximum weight: 6 kg, dimensions scale: 310 mm x 260 mm, belt width: 220 mm, total dimensions: 2200 mm x 900 mm x 1400 mm.	1750
144	Loma Systems	Loma Systems metal detector with rejector, model: IQ, serial number: AMC-40758-14668, year of construction: 1999, 415 V, 3 Ph, 50 Hz, weight: 382 kg, plastic belt, belt width: 300 mm, clearance: 350 mm x 70 mm, total dimensions: 2800 mm x 900 mm x 1630 mm. Damaged.	1000



145	Audion Elektro	Audion Elektro mobile shrink packaging machine, belt width seal machine: 350 mm, seal length: 330 mm and 410 mm, belt width shrink tunnel: 360 mm, clearance: 360 mm x 160 mm, total dimensions: 2400 mm x 860 mm x 1450 mm. Technical condition unknown.	200
146	Noypack	Noypack mobile bottle labeller, belt width: 100 mm, total dimensions: 2800 mm x 1350 mm x 1550 mm.	10000
147	NN sorting belt	Transport belt with rejector, plastic mesh belt, belt width: 500 mm, s/s rollers, roller width: 440 mm, total dimensions: 2200 mm x 700 mm x 1270 mm.	250
148	Meiko	Meiko dishwasher, type: K 160 PI, serial number: 10093713, year of construction: 11-2006, 400 V, 3 Ph, 50 Hz, 55 A, 37 kW, boiler volume: 9 liter, clearance: 500 mm x 450 mm, total dimensions: 1650 mm x 800 mm x 1800 mm.	750
149	Marel	Marel portion cutter, type: IPM3 X400, model: Laser Eye, serial number: A030275, year of construction: 2005, 380-480 V, 3 Ph, 32 A, 10 kW, approximate belt width: 400 mm, total dimensions: 3200 mm x 1050 mm x 1900 mm.	4000
150	Loma Systems	Loma Systems checkweigher and metal detector with rejecters, model: 6000, clearance: 330 mm x 110 mm, plastic belt, belt width: 270 mm, total dimensions: 2100 mm x 1300 mm x 1130 mm.	250
151	Mondial Group srl	Mondial Group srl refrigerated showcase, model: E6021S00G7, serial number: 909SC46249, 220-240 V, 50 Hz, 8,5 A, 860/1700 W, refrigerant: R507, 0.470 kg, capacity: 302 dm ³ , dimensions: 1470 mm x 1070 mm x 1000 mm.	100
152	Mondial Group srl	Mondial Group srl refrigerated showcase, model: E6021S0000, serial number: 811SB82244, 220-240 V, 50 Hz, 8,5 A, 860/1700 W, refrigerant: R507, 0.470 kg, capacity: 302 dm ³ , dimensions: 1470 mm x 1070 mm x 1000 mm.	100
154	Marel	Marel transport belt, s/s frame, plastic belt, belt width: 425 mm, total dimensions: 2000 mm x 800 mm x 900 mm.	250
155	Loma Systems	Loma Systems metal detector with checkweigher, model: IQ ² , serial number: 1012B-29123, year of construction: February 2003, plastic belt, belt width: 250 mm, clearance: 350 mm x 140 mm, total dimensions: 1850 mm x 900 mm x 1400 mm.	100
156	Bohui Intelligent Packaging	Bohui Intelligent Packaging vertical form-, fill-, and seal machine, model: BX-620, serial number: 115X, year of construction: 2016.7.9, 220 V, 21 A, 4.5 kW, seal width: 320 mm, total dimensions: 1500 mm x 1440 mm x 1750 mm.	1000



157	Feltracon	Feltracon transport belt on weighing cells, type: 52W, number: 3433-52W2, year of construction: 2008, 230/400 V, 0.3 kW, s/s frame, plastic belt, belt width: 400 mm, total dimensions: 2500 mm x 1400 mm x 1000 mm.	1000
158	Mountec	Mountec elevating belt, type: RVB400R, serial number: 0611M574, year of construction: 2006-11, 380/400 V, 3 Ph, 50 Hz, foot control, s/s frame, plastic belt, belt width: 400 mm, elevating height: 850 mm, total dimensions: 4500 mm x 650 mm x 1150 mm.	250
159	NN elevating belt	Elevating belt, s/s frame, plastic belt with dividers, belt width: 470 mm, distance between dividers: 300 mm, divider height: 15 mm, total dimensions: 7000 mm x 1080 mm x 750 mm.	500
161	Ishida	Ishida 16-heads multihead weigher, model: CCW-RZ-216B-D/20-CR, number: 25556, year of construction: 1996, 220 V, 50 Hz, 10.3 A, dimensions: 1650 mm x 1650 mm x 1600 mm.	2500
164	Paneltex Ltd	Paneltex Ltd blast freezer, model: 100 kW Blastfreezer, serial number: PA 4724, year of construction: 2003, inside dimensions: 11400 mm x 3450 mm x 3250 mm, with 2 build-in Bitzer Kühlmaschinenbau GmbH cooling compressors, refrigerant: R449A, total dimensions: 15150 mm x 3900 mm x 3250 mm, including Trenkamp & Gehle GmbH steel frame for blast freezer, dimensions: 15200 mm x 2880 mm x 940 mm.	25000
166	Stalam	Stalam industrial microwave, type: Thermal processing equipment, model: RF 2X 40 kW, number: 1645/2, year of construction: 2006, 380 V, 3 Ph, 50 Hz, 66 KVA, plastic mesh belt, belt width: 750 mm, clearance: 1900 mm x 210 mm, total dimensions: 12750 mm x 2750 mm x 3000 mm.	4500
167	Hellings Machinebouw	Hellings Machinebouw rejector belt, year of construction: 2020, 230 V, 1 Ph, 50 Hz, 1.9 A, s/s frame, plastic belt.	250
168	SFK Danfotech	SFK Danfotech tiltable vacuum tumbler, type: MA3000SD, serial number: 836, year of construction: 2000, 415 V, 3 Ph, 50 Hz, 16.8 A, 7.7 kW, working pressure: 100 bar, volume: 3000 liter, total dimensions: 2000 mm x 3400 mm x 2600 mm.	5000
170	NN filter tub	Filter tub with Lowara pump, type pump: 2HMS7, capacity: 20-50 liter per minute, inside dimensions tub: 1040 mm x 940 mm x 1100 mm, total dimensions: 1300 mm x 960 mm x 2700 mm.	250



171	Stork Townsend B.V.	Stork Townsend B.V. meat harvester, model: DMM 10, serial number: B09021, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 12 kW, 1860 kg, ø chamber: 215 mm, length: 450 mm, ø filter: 5 mm, total dimensions: 3200 mm x 1000 mm x 2000 mm, Denison hydraulics hydraulic unit, type: N19-01334-A, year of construction: 15-09-2006, dimensions: 1650 mm x 800 mm x 1900, including s/s switch cabinet, dimensions: 850 mm x 400 mm x 1800 mm.	4500
172	AEW Sortaweigh LTD	AEW Sortaweigh LTD checkweigher, type: 8060, factory number: 86177, year of construction: 2004, weighing range: 4000 gram, temperature range: 0/+35 °C, maximum: 4000 gram, minimum: >40 gram, e= 2 grams, weighing speed: 60 pieces per minute, BBK labeller, serie: Rapid "S", serial number: SR 120/0406-3141 S, machine number: 24201118, year of construction: 2004, belt width: 200 mm and (2x) 90 mm, total dimensions: 3100 mm x 1000 mm x 1850 mm.	1500
173	Spang & Brands	Spang & Brands 10-heads linear weigher, lane width: 120 mm, total dimensions: 1700 mm x 1450 mm x 850 mm, 3 elevating belts with dividers, belt width: 250 mm, distance between dividers: 210 mm, divider height: 35 mm, total dimensions: (3x) 4400 mm x 500 mm x 740 mm, transport belt with dividers, belt width: 195 mm, distance between dividers: 100 mm, divider height: 15 mm, total dimensions: 2000 mm x 400 mm x 600 mm, 4-lane buffer conveyor, type: BVC9.9, fabrication number: 28 416-20, year of construction: 10/93, belt width: (3x) 300 mm, total dimensions: 2400 mm x 1700 mm x 970 mm, control panel, dimensions: 670 mm x 500 mm x 350 mm, steel frame for lineair weigher, dimensions: 1440 mm x 950 mm x 2140 mm.	500
174	AEW Delford	AEW Delford checkweigher and labelling machine, type: 8060, fabrication number: 86157, year of construction: 2004, 230 V, 50 Hz, maximum weight: 4000 gram, minimum weight: 40 gram, e=d=: 2 gram, T=: -1000 gram, plastic belts, belt width: (2x) 90 mm and (1x) 195 mm, total dimensions: 3100 mm x 700 mm x 1800 mm.	1750
175	Busch	Busch vacuum pump, type: RB 0021 C 3Z3, serial number: CZM121480888, year of construction: 2021, 20 kg, capacity: 24 m ³ per hour, dimensions: 400 mm x 250 mm x 170 mm.	500



176	Mettler Toledo Garvens GmbH	Mettler Toledo Garvens GmbH metal detector and checkweigher with rejecters, type: XS 3 CC, serial number: 35001554, year of construction: 2009, 100-240 V, 50-60 Hz, maximum weight: 1300 gram, minimum weight: 10 gram, e=d=: 0.5 gram, T=: -1170 gram, capacity: 135 pieces per minute, maximum belt speed: 50 meters per minute, plastic belt, belt width: 190 mm, clearance: 250 mm x 190 mm, total dimensions: 2050 mm x 1050 mm x 1750 mm.	5000
177	Ilpra	Ilpra traysealer, machine serie: Foodpack, model: Speedy V/G, serial number: FP 5128, year of construction: 2002, 380 V, belt width infeed conveyor: 430 mm, fye: (2x) 240 mm x 190 mm, total dimensions: 2450 mm x 900 mm x 1450 mm. Incomplete, technical condition unknown.	500
178	Busch	Busch vacuum pump, type: RA 0302 D 5S1 CUZZ, number: C0844000297, year of construction: 2008, capacity: 302 m ³ per hour, dimensions: 1250 mm x 600 mm x 950 mm.	950
179	NN curve conveyor	Mobile S-shaped curve conveyor, s/s frame, plastic belt, belt width: 250 mm, total dimensions: 3200 mm x 1200 mm x 1570 mm.	250
180	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 440 mm, total dimensions: 850 mm x 550 mm x 660 mm.	250
182	Eillert B.V.	Eillert B.V. vegetable washer with filter, type: GWT-2-500, machine number: 463, year of construction: 2009-13, 400 V, 3 Ph, 9 A, 3.6 kW, dimensions: 3700 mm x 1400 mm x 1470 mm.	2500
183	BBC Technologies	BBC Technologies 3 tier height adjustable packaging table, type: 3TPT, model number: 80052, serial number: 115038, frequency controlled speed, belt width upper belt: 415 mm, length: 2800 mm, belt width lower belt: 415 mm, length: 3650 mm, total dimensions: 3700 mm x 1050 mm x 1150 mm.	2000
184	Manter	Manter weighing line, consisting of: Infeed belt with plastic sorting tables, belt width: (4x) 160 mm, total dimensions: 2900 mm x 2200 mm x 1000 mm; Elevating belts, steel frame, plastic belt with dividers, belt width: 150 mm, distance between dividers: 140 mm, divider height: 30 mm, elevating height: 3200 mm, total dimensions: 2700 mm x 1300 mm x 3300 mm; Manter linear weigher, 2x 8 buckets, on steel platform, height: 1850 mm, dimensions platform: 4200 mm x 2700 mm x 2970 mm; Transport belt, belt width: 500 mm, distance between dividers: 100 mm, divider height: 20 mm, total dimensions: 4500 mm x 900 mm x 650 mm.	5000



185	NN sealing machine	Band sealing machine, model: DBF-900, 0.6 kW, speed: 1-12 meters per minute, plastic belt, belt width: 140 mm, seal width: 350 mm, total dimensions: 820 mm x 350 mm x 270 mm.	100
186	NN sorting belt	Sorting belt with infeed bunker, s/s frame, plastic belt, belt width: 400 mm, plastic rollers, roller width: 1000 mm, total dimensions: 1600 mm x 1450 mm x 2100 mm.	1000
188	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 500 mm, total dimensions: 1800 mm x 800 mm x 1380 mm.	100
189	Anritsu	Anritsu line dividing belt, type: K410WB5, serial number: 4600018463, divider width: 150 mm, belt width: 500 mm, total dimensions: 950 mm x 700 mm x 1150 mm.	250
190	Kronen	Kronen transport belt with aluminium dividers, type: TBW, number: 487, year of construction: 2016, 230 V, 3 Ph, 50 Hz, 1.1 kW, belt width: 380 mm, distance between dividers: 700 mm, divider height: 60 mm, total dimensions: 2500 mm x 700 mm x 1650 mm.	250
191	Feltracon	Feltracon mobile elevating belt, type: 52A, number: 3471-52A2, year of construction: 2008, 230/400 V, 0.75 kW, plastic belt, belt width: 400 mm, elevating height: 1600 mm, total dimensions: 3800 mm x 680 mm x 1770 mm.	500
192	NN platform	Mobile galvanised steel platform, dimensions: 2400 mm x 1070 mm x 1600 mm.	250
193	B.A.T. Machinebouw	B.A.T. Machinebouw mobile denester, type: DND40, serial number: 430423C, year of construction: 2008, 220 V, 50 Hz, 1.4 A, total dimensions: 1700 mm x 860 mm x 1800 mm.	100
194	Stork Townsend B.V.	Stork Townsend B.V. mobile elevating belt, model: B49, serial number: B49071, year of construction: 2007, s/s frame, plastic belt with dividers, belt width: 350 mm, distance between dividers: 710 mm, divider height: 40 mm, elevating height: 2000 mm, total dimensions: 3100 mm x 690 mm x 2150 mm.	1000
196	Feltracon	Feltracon elevating belt, type: 52F, number: 3433-52F1, year of construction: 2008, 230/400 V, 1.8 kW, s/s frame, plastic belt, belt width: 600 mm, total dimensions: 3200 mm x 1150 mm x 2000 mm.	1000
197	Inox Meccanica	Inox Meccanica s.r.l. pressing system for meat presses, model: Docking Station, serial number: 2624, year of construction: 2016, 400 V, 50 Hz, 1 kW, weight: 1100 kg,	500



198	Jasa	Jasa mobile elevating belt, type: AUTB, machine number: 11428, year of construction: 2007, 380 V, 3 Ph, 0.80 A, 0.25 kW, plastic mesh belt with dividers, belt width: 300 mm, distance between dividers: 230 mm, divider height: 30, elevating height: 1270 mm, total dimensions: 2800 mm x 650 mm x 1500 mm.	250
199	Jasa	Jasa mobile elevating belt, type: AUTB, machine number: 11264, year of construction: 2005, 380 V, 3 Ph, 0.80 A, 0.25 kW, plastic mesh belt with dividers, belt width: 300 mm, distance between dividers: 230 mm, divider height: 30, elevating height: 1270 mm, total dimensions: 2800 mm x 650 mm x 1500 mm.	250
200	Jasa	Jasa mobile elevating belt, type: AUTB, machine number: 11393, year of construction: 2006, 380 V, 3 Ph, 0.80 A, 0.25 kW, plastic mesh belt with dividers, belt width: 300 mm, distance between dividers: 230 mm, divider height: 30, elevating height: 1270 mm, total dimensions: 2800 mm x 650 mm x 1500 mm.	250
201	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 600 mm, total dimensions: 2200 mm x 1000 mm x 1320 mm.	250
202	Eillert B.V.	Eillert B.V. slicer, inside dimensions: Ø 600 mm x 400 mm, total dimensions: 1300 mm x 650 mm x 1380 mm.	1000
204	Feltracon	Feltracon mobile elevating belt, type: 52B, number: 3433-52B1, year of construction: 2008, 230/400 V, 0.75 kW, plastic belt, belt width: 600 mm, elevating height: 1600 mm, total dimensions: 5000 mm x 1400 mm x 1950 mm.	1000
205	BCK Holland	BCK Holland elevating belt, type: C83 D10, serial number: 166515-166515-010, year of construction: 2016, plastic mesh belt with dividers, belt width: 510 mm, distance between dividers: 300 mm, divider height: 30 mm, elevating height: 1180 mm, total dimensions: 4700 mm x 780 mm x 1200 mm. Most dividers damaged.	250
206	S&B Verpackungsmaschinen GmbH	S&B; Verpackungsmaschinen GmbH bag filling machine, type: FH210TL, serial number: 29.194-60, year of construction: 04/2003, plastic belt, belt width: 200 mm, clearance infeed: 190 mm x 110 mm, total dimensions: 3080 mm x 1000 mm x 1750 mm.	250
208	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 600 mm, total dimensions: 950 mm x 700 mm x 1200 mm.	150



209	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 520 mm, total dimensions: 1900 mm x 800 mm x 490 mm.	100
210	Jungheinrich	Jungheinrich battery, type: 24V 3 PzS 375, serial number: C81032486, year of manufacture: 17/2017, 24 V, 12 cells, capacity C5: 375 Ah, acid volume: 43 liter, weight: 288 kg, dimensions battery: 620 mm x 280 mm x 630 mm, including steel frame for 2 batteries, dimensions frame: 950 mm x 900 mm x 700 mm.	500
211	NN table	Mobile s/s table, dimensions: 2000 mm x 700 mm x 1530 mm.	150
212	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 330 mm, total dimensions: 2100 mm x 600 mm x 320 mm.	50
213	NN sorting belt	Sorting belt, 8 rejecters, s/s frame, plastic belt, belt width: 250 mm, total dimensions: 5500 mm x 750 mm x 1400 mm. Incomplete.	50
214	NN switch cabinet	S/s switch cabinet, dimensions: 1000 mm x 750 mm x 300 mm, steel switch cabinet, dimensions: 300 mm x 170 mm x 400 mm.	100
215	NN outfeed funnel	S/s outfeed funnel used for Baader separator, diameter: 105 mm, total dimensions: 300 mm x 300 mm x 750 mm.	100
216	Baxtran	3 Baxtran weighing scales, (2x) model: TMM, serial number: 9105750039 and 9105750101, maximum: 30 kg, dimensions scale: 350 mm x 450 mm, total dimensions: (2x) 350 mm x 600 mm x 650 mm, (1x) model: D30BR, serial number: B304757315, maximum: 30 kg, dimensions scale: 305 mm x 350 mm, total dimensions: (1x) 305 mm x 500 mm x 500 mm. Missing power cables, technical condition unknown.	100
217	Apple Engineering	Apple Engineering pro-portioner depositor pump, model: PP20, serial number: 102 01, year of construction: 2004, 230 V, 1 Ph, 50/60 Hz, 6 A, dimensions infeed: Ø 250 mm x 350 mm, total dimensions: 700 mm x 420 mm x 740 mm.	750
218	Apple Engineering	Apple Engineering pro-portioner depositor pump, model: PP20, serial number: 134 05, year of construction: 2008, 230 V, 1 Ph, 50/60 Hz, 5 A, dimensions infeed: Ø 250 mm x 350 mm, total dimensions: 700 mm x 420 mm x 740 mm.	750
219	CFS	CFS twin grill, type: TWG1800/600, machine number: 642, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 139 A, 89 kW, weight: 2250 kg, electric heated, dimensions: 3250 mm x 1900 mm x 2750 mm. With new Teflon belt.	20000



220	Safeline Mettler Toledo	Safeline Mettler Toledo metal detector head, 100-240 V, 50/60 Hz, 330 W, clearance: 600 mm x 170 mm, total dimensions: 1070 mm x 280 mm x 470 mm.	100
221	NN elevating belt	Mobile elevating belt, steel frame, plastic belt with dividers, belt width: 300 mm, distance between dividers: 300 mm, divider height: 75 mm, approximate elevating height: 5000 mm, total dimensions: 5900 mm x 830 mm x 1430 mm.	100
222	Multivac	Multivac s/s trolley for parts, type: WW200, serial number: 274948, year of construction: 2019, capacity: 500 kg, weight: 171 kg, dimensions: 1180 mm x 1150 mm x 1300 mm.	250
223	NN table	S/s table, dimensions: 660 mm x 500 mm x 500 mm.	50
224	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 400 mm, total dimensions: 6000 mm x 900 mm x 750 mm.	200
225	NN table	Table, s/s frame, plastic top, dimensions: 2050 mm x 1220 mm x 930 mm.	100
226	NN weighing station	Weighing station, type: IT8000E, s/s frame, plastic belt, belt width: 415 mm, total dimensions: 2200 mm x 2100 mm x 1670 mm.	250
227	NN potato peeler	S/s potato peeler, dimensions tub: \varnothing 800 mm x 640 mm, total dimensions: 1400 mm x 1270 mm x 2020 mm.	1250
228	Fomaco Food Machinery Company A/S	Fomaco Food Machinery Company A/S injector, model: FGM 54/108, machine number: 41961988, year of construction: 1988, s/s mesh belt, belt width: 670 mm, 108 needles, total dimensions: 2400 mm x 1200 mm x 2230 mm.	1000
229	FAM	S/s cabinet with knives for FAM slicer, model: MANTIS, diameter knives: \varnothing (3x) 640 mm, 12 knives and (2x) 16 knives, total dimensions: 1420 mm x 760 mm x 1400 mm.	500
230	Machinefabriek Grisnich B.V.	Machinefabriek Grisnich B.V. mobile transport belt, s/s frame, plastic belt, belt width: 1000 mm, total dimensions: 3460 mm x 1400 mm x 1720 mm.	250
232	NN back saver	Mobile back saver for 200 liter meat bins, dimensions: 1000 mm x 780 mm x 1020 mm.	100
233	NN turning table	Turning table, s/s frame, plastic top, dimensions: \varnothing 1470 mm x 1030 mm.	200
234	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 310 mm, total dimensions: 1120 mm x 500 mm x 1230 mm.	100
235	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 220 mm, total dimensions: 1000 mm x 540 mm x 1320 mm.	100



236	Herbert Eng Ltd	Herbert Eng Ltd lowerator, machine type: T.H.Lowerator, serial number: 044.00.045, belt width: 730 mm, total dimensions: 4550 mm x 1300 mm x 2500 mm.	250
237	BCK Holland	BCK Holland packaging belt, s/s frame, plastic mesh belt, belt width: 250 mm, plastic rollers, roller width: 500 mm, total dimensions: 6100 mm x 1200 mm x 1630 mm.	500
238	Ca.Ve.Co srl	Ca.Ve.Co srl mobile traysealer, type: YPSILON-PN/T, serial number: 2011, year of construction: 0606/2011, 400 V, 50Hz, 6 A, 4 kW, film width: 400 mm, dye: 320 mm x 260 mm, plastic belt, belt width: 455 mm, total dimensions: 2600 mm x 800 mm x 1850 mm.	1500
239	Xavis	Xavis X-Ray scanner, series: F Scan, type: 4200 A, model: XAVIS, plastic belt, belt width: 420 mm, clearance: 470 mm x 170 mm, total dimensions: 850 mm x 950 mm x 2400 mm.	1250
240	BCK Holland	BCK Holland packaging belt, s/s frame, plastic mesh belt, type: C83 D10, serial number: 177758-177758-010, year of construction: 2017, belt width: 250 mm, plastic rollers, roller width: 500 mm, total dimensions: 6100 mm x 1200 mm x 1630 mm.	500
241	Rittal	Rittal s/s switch cabinet, dimensions: 1200 mm x 850 mm x 2100 mm.	250
242	Kuipers Food Processing Machinery BV	Kuipers Food Processing Machinery BV s/s tank, machine number: 267-06, year of construction: 2008, dimensions tank: 1300 mm x 1000 mm x 1000 mm, total dimensions: 1400 mm x 1000 mm x 3070 mm.	500
243	Trane	Trane air cooled chiller, type: RTAF 190 SE LN, serial number: EKY2276, year of construction: 2015, 400 V, 50 Hz, 606/486 A, refrigerant: R134a, 59/53 kg, weight: 7000 kg, 2 Trane helirotor screw compressors, 12 fans, total dimensions: 6600 mm x 2300 mm x 2800 mm. Lot located in Urk (NL), pick up and viewing in consultation with Industrial Auctions BV.	10000
244	Nowicki	Nowicki crate washer, clearance: 500 mm x 500 mm, total dimensions: 6200 mm x 1100 mm x 2100 mm.	5000
245	NN table	S/s table, dimensions: 2500 mm x 620 mm x 600 mm.	100



246	Bodijn	Bodijn elevating belt, type: TRANSPORTBAND, serial number: TRA 217151/4, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 1.75 A, 0.75 kW, weight: 1100 kg, s/s frame, plastic belt, belt width: 500 mm, elevating height: 4800 mm, total dimensions: 14500 mm x 900 mm x 4800 mm.	1500
247	Bodijn	Bodijn vibrating infeed gutter on s/s frame, type: BULKBLASTER, serial number: TRG 217151/3, year of construction: 2017, 230 V, 1 Ph, 50 Hz, 9 A, 2.2 kW, weight: 390 kg, dimensions vibrating gutter: 2150 mm x 500 mm x 1250 mm, s/s platform, working height: 3410 mm, total dimensions platform: 2900 mm x 2750 mm x 4560 mm.	1500
249	NN platform	S/s platform for multihead weigher, working height: 2950 mm, dimensions platform: 3550 mm x 2900 mm, total dimensions: 5850 mm x 3550 mm x 4100 mm.	2500
250	Busch	Busch vacuum pump, type: RA 0100 F 503, number: 070014145, year of construction: 2007, dimensions: 750 mm x 420 mm x 300 mm.	250
252	NN elevating belt	Mobile elevating belt, s/s frame, 2 infeed slides, infeed dimensions: 1900 mm x 150 mm, plastic belt with dividers, belt width: 600 mm, distance between dividers: 400 mm, divider height: 25 mm, elevating height: 1100 mm, total dimensions: 3150 mm x 1250 mm x 1850 mm.	250
253	Key Technology	Key Technology vibrating gutter, type: Compact Mveic, work order: 174525 2, year of construction: 2007, design stroke: 8 mm, maximum stroke: 9 mm, s/s gutter, gutter width: 300 mm, total dimensions: 1900 mm x 600 mm x 1310 mm.	250
254	Key Technology	Key Technology vibrating gutter, type: 4211839 Mveic, work order: 174521, year of construction: 2007, design stroke: 8 mm, maximum stroke: 9 mm, s/s gutter, gutter width: 300 mm, total dimensions: 2050 mm x 600 mm x 1310 mm.	250
255	Key Technology	Key Technology vibrating gutter, type: Compact Mveic, work order: 174525 1, year of construction: 2007, design stroke: 8 mm, maximum stroke: 9 mm, s/s gutter, gutter width: 300 mm, total dimensions: 1900 mm x 600 mm x 1310 mm.	250
256	Marel	Marel checkweigher, model: INW3X400, serial number: A034616, year of construction: 2005, 380-480 V, 3 Ph, 10 A, 1.2 kW, belt width: 390 mm, total dimensions: 1770 mm x 930 mm x 1730 mm. Belt missing.	1000



257	Laska	Laska cutter with lifter for 200 liter meat bins and ejector, type: K330, number: 05600, year of construction: 1992, s/s bowl, volume: 330 liter, weight 4850 kg.	12500
258	NN turning table	Turning table, s/s frame, plastic top, dimensions: Ø 1500 mm x 850 mm.	100
259	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 200 mm, total dimensions: 3050 mm x 450 mm x 950 mm.	250
260	NN turning table	Turning table, s/s frame, plastic top, dimensions: Ø 1500 mm x 850 mm.	100
261	NN turning table	Turning table, steel frame, plastic top, dimensions: Ø 1500 mm x 850 mm.	100
263	PMT	PMT turning table, type: AUDT, number: 11395, year of construction: 2005, 400 V, 3 Ph, 1.1 A, 0.25 kW, s/s frame, plastic top, dimensions: Ø 1500 mm x 1000 mm.	100
264	Ishida	Ishida 8-heads linear weigher, model: CCW-NZ-108B-S/200WP-BE, number: 47049, year of construction: 2004, 220 V, 1 Ph, 50 Hz, 6.0 A, total dimensions: 2200 mm x 850 mm x 1820 mm.	3000
267	Nieros	Nieros sole cleaner with hand sanitizer and tourniquet, brush length: (2x) 1300 mm, total dimensions: 2400 mm x 1250 mm x 1570 mm.	2000
268	Manes	Manes 180° curve conveyor, s/s frame, plastic mesh belt, belt width: 350 mm, total dimensions: 1900 mm x 1600 mm x 980 mm.	250
274	Hobart	Hobart grinder, diameter plate: 100 mm, total dimensions: 1100 mm x 600 mm x 1200 mm. Missing plates.	250
275	Inject Star	Inject Star tumbler, s/s tub, volume: 200 liter, dimensions: 1300 mm x 800 mm x 1000 mm. With 1 additional tub.	1000
276	Rühle	Rühle dicer, dimensions chamber: 80 mm x 80 mm x 280 mm, total dimensions: 880 mm x 600 mm x 900 mm.	500
277	Tecmaq	Tecmaq mobile paddle mixer, type: Montcau-150, number: 142, year of construction: 1/92, 380 V, 3.7 A, volume: 150 liter, dimensions: 930 mm x 500 mm x 1400 mm.	1000
278	NN meat bin	S/s meat bin, volume: 300 liter.	150
279	Henkovac	Henkovac mobile double chamber vacuum machine, capacity vacuum pump: 63 m ³ per hour, seal length: (4x) 600 mm, total dimensions: 1600 mm x 800 mm x 1150 mm.	1000
280	NN meat bin	S/s meat bin, volume: 300 liter.	150
281	NN meat bins	2 s/s meat bins, volume: 300 liter.	300



282	Buffalo	Buffalo mixer, model: CD607, 230 V, 50 Hz, 1.5 kW, s/s bowl, volume: 30 liter, dimensions: 650 mm x 650 mm x 1300 mm. With additional whisk and dough hook.	250
283	Buffalo	Buffalo mixer, model: CD605, 230 V, 50 Hz, 0.45 kW, s/s bowl, volume: 10 liter, dimensions: 500 mm x 350 mm x 700 mm.	50
284	FoodTec GmbH	FoodTec GmbH mixer, type: Solia M3.2, machine number: 62/10 0155-01, year of construction: 2010, 400 V, 50 Hz, 1.7 A, 0.7 kW, s/s bowl, volume: 10 liter, dimensions: 630 mm x 400 mm x 600 mm.	250
285	ABM Company	ABM Company hamburger forming machine, model: 2000, serial number: 637, year of construction: 2002, 220 V, 1 Ph, 50 Hz, 4 A, capacity: 2000 pieces per hour, diameter forms: 80 mm and 100 mm, total dimensions: 500 mm x 500 mm x 600 mm.	750
287	Laska	Laska double shaft Z-arm mixer with lifter for 200 liter meat bins, type: ME 400 ZN1X, number: C7447, 380 V, 50 Hz, 7.5 + 1.5 kW, volume: 400 liter, dimensions: 2090 mm x 1900 mm x 2600 mm.	7000



General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use



3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Government laws and regulations, such as the Money Laundering and Terrorist Financing Prevention Act (WWFT), may impose (additional) obligations on Industrial Auctions. The client is required to provide all information requested by Industrial Auctions including (but not limited to) information about the client's identity to establish and verify this further, to verify and record the identity of the ultimate beneficial owner, the purpose and nature of the engagement or to exercise a transaction or an ongoing control over the business relationship or the natural person who represents or is authorized to do so by the client and whether the client is acting for themselves or for a third party. If the requested information is not supplied within



5 days after the first request, Industrial Auctions may immediately terminate the agreement and, pending the information, Industrial Auctions may suspend the services. Industrial Auctions is then not obliged or liable for any compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the supporting system;
- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security



5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark.

Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions



8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;
- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that



moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no



indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so



entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance



policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at



least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care.

Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



**Industrial
Auctions** BV



**Industrial
Auctions** BV

Address: Looyenbeemd 11
5652 BH Eindhoven, Netherlands
Tel.: +31 (0)40 2409 208
Email: info@industrial-auctions.com
Web: www.industrial-auctions.com

Upcoming auctions:

- 27-02 Day 1: Online auction machinery and inventory at former production location Homann Feinkost GmbH on behalf of Progressu GmbH in Dissen aTW (DE)**
- 28-02 Day 2: Online auction machinery and inventory at former production location Homann Feinkost GmbH on behalf of Progressu GmbH in Dissen aTW (DE)**
- 01-03 Day 3: Online auction machinery and inventory at former production location Homann Feinkost GmbH on behalf of Progressu GmbH in Dissen aTW (DE)**