



Industrial Auctions BV

**Online auction machinery for the food industry at a
former sausage factory in Betzenweiler (DE)**

Closing: 16 February 2023 from 14:00 hrs.



Viewing day:

Address:

Zum Mühlbach 15
88422 Betzenweiler
Germany



General terms and conditions of the online auction

Closing date	16 February 2023 from 14:00 hrs.
Viewing	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	19% over the highest bid including Premium
Pick up date	28 February 2023 from 09:00 till 16:00 hrs. 01 March 2023 from 09:00 till 16:00 hrs.
Pick up address	Zum Mühlbach 15 88422 Betzenweiler Germany
Delivery instructions	The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Industrial Auctions B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick up bought lots) will only take place on the mentioned delivery date/time and address..
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Magurit GmbH	Magurit GmbH frozen block cutter, type: 042, machine number: 7213, year of construction: 2018, 400 V, 50 Hz, 10 A, 4 kW, air pressure: 6 bar, capacity: 24 strokes per minute, 2000 kg, maximum block size: 480 mm x 750 mm x 240 mm, working width: 490 mm, total dimensions: 1580 mm x 750 mm x 1700 mm.	7500
2	NN meat bin	S/s meat bin, volume: 200 liter.	50
3	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile skinning machine, type: easy 1, number: 45059, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 2.2 A, 0.75 kW, working width: 340 mm, total dimensions: 760 mm x 620 mm x 990 mm.	750
4	Rühle GmbH	Rühle GmbH mobile injector, type: IR 17, serial number: 30050580, year of construction: 2018, 400 V, 3 Ph, 50/60 Hz, 9.7 A, 5.3 kW, 17 needles, clearance: 250 mm x 215 mm, s/s mesh belt, belt width: 250 mm, total dimensions: 1050 mm x 800 mm x 1850 mm.	3500
5	Rühle GmbH	Rühle GmbH mobile cooled vacuum tumbler, type: MPR 150, serial number: 10013178, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 10.7 A, 4.2 kW, volume: 150 liter, Busch vacuum pump, type: KC 0010 E 3Z0, capacity: 12 m ³ per hour, Whor Kalttechnik cooling unit, type: MKR 150, total dimensions: 1350 mm x 1150 mm x 2350 mm. Missing control panel.	4000
6	Seydelmann	Seydelmann vacuum bowl cutter with lifter for 200 liter meat bins and ejector, s/s bowl, type: K 204 AC 8 VA, machine number: S8-00204-0201-18, year of construction: 2018, 400 V, 50 Hz, 236 A, 117 kW, weight: 4100 kg, volume: 200 liter, total dimensions: 3350 mm x 2950 mm x 1900 mm, dimensions control panel: 610 mm x 520 mm x 150 mm, dimensions s/s switch cabinet: 1300 mm x 570 mm x 2000 mm. Including s/s trolley with parts, dimensions trolley: 1100 mm x 650 mm x 1050 mm.	40000
7	Seydelmann	Seydelmann grinder, type: AE 130/3-B, serial number: S9-20136-1106-18, year of construction: 2018, 400 V, 50 Hz, 42 A, 22 kW, weight: 1300 kg, plate diameter: 130 mm, total dimensions: 2600 mm x 1800 mm x 2600 mm.	17500
8	ODECA s.r.l.	ODECA s.r.l. floor weighing scale, model: LA-715, serial number: 180547C, year of construction: 2018, maximum weight: 600/1500 kg, minimum weight: 4/10 kg, e=200/500 g, dimensions scale: 2100 mm x 1500 mm x 130 mm, dimensions control unit: 425 mm x 340 mm x 165 mm, dimensions indicator: 215 mm x 160 mm x 110 mm, dimensions s/s cabinet with labeller and hand scanner: 660 mm x 430 mm x 555 mm.	1000



9	K+G Wetter	K+G Wetter bowl cutter with lifter for 200 liter meat bins and ejector, s/s bowl, type: CM 120 STL, machine number: 420/1193, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 86/100 A, 43 kW, volume: 120 liter, dimensions: 2400 mm x 1800 mm x 1800 mm. Including crate with parts.	7500
10	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF 620 K, number: 30942, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 10.1 A, 7.0 kW, Busch vacuum pump, type: KC 0016, number: 1200068464, dimensions: 1830 mm x 1400 mm x 1920 mm.	20000
11	Handtmann	Handtmann linking and case holding device, type linking attachment: 414, number: 16201036, type case holding device: 410, number: 16000914, year of construction: 2012, dimensions: 600 mm x 480 mm x 200 mm.	1000
12	TipperTie Technopack	TipperTie Technopack mobile double clipper, model: KDCNVT 400, number: 4236 030 172, pressure: 6 bar, dimensions: 1300 mm x 800 mm x 1750 mm.	3000
13	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF 620 K, number: 40861, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 10.1 A, 7.0 kW, Busch vacuum pump, type: KC 0016E 3Z0, Vmax=19 m ³ per hour, dimensions: 1830 mm x 1400 mm x 1920 mm. Including s/s trolley with parts, dimensions trolley: 840 mm x 650 mm x 1000 mm.	25000
14	Pulsotronic	Pulsotronic mobile pipeline metal detector, type: M-Pulse 2 INFlex 65-3, serial number: 90007331, year of construction: 2018, 115/230 V, 1 Ph, 50/60 Hz, 16 A, diameter pipe: 65 mm, total dimensions: 450 mm x 580 mm x 1520 mm.	2000
15	TipperTie Technopack	TipperTie Technopack mobile double clipper, model: KDCM-A 200, serial number: 4816.759.088, year of construction: 2018, 230/120 V, 1 Ph, 50/60 Hz, 0.5/1 A, pressure: 6 bar, capacity: approximately 90 cycles per minute, dimensions: 1150 mm x 760 mm x 1950 mm.	7500
16	Handtmann	Handtmann linking and case holding device, type linking attachment: 414, number: 16203905, type case holding device: 410, number: 16006174, year of construction: 2018, dimensions: 590 mm x 400 mm x 200 mm.	1000
17	Poly-clip System GmbH	Poly-clip System GmbH clipper, type: SCD-7095, number: 1707-98, pressure: 5-7 bar, dimensions: 350 mm x 220 mm x 960 mm.	250
18	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile cordon bleu machine, type: SS 90, number: 0059, year of construction: 1999, 380 V, 3 Ph, 50 Hz, 4 A, 0.37 kW, plastic belts, belt width: (4x) 135 mm, dimensions: 2150 mm x 900 mm x 1180 mm.	750



19	Kerres	Kerres smoking chamber for 2 smoke trolleys, type: JS 2850 / 2-C, factory number: 14.617, year of construction: 09/2009, 400 V, 3 Ph, 50 Hz, 87 kW, electric heated, inside dimensions: 2150 mm x 1040 mm x 2100 mm, total dimensions: 2620 mm x 1680 mm x 3180 mm. Including pallet box with pipes, dimensions: 1200 mm x 1000 mm x 1800 mm.	3500
20	Reich	Reich smoking chamber for 3 smoke trolleys, type: AIRMASTER UK 7500 BG-FR-2008, number: 20181994, 230/400 V, 50 Hz, 125 A, 90 kW, gas heated, type gas burner: WG 10N/1-D ZN/LN, inside dimensions: 1100 mm x 3250 mm x 2000 mm, total dimensions: 4150 mm x 1450 mm x 2850 mm. Including control unit, type: Unicontrol 3000, dimensions: 550 mm x 300 mm x 700 mm, dimensions s/s switch cabinet with scanner: 390 mm x 230 mm x 550 mm, 2 s/s hoods with 1 motor, dimensions each hood: 1200 mm x 1900 mm x 450 mm, dimensions motor: 750 mm x 750 mm x 700 mm.	5000
21	Reich	Reich double friction smoke generator, maximum block dimensions: (12x) 85 mm x 85 mm, total dimensions: 760 mm x 950 mm x 2150 mm.	1000
22	Kerres	Kerres friction smoke generator, type: RR 2000, serial number: 8.2091, year of construction: 09/2009, 400 V, 3 Ph, 5.5 kW, dimensions: 950 mm x 480 mm x 1900 mm.	500
23	NN table	S/s table, dimensions: 500 mm x 500 mm x 500 mm.	25
24	NN trolley	S/s trolley, dimensions: 1190 mm x 700 mm x 1150 mm.	50
25	BFE	BFE tub with drain, number: 95080047, weight: 92 kg, dimensions: 820 mm x 1350 mm x 930 mm.	75
26	Kerres	Kerres cooking vessel, type: FKK 400 ltr, serial number: 13.532, year of construction: 04.2003, 400 V, 3 Ph, 50 Hz, 20 kW, electric heated, volume: 400 liter, dimensions: 1350 mm x 1300 mm x 1000 mm, dimensions switch cabinet: 460 mm x 250 mm x 520.	500
27	NN meat bin	S/s meat bin with 14 ham forms, dimensions each form: 345 mm x 145 mm, volume meat bin: 200 liter.	50
28	NN tub	S/s mobile tub, inside dimensions: 1050 mm x 600 mm x 300 mm, total dimensions: 1200 mm x 640 mm x 820 mm.	75
29	NN smoke trolleys	8 s/s smoke trolleys, 6 floors, floor dimensions: 1025 mm x 1020 mm, total dimensions: (8x) 1030 mm x 1030 mm x 1970 mm.	600
30	NN smoke trolleys	9 s/s smoke trolleys, 6 floors, floor dimensions: 1025 mm x 1020 mm, total dimensions: (9x) 1030 mm x 1030 mm x 1970 mm.	675
31	NN smoke trolleys	2 s/s smoke trolleys, 6 floors, floor dimensions: 1025 mm x 1020 mm, 21 racks, dimensions each rack: 940 mm x 490 mm x 50 mm, total dimensions: (2x) 1030 mm x 1030 mm x 1970 mm.	200
32	NN smoke trolley	S/s smoke trolley, 6 floors, floor dimensions: 1025 mm x 1020 mm, total dimensions: 1030 mm x 1030 mm x 1970 mm.	100



33	NN smoke sticks	S/s trolley with large amount of aluminium y-shaped smoke sticks, dimensions 800 mm x 420 mm x 1150 mm.	200
34	NN smoke sticks	S/s trolley with large amount of s/s y-shaped smoke sticks, dimensions 800 mm x 420 mm x 1150 mm.	200
35	NN smoke sticks	S/s trolley with large amount of s/s y-shaped smoke sticks, dimensions 800 mm x 420 mm x 1150 mm.	100
36	Reich	Reich cooking chamber for 3 smoke trolleys, type: AIRMASTER IKK 7500 BND, number: 20181995, 230/400 V, 50 Hz, 50 A, heated: low pressure steam, inside dimensions chamber: 1100 mm x 3250 mm x 2000 mm, total dimensions: 3600 mm x 1600 mm x 2850 mm. Including Certuss steam boiler, type: universal 600 CT, number: 14987, year of construction: 2018, gas heated, 600 kg, dimensions: 1900 mm x 1100 mm x 2120 mm, TAE evotech cooling compressor and condensing unit, dimensions unit: 1850 mm x 760 mm x 1100 mm, control unit, type: Unicontrol 3000 M, dimensions control unit: 560 mm x 300 mm x 700 mm, dimensions s/s switch cabinet: 760 mm x 760 mm x 350 mm, s/s hood with motor, dimensions hood: 1200 mm x 1900 mm x 450 mm, dimensions motor, 750 mm x 750 mm x 700 mm.	7500
37	Weber Maschinenbau GmbH	Weber Maschinenbau GmbH slicer line, slicer type: CCS 405, number: CCS04051-10265, year of construction: 2018, 400 V, 50 Hz, 7 kW, 6 bar, 40 l/min, weight: 1900 kg, clearance: 300 mm x 125 mm, plastic belt, belt width: 470 mm, wire belt, belt width: 360 mm, dimensions slicer: 2750 mm x 1500 mm x 2400 mm. Weber checkweigher, type: CCW-100, number: CCW01001-10324, year of construction: 2018, weight: 90 kg, wire belt, belt width: 360 mm, dimensions checkweigher: 580 mm x 480 mm x 1070. Weber line dividing belt, type: CMB-100, number: CMB01001-10236, year of construction: 2018, weight: 245 kg, wire belt, belt width: 385 mm, dimensions transport belt: 900 mm x 400 mm x 1050 mm. Weber transport belt, type: CCE-LC, number: CCE03001-10234, year of construction: 2018, weight: 130 kg, plastic belt, belt width: 320 mm, dimensions transport belt: 1700 mm x 1000 mm x 1400 mm. Including s/s trolley with parts, dimensions trolley: 1950 mm x 850 mm x 1850 mm. New, never used.	50000



38	Variovac PS SystemPack GmbH	Variovac PS SystemPack GmbH thermoformer, type: OPTIMUS, number: OL0620, year of construction: 2018, 230/400 V, 50 Hz, 18 A, 10 kW, air pressure: 6 bar, film width bottom film: 425 mm, film width top film: 415 mm, index: 225 mm, dye: (2x) 190 mm x 175 mm, Busch vacuum pump, type: RA0100 F 503, serial number: D18100230, Vmax= 100 m ³ per hour, Variovac cross web labeller, type: OP2-OL4215-SMSK302, machine number: 13010/2018, 230 V, 50/60 Hz, cooling unit for dyes, type: Begleitkühlger. BK30, serial number: SA 204599, year of construction: 2018, 230 V, 50 Hz, 1.6 A, 280 W, refrigerant: R513a, 210 gram, total dimensions thermoformer: 6650 mm x 1350 mm x 2050 mm. Including Variovac control unit for labeller, type: SMB20-0, machine number: 15593/2018, 230 V, 50/60 Hz, dimensions control unit: 520 mm x 540 mm x 1100 mm. Including 3 plastic crates with parts.	15000
39	Multivac	Multivac thermoformer, type: R 230 MC, machine number: 23, year of construction: 1996, 400 V, 3 Ph, 50 Hz, 35 A, 15 kW, film width bottom film: 420 mm, film width top film: 415 mm, index: 410 mm, dye: (2x) 200 mm x 175 mm. Including 3 pallets with parts.	6000
40	Henkelman	Henkelman mobile double chamber vacuum machine, type: Polar 2-75, machine number: HOP40180012, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 17 A, 5.5 kW, Busch vacuum pump, type: RA0160 D 501, serial number: C1747000080, Vmax= 160 m ³ per hour, seal width: (4x) 620 mm, dimensions chamber: (2x) 750 mm x 620 mm, total dimensions: 1500 mm x 1250 mm x 1100 mm.	4000
41	NN tub	S/s tub, inside dimensions: 1120 mm x 530 mm x 290 mm, total dimensions: 1200 mm x 600 mm x 850 mm.	75
42	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 490 mm, total dimensions: 1000 mm x 590 mm x 900 mm.	75
43	Bizerba	Bizerba slicer, type: A 406 FB, number: 1732867, year of construction: 1999, 230/400 V, 3 Ph, 50 Hz, 2.5/1.4 A, s/s mesh belt, belt width: 250 mm, total dimensions: 1200 mm x 1600 mm x 1400 mm. Including crate with parts. Belt is broken.	300
44	Bizerba	Bizerba slicer, type: VS 8 A, number: 1345123, 230 V, 1 Ph, 50 Hz, 2.2 A, dimensions: 750 mm x 650 mm x 500 mm.	200
45	ODECA s.r.l.	ODECA s.r.l. floor weighing scale, model: LA-715, serial number: 180549C, year of construction: 2018, maximum weight: 600/1500 kg, minimum weight: 4/10 kg, e=200/500 g, dimensions scale: 2100 mm x 1500 mm x 120 mm, dimensions control unit: 425 mm x 310 mm x 180 mm, dimensions indicator: 215 mm x 160 mm x 110 mm, dimensions s/s cabinet with labeller and hand scanner: 660 mm x 430 mm x 570 mm.	1000
46	NN heated showcase	Heated showcase, inside dimensions: 620 mm x 400 mm, total dimensions: 760 mm x 800 mm x 600 mm.	50



47	Eloma	Eloma oven, type: ELH 6-1, machine number: 4343 818, year of construction: 1993, 380 V, 3 Ph, 50 Hz, 9.0 kW, 6 floors, distance between floors: 40 mm, maximum floor dimensions: 540 mm x 320 mm, total dimensions: 900 mm x 750 mm x 650 mm.	75
48	NN waste bag holder	S/s waste bag holder, dimensions: 650 mm x 430 mm x 950 mm.	25
49	Sealpac	Sealpac traysealer, type: Sealpac 350, serial number: TVG 02 1072 01, year of construction: 2004, 400/230 V, 3 Ph, 3 kW, weight: 450 kg, index: 380 mm x 290 mm, dye: 175 mm x 220 mm, total dimensions: 2500 mm x 900 mm x 1800 mm.	2500
50	Alco-food-machines GmbH	Alco-food-machines GmbH mobile coating machine, type: ER, serial number: 1471, 380 V, s/s mesh belt, belt width: 400 mm, total dimensions: 1360 mm x 750 mm x 1600 mm.	1500
51	Alco-food-machines GmbH	Alco-food-machines GmbH mobile breading machine, type: PR, serial number: 1471, 380 V, s/s mesh belt, belt width: 400 mm, total dimensions: 2050 mm x 950 mm x 2000 mm.	1750
52	Koppens Machinefabriek B.V.	Koppens Machinefabriek B.V. fryer, type: BR 1800/400, machine number: BR 1800/400-243, 380 V, 3 Ph, 50 Hz, 55 A, 36 kW, weight: 850 kg, s/s mesh belt, belt width: 400 mm, total dimensions: 4300 mm x 1000 mm x 1300 mm.	2500
53	Marelec	Marelec mobile sorting belt, type M3/0, serial number: 2293, year of construction: 04/2009, 350 W, weight: 250 kg, 6 dividers, plastic belt, belt width: 250 mm, total dimensions: 3300 mm x 700 mm x 1250 mm. 1 divider broken.	500
54	Ulma	Ulma flowpacker, model: ALASKA, machine number: 2505015, year of construction 1999, 400 V, 50 Hz, 15 A, 6,4 kW, infeed conveyor, plastic rollers, roller width: 260 mm, plastic infeed belt: belt width: (2x) 97 mm, film width: 660 mm, seal width: 360 mm, plastic outfeed belt, belt width: 280 mm, total dimensions: 5800 mm x 1200 mm x 1930 mm.	3500
55	Cryovac	Cryovac shrink tunnel, model: ST 50 RH, serial number: A52400915, year of construction: 1999, 380 V, 50 Hz, 16 A, 10 kW, clearance: 400 mm x 170 mm, roller width: 380 mm, total dimensions: 1420 mm x 1250 mm x 1750 mm.	1000
56	NN table	S/s table with datalogic scanner, dimensions: 1000 mm x 610 mm x 780 mm.	50
57	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 490 mm, total dimensions: 1000 mm x 590 mm x 900 mm.	75
58	Leich + Mehl GmbH	Leich + Mehl GmbH weighing and labelling machine, type: PAW2000-HBM, fabrication number: 10103, year of construction: 2018, 230 V, 50 Hz, 0.5 kVa, maximum weight: 30 kg, minimum weight: 200 g, e= 10 g, s/s rollers: roller width: 480 mm, scale model: B2.2 (EBR202-I ED60), fabrication number: F4860391, total dimensions: 1050 mm x 1000 mm x 1770 mm.	1500
59	Sealpac	Pallet with various forms for Sealpac traysealer, dimensions: 1200 mm x 800 mm x 850 mm.	200



60	NN table	S/s table, dimensions: 1900 mm x 900 mm x 850 mm.	150
61	Kohlhoff	Kohlhoff hygiene station with sole cleaner, tourniquet, hand disinfection unit and sink with faucet, type: DLS01100 SL+EK 400, machine number: 74999/1, year of construction: 09/2007, 400 V, 3 Ph, 50 Hz, 0.7 kW, dimensions, 2300 mm x 1500 mm x 1750 mm.	1500
62	Berger	2 Berger s/s insect killers, type: KL-271, number: 965, 230 V, 50 Hz, 30 W, dimensions: (2x) 680 mm x 350 mm x 240 mm.	50
63	Marel	Marel sorting/packaging belt with dividers, 8 dividers, plastic upper belt, belt width: 200 mm, plastic lower belt, belt width: 250 mm, height upper belt: 1400 mm, height lower belt: 1020 mm, total dimensions: 5000 mm x 1000 mm x 1460 mm.	800
64	Loma Systems	Loma Systems mobile metal detector, type: IQ 2, serial number: 1017-25814, year of construction: 2002, 85/265 V, 50/60 Hz, clearance: 550 mm x 250 mm, plastic belt, belt width: 505 mm, total dimensions: 2030 mm x 1150 mm x 1400 mm.	1000
65	ODECA s.r.l.	ODECA s.r.l. floor weighing scale, model: LA-715, serial number: 180550C, year of construction: 2018, maximum weight: 600/1500 kg, minimum weight: 4/10 kg, e=200/500 g, dimensions scale: 2720 mm x 1500 mm x 120 mm, dimensions control unit: 430 mm x 310 mm x 190 mm dimensions indicator: 230 mm x 160 mm x 120 mm, dimensions s/s cabinet with labeller and hand scanner: 660 mm x 430 mm x 570 mm.	1000
66	K+G Wetter	K+G Wetter grinder, number: 04/0355, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 32 A, 12 kW, plate diameter: 130 mm, total dimensions: 1400 mm x 1350 mm x 1880 mm. Missing worm, knives, plate and nut.	3000
67	Bizerba	Bizerba slicer, type: A 404, number: 1826019, year of construction: 2000, 230/400 V, 3 Ph, 50 Hz, 2.5/1.4 A, dimensions: 1050 mm x 700 mm x 650 mm.	200
68	Mohn GmbH	Mohn GmbH hygiene station with sole cleaner, tourniquet, hand disinfection unit and sink with faucet, type: Check-in-Station III R-Ecoline, machine number: 18-61144/36, year of construction: 03/2018, 400 V, 3 Ph, 50/60 Hz, 4.1 kW, dimensions: 1700 mm x 1000 mm x 2000 mm.	2500
69	NN smoke trolleys	2 s/s smoke trolleys, 7 floors, floor dimensions: 860 mm x 1020 mm, dimensions: (2x) 1030 mm x 1020 mm x 2020 mm.	150
70	NN smoke trolleys	4 s/s smoke trolleys, 7 floors, floor dimensions: 860 mm x 1020 mm, dimensions: (4x) 1030 mm x 1020 mm x 2020 mm.	300
71	NN smoke trolley	S/s smoke trolley, 7 floors, total dimensions: 910 mm x 800 mm x 1550 mm.	75



72	Mohn GmbH	Mohn GmbH hygiene station with sole cleaner, tourniquet, hand disinfection unit and sink with faucet, type: Check-in-Station 1100 R-Ecoline, machine number: 18-611 44/36, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 0.18 kW, dimensions: 2000 mm x 1300 mm x 1800 mm. Including s/s fence, dimensions: 1300 mm x 50 mm x 1000 mm.	2500
73	Weber Maschinenbau GmbH	Weber Maschinenbau GmbH mobile knife sharpener, type: KSG 470, number: KSG1001-10361, year of construction: 2018, 400 V, 50 Hz, 0.18 kW, weight: 105 kg, dimensions: 800 mm x 700 mm x 1250 mm.	1500
74	Maja-Maschinenfabrik	Maja-Maschinenfabrik flake ice machine, type: SAH 250 Scherbeheisautomat, serial number: I-47776, year of construction: 2017, 230 V, 1 Ph, 50 Hz, 7.74 A, 1.26 kW, refrigerant: R 449 A, 1.6 kg, capacity: 250 kg per 24 hours, dimensions: 900 mm x 1050 mm x 2000 mm.	2500
75	Maja-Maschinenfabrik	Maja-Maschinenfabrik flake ice machine, type: RVH 800, serial number: I-48076, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 0.99 A, 0.28 kW, capacity: 800 kg per 24 hour, dimensions: 1500 mm x 900 mm x 1250 mm. Including plastic 200 liter meat bin.	2000
76	Mohn GmbH	3 s/s Mohn GmbH meat bins with large amount of ham forms, dimensions each ham form: 320 mm x 125 mm x 90 mm, volume meat bins: 200 liter.	450
77	Mohn GmbH	3 s/s Mohn GmbH meat bins, volume: 200 liter.	150
79	Mohn GmbH	7 s/s Mohn GmbH meat bins, volume: 200 liter.	350
80	Mohn GmbH	7 s/s Mohn GmbH meat bins, volume: 200 liter.	350
81	Walter Roller GmbH & Co.	Walter Roller GmbH & Co. evaporator, 2 fans, type: HVST 712, serial number: 10 251 92 0007, 400/460 V, 3 Ph, 50/60 Hz, 640/1000/6930 W, refrigerant: G2, volume: 16.4 liter, dimensions: 1750 mm x 750 mm x 650 mm.	400
82	Ehrenfels	Ehrenfels s/s refrigerated sliding door, thickness: 100 mm, dimensions door: 1560 mm x 2200 mm, length rails: 3500 mm.	400
83	Mohn GmbH	Mohn GmbH s/s sink with faucet and 2 soap dispensers, paper dispenser and waste basket, sink type: HWB-HL-1, machine number: 18-61144/1.1, year of construction: 02/2018, 230 V, 1 Ph, 50/60 Hz, 0.1 kW, sensor operated, dimensions sink: 500 mm x 410 mm x 800 mm, dimensions paper dispenser: 275 mm x 135 mm x 360 mm, dimensions waste basket: 350 mm x 250 mm x 400 mm.	100
84	NN apron washer	S/s apron washer with spray pistol, dimensions: 800 mm x 600 mm x 1100 mm.	150
85	Walter Roller GmbH & Co.	Walter Roller GmbH & Co. evaporator, 4 fans, type: DHN 604 L, serial number: 10 200 47 0001, 230 V, 1 Ph, 50/60 Hz, 280/360 W, refrigerant: G2, volume: 12.3 liter, dimensions: 2750 mm x 950 mm x 500 mm.	400
86	EHS	EHS s/s hose reel with hose, type: ST40/12/2 EP-ECO, serial number: 117271, year of construction: 11/2014, dimensions: 520 mm x 380 mm x 500 mm.	100



87	Vikan	Vikan wall mounted peg with 2 brooms, 2 squeegees, 2 dusters and 1 dustbin.	25
88	NN frames	3 s/s wall mounted frames with plastic gloves.	5
89	Mohn GmbH	Mohn GmbH s/s sink with faucet and 2 soap dispensers, paper dispenser and waste basket, sink type: HWB-HL-1, machine number: 18-61144/1.5, year of construction: 02/2018, 230 V, 1 Ph, 50/60 Hz, 0.1 kW, sensor operated, dimensions sink: 500 mm x 410 mm x 800 mm, dimensions paper dispenser: 275 mm x 135 mm x 360 mm, dimensions waste basket: 350 mm x 250 mm x 400 mm.	100
90	NN table	S/s table, dimensions: 2400 mm x 1000 mm x 900 mm.	150
91	Termet / Tecna	Hose with Termet spray pistol on Tecna balancer, model: 9302, serial number: 0728502, year of construction: 2018, capacity: 1/2 kg.	50
92	NN frame	S/s frame with drip tray, dimensions: 1560 mm x 1100 mm x 360 mm.	10
93	NN waste bag holder	S/s waste bag holder, dimensions: 650 mm x 450 mm x 950 mm.	25
94	Walter Roller GmbH & Co.	Walter Roller GmbH & Co. evaporator, 4 fans, type: DHN 604 L EC, serial number: 18 200 47 0002, 230 V, 1 Ph, 50/60 Hz, 340 W, refrigerant: G2, volume: 12.3 liter, dimensions: 2750 mm x 950 mm x 500 mm.	400
95	Heinrich GmbH	Heinrich GmbH mobile casing welding machine, s/s frame, model: Thermo-Fix, machine number: HM091914, year of construction: 2014, 230 V, 50 Hz, 6 bar, dimensions: 480 mm x 460 mm x 1200 mm.	1000
96	Mohn GmbH	Mohn GmbH s/s sink with faucet and soap dispensers, paper dispenser and waste basket, sink type: HWB-HL-1, machine number: 18-61144/1.4, year of construction: 02/2018, 230 V, 1 Ph, 50/60 Hz, 0.1 kW, sensor operated, dimensions sink: 500 mm x 410 mm x 800 mm, dimensions paper dispenser: 275 mm x 135 mm x 360 mm, dimensions waste basket: 350 mm x 250 mm x 400 mm.	100
97	Walter Roller GmbH & Co.	Walter Roller GmbH & Co. evaporator, 2 fans, type: DHN402 N EC, serial number: 18 200 21 0011, 230 V, 1 Ph, 50/60 Hz, 170/2400 W, refrigerant: G2, volume: 6.4 liter, dimensions: 510 mm x 200 mm x 500 mm.	400
98	Teha	Teha s/s hose reel with hose and spraying pistol, type: ST20/12e, serial number: 147386, year of construction: 03/2018, maximum working pressure: 200 bar, dimensions: 510 mm x 200 mm x 500 mm.	100
99	Ehrenfels	Ehrenfels s/s refrigerated door, thickness: 55 mm, dimensions door: 1550 mm x 2500 mm.	200
100	Ehrenfels	Ehrenfels s/s refrigerated sliding door, thickness: 80 mm, dimensions door: 1320 mm x 2500 mm, length rails: 2900 mm.	400
101	NN lockers	4 s/s 4-doors lockers, inside dimensions: (4x) 210 mm x 460 mm x 1700 mm, total dimensions: (4x) 980 mm x 500 mm x 2200 mm.	75



102	NN lockers	3 s/s 4-doors lockers, inside dimensions: (4x) 210 mm x 460 mm x 1700 mm, total dimensions: (3x) 980 mm x 500 mm x 2200 mm.	75
103	NN lockers	2 s/s 12-doors lockers, inside dimensions: (12x) 430 mm x 375 mm x 275 mm, total dimensions: (2x) 1000 mm x 400 mm x 2150 mm.	50
104	Walter Roller GmbH & Co.	Walter Roller GmbH & Co. evaporator, 2 fans, HVST 1012, serial number: 10 251 92 0006, 400/460 V, 3 Ph, 50/60 Hz, 640/1000/6930 W, refrigerant: G2, volume: 16.4 liter, dimensions: 1750 mm x 750 mm x 650 mm.	400
105	NN cabinet	S/s cabinet, dimensions: 1200 mm x 400 mm x 850 mm.	25
106	NN cabinet	S/s cabinet, dimensions: 600 mm x 400 mm x 850 mm.	25
107	NN transport belts	S/s frames for transport belts, 3 frames with motor, dimensions each frame: (1x) 3100 mm x 550 mm x 200 mm and (3x) 3100 mm x 700 mm x 240 mm, plastic mesh belt, belt width: 400 mm, total dimensions: 3300 mm x 800 mm x 1100 mm.	250
108	Walter Roller GmbH & Co.	Walter Roller GmbH & Co. evaporator, 1 fan, type: HVST 709, serial number: 10 251 89 0009, 400/460 V, 3 Ph, 50/60 Hz, 320/500/4530 W, refrigerant: G2, volume: 9.6 liter, dimensions: 1000 mm x 650 mm x 750 mm.	250
109	Ehrenfels	Ehrenfels s/s refrigerated sliding door, thickness: 80 mm, dimensions door: 1320 mm x 2500 mm, length rails: 2900 mm.	400
110	NN curve conveyor	90° curve conveyor, s/s frame, plastic mesh belt, belt width: 420 mm, total dimensions: 2300 mm x 2200 mm x 340 mm. Belt is broken.	150
111	NN curve conveyor	90° curve conveyor, s/s frame, plastic mesh belt: 290 mm, total dimensions: 1400 mm x 1900 mm x 840 mm.	250
112	NN rollies	10 s/s rollies, dimensions: (10x) 660 mm x 410 mm x 170 mm.	100
113	NN cabinet	S/s cabinet, dimensions: 1600 mm x 400 mm x 660 mm.	25
114	NN table	S/s table, dimensions: 2100 mm x 1420 mm x 950 mm.	150
115	NN table	S/s table, dimensions: 2100 mm x 1420 mm x 950 mm.	150
116	Berger	Berger s/s insect killer, type: KL-271, number: 195, 230 V, 50 Hz, 30 W, dimensions: 680 mm x 350 mm x 240 mm.	20
117	Mohn GmbH	Mohn GmbH s/s sink with faucet, paper dispenser, waste basket, s/s knife rack and wall mounted frame with 10 pegs, sink type: HWB-HL-1, machine number: 18-61144/1.2, year of construction: 02/2018, 230 V, 1 Ph, 50/60 Hz, 0.1 kW, sensor operated, dimensions sink: 500 mm x 410 mm x 800 mm, dimensions paper dispenser: 275 mm x 135 mm x 360 mm, dimensions waste basket: 350 mm x 250 mm x 400 mm.	100
118	NN rollie	S/s rollie, dimensions: 660 mm x 410 mm x 170 mm.	10
119	Vikan	Vikan wall mounted peg for hygiene equipment.	5
120	Saeplast	Saeplast plastic meat bin, volume: 200 liter.	10



121	Walter Roller GmbH & Co.	Walter Roller GmbH & Co. evaporator, 3 fans, type: DHN403 L EC, serial number: 18 200 26 0001, 230/400 V, 1/3 Ph, 50/60 Hz, 255/3400 W, refrigerant: G2, volume: 9.3 liter, dimensions: 2200 mm x 1000 mm x 430 mm.	400
122	Walter Roller GmbH & Co.	Walter Roller GmbH & Co. evaporator, 2 fans, type: DHN 402 L, serial number: 10 200 25 0004, 230 V, 1 Ph, 50/60 Hz, 140/180 W, refrigerant: G2, volume: 6.4 liter, dimensions: 1600 mm x 800 mm x 350 mm.	400
123	Ehrenfels	Ehrenfels s/s refrigerated sliding door, thickness: 80 mm, dimensions door: 1320 mm x 2460 mm, length rails: 2750 mm.	400
124	Ehrenfels	Ehrenfels s/s door, type: EBF 11.060, thickness: 60 mm, dimensions door: 885 mm x 2120 mm.	200
125	Intermec Technologies Corporation / Data Logic	Intermec Technologies Corporation label printer, model: PM43c, serial number: 22621745557, 100-240 V, 50/60 Hz, 4 A, dimensions: 250 mm x 450 mm x 180 mm, and Data Logic hand scanner, model: PowerScan.	50
126	Stefan Reichenbaucher Maschinenbau	Stefan Reichenbaucher Maschinenbau can closing machine, model: HDV 02, number: 884, year of construction: 2016, 550 W, dimensions: 400 mm x 580 mm x 560 mm.	75
127	Heinrich GmbH	Heinrich GmbH casing welding machine, model: Thermo-Fix, machine number: HMO41418, year of construction: 2018, 230 V, 50 Hz, 7 bar, dimensions machine: 350 mm x 70 mm x 170 mm, dimensions control panel: 300 mm x 300 mm x 250 mm.	1000
128	NN office inventory	Cabinet, dimensions: 1200 mm x 425 mm x 1520 mm.	10
129	Walter Roller GmbH & Co.	Walter Roller GmbH & Co. evaporator, 2 fans, type: HVS 713, serial number: 10 251 73 0001, 400/460 V, 3 Ph, 50/60 Hz, 680/1100 W, refrigerant: G2, volume: 23.2 liter, dimensions: 2100 mm x 600 mm x 800 mm.	400
130	Ehrenfels	Ehrenfels s/s refrigerated door, type: KE 10.070, thickness: 70 mm, dimensions door: 1010 mm x 2390 mm.	200
131	Walter Roller GmbH & Co.	Walter Roller GmbH & Co. evaporator, 1 fan, type: HVST 1003 EC EP, serial number: 18 251 223 0002, 230 V, 1 Ph, 50/60 Hz, 40/60/1520 W, refrigerant: G2, volume: 2.8 liter, dimensions: 650 mm x 450 mm x 550 mm	250
132	Ehrenfels	Ehrenfels double s/s door, thickness: 50 mm, dimensions door: (2x) 950 mm x 3520 mm.	400
133	Ehrenfels	Ehrenfels s/s door, thickness: 60 mm, dimensions door: 1100 mm x 2430 mm.	250
134	Actiomedic	Actiomedic eye wash cabinet, dimensions: 240 mm x 100 mm x 320 mm. 1 Bottle is empty.	10
135	NN dip trays	2 plastic dip trays, dimensions: 800 mm x 1200 mm x 320 mm.	50
136	NN table	S/s table, working height: 850 mm, total dimensions: 1160 mm x 620 mm x 1750 mm.	75



137	Ehrenfels	Ehrenfels s/s refrigerated sliding door, type: LKS 10.080, thickness: 80 mm, dimensions door: 1320 mm x 2460 mm, length rails: 2750 mm.	400
138	Walter Roller GmbH & Co.	Walter Roller GmbH & Co. evaporator, 1 fan, type: HVST 706 EP, serial number: 18 251 186 0013, 230 V, 1 Ph, 50/60 Hz, 135/192/2840 W, refrigerant: G2, volume: 5.8 liter, dimensions: 800 mm x 500 mm x 550 mm.	250
139	Walter Roller GmbH & Co.	Walter Roller GmbH & Co. evaporator, 1 fan, type: HVST 706 EP, serial number: 18 251 186 0011, 230 V, 1 Ph, 50/60 Hz, 135/192/2840 W, refrigerant: G2, volume: 5.8 liter, dimensions: 800 mm x 500 mm x 550 mm.	250
140	Mohn GmbH	Mohn GmbH s/s sink with faucet and 2 soap dispensers, paper dispenser and waste basket, sink type: HWB-HL-1, year of construction: 02/2018, 230 V, 1 Ph, 50/60 Hz, 0.1 kW, sensor operated, dimensions sink: 500 mm x 410 mm x 800 mm dimensions paper dispenser: 275 mm x 135 mm x 360 mm, dimensions waste basket: 350 mm x 250 mm x 400 mm.	100
141	Walter Roller GmbH & Co.	Walter Roller GmbH & Co. evaporator, 1 fan, type: HVST 706 EP, serial number: 18 251 186 0012, 230 V, 1 Ph, 50/60 Hz, 135/192/2840 W, refrigerant: G2, volume: 5.8 liter, dimensions: 800 mm x 500 mm x 550 mm.	250
142	Ehrenfels	Ehrenfels s/s refrigerated sliding door, thickness: 80 mm, dimensions door: 1320 mm x 2460 mm, length rails: 2750 mm.	400
143	Berger	Berger s/s insect killer, type: KL-271, number: 196, 230 V, 50 Hz, 30 W, dimensions: 680 mm x 350 mm x 240 mm.	20
144	Hodapp	Hodapp s/s fire resistant door, year of construction: 2018, thickness: 70 mm, total dimensions: 1010 mm x 2120 mm.	300
145	Mohn GmbH	Mohn GmbH s/s sink with 2 faucets and 2 soap dispensers, Bosch Boiler, paper dispenser, waste basket, hair nets dispenser and s/s peg, sensor operated faucets, dimensions sink: 1000 mm x 410 mm x 800 mm, dimensions s/s paper dispenser: 275 mm x 135 mm x 360 mm, dimensions s/s waste basket: 350 mm x 250 mm x 400 mm, length peg: 1000 mm.	100
146	Ehrenfels	Ehrenfels s/s refrigerated sliding door, type: LTS 10.120, thickness: 120 mm, dimensions door: 1370 mm x 2550 mm, length rails: 2870 mm.	400
147	Walter Roller GmbH & Co.	Walter Roller GmbH & Co. evaporator, 1 fan, type: HVST 707, serial number: 10 251 87 0008, 400/460 V, 3 Ph, 50/60 Hz, 230/400/3000 W, refrigerant: G2, volume: 5.9 liter, dimensions: 850 mm x 550 mm x 650 mm.	250
148	Walter Roller GmbH & Co.	Walter Roller GmbH & Co. evaporator, 1 fan, type: HVST 705, serial number: 10 251 85 0024, 230 V, 1 Ph, 50/60 Hz, 135/192/2420 W, refrigerant: G2, volume: 4.1 liter, dimensions: 720 mm x 450 mm x 550 mm.	250
149	Ehrenfels	Ehrenfels s/s refrigerated sliding door, type: EKS 100, thickness: 100 mm, dimensions door: 1560 mm x 2220 mm, length rails: 2950 mm.	400



150	Ehrenfels	Ehrenfels s/s refrigerated sliding door, thickness: 80 mm, dimensions door: 1320 mm x 2460 mm, length rails: 2750 mm.	400
151	Walter Roller GmbH & Co.	Walter Roller GmbH & Co. evaporator, 1 fan, type: HVST 710, serial number: 10 251 90 0006, 400/460 V, 3 Ph, 50/60 Hz, 340/550/5330 W, refrigerant: G2, volume: 11.6 liter, dimensions: 1100 mm x 650 mm x 750 mm.	250
152	NN rollie	Plastic rollie, dimensions: dimensions: 620 mm x 420 mm x 170 mm.	10
153	NN office inventory	Wooden table on steel frame, dimensions: 600 mm x 600 mm x 410 mm and 2 chairs.	25
154	Konica Minolta Business Technologies INC.	Konica Minolta Business Technologies INC. mobile 3 in 1 printer, model: PC-211, serial number: A3J0WY1002368, 220-240 V, 50-60 Hz, 7 A, dimensions: 570 mm x 630 mm x 1130 mm.	75
155	NN rollie	Plastic rollie, dimensions: 620 mm x 420 mm x 170 mm.	10
156	NN waste bin	Steel waste bin, dimensions: 410 mm x 250 mm x 600 mm.	5
157	NN office inventory	Desk, dimensions: 1600 mm x 820 mm x 740 mm.	10
158	NN office inventory	4 cabinets, dimensions: (4x) 1200 mm x 425 mm x 1520 mm.	100
159	NN office inventory	Office inventory consisting of: 2 desks, dimensions: 2000 mm x 800 mm x 740 mm and 1200 mm x 820 mm x 740 mm, 3 cabinets, dimensions: (2x) 1200 mm x 425 mm x 1520 mm and 1200 mm x 425 mm x 750 mm, 1 drawer, dimensions: 420 mm x 830 mm x 585 mm, and 5 chairs.	100
160	vanEsch	2 vanEsch wall mounted coat rack, dimensions: (2x) 1000 mm x 120 mm x 90 mm.	10
161	Maul	Maul whiteboard, model: Serie 2000 MaulPro, dimensions: 1500 mm x 1020 mm.	10
162	Techno Line	8 Techno Line clocks, diameter: 300 mm.	20
163	NN office inventory	5 desks, dimensions: (5x) 1600 mm x 820 mm x 740 mm, 3 chairs and privacy walls, height: 1520 mm.	100
164	NN office inventory	5 desks, dimensions: (5x) 1600 mm x 820 mm x 740 mm, 3 chairs and privacy walls, height: 1520 mm.	100
165	NN office inventory	5 desks, dimensions: (5x) 1600 mm x 820 mm x 740 mm, 1 chairs and privacy walls, height: 1520 mm.	100
166	NN office inventory	17 mobile cabinets with drawers, dimensions: (17x) 455 mm x 455 mm x 1090 mm.	150
167	NN office inventory	6 cabinets, dimensions: 1200 mm x 425 mm x 1520 mm.	150
168	TimeDesign	TimeDesign time registration system, model: DataFax PZE Master IV, dimensions: 130 mm x 70 mm x 370 mm.	50
169	Reflecta / Maul	Reflecta projection screen, dimensions screen: 1765 mm x 1800 mm, and Maul whiteboard, model: Serie 2000 MaulPro, dimensions: 2000 mm x 1020 mm.	50



170	NN office inventory	6 tables, dimensions: 1600 mm x 820 mm x 740 mm, 1 cabinet, dimensions: 1200 mm x 425 mm x 1520 mm, 2 mobile cabinets with drawers, dimensions: 455 mm x 455 mm x 1090 mm, and 18 chairs.	150
171	NN locker room inventory	Locker room inventory consisting of: 2 steel 4-doors lockers, dimensions: (2x) 1190 mm x 820 mm x 740 mm, 1 steel laundry locker, dimensions: 420 mm x 500 mm x 1850 mm, 1 steel 8-doors locker, dimensions: 380 mm x 450 mm x 2020 mm, and 1 bench, dimensions: 1000 mm x 355 mm x 420 mm.	50
172	Mohn GmbH	Mohn GmbH heated wall mounted boot rack, 10 pairs, type: Stiefel Trockner STTG-W 10, machine number: 18-61144/20.1, year of construction: 2018/03, 230 V, 1 Ph, 50/60 Hz, 1.2 kW, dimensions: 800 mm x 500 mm x 1960 mm.	300
173	NN locker room inventory	Locker room inventory consisting of: 2 steel 4-doors lockers, dimensions: (2x) 1190 mm x 820 mm x 740 mm, 1 steel laundry locker, dimensions: 420 mm x 500 mm x 1850 mm, and 1 bench, dimensions: 1000 mm x 355 mm x 420 mm.	50
174	Mohn GmbH	Mohn GmbH heated wall mounted boot rack, 10 pairs, type: Stiefel Trockner STTG-W 10, machine number: 18-61144/20.2, year of construction: 2018/03, 230 V, 1 Ph, 50/60 Hz, 1.2 kW, dimensions: 800 mm x 500 mm x 1960 mm.	300
175	TimeDesign	TimeDesign time registration system, dimensions: 140 mm x 95 mm x 270 mm.	50
176	Handtmann / Tipper Tie	Steel racks with parts for Handtmann vacuum filling machine and linking attachment, Tipper Tie clips, type: G 176 Spool, Tipper Tie loops, type: OL-mini-Schlaufe weiß, various plastic bags, plastic casing for sausages, dimensions racks: (6x) 800 mm x 400 mm x 1600 mm and (2x) 900 mm x 355 mm x 1810 mm.	100
177	Derks	Derks paper dispenser, dimensions: 275 mm x 125 mm x 380 mm, and soap dispenser, dimensions: 80 mm x 115 mm x 300 mm.	5
178	World Pac / Visko Teepak	Pallet with various casings, among others: sun smoke CAS darm casting 106/25m, smoke barrier 120/20, KD.Schäldarm 28 OE.	75
179	NN table	S/s table, working height: 850 mm, total dimensions: 1900 mm x 700 mm x 1600 mm.	100
180	NN table	S/s wall mounted table, dimensions: 950 mm x 650 mm x 585 mm.	50
181	Intermec Technologies Corporation	Intermec Technologies Corporation label printer, model: PM43c, serial number: 19921745536, 100-240 V, 50/60 Hz, 4 A, dimensions: 250 mm x 450 mm x 180 mm.	25
182	Gilde Profi-Line	5 bags Gilde Profi-Line iodized salt, weight each bag: 25 kg, expiration date: 27-12-2019.	25
183	NN rollies	5 plastic rollies, dimensions: (5x) 620 mm x 420 mm x 170 mm.	50



184	NN bins	2 Plastic bins with lid, dimensions: (2x) 540 mm x 540 mm x 530 mm.	20
185	Arbitec-Forster GmbH	Arbitec-Forster GmbH mobile shelving system, type: FOREG 2000-D20 number: J-1820162/1866611, year of construction: 2018, capacity per shelf: 35 kg/m, per rack: 1050 kg, 4 cabinets, dimensions each cabinet, 3000 mm x 600 mm x 2120 mm, length rail: 3400 mm.	350
186	NN office inventory	5 tables, dimensions: (5x) 1600 mm x 800 mm x 760 mm.	100
187	NN office inventory	21 chairs.	75
188	AEG	AEG 4-pits electric stove with oven and extraction hood, model: 49076IW-MN, type: 74 A 12 B B M C D, serial number: 80800565m 230/400 V, 1/2/3 Ph, 50 Hz, dimensions stove: 600 mm x 640 mm x 860 mm, dimensions hood: 600 mm x 400 mm x 460 mm.	150
189	Ikea	Kitchen counter with sink and Ikea dishwasher, type dishwasher: model: RENGÖRA, type: GHE623DA1, serial number: 71979346, 220-240 V, 50 Hz, 10 A, 1950 kW, dimensions kitchen counter: 1810 mm x 630 mm x 940 mm, dimensions cabinets: 1800 mm x 540 mm x 600 mm and 400 mm x 660 mm x 2220 mm.	250
190	Atlas Copco	Atlas Copco air compressor, type: GA15VSD+FF, serial number: API265071, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 15 Kw, weight: 279 kg, MAWP: 12.75 bar, Qv: 2.51 m ³ per minute, dimensions: 630 mm x 1080 mm x 1420 mm.	1500
191	MIB Industriebedarf GmbH	MIB Industriebedarf GmbH steel pressure vessel, serial number: 79289, year of construction: 2017, volume: 1000 liter, pressure: 11 bar, tested pressure: 15,73 bar, temperature: -20 °C / 50 °C, dimensions: 870 mm x 870 mm x 2400 mm.	350
192	Beko Technologies GmbH	Beko Technologies GmbH oil water separator, type filter: 4010712, dimensions: 420 mm x 530 mm x 840 mm.	150
193	Copeland Scroll	Copeland Scroll cooling compressor rack consisting of 4 cooling compressors, type: (3x) ZB76KCE-TFD551 and (1x) ZBD114K5E-TFD-567, year of construction: 02/2018, 400 V, 3 Ph, 50 Hz, refrigerant: R449 A, dimensions: 2800 mm x 1210 mm x 2010 mm.	1500
194	Bitzer	2 Bitzer cooling compressor racks, consisting of 1 rack with 3 Bitzer cooling compressors, type: (3x) 2EC-3.2Y-40S, capacity: 11.4/13.7 m ³ per hour, dimensions: 1700 mm x 780 mm x 1100 mm; 1 rack with 4 Bitzer cooling compressors, type: (3x) 4EC-6.2Y-40S and (1x) 2ECS-3Y-40S, capacity: (3x) 22.7/27.4 m ³ per hour and (1x) 16.2/19.4 m ³ per hour, total dimensions: 2000 mm x 700 mm x 1620 mm, switch cabinet, dimensions: 2800 mm x 500 mm x 2060 mm.	3500
195	NN locker	Steel 4-doors locker with hoses, dimensions: 1190 mm x 500 mm x 2040 mm. 1 door broken.	10



196	Güntner	Güntner roof condenser, 3 fans, type: GCHC RD 080.2/13-56-0183076M, serial number: 504047112/03.01578, year of construction: 2018, dimensions: 3850 mm x 1100 mm x 1650 mm.	500
197	Güntner	Güntner roof condenser, 2 fans, type: GVH 065.1C/2-X.CC, serial number: 400/1252154.0004, year of construction: 2010, volume: 42.5 liter, operation pressure: 32/-1 bar, temperature: 100/-50 °C, dimensions: 2800 mm x 1150 mm x 1000 mm.	400
198	Güntner	Güntner roof condenser, 2 fans, type: GVH 065.1B/2-K.S, serial number: 400/1243624.0003, year of construction: 2010, volume: 36.0 liter, operating pressure: 32/-1 bar, temperature: 100/-50 °C, dimensions: 2450 mm x 1150 mm x 1000 mm.	400
199	Güntner	Güntner roof condenser, 1 fan, type: GVH 045.1A/1-X.E., serial number: 400/1251875.0001, year of construction: 2010, volume: 7.8 liter, operating pressure: 32/-1 bar, temperature: 100/-50 °C, dimensions: 800 mm x 960 mm x 960 mm.	250
200	Triton	Triton server cabinet, dimensions: 1030 mm x 800 mm x 2100 mm.	250
201	NN wood	2 pallets with approximately 240 wooden beams for friction smoke generator, dimensions beams: 75 mm x 75 mm x 800 mm, total dimensions: (2x) 1200 mm x 800 mm x 1250 mm.	150
210	Bizerba	Bizerba weighing and labelling machine, weigher type: GLM-I, number: 10435572, year of construction: 2008, 230 V, 50 Hz, 2.4 A, plastic belts, belt width: (1x) 260 mm, (4x) 135 mm, (2x) 95 mm, top and bottom labeller type: GLM, number 10435588 and 10435574, 230/240 V, 50 Hz, 2.4 A, display type: GT-CT, number: 10435588, 230/240 V, 50 Hz, 2.4 A, total dimensions: 3100 mm x 950 mm x 1800 mm. Lot located in Ertingen (DE), pick up and viewing in consultation with Industrial Auctions BV.	3500
211	Gea	Gea lifter for 200 liter meat bins, type: 300 S, year of construction: 2013, 400 V, 50 Hz, elevating height: 2350 mm, total dimensions: 1300 mm x 1000 mm x 2800 mm. Lot located in Ertingen (DE), pick up and viewing in consultation with Industrial Auctions BV.	500
212	Baader	Baader separator, type: 603-412, number: 330043, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 14.0 A, perforations: Ø 2 mm, plastic belt, belt width: 205 mm, total dimensions: 1500 mm x 1300 mm x 2250 mm. Lot located in Ertingen (DE), pick up and viewing in consultation with Industrial Auctions BV.	7500
213	NN lifter for meat bins	S/s lifter for 200 liter meat bins, elevating height: 1800 mm, total dimensions: 1150 mm x 950 mm x 2600 mm. Lot located in Ertingen (DE), pick up and viewing in consultation with Industrial Auctions BV.	500



214	Kolbe	Kolbe grinder, type: MWE 32, serial number: 126 0109, year of construction: 2002, 400 V, 50 Hz, 11.4 + 2.8 A, plate diameter: 130 mm, total dimensions: 770 mm x 1300 mm x 1500 mm. Lot located in Ertingen (DE), pick up and viewing in consultation with Industrial Auctions BV.	2500
215	NN elevating screw	Mobile s/s elevating screw, elevating height: 1420, total dimensions: 1600 mm x 1250 mm x 2150 mm. Lot located in Ertingen (DE), pick up and viewing in consultation with Industrial Auctions BV.	250
216	Krajewski	Krajewski double shaft ribbon mixer, serial number: 95 212, year of construction: 1996, inside dimensions: 1050 mm x 800 mm x 600 mm, total dimensions: 1800 mm x 950 mm x 1400 mm. Lot located in Ertingen (DE), pick up and viewing in consultation with Industrial Auctions BV.	1500
217	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH mobile dicer, model: Felix 100-CE, machine number: 271010.69881.103118, year of construction: 2007, 400/230 V, 3 Ph, 50/60 Hz, 3.0 A, 1.0 kW, chamber: 300 mm x 95 mm x 95 mm, distance between knives: (1x) 12 mm x 12 mm, total dimensions: 1000 mm x 700 mm x 1100 mm. Including 2 extra knife sets. Lot located in Ertingen (DE), pick up and viewing in consultation with Industrial Auctions BV.	1250
218	NN chicken conveyor	S/s mobile chicken conveyor, 28 stations, dimensions: 4400 mm x 950 mm x 1550 mm. Lot located in Ertingen (DE), pick up and viewing in consultation with Industrial Auctions BV.	500
219	Sealpac	Sealpac traysealer, type: Sealpac 750, serial number: TVG 04-751-01, year of construction: 2003, 400/230 V, 3 Ph, 6.5 kW, weight: 800 kg, dye: (4x) 173 mm x 120 mm, wire belt, belt width: 180 mm, total dimensions: 6000 mm x 900 mm x 2050 mm. Lot located in Ertingen (DE), pick up and viewing in consultation with Industrial Auctions BV.	3500
220	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 250 mm, total dimensions: 1550 mm x 500 mm x 1000 mm. Lot located in Ertingen (DE), pick up and viewing in consultation with Industrial Auctions BV.	150
221	Sealpac	Sealpac traysealer, type: Sealpac 350, serial number: TVE 0261601, year of construction: 2002, 400/230 V, 3 Ph, 3 kW, weight: 450 kg, film width: 310 mm, dye: (1x) 245 mm x 302 mm, wire belt, belt width: 180 mm, total dimensions: 2500 mm x 900 mm x 1800 mm. Missing infeed belt. Lot located in Ertingen (DE), pick up and viewing in consultation with Industrial Auctions BV.	2500



222	Bizerba	Bizerba weighing and labelling machine, type weigher: GLM-I, number: 10186001, 230 V, 50 Hz, 2.4 A, plastic belts, belt width: (2x) 137 mm, (2x) 92 mm, (1x) 300 mm, top and bottom labeller type: GLM, number 10186007 and 10186006, 230/240 V, 50 Hz, 2.4 A, display type: GT-CT, number: 02117806 , 230/240 V, 50 Hz, 2.4 A, total dimensions: 2700 mm x 900 mm x 1880 mm. Lot located in Ertingen (DE), pick up and viewing in consultation with Industrial Auctions BV.	3500
223	Bizerba	2 Bizerba label printers on s/s frame with roller conveyor, type printers: GLP and GLP-W, serial numbers: 02164631 and 10346616, 230 V, 50 Hz, 0.65 A, plastic rollers, roller width: 295 mm, total dimensions: 1230 mm x 950 mm x 1620 mm. Lot located in Ertingen (DE), pick up and viewing in consultation with Industrial Auctions BV.	100
224	Sealpac	Sealpac traysealer, type: Sealpac 750, serial number: TVG 04 1168 01, year of construction: 2005, 400/230 V, 3 Ph, 6.5 kW, weight: 800 kg, film width: 310 mm, dye: (2x) 320 mm x 245 mm, wire belt, belt width: 195 mm, total dimensions: 3750 mm x 900 mm x 2100 mm. Missing infeed conveyor. Including s/s trolley for changing forms, dimensions trolley: 1200 mm x 800 mm x 1750 mm. Lot located in Ertingen (DE), pick up and viewing in consultation with Industrial Auctions BV.	2500
225	Bizerba	Bizerba weighing and labelling machine, type weigher: GLM-I, number: 10998380, 230 V, 50 Hz, 2.4 A, plastic belts, belt width: (1x) 300 mm, (4x) 140 mm, (2x) 90 mm, top and bottom labeller type: GLM-I, number 10203830 and 10203831, 230/240 V, 50 Hz, 2.4 A, display type: GT-CT, number: 10203832 , 230/240 V, 50 Hz, 2.4 A, total dimensions: 2400 mm x 900 mm x 1900 mm. Lot located in Ertingen (DE), pick up and viewing in consultation with Industrial Auctions BV.	3500
226	Multivac	Multivac skinpack thermoformer, type: R105MF, serial number: 223349, year of construction: 2016, 400/230 V, 3 Ph, 50 Hz, 49/63 A, 18 kW, 2 Multivac vacuum pumps, type: MRP100 and MPR400HV, serial numbers: 107071698 and 1512729, capacity: 60/72 an 305 m ³ per hour, Hyfra cooling unit, type: Kälteanlage Chilly 25-S, machine number: 15120146, refrigerant: R407C, 0.825 kg, index: 260 mm, dye: (3x) 230 mm x 110 mm, bottom film: 422 mm, top film: 420 mm, plastic mesh belt, belt width: 375 mm, total dimensions: 5700 mm x 1200 mm x 1800 mm, dimensions cooling unit: 810 mm x 740 mm x 750 mm, dimensions vacuum pump: 1000 mm x 500 mm x 400 mm. Including box with parts. Lot located in Ertingen (DE), pick up and viewing in consultation with Industrial Auctions BV.	25000



227	SealedAir	23 pallets with large amount of Cryovac SealedAir DarFresh film rolls for Multivac thermoformer, 9 pallets with 12 bottom film rolls, type: DBE260C, film width: 422 mm, thickness: 260 micron, 14 pallets with top film rolls, type: TH300, film width 422 mm, thickness: 150 micron, 5 pallets with 12 rolls, 3 pallets with 15 rolls, 4 pallets with 16 rolls, 1 pallet with 11 rolls, 1 pallet with 5 rolls. Lot located in Ertingen (DE), pick up and viewing in consultation with Industrial Auctions BV.	3000
228	Pulsotronic	Pulsotronic mobile metal detector, type: M-Pulte 2 BD-HD, serial number: 90006561, year of construction: 2017, 115/230 V, 1 Ph, 50/60 Hz, 16 A, clearance: 350 mm x 170 mm, plastic mesh belt, belt width: 300 mm, total dimensions: 1700 mm x 850 mm 1250 mm. Lot located in Ertingen (DE), pick up and viewing in consultation with Industrial Auctions BV.	2000
229	Rühle	Rühle s/s tumbler, inside dimensions: Ø 575 mm x 500 mm, total dimensions: 1700 mm x 750 mm x 1400 mm. Control switch broken. Lot located in Ertingen (DE), pick up and viewing in consultation with Industrial Auctions BV.	500
230	NN tumbler	S/s tumbler, inside dimensions: Ø 550 mm x 1250 mm, total dimensions: 1700 mm x 750 mm x 1400 mm. Lot located in Ertingen (DE), pick up and viewing in consultation with Industrial Auctions BV.	500
231	Weber Maschinenfabrik	Weber Maschinenfabrik mobile skinning and derinding machine, type: ASB 400, number: 598, 400 V, 50 Hz, 0.75 kW, weight: 190 kg, working width: 350 mm, total dimensions: 1050 mm x 800 mm x 1250 mm. Missing belt. With spare knives. Lot located in Ertingen (DE), pick up and viewing in consultation with Industrial Auctions BV.	500
232	NN writing desk	Aluminium writing desk, dimensions: 740 mm x 450 mm x 1270 mm. Lot located in Ertingen (DE), pick up and viewing in consultation with Industrial Auctions BV.	50
233	NN table	S/s table, dimensions: 850 mm x 500 mm x 830 mm. Lot located in Ertingen (DE), pick up and viewing in consultation with Industrial Auctions BV.	50
234	NN table	S/s table, dimensions: 850 mm x 500 mm x 830 mm. Lot located in Ertingen (DE), pick up and viewing in consultation with Industrial Auctions BV.	50
235	NN table	S/s table, plastic top, dimensions: 2000 mm x 700 mm x 930 mm. Lot located in Ertingen (DE), pick up and viewing in consultation with Industrial Auctions BV.	100
236	NN writing desks	2 s/s writing desks, dimension each desk: 1200 mm x 800 mm x 1230 mm. Lot located in Ertingen (DE), pick up and viewing in consultation with Industrial Auctions BV.	100
237	NN table	S/s mobile table, plastic top, dimensions: 640 mm x 680 mm x 800 mm. Lot located in Ertingen (DE), pick up and viewing in consultation with Industrial Auctions BV.	50



239	NN table	S/s table, plastic top, dimensions: 1400 mm x 800 mm x 900 mm. Lot located in Ertingen (DE), pick up and viewing in consultation with Industrial Auctions BV.	75
240	NN table	S/s table, plastic top, dimensions: 1200 mm x 900 mm x 920 mm. Lot located in Ertingen (DE), pick up and viewing in consultation with Industrial Auctions BV.	75
241	NN table	S/s mobile table, plastic top, dimensions: 700 mm x 500 mm x 750 mm. Lot located in Ertingen (DE), pick up and viewing in consultation with Industrial Auctions BV.	50
242	NN ergo steps	2 s/s ergo steps, adjustable height, max height: 350 mm, total dimensions: (2x) 700 mm x 500 mm x 500 mm. Lot located in Ertingen (DE), pick up and viewing in consultation with Industrial Auctions BV.	200
243	NN ergo steps	2 s/s ergo steps, adjustable height, max height: 350 mm, total dimensions: (2x) 700 mm x 500 mm x 500 mm. Lot located in Ertingen (DE), pick up and viewing in consultation with Industrial Auctions BV.	200
244	NN waste bag holder	2 s/s waste bag holders, dimensions: (2x) 450 mm x 350 mm x 750 mm. Lot located in Ertingen (DE), pick up and viewing in consultation with Industrial Auctions BV.	50
245	NN waste bag holder	5 s/s waste bag holders, dimensions: (5x) 450 mm x 350 mm x 750 mm. Lot located in Ertingen (DE), pick up and viewing in consultation with Industrial Auctions BV.	125
246	NN table	Aluminium table, dimensions: 1500 mm x 700 mm x 850 mm. Lot located in Ertingen (DE), pick up and viewing in consultation with Industrial Auctions BV.	75
247	NN cabinet	S/s cabinet, dimensions: 2000 mm x 600 mm x 840 mm. Lot located in Ertingen (DE), pick up and viewing in consultation with Industrial Auctions BV.	150
248	NN table	Aluminium table, dimensions: 2000 mm x 900 mm x 970 mm. Lot located in Ertingen (DE), pick up and viewing in consultation with Industrial Auctions BV.	100
249	NN rack	Aluminium rack, 4 floors, floor dimensions: 1400 mm x 370 mm, total dimensions: 1420 mm x 430 mm x 1800 mm. Lot located in Ertingen (DE), pick up and viewing in consultation with Industrial Auctions BV.	75
250	NN rack	Aluminium rack, 4 floors, floor dimensions: 1400 mm x 370 mm, total dimensions: 1420 mm x 430 mm x 1800 mm. Lot located in Ertingen (DE), pick up and viewing in consultation with Industrial Auctions BV.	75
251	NN table	S/s table, dimensions: 850 mm x 850 mm x 900 mm. Lot located in Ertingen (DE), pick up and viewing in consultation with Industrial Auctions BV.	75
252	Honeywell	Honeywell label printer, type: PM43C, 100/240 V, 50/60 Hz, 4 A, dimensions: 250 mm x 400 mm x 175 mm. Lot located in Ertingen (DE), pick up and viewing in consultation with Industrial Auctions BV.	25



253	Bizerba	Bizerba label printer, type: GLP, number: 10941930, 230 V, 50 Hz, 0.65 A, dimensions: 330 mm x 370 mm x 240 mm. Lot located in Ertingen (DE), pick up and viewing in consultation with Industrial Auctions BV.	25
254	MT Container GmbH	MT Container GmbH 40 ft reefer container with Carrier cooling unit, container type: 1AAA-S-042, manufacturing number: QCRC 142872, year of construction: 4/2008, CSC inspection valid until August 2023, Carrier cooling unit type: 69NT40-551-510, serial number: LSU60237876, year of construction: 2008, 380/460 V, 3 Ph, 50/60 Hz, 25 A, refrigerant fluid: R134A, 5.21 kg, weight: 4580 kg, dimensions: 12000 mm x 2350 mm x 2690 mm. Lot located in Ertingen (DE), pick up and viewing in consultation with Industrial Auctions BV.	3000



General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use



3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Government laws and regulations, such as the Money Laundering and Terrorist Financing Prevention Act (WWFT), may impose (additional) obligations on Industrial Auctions. The client is required to provide all information requested by Industrial Auctions including (but not limited to) information about the client's identity to establish and verify this further, to verify and record the identity of the ultimate beneficial owner, the purpose and nature of the engagement or to exercise a transaction or an ongoing control over the business relationship or the natural person who represents or is authorized to do so by the client and whether the client is acting for themselves or for a third party. If the requested information is not supplied within



5 days after the first request, Industrial Auctions may immediately terminate the agreement and, pending the information, Industrial Auctions may suspend the services. Industrial Auctions is then not obliged or liable for any compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the supporting system;
- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security



5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark.

Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions



8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;
- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that



moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no



indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so



entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance



policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at



least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care.

Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



**Industrial
Auctions** BV



**Industrial
Auctions** BV

Address: Looyenbeemd 11
5652 BH Eindhoven, Netherlands
Tel.: +31 (0)40 2409 208
Email: info@industrial-auctions.com
Web: www.industrial-auctions.com

Upcoming auctions:

- 27-02 Day 1: Online auction machinery and inventory at former production location Homann Feinkost GmbH on behalf of Progressu GmbH in Dissen aTW (DE)**
- 28-02 Day 2: Online auction machinery and inventory at former production location Homann Feinkost GmbH on behalf of Progressu GmbH in Dissen aTW (DE)**
- 01-03 Day 3: Online auction machinery and inventory at former production location Homann Feinkost GmbH on behalf of Progressu GmbH in Dissen aTW (DE)**