



# Industrial Auctions BV

**Day 3: Online auction machinery and inventory at former production location Homann Feinkost GmbH in Dissen am Teutoburger Wald (DE)**

**Closing: 01 March 2023 from 12:00 hrs.**



**Viewing day:**

**Address:**

Bahnhofstraße 4  
49201 Dissen am Teutoburger Wald  
Germany



## General terms and conditions of the online auction

Closing date	01 March 2023 from 12:00 hrs.
Viewing	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: <a href="mailto:info@industrial-auctions.com">info@industrial-auctions.com</a>
Buyers premium	18% over the highest bid
VAT	19% over the highest bid including Premium
Pick up date	<p>Pick up in consultation with Industrial Auctions BV.  For more information about dismantling / transportation: <a href="mailto:info@industrial-auctions.com">info@industrial-auctions.com</a> </p>
Pick up address	Bahnhofstraße 4 49201 Dispen am Teutoburger Wald Germany
Delivery instructions	The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Industrial Auctions B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick up bought lots) will only take place on the mentioned delivery date/time and address..
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
3500	NN tub	S/s mobile tub, dimensions: 1350 mm x 1050 mm x 1580 mm.	75
3501	NN tubs	2 s/s mobile tubs, dimensions: (2x) 1350 mm x 1050 mm x 1580 mm.	150
3502	NN tubs	2 s/s mobile tubs, dimensions: (2x) 1350 mm x 1050 mm x 1580 mm.	150
3503	NN tub	S/s mobile tub, dimensions: 1350 mm x 1050 mm x 1580 mm.	75
3504	NN protection screen	S/s mobile protection screen, dimensions: 1700 mm x 700 mm x 2600 mm.	75
3505	NN protection poles and frames	12 s/s protection poles, dimensions poles: $\varnothing$ 200 mm x 860 mm, and s/s protection frame, dimensions: 1800 mm x 120 mm x 1000 mm.	120
3506	NN peg	S/s wall mounted peg, dimensions: 1090 mm x 150 mm x 40 mm.	5
3507	Mohn GmbH	Mohn GmbH wall mounted s/s hygiene station with sink, sole cleaner, type sole cleaner: Solemaster, machine number: 15-61562/4, year of construction: 05/2015, 230 V, 50/60 Hz, 0.2 kW, 2 soap dispensers and paper dispenser, dimensions: 1380 mm x 550 mm x 2120 mm.	250
3508	Safet Medex GmbH	Safet Medex GmbH eye shower, dimensions: 220 mm x 110 mm x 80 mm.	10
3509	Nederman	Nederman hose reel with plastic hose and pistol, maximum: 1.5 Mpa, dimensions: 750 mm x 300 mm x 600 mm.	75
3510	NN soap dispenser	Soap dispenser, dimensions: 100 mm x 100 mm x 300 mm.	5
3511	Labex GmbH	Labex GmbH electric high speed shutter door, door size: 2020 mm x 2350 mm.	500
3512	Labex GmbH	Labex GmbH electric high speed shutter door, type: 1100, production number: 00060982,03, year of construction: 10-2000, 230 V, 1.5 kW, door size: 2020 mm x 2350 mm.	500
3513	NN insect killer	Insect killer, dimensions: 600 mm x 200 mm x 300 mm.	10
3514	NN platform	S/s platform, 2 steps, working height: 810 mm, total dimensions: 1000 mm x 950 mm x 1730 mm.	75
3515	Mediotec	Mediotec insect killer, dimensions: 600 mm x 300 mm x 150 mm.	10
3516	NN hose reel	Plastic hose reel, dimensions: 370 mm x 140 mm x 280 mm.	5
3517	NN tilting device	S/s tilting device for pallet boxes, clearance: 930 mm x 890 mm x 1210 mm, tilting height: 1000 mm, total dimensions: 2100 mm x 1980 mm x 2130 mm.	1250



3518	Scanio	Scanio lifter for waste containers, type: K7, serial number: 3863, year of construction: 1991, 380 V, 3 Ph, 50 Hz, 2.05 A, 0.75 kW, maximum capacity: 300 kg, lifting height: 2300 mm, total dimensions: 1500 mm x 850 mm x 3340 mm.	500
3519	NN hose reel	Plastic hose reel, dimensions: 370 mm x 140 mm x 280 mm.	5
3520	NIMO-KG TRANSPORTSYSTEMEN AB	NIMO-KG TRANSPORTSYSTEMEN AB tilting device for pallet boxes, type: SK 800 HA, number: 9535, year of construction: 2000, maximum capacity: 800 kg, clearance: 1100 mm x 880 mm x 1660 mm, tilting height: 1250 mm, total dimensions: 1700 mm x 1650 mm x 2220 mm.	1250
3521	Nederman	Nederman hose reel with plastic hose and pistol, maximum: 1.5 Mpa, dimensions: 750 mm x 300 mm x 600 mm.	75
3522	Kampman	Kampman heater, dimensions: 700 mm x 550 mm x 700 mm.	100
3523	Seuster KG	Seuster KG electric high speed shutter door, door type: S2010SEL, serial number: 0410-00902420190101, year of construction: 2014, door size: 2000 mm x 2500 mm. Including control panel.	500
3524	Nita Hygiene	Nita Hygiene s/s hose reel with hose and pistol, type: 2129, serial number: 111295, year of construction: 01/2014, working pressure: 200 bar, dimensions: 550 mm x 220 mm x 460 mm.	100
3525	NN air sock	Air sock, length: 5000 mm.	25
3526	Rotogal	5 Rotogal plastic pallet boxes with lid, dimensions: (5x) 1200 mm x 800 mm x 910 mm.	250
3527	Rotogal	6 Rotogal plastic pallet boxes with lid, dimensions: (5x) 1200 mm x 800 mm x 910 mm.	300
3528	Rotogal	6 Rotogal plastic pallet boxes with lid, dimensions: (6x) 1200 mm x 800 mm x 910 mm.	300
3529	Rotogal	12 Rotogal plastic pallet boxes with lid, dimensions: (12x) 1200 mm x 800 mm x 910 mm.	600
3530	Rotogal	11 Rotogal plastic pallet boxes with lid, dimensions: (11x) 1200 mm x 800 mm x 910 mm.	550
3531	Rotogal	30 Rotogal plastic pallet boxes with lid, dimensions: (30x) 1200 mm x 800 mm x 910 mm.	1500
3532	Labex GmbH	Labex GmbH electric high speed shutter door, type: 1100, production number: 00060982.14, year of construction: 10-2000, 230 V, 1.5 kW, door size: 2000 mm x 2250 mm. Including control panel.	500
3533	Mannesmann Dematic AG	Mannesmann Dematic AG electric crane hoist, type: DKGN 2-200 K V1 F4, fabrication number: 61108158, year of construction: 2000, 400 V, 50 Hz, 10 kW, capacity: 1/1-0.20 ton, dimensions: 650 mm x 600 mm x 600 mm.	200



3534	Theodor Henrichs GmbH	Theodor Henrichs GmbH s/s hose reel with hose and pistol, type: ST30/12e, serial number: 081337, year of construction: 10/2009, working pressure: 200 bar, dimensions: 550 mm x 350 mm x 460 mm.	100
3535	Theodor Henrichs GmbH	Theodor Henrichs GmbH s/s hose reel with hose and pistol, type: ST30/12e, serial number: 085927, year of construction: 06/2010, working pressure: 200 bar, dimensions: 550 mm x 350 mm x 460 mm.	100
3536	Plum	Eye shower cabinet with Plum eye wash, dimensions: 500 mm x 120 mm x 350 mm.	25
3537	Boldt	Boldt washing machine for pallet boxes, year of construction: 2007, clearance: 1200 mm x 1000 mm, total dimensions: 4050 mm x 2950 mm x 2650 mm.	3500
3538	Vikan	2 Vikan wall mounted pegs with 4 brushes.	5
3539	Jungheinrich	Jungheinrich electric pallet lifter, type: EJE 22, serial number: 90029323, year of construction: 2001, capacity: 2200 kg, weight without battery: 390 kg, fork length: 1150 mm, total dimensions: 1800 mm x 700 mm x 1320 mm.	500
3540	NN air socks	2 air socks, length: (2x) 5000 mm.	50
3541	Seuster KG	Seuster KG electric high speed shutter door, door type: S2010SEL, serial number: 0410-00902420270101, year of construction: 2014, door size: 2050 mm x 2250 mm. Including control panel.	500
3542	NN floor weighing scale	S/s floor weighing scale with SysTec GmbH indicator, type indicator: IT3000, serial number: 056081, 110-240 VAC, 50/60 Hz, 0.2 A, dimensions scale: 1500 mm x 1250 mm x 120 mm.	300
3543	NN floor weighing scale	S/s floor weighing scale, dimensions: 1500 mm x 1300 mm x 120 mm. Without indicator.	200
3544	Vikan	3 Vikan wall mounted peg with 3 brooms, 1 brush and 1 hand brush.	10
3545	NN hose	Plastic hose.	5
3546	Leifheit	Leifheit stairs, 6 steps, maximum capacity: 150 kg, working height: 1530 mm, total dimensions: 1240 mm x 540 mm x 2140 mm.	50
3547	NN plug	S/s wall mounted peg with plug.	5
3548	NN tilting device	Mobile s/s tilting device for barrels, clearance: Ø 570 mm x 850 mm, tilting height: 1150 mm, total dimensions: 1450 mm x 800 mm x 1370 mm.	250
3549	Hermann Waldner GmbH & Co.	Hermann Waldner GmbH & Co. mobile CIP unit, year of construction: 2001, 230/400 VAC, 50 Hz, 7.0 A, 4500 W, consisting of: s/s tank, dimensions tank: Ø 700 mm x 570 mm, 2 Hilge centrifugal pump, type pumps: EURO-HYGIA-B-SUPER-I/25 A and SIPLA-SUPER 18.1, total dimensions: 1450 mm x 800 mm x 1370 mm.	400



3550	OCS	OCS metal detector head, type: Metron 2.2 C 200-175, serial number: 980122 C, 100-240 V, 50/60 Hz, 100-250 mA, clearance: 200 mm x 175 mm, total dimensions: 600 mm x 300 mm x 430 mm.	200
3551	OCS	OCS metal detector head, type: MN 5.0 CI 200/150, serial number: 930515 01, year of construction: 2007, clearance: 200 mm x 150 mm, total dimensions: 630 mm x 260 mm x 460 mm.	200
3552	NN tilting device for meat bins	S/s mobile tilting device for meat bins, dimensions: 1180 mm x 900 mm x 900 mm.	150
3553	NN tilting device for meat bins	S/s mobile tilting device for meat bins, dimensions: 1180 mm x 900 mm x 900 mm.	150
3554	Holac / Treif	S/s trolley with knives and grids for Holac and Treif, dimensions chamber for grids: Ø 115 and 115 mm x 115, total dimensions trolley: 1400 mm x 560 mm x 1400 mm.	75
3555	Nita Hygiene	Nita Hygiene s/s hose reel with hose and pistol, type: 2129, serial number: 110650, year of construction: 12/2013, working pressure: 200 bar, dimensions: 550 mm x 220 mm x 460 mm.	100
3556	Hans Güntner GmbH	Hans Güntner GmbH evaporator, 1 fan, type: S-GGF 050D/14, manufacturing number: 400/424606.2, year of construction: 2002, PS: 16/-1 bar, PT: 95/-50 °C, TS: 17.6 bar, volume: 12 liter, dimensions: 1220 mm x 650 mm x 720 mm.	250
3557	Hans Güntner GmbH	Hans Güntner GmbH evaporator, 1 fan, type: S-GGF 050D/14, manufacturing number: 400/506877.1, year of construction: 2003, PS: 16/-1 bar, PT: 95/-50 °C, TS: 17.6 bar, volume: 12 liter, dimensions: 1220 mm x 650 mm x 720 mm.	250
3558	Hans Güntner GmbH	Hans Güntner GmbH evaporator, 1 fan, type: S-GGF 050D/14, manufacturing number: 400/424606.3, year of construction: 2002, PS: 16/-1 bar, PT: 95/-50 °C, TS: 17.6 bar, volume: 12 liter, dimensions: 1220 mm x 650 mm x 720 mm.	250
3559	Hans Güntner GmbH	Hans Güntner GmbH evaporator, 1 fan, type: S-GGF 050D/14, manufacturing number: 400/424606.1, year of construction: 2002, PS: 16/-1 bar, PT: 95/-50 °C, TS: 17.6 bar, volume: 12 liter, dimensions: 1220 mm x 650 mm x 720 mm.	250
3560	NN table	Mobile s/s table, dimensions: 1260 mm x 920 mm x 740 mm.	100
3561	NN trolley	S/s trolley, 8 floors, dimensions floors: (8x) 1080 mm x 540 mm, total dimensions: 1360 mm x 600 mm x 1420 mm.	50
3562	NN frame	S/s mobile frame, dimensions: 900 mm x 700 mm x 990 mm.	25
3563	NN meat bin	S/s meat bin, volume: 200 liter. Including s/s pipes and hoses.	50



3564	NN meat bins	6 s/s meat bins, volume: 200 liter.	300
3565	NN trolley	S/s trolley, dimensions: 1250 mm x 600 mm x 1130 mm.	25
3566	NN hose reel	Plastic hose reel, dimensions: 370 mm x 140 mm x 280 mm.	5
3567	Hobart	Hobart mobile turbo mixer, model: PVM 302, serial number: 94 831880, 380 V, 3 Ph, 50 Hz, 3.5 A, 1.84 kW, dimensions: 1800 mm x 550 mm x 1750 mm.	250
3568	NN trolley	S/s trolley, dimensions: 1210 mm x 580 mm x 1370 mm.	10
3569	Plum	Plum eye shower, dimensions: 220 mm x 110 mm x 280 mm.	5
3570	NN hose	Plastic hose with pistol.	10
3571	Klisan	Klisan high pressure foam mixing unit, serial number: 10485, year of construction: 2009, dimensions: 500 mm x 700 mm x 1100 mm.	100
3572	NN air sock	Air sock, length: 2500 mm.	10
3573	NN floor weighing scale	S/s floor weighing scale with SysTec indicator, type indicator: IT8000, serial number: 081061, year of construction: 2008, 110-240 VAC, 50/60 Hz, 0.3 A, dimensions scale: 1340 mm x 1000 mm, dimensions indicator with frame: 850 mm x 630 mm x 1820. Including s/s cabinet, dimensions: 550 mm x 350 mm x 1740 mm.	150
3574	Labex GmbH	Labex GmbH electric high speed shutter door, type: 1100, production number: 00060982.01, year of construction: 10-2000, 230 V, 1.5 kW, door size: 2000 mm x 2250 mm. Including control panel.	500
3575	NN cabinet	S/s wall mounted cabinet, dimensions: 1350 mm x 380 mm x 390 mm.	25
3576	NN dispenser	S/s dispenser, dimensions: 250 mm x 110 mm x 430 mm.	10
3577	NN message board	S/s message board, dimensions: 1000 mm x 1000 mm.	10
3578	Peweta	Peweta clock, diameter clock: 400 mm.	10
3579	NN message board	S/s message board, dimensions: 1560 mm x 680 mm.	10
3580	NN air sock	Air sock, length: 4000 mm.	20
3581	NN frame	S/s wall mounted frame, dimensions: 1100 mm x 520 mm x 1500 mm. Including s/s whisk.	25
3582	NN hoses	2 plastic hoses.	5
3583	Theodor Henrichs GmbH	Theodor Henrichs GmbH s/s hose reel with hose and pistol, type: ST30/12e, serial number: 082580, year of construction: 12/2009, working pressure: 200 bar, dimensions: 550 mm x 350 mm x 460 mm.	100
3584	Schröder GmbH & Co KG	Schröder GmbH & Co KG mobile CIP unit, type: A 500, work number: 11/4093, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 20 A, volume: 500 liter, dimensions: 1650 mm x 1050 mm x 2000 mm.	3000



3585	Videojet	Videojet mobile inkjet printer, model: EXCEL 170i, serial number: 030430038WD, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A, dimensions: 560 mm x 560 mm x 1760 mm.	250
3586	Videojet	Videojet mobile inkjet printer, model: EXCEL 170i AF, serial number: 990360013WD, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A, dimensions: 820 mm x 700 mm x 1790 mm.	250
3587	OCS	OCS control unit for a checkweigher, type: HC, number: 1003801, year of construction: 2007, 115/230 V, 50/60 Hz, maximum weight: 1500 gram, e= 0.2 gram, dimensions: 470 mm x 450 mm x 1730 mm. Technical condition unknown.	100
3588	NN writing desk	S/s writing desk with monitor, dimensions: 1050 mm x 610 mm x 1900 mm.	50
3589	Videojet	Videojet inkjet printer, model: EXCEL 170i, serial number: IU96H11019, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A, dimensions: 510 mm x 210 mm x 730 mm.	100
3590	NN table	S/s table, dimensions: 1900 mm x 820 mm x 910 mm.	100
3591	Videojet	Videojet mobile inkjet printer, model: EXCEL 170i, serial number: I95G01026, 220 V, 1 Ph, 50/60 Hz, 1 A, dimensions: 560 mm x 560 mm x 1760 mm.	250
3592	Videojet	Videojet mobile inkjet printer, model: EXCEL 170i, serial number: 020800016WD, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A, dimensions: 860 mm x 700 mm x 1760 mm.	250
3593	Videojet	Videojet mobile inkjet printer, model: EXCEL 170i, serial number: I95J12011, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A, dimensions: 660 mm x 660 mm x 1850 mm.	250
3594	Videojet	Videojet mobile inkjet printer, model: EXCEL 170i, serial number: 010670026WD, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A, dimensions: 560 mm x 560 mm x 1760 mm.	250
3595	Videojet	Videojet mobile inkjet printer, model: EXCEL 170i, serial number: I95E01005, 220 V, 1 Ph, 50/60 Hz, 1 A, dimensions: 660 mm x 660 mm x 1850 mm.	250
3596	Videojet	Videojet mobile inkjet printer, model: EXCEL 170i, serial number: 020790017WD, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A, dimensions: 860 mm x 700 mm x 1760 mm.	250
3597	Videojet	Videojet mobile inkjet printer, model: EXCEL 170i, serial number: I96G01055, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A, dimensions: 820 mm x 700 mm x 1790 mm.	250
3598	Videojet	Videojet mobile inkjet printer, 1 Ph, 50/60 Hz, dimensions: 660 mm x 660 mm x 1850 mm.	250
3599	Videojet	Videojet mobile inkjet printer, model: EXCEL 170i, serial number: 020150018WD, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A, dimensions: 860 mm x 700 mm x 1760 mm.	250
3600	Videojet	Videojet mobile inkjet printer, 50/60 Hz, dimensions: 760 mm x 660 mm x 1940 mm.	250
3601	Videojet	Videojet mobile inkjet printer, model: EXCEL 170i, serial number: 992660052WD, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A, dimensions: 830 mm x 700 mm x 1820 mm.	250





3602	Videojet	Videojet mobile inkjet printer, model: EXCEL 170i, serial number: 992660052WD, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A, dimensions: 830 mm x 700 mm x 1820 mm.	250
3603	Labex GmbH	Labex GmbH high speed shutter door, door size: 2000 mm x 2500 mm. Including control panel.	500
3604	Plum	Plum eye shower, dimensions: 200 mm x 145 mm x 300 mm.	10
3605	NN protection frame	S/s protection frame, dimensions: 7500 mm x 300 mm x 120 mm.	25
3606	Luft Wand Technologie	Luft Wand Technologie s/s air curtain, dimensions: 2070 mm x 510 mm x 210 mm.	100
3607	NN pegs	2 s/s wall mounted pegs, dimensions: 910 mm x 170 mm x 220 mm.	20
3608	Hans Güntner GmbH	Hans Güntner GmbH evaporator, 2 fans, type: S-GGF 045D/24-E, manufacturing number: 400/420996.3, year of construction: 2002, PS: 16/-1 bar, TS: 95/-50 °C, TS: 17.6 bar, volume: 18 liter, dimensions: 1900 mm x 600 mm x 630 mm.	500
3609	Güntner AG & Co. KG	Güntner AG & Co. KG evaporator, 2 fans, type: 24-AHS51/8P.E, serial number: 3298254.0001, year of construction: 2009, PS: 16/-1 bar, TS: 100/-50 °C, TS: 17.6 bar, volume: 21 liter, dimensions: 1900 mm x 600 mm x 630 mm.	500
3610	NN meat bins	8 s/s meat bins, volume: 200 liter.	400
3611	NN meat bins	6 s/s meat bins, volume: 200 liter.	300
3612	NN meat bins	16 s/s meat bins, volume: 200 liter.	800
3613	NN meat bins	12 s/s meat bins, volume: 200 liter.	600
3614	NN meat bins	12 s/s meat bins, volume: 200 liter.	600
3615	NN meat bins	3 s/s meat bins, volume: 200 liter.	150
3616	NN meat bin	S/s perforated meat bin, volume: 200 liter.	50
3617	NN meat bins	4 s/s meat bins, volume: 200 liter.	200
3618	NN meat bins	4 s/s meat bins, volume: 200 liter.	200
3619	NN meat bins	4 s/s meat bins, volume: 200 liter.	200
3620	NN meat bins	3 s/s meat bins, volume: 200 liter.	150
3621	NN hose reel with hose	S/s hose reel with hose and pistol, dimensions hose reel: 380 mm x 170 mm x 380 mm.	25
3622	NN counting system	S/s wall mounted counting system, dimensions: 1030 mm x 110 mm x 810 mm.	25
3623	Luft Wand Technologie	Luft Wand Technologie s/s air curtain, dimensions: 2070 mm x 510 mm x 210 mm.	150
3624	Labex GmbH	Labex GmbH electric high speed shutter door, type: 1100, year of construction: 10-2000, 230 V, 1.5 kW, door size: 2000 mm x 2500 mm. Including control panel.	500
3625	EMS Isoliertüren	EMS Isoliertüren s/s door, type: KTM 1-flg, number: 770 859/10, year of construction: 2002, weight: 35 kg, dimensions door: 820 mm x 80 mm x 2020 mm.	75



3626	NN protection poles and frames	5 s/s protection poles, dimensions poles: $\varnothing$ 110 mm x 920 mm, and s/s protection frame, total length frame: 11000 mm.	100
3627	APV	4 APV valves, dimensions: (4x) 90 mm x 90 mm x 350 mm.	40
3628	NN trolley	S/s trolley, dimensions: 1500 mm x 920 mm x 1310 mm.	75
3629	Plum	Plum eye shower, dimensions: 200 mm x 145 mm x 300 mm.	10
3630	NN CIP unit	CIP unit for tubs or tanks, diameter lid: 820 mm, total dimensions: 2600 mm x 600 mm x 3180 mm. Including 4 APV valves.	500
3631	NN protection frames	2 s/s protection frames, dimensions: 1650 mm x 110 mm x 910 mm and 1500 mm x 800 mm x 150 mm.	50
3632	NN stairs	S/s stairs, 7 steps, working height: 1560 mm, total dimensions: 2040 mm x 780 mm x 2730 mm.	400
3633	Videojet	Videojet mobile inkjet printer, model: EXCEL 2000, serial number: 030440005WD, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A, dimensions: 850 mm x 700 mm x 1650 mm. Technical condition unknown.	150
3634	Videojet	Videojet mobile inkjet printer, model: EXCEL 2000, serial number: 040481058WD, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A, dimensions: 850 mm x 700 mm x 1650 mm. Technical condition unknown.	150
3635	Videojet	Videojet mobile inkjet printer, model: PC/80, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A, dimensions: 850 mm x 700 mm x 1650 mm. Technical condition unknown.	150
3636	Videojet	Videojet mobile inkjet printer, model: EXCEL 2000, serial number: 022040037WD, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A, dimensions: 850 mm x 700 mm x 1650 mm. Technical condition unknown.	150
3637	Videojet	Videojet mobile inkjet printer, model: EXCEL 2000, serial number: 011350006WD, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A, dimensions: 850 mm x 700 mm x 1650 mm. Technical condition unknown.	150
3638	Cool It Isoliersysteme	Cool It Isoliersysteme door, type: B4, serial number: 11069246-1, year of construction: 12.07.11, dimensions door: 1000 mm x 2000 mm.	50
3639	Wolfking	Wolfking lifter for 200 liter meat bins, type: K7, serial number: 9567, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 2.1 A, 1.4 kVA, maximum capacity: 300 kg, lifting height: 3280 mm, total dimensions: 1700 mm x 750 mm x 4380 mm.	1250
3640	Wolfking	Wolfking lifter for 200 liter meat bins, type: K7, serial number: 9566, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 2.1 A, 1.4 kVA, maximum capacity: 300 kg, lifting height: 3280 mm, total dimensions: 1700 mm x 750 mm x 4380 mm.	1250



3641	Hermann Waldner GmbH & Co.	Hermann Waldner GmbH & Co. KG 3-lane cup filling and sealing machine, type: DOSOMAT 20/3, machine number: 501, year of construction: 1988, 220/380 V, 50 Hz, 35 A, 24 kW, weight: 5100 kg, filling capacity: 9000 cups per hour, consisting of: 3-lane cup denester, 3-heads cup filling unit, 3-heads cup sealing unit, 3-lane cup lid denester and closing unit, total dimensions filling and sealing machine: 66100 mm x 1730 mm x 3110 mm, dimensions switch cabinet: 1580 mm x 400 mm x 2170 mm. Technical condition unknown, screen from control panel missing.	4000
3642	NN platform	S/s platform with stairs, 10 steps, working height: 2160 mm, total dimensions: 4000 mm x 1300 mm x 3060 mm.	250
3643	NN platform	S/s platform, dimensions: 2700 mm x 600 mm x 270 mm. Including s/s frame for crates, dimensions frame: 820 mm x 600 mm x 1100 mm.	100
3644	Hilge	Hilge centrifugal pump, type: SIPLA-SUPER 52.1, number: 06.00.10715, 400/690 V, 50 Hz, 5.4/8.9 A, 7.5 kW, dimensions: 740 mm x 330 mm x 420 mm.	150
3645	NN CIP unit	CIP unit, consisting of 3 s/s tanks, dimensions tanks: $\varnothing$ 600 mm x 1050 mm / $\varnothing$ 500 mm x 1150 mm / $\varnothing$ 500 mm x 1050 mm, Hilge centrifugal pump, type pump: HYG12 S I/3-0 B, 3 APV valves and Prominent pump, type: beta/5, total dimensions: 2700 mm x 960 mm x 1940 mm. Switch cabinet is incomplete.	500
3646	NN curve conveyor	180 ° curve conveyor, s/s frame, plastic mesh belt, belt width: 125 mm, total dimensions: 2050 mm x 1650 mm x 1320 mm.	400
3647	Multivac	Multivac top labeller, type: MR 6412, serial number: 30012/11/A, plastic belt, belt width: 80 mm, total dimensions: 2430 mm x 850 mm x 2200 mm.	1500
3648	NN curve conveyor	135 ° curve conveyor, s/s frame, plastic mesh belt, belt width: 125 mm, total dimensions: 1550 mm x 1100 mm x 1320 mm.	400
3649	OCS	OCS checkweigher and metal detector with rejector, type checkweigher: HC, number: 1002218, year of construction: 2003, 115/230 V, 50/60 Hz, maximum weight: 1500 kg, e= 0.2 gram, type metal detector: Metron 2.2 200/150, number: 970620-G, plastic belt, belt width: 140 mm, clearance metal detector: 240 mm x 225 mm, total dimensions: 2200 mm x 600 mm x 1280 mm, dimensions control unit: 480 mm x 450 mm x 1730 mm. Incomplete, technical condition unknown.	300
3650	NN curve conveyor	45 ° curve conveyor, s/s frame, plastic mesh belt, belt width: 125 mm, total dimensions: 2700 mm x 650 mm x 1500 mm.	250



3651	Itec	Itec lifter for 200 liter meat bins, type: 27000, series: B-4-0729, year of construction: 03/2011, 400 V, 3 Ph, 50 Hz, 1.1 kW, lifting height: 2600 mm, total dimensions: 1200 mm x 730 mm x 4000 mm.	1000
3652	Herbert Grunwald GmbH	Herbert Grunwald GmbH 3-lane cup filling and sealing machine, type: Foodliner 6000/3, number: 34/01, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 29.0 A, 16.0 kW, consisting of: 3-lane infeed belt, plastic belt, (3x) 100 mm, dimensions dye's: (3x) 145 mm x 120 mm, 3-heads cup filling unit, 3-heads cup sealing unit, 3-lane plastic infeed belt for lids, belt width: (3x) 100 mm, closing unit for lids, dimensions cup filling and sealing machine: 9330 mm x 1650 mm x 2600 mm, dimensions switch cabinet: 2400 mm x 410 mm x 2100 mm. Technical condition unknown.	4000
3653	Hilge	Hilge centrifugal pump, type: SIPLA-SUPER 52.1, number: 06.02.11751, 400/690 V, 50 Hz, 5.4/8.9 A, 7.5 kW, dimensions: 740 mm x 330 mm x 420 mm.	150
3654	NN platform	S/s platform, dimensions: 2250 mm x 2200 mm x 340 mm.	125
3655	NN curve conveyor	180 ° curve conveyor, s/s frame, plastic mesh belt, belt width: 150 mm, total dimensions: 2700 mm x 1000 mm x 1210 mm.	150
3656	OCS	OCS checkweigher and metal detector with rejector, type checkweigher: HC, number: 1001530, year of construction: 2002, 115/230 V, 50/60 Hz, maximum weight: 1500 kg, e= 0.2 gram, plastic belt, belt width: 140 mm, total dimensions: 2600 mm x 600 mm x 1150 mm, dimensions control unit: 480 mm x 450 mm x 1730 mm. Incomplete, technical condition unknown.	500
3657	SMB	SMB curve conveyor, type: 050494, machine number: 6814, s/s frame, plastic belt, belt width: 110 mm, total dimensions: 2500 mm x 2050 mm x 1250.	250
3658	MR Etikettiertechnik GmbH & Co. KG	MR Etikettiertechnik GmbH & Co. KG labeller, type: MR233, model: MR233 BA4212BO, machine number: 25343/06, year of construction: 2006, 230 V, 50 Hz, 700 VA, dimensions: 810 mm x 800 mm x 1810 mm.	250
3659	Hagemann	Hagemann traypacker with line dividing belt, type: CARTOMATIC-8, number: 0032.1840.01, year of construction: 2002, 400 V, 50 Hz, 32 A, 24 VDC, 1-to-3 line dividing belt, plastic mesh belt, belt width: 355 mm, clearance infeed: 490 mm x 400 mm, Robatech glue unit, dimensions line dividing belt: 3500 mm x 920 mm x 1510 mm, dimensions traypacker, 3680 mm x 1950 mm x 2480 mm, dimensions switch cabinet: 1200 mm x 500 mm x 2200 mm, including s/s mobile glue cabinet, dimensions cabinet: 980 mm x 570 mm x 810 mm. Incomplete, technical condition unknown.	1000



3660	NN roller conveyor	Electric driven roller conveyor, s/s frame, s/s rollers, roller width: 410 mm, total dimensions: 3000 mm x 810 mm x 1500 mm.	250
3661	ABB Automation Technology Products AB	ABB Automation Technology Products AB packaging robot with pallet destacker and roller conveyor, type robot: IRB6400RM99, robot version: IRB640R/F/ 2.8-150, serial number: 64-15677, year of construction: 01-08-2002, 400 V, 3 Ph, 50-60 Hz, 8.3 kvA, weight: 250 kg, clearance pallet destacker: 810 mm x 1200 mm, s/s rollers, roller width: 850 mm, dimensions robot: 2050 mm x 1000 mm x 2060 mm, dimensions control cabinet: 910 mm x 550 mm x 1100 mm, dimensions roller conveyor: 3300 mm x 2800 mm x 370 mm, dimensions destacker: 1470 mm x 1350 mm x 1950 mm. Including all fences.	1500
3662	Interpac	Interpac mobile depositor, type: inter DOS 2, machine number: WK 116/04, year of construction: 2005, 400 V, 3 Ph, 16 A, 2 heads, diameter heads: (2x) 30 mm, total dimensions: 2250 mm x 1200 mm x 2350 mm. Incomplete.	1000
3663	Urschel Laboratories Inc	Urschel Laboratories Inc mobile dicer with elevating belt, model: SPRINT, serial number: 244, year of construction: 2010, plastic belt with dividers, belt width: 290 mm, divider height: 100 mm, distance between dividers: 150 mm, total dimensions: 2750 mm x 1280 mm x 2140 mm.	7500
3664	Itec	Itec lifter for 200 liter meat bins, type: 27000, series: A-3-026, year of construction: 05/2004, 400 V, 3 Ph, 50 Hz, 1.1 kW, lifting height: 2600 mm, total dimensions: 1150 mm x 950 mm x 3500 mm.	1000
3665	Interpac	Interpac mobile depositor, type: inter DOS 2, machine number: WK 116/04, year of construction: 2005, 400 V, 3 Ph, 16 A, 2 heads, outfeed heads: (2x) 60 mm x 20 mm, total dimensions: 2250 mm x 1200 mm x 2350 mm.	1500



3666	G. Mondini S.p.A.	G. Mondini S.p.A. packaging line, consisting of: denester, model: A/C, serial number: A/15/A-01020, year of construction: 2015, 400 V, 3 Ph, 50 Hz, clearance denester: 125 mm x 950 mm, chain belt with dividers, divider height: 25 mm, distance between dividers: 190 mm, transport belt, model: C/T, serial number: A/15/A-01020, year of construction: 2015, 400 V, 3 Ph, 50 Hz, traysealer, model: Trave340VG, serial number: A/15/A-01020, year of construction: 2015, 400 V, 3 Ph, 50 Hz, dimensions dye's: (3x) 120 mm x 90 mm, lid denester, model: C/P, serial number: A/15/A-01020, year of construction: 2015, 400 V, 3 Ph, 50 Hz, clearance denester: (3x) 120 mm x 90 mm, total dimensions packaging line: 9840 mm x 1280 mm x 2450 mm. Including trolley for dye's, model: CPS/R, serial number: A/15/A-01020, year of construction: 2015, dimensions: 1320 mm x 820 mm x 1680 mm.	7500
3667	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 200 mm, total dimensions: 840 mm x 500 mm x 1060 mm.	75
3668	OCS	OCS checkweigher and metal detector with rejector, type: metal detector: MN 5.1 CT 200/200, number: 910114-CI/1004346, year of construction: 2009, 100-240 V, 50/60 Hz, 50-300 mA, plastic belt, belt width: 140 mm, clearance metal detector: 200 mm x 160 mm, total dimensions: 2400 mm x 820 mm x 1260 mm, dimensions control unit: 480 mm x 450 mm x 1730 mm. Incomplete, technical condition unknown.	250
3669	Busch	Busch vacuum pump on s/s frame, type: RA 0302 D 503, serial number: C1502000442, year of construction: 2015, weight: 250 kg, capacity: 300 m <sup>3</sup> / h, dimensions: 1080 mm x 800 mm x 750 mm.	500
3670	NN centrifuge	S/s centrifuge, inside dimensions: Ø 790 mm x 490 mm, total dimensions: 1300 mm x 1200 mm x 1570 mm. Technical condition unknown.	400
3671	NN centrifuge	S/s centrifuge, inside dimensions: Ø 790 mm x 490 mm, total dimensions: 1400 mm x 1170 mm x 1550 mm. Technical condition unknown.	400
3672	NN floor weighing scale	S/s floor weighing scale, dimensions: 1050 mm x 1000 mm x 90 mm.	200
3673	NN floor weighing scale	S/s floor weighing scale with SysTec GmbH indicator, type indicator: IT3000M-AC, serial number: 1305854, 110-240 VAC, 50/60 Hz, 0.4-0.2 A, dimensions scale: 1050 mm x 1000 mm x 90 mm.	300
3674	NN floor weighing scale	S/s floor weighing scale, dimensions: 1050 mm x 1000 mm x 90 mm.	200



3675	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 115 mm, total dimensions: 1180 mm x 450 mm x 1140 mm.	50
3676	NN table	S/s table, dimensions: 510 mm x 410 mm x 850 mm.	50
3677	OCS	OCS checkweigher and metal detector with rejector, type checkweigher: HC, number: 1004059, year of construction: 2008, 115/230 V, 50/60 Hz, maximum weight: 1500 kg, e= 0.2 gram, type metal detector: MN 5.0 CI 200/150, number: 920248-CI, year of construction: 2008, plastic belt, belt width: 140 mm, clearance metal detector: 240 mm x 225 mm, total dimensions: 2520 mm x 940 mm x 1300 mm, dimensions control unit: 480 mm x 450 mm x 1730 mm. Incomplete, technical condition unknown.	250
3678	NN curve conveyor	S-shaped curve conveyor, s/s frame, plastic belt, belt width: 115 mm, total dimensions: 3700 mm x 1600 mm x 1170 mm.	250
3679	MR Etikettiertechnik GmbH & Co. KG	MR Etikettiertechnik GmbH & Co. KG labeller, type: MR413, model: MR413 GB 1508BA4211RG, machine number: 27168/08, year of construction: 2008, 230 V, 50 Hz, 2250 VA, plastic belt, belt width: 80 mm, total dimensions: 1850 mm x 1100 mm x 2020 mm. Technical condition unknown, switch cabinet incomplete.	500
3680	DMA Fördertechnik	DMA Fördertechnik curve conveyor, s/s frame, machine number: 9929, year of construction: 01/04, plastic belt, belt width: 115 mm, total dimensions: 2300 mm x 750 mm x 1170 mm.	250
3681	Gerhard Schubert GmbH	Gerhard Schubert GmbH case packing robot, type: SMB-SNC-F2, machine number: 902585, year of construction: 12/1996, 230/400 V, 50 Hz, 21 A, 15 kW, clearance: 135 mm x 95 mm x 120 mm, Nordson glue unit, plastic outfeed belt, belt width: 130 mm, total dimensions: 5300 mm x 2200 mm x 2600 mm.	1500
3682	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 115 mm, total dimensions: 1690 mm x 400 mm x 1000 mm.	75
3683	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 115 mm, total dimensions: 1640 mm x 560 mm x 1220 mm.	75
3684	NN elevating belt	90 ° curve elevating belt, s/s frame, plastic mesh belt, belt width: 255 mm, total dimensions: 2500 mm x 1600 mm x 650 mm.	200
3685	Quander	Quander transport belt, s/s frame, dimensions: 4850 mm x 540 mm x 1180 mm and 3000 mm x 320 mm x 950 mm. Incomplete.	50



3686	Wolfking	Wolfking lifter for 200 liter meat bins, type: K7, serial number: 9644, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 2.0 A, 1.4 kVA, maximum capacity: 300 kg, lifting height: 3180 mm, total dimensions: 1800 mm x 750 mm x 3880 mm.	1000
3687	Hermann Waldner GmbH & Co.	Hermann Waldner GmbH & Co. KG 4-lane rotary cup filling and sealing machine, type: DOSOMAT 12/4, machine number: 1980, year of construction: 2001, 230/400 V, 50 Hz, 25.0 A, 17000 W, weight: 2600 kg, filling capacity: 9600 cups per hour, consisting of: 4-lane cup infeed belt, string conveyor, conveyor width: (4x) 90 mm, 4-heads cup filling unit, 4-heads cup sealing unit, 4-lane cup lid denester and closing unit, dimensions dye's: (4x) 130 mm x 90 mm, total dimensions filling and sealing machine: 3200 mm x 3200 mm x 3700 mm, dimensions switch cabinet: 2200 mm x 600 mm x 2350 mm, dimensions platform: 3050 mm x 1380 mm x 1600 mm. Including tool trolley with extra dye sets, dimensions extra dye's: 115 mm x 60 mm, dimensions trolley: 1550 mm x 860 mm x 1800 mm. Technical condition unknown, switch cabinet incomplete.	3000
3688	NN transport belt	Transport belt, s/s frame, 2x plastic belt, belt width: 100 mm and 50 mm, total dimensions: 1530 mm x 400 mm x 1200 mm.	100
3689	DMA Fördertechnik	DMA Fördertechnik 90 ° curve conveyor, s/s frame, machine number: 9256, year of construction: 04/03, plastic belt, belt width: 115 mm, total dimensions: 1250 mm x 1500 mm x 1350 mm.	100
3690	OCS	OCS checkweigher and metal detector with rejector, type checkweigher: HC, number: 1001528, year of construction: 2002, 115/230 V, 50/60 Hz, maximum weight: 1500 kg, e=0.2 gram, type: metal detector: Metron 2.2 C 200/175, number: 980120-C, 100-240 V, 50/60 Hz, 100-250 mA, plastic belt, belt width: 140 mm, clearance metal detector: 240 mm x 225 mm, total dimensions: 2520 mm x 940 mm x 1300 mm, dimensions control unit: 480 mm x 450 mm x 1730 mm. Technical condition unknown.	1000
3691	Interpac	Interpac rotary 5-lane cup sealing and lidding machine, dimensions dye's: (5x) 130 mm x 90 mm, dimensions sealing and lidding machine: 2600 mm x 2400 mm x 2400 mm, dimensions switch cabinet: 1200 mm x 400 mm x 2100 mm. Incomplete, technical condition unknown.	1000





3692	Itec	Itec lifter for 200 liter meat bins, type: 27000, series: A-3-066, year of construction: 10-2011, 400 V, 3 Ph, 50 Hz, 1.1 kW, lifting height: 2450 mm, total dimensions: 1300 mm x 950 mm x 3500 mm. Incomplete.	1000
3693	NN table	S/s wall mounted table with plastic top, dimensions: 500 mm x 440 mm x 320 mm.	5
3694	Peweta	Peweta clock, diameter clock: 450 mm.	10
3695	NN frame for crates	S/s frame for crates, dimensions: 820 mm x 600 mm x 1190 mm.	25
3696	NN table	S/s table, dimensions: 2000 mm x 500 mm x 900 mm.	75
3697	Memmert	Memmert incubator, type: BE 600, factory number: e602.0063, 230 V, 50/60 Hz, 7.0 A, 1600 W, nominal temperature: 70°C, inside dimensions: 800 mm x 500 mm x 640 mm, total dimensions: 950 mm x 670 mm x 910 mm.	150
3698	Binder	Binder incubator, type: BD   15, number: 02-34805, 230 V, 1 Ph, 50-60 Hz, 1.8 A, 0.40 kW, nominal temperature: 100°C, inside dimensions: 600 mm x 400 mm x 460 mm, total dimensions: 840 mm x 720 mm x 680 mm.	150
3699	Binder	Binder incubator, type: BD 720, serial number: 07-32946, 230 V, 1 Ph, 50/60 Hz, 5.5 A, 1.25 kW, nominal temperature: 100°C, inside dimensions: 1000 mm x 600 mm x 1180 mm, total dimensions: 1240 mm x 900 mm x 1530 mm.	300
3700	Nita Hygiene	Nita Hygiene s/s hose reel with hose and pistol, type: 2113, serial number: 125519, year of construction: 11/2015, working pressure: 200 bar, dimensions: 550 mm x 220 mm x 460 mm.	100
3701	NN door	Plastic door, dimensions door: 940 mm x 65 mm x 2180 mm.	25
3702	NN writing desk	S/s wall mounted writing desk with Vershoven phone, dimensions writing desk: 600 mm x 500 mm x 1150 mm.	25
3703	NN cage	Steel cage on plastic pallet, dimensions: 1200 mm x 800 mm x 850 mm.	25
3704	Cool It Isoliersysteme	Cool It Isoliersysteme door, type: B4, serial number: 10028992-1, dimensions door: 770 mm x 40 mm x 2200 mm.	25
3705	NN Pa meter	Digital Pa meter, dimensions: 450 mm x 100 mm x 150 mm.	10
3706	Cool It Isoliersysteme	Cool It Isoliersysteme isolated door, type: B4, serial number: 13061607-2, year of construction: 02.07.13, dimensions door: 990 mm x 65 mm x 2120 mm.	25
3707	Westa	Westa s/s sink, sensor control, dimensions: 450 mm x 410 mm x 640 mm. Including soap dispenser.	50
3708	NN table	S/s table, dimensions: 800 mm x 420 mm x 930 mm.	25



3709	Nita Hygiene	Nita Hygiene s/s hose reel with hose and pistol, type: 2113, serial number: 125520, year of construction: 11/2015, working pressure: 200 bar, dimensions: 550 mm x 220 mm x 460 mm.	100
3710	NN writing desk	S/s writing desk, dimensions: 720 mm x 600 mm x 1540 mm.	50
3711	NN protection frame	S/s protection frame, dimensions: 900 mm x 720 mm x 910 mm.	75
3712	Tammling Technik	Tammling Technik lid pressing belt, year of construction: 07/99, s/s frame, 2x plastic belt, belt width: 320 mm and 300 mm, total dimensions: 850 mm x 840 mm x 1660 mm.	250
3713	NN cabinet with writing desk	Steel cabinet with writing desk, dimensions: 500 mm x 500 mm x 1360 mm.	25
3714	Cool It Isoliersysteme	Cool It Isoliersysteme door, type: B4, serial number: 13061607-1, year of construction: 02.07.13, dimensions door: 990 mm x 65 mm x 2120 mm.	25
3715	Cool It Isoliersysteme	Cool It Isoliersysteme door, type: B4, serial number: 12030437-1, year of construction: 05.03.12, dimensions door: 1000 mm x 65 mm x 2120 mm.	25
3716	NN switch cabinet	S/s switch cabinet, dimensions: 680 mm x 210 mm x 890 mm.	25
3717	NN cabinet	S/s cabinet, dimensions: 360 mm x 310 mm x 350 mm.	10
3718	Westa	Westa s/s sink, sensor control, dimensions: 450 mm x 430 mm x 640 mm. Including soap and paper dispenser.	50
3719	NN writing desk	S/s wall mounted writing desk, dimensions: 550 mm x 430 mm x 260 mm.	25
3720	Peweta	Peweta clock, diameter clock: 450 mm.	10
3721	NN hose reel	Plastic hose reel with hose and pistol, dimensions: 370 mm x 140 mm x 280 mm.	10
3722	NN frame for crates	S/s frame for crates, dimensions: 820 mm x 600 mm x 890 mm.	25
3723	NN platform	S/s platform, dimensions: 700 mm x 300 mm x 340 mm.	10
3724	NN stairs	Mobile s/s platform with stairs, 7 steps, working height: 1560 mm, total dimensions: 2040 mm x 780 mm x 2730 mm.	400
3725	Vikan	Vikan wall mounted peg with various hygiene equipment.	10
3726	NN hose reels	2 s/s hose reels with 1 hose, dimensions: 210 mm x 150 mm x 660 mm and 240 mm x 150 mm x 320 mm.	50
3727	Nita Hygiene	Nita Hygiene s/s hose reel with hose and pistol, type: 2113, year of construction: 11/2015, working pressure: 200 bar, dimensions: 550 mm x 220 mm x 460 mm.	100



3728	Lagafors	Lagafors hygiene cleaning trolley, model: LWP 2030 M   , serial number: 18-169, year of construction: 2018, Grundfos pump, type: CRIE1-9 J-P-II-E-HQQE, capacity: 1.8 m <sup>3</sup> /h, Dankompressor air compressor, type: ATXOF 15 M, pressure: 4.5 bar, dimensions: 950 mm x 700 mm x 1050 mm.	150
3729	Plum	Plum eye shower, dimensions: 630 mm x 170 mm x 450 mm.	25
3730	NN frame	S/s frame, dimensions: 1950 mm x 400 mm x 1700 mm.	25
3731	Teledoor Melle	Teledoor Melle s/s door, type: BT 6, number: 01 0573, year of construction: 800 mm x 65 mm x 2400 mm.	75
3732	Vikan	Vikan wall mounted peg with various hygiene equipment.	10
3733	NN frames	2 s/s frames for E2 crates, dimensions: 610 mm x 410 mm x 150 mm.	20
3734	APV	APV valve, dimensions: 90 mm x 90 mm x 350 mm.	10
3735	NN platforms	2 s/s platforms, dimensions: 750 mm x 500 mm x 260 mm and 580 mm x 470 mm x 230 mm.	50
3736	NN switch cabinets	2 s/s switch cabinets, dimensions: (2x) 400 mm x 340 mm x 2000 mm.	200
3737	NN panels	2 pallets with s/s frames and panels.	150
3738	Mohn GmbH	Mohn GmbH sole cleaner, sensor control, dimensions: 500 mm x 400 mm x 1080 mm.	150
3739	NN switch cabinets	2 s/s switch cabinets, dimensions: 600 mm x 600 mm x 2230 mm and 760 mm x 300 mm x 760 mm.	150
3740	NN bowl mirrors	4 bowl mirrors, diameter: (4x) 1000 mm, height: (4x) 400 mm.	100
3741	NN air socks	4 air socks, length: (1x) 10000 mm, (2x) 12000 mm and (1x) 7000 mm.	100
3742	NN switch cabinet	S/s switch cabinet, dimensions: 760 mm x 310 mm x 760 mm.	50
3743	Peweta	Peweta clock, diameter clock: 400 mm.	10
3744	NN tray stacker	Tray stacker, plastic mesh belt, belt width: 105 mm, plastic belt, belt width: 115 mm, dimensions tray stacker: 6600 mm x 800 mm x 2130 mm, dimensions switch cabinet: 800 mm x 650 mm x 1280 mm. Incomplete, technical condition unknown.	400
3745	NN switch cabinets	3 s/s switch cabinets with s/s frames, dimensions: 600 mm x 410 mm x 1180 mm, 760 mm x 350 mm x 2790 mm and 1000 mm x 300 mm x 1800 mm.	100
3746	NN computer cabinet	Mobile s/s switch cabinet with Citizen label printer, dimensions: 650 mm x 600 mm x 1290 mm.	50
3747	NN protection frame	S/s protection frame, dimensions: 1950 mm x 120 mm x 1000 mm.	25
3748	NN table	S/s table with 2 s/s dispensers, dimensions dispensers: (2x) 360 mm x 360 mm x 320 mm, dimensions table: 810 mm x 810 mm x 1060 mm.	50



3749	NN switch cabinets	2 s/s switch cabinets, dimensions: 1000 mm x 300 mm x 1800 mm and 700 mm x 600 mm x 2240 mm.	100
3750	NN rack	S/s rack, 5 floors, dimensions floors: (5x) 1140 mm x 1000 mm, total dimensions: 1200 mm x 1000 mm x 1520 mm.	75
3751	NN trolley	S/s trolley, dimensions: 2000 mm x 630 mm x 1630 mm.	75
3752	Nederman	Nederman hose reel with hose with pistol, maximum: 1.5 Mpa, dimensions: 750 mm x 300 mm x 600 mm.	50
3753	Nederman	Nederman hose reel with hose with pistol, maximum: 1.5 Mpa, dimensions: 750 mm x 300 mm x 600 mm.	50
3754	NN computer cabinet	Mobile s/s switch cabinet, dimensions: 650 mm x 600 mm x 1290 mm.	50
3755	Tiflex	Tiflex inkjet printer, serial number: 04075, dimensions: 830 mm x 800 mm x 1470 mm. Incomplete, technical condition unknown.	25
3756	Safeline	Safeline metal detector, model: 50 H, 100-240 V, 50/60 Hz, 330 W, plastic mesh belt, belt width: 180 mm, clearance: 200 mm x 120 mm, total dimensions: 1450 mm x 700 mm x 1480 mm.	750
3757	OCS	OCS checkweigher and metal detector, type metal detector: MN 2.2 C 200/150, serial number: 960409-C, 50/60 Hz, plastic belt, belt width: 140 mm, clearance: 200 mm x 130 mm, total dimensions: 1700 mm x 770 mm x 1560 mm. Missing control unit for checkweigher, technical condition unknown.	500
3758	OCS	OCS checkweigher and metal detector, type metal detector: MN 5.0 CI 200/150, serial number: 950602-CT, 100-240V, 50/60 Hz, 50-300 mA, plastic belt, belt width: 150 mm, clearance: 200 mm x 110 mm, total dimensions: 1650 mm x 640 mm x 1620 mm. Incomplete, technical condition unknown.	400
3759	OCS	OCS checkweigher and metal detector, type metal detector: Metron 2.2 C 200/175, serial number: 980121-C, 100-240 V, 50/60 Hz, 100-250 mA, plastic belt, belt width: 140 mm, clearance: 200 mm x 130 mm, total dimensions: 1950 mm x 750 mm x 1150 mm. Missing control unit for checkweigher. Technical condition unknown.	500
3760	OCS	OCS checkweigher and metal detector, type metal detector: Metron 2.2 C 200/175, serial number: 980124-C, 100-240 V, 50/60 Hz, 100-250 mA, plastic belt, belt width: 140 mm, clearance: 200 mm x 130 mm, total dimensions: 1950 mm x 750 mm x 1150 mm. Missing control unit for checkweigher. Technical condition unknown.	500
3761	NN computer cabinet	Mobile s/s switch cabinet, dimensions: 650 mm x 600 mm x 1290 mm.	50



3762	OCS	OCS control unit for a checkweigher, type: HC, number: 1001522, year of construction: 2002, 115/230 V, 50/60 Hz, maximum weight: 1500 gram, e= 0.2 gram, dimensions: 470 mm x 450 mm x 1730 mm. Technical condition unknown.	50
3763	NN bowl mirror	Bowl mirror, dimensions: 550 mm x 300 mm x 300 mm.	10
3764	Videojet	Videojet mobile inkjet printer, model: 1660, serial number: 1507218C47ZH, 100-120/200-240 V, 1 Ph, 50/60 Hz, 3 A, 120 W, dimensions: 760 mm x 740 mm x 1500 mm.	200
3765	Mohn GmbH	Mohn GmbH wall mounted s/s hygiene station with sink, sole cleaner, type sole cleaner: Solemaster, machine number: 15-61562/3, year of construction: 05/2015, 230 V, 50/60 Hz, 0.2 kW, 2 soap dispensers and paper dispenser, dimensions: 1380 mm x 550 mm x 2120 mm.	250
3766	NN message board	S/s message board, dimensions: 2000 mm x 1050 mm.	10
3767	Jungheinrich	Jungheinrich reach truck, serial number: 762236001, lifting height: 5300 mm, total dimensions: 1600 mm x 1250 mm x 2010 mm. Incomplete, missing forks, missing battery.	400
3768	Cyklop	Cyklop pallet wrapper, type: 11 205 00, number: 020441, 230/400 V, 50 Hz, 1.1 kW, diameter platform: 1700 mm, total dimensions: 3350 mm x 3100 mm x 2700 mm.	400
3769	NN frame	S/s frame, dimensions: 900 mm x 300 mm x 870 mm.	10
3770	Vikan	Vikan wall mounted peg with various hygiene equipment.	10
3771	NN sink	S/s sink with sensor control, dimensions: 450 mm x 410 mm x 640 mm. Including paper dispenser and waste bin.	50
3772	Spies	1 box with Spies 2 liter trays (approximately 600 pcs) and 1 box with Spies lids for trays (approximately 360 pcs), dimensions tray: 220 mm x 150 mm x 85 mm, dimensions lid: 220 mm x 150 mm.	50
3773	Spies	8 pallets with Spies 3 liter trays, approximately 1200 trays per pallet, dimensions trays: 220 mm x 150 mm x 115 mm.	400
3774	Spies	8 pallets with Spies 3 liter trays, approximately 1200 trays per pallet, dimensions trays: 220 mm x 150 mm x 115 mm.	400
3775	Spies	1 pallet with Spies 2 liter trays, approximately 3136 trays per pallet, dimensions trays: 220 mm x 150 mm x 85 mm.	50
3776	Spies	6 pallets with Spies 3 liter trays, approximately 1200 trays per pallet, dimensions trays: 220 mm x 150 mm x 115 mm.	300



3777	Spies	6 pallets with Spies 3 liter trays, approximately 1200 trays per pallet, dimensions trays: 220 mm x 150 mm x 115 mm.	300
3778	Spies	15 boxes with Spies lids for trays, approximately 360 lids per box, dimensions lid: 220 mm x 150 mm.	50
3779	Spies	4 pallets with Spies 3 liter trays, approximately 1200 trays per pallet, dimensions trays: 220 mm x 150 mm x 115 mm.	200
3780	Spies	1 pallet with Spies 2 liter trays, approximately 3136 trays per pallet, dimensions trays: 220 mm x 150 mm x 85 mm.	50
3781	Spies	39 boxes with Spies lids for trays, approximately 360 lids per box, dimensions lid: 220 mm x 150 mm.	100
3782	Spies	4 pallets with Spies 3 liter trays, approximately 1200 trays per pallet, dimensions trays: 220 mm x 150 mm x 115 mm.	200
3783	Spies	2 pallets with Spies 2 liter trays, approximately 3136 trays per pallet, dimensions trays: 220 mm x 150 mm x 85 mm.	100
3784	Spies	2 pallets with Spies 3 liter trays, approximately 1200 trays per pallet, dimensions trays: 220 mm x 150 mm x 115 mm.	100
3785	NN writing desk	S/s writing desk, dimensions: 1100 mm x 430 mm x 1060 mm.	50
3786	Labex GmbH	Labex GmbH electric high speed shutter door, type: 1100, production number: 00066354.01, year of construction: 04-2001, 230 V, 1.5 kW, door size: 1850 mm x 2200 mm. Including control panel.	400
3787	Hans Güntner GmbH	Hans Güntner GmbH evaporator, 2 fans, type: GGF 045D/24, serial number: 2109774, year of construction: 2001, volume: 20 liter, dimensions: 1900 mm x 650 mm x 630 mm.	250
3788	NN bucket and lids	Large amount of plastic buckets and lids, diameter lids: 380 mm, dimensions buckets: Ø 380 mm x 375 mm.	20
3790	NN lids	Pallet with large amount of plastic lids for buckets, diameter lids: 220 mm.	50
3791	Ehlert	2 pallets with red and green Astro caps with integrated mouth masks, dimensions pallets: (2x) 1200 mm x 800 mm x 1300 mm.	100
3792	Ehlert	7 pallets with blue Astro caps with integrated mouth masks, approximately 1000 pcs per box, dimensions pallets: (7x) 1200 mm x 800 mm x 1850 mm.	350
3793	Spies	3 pallets with Spies plastic lids, 44 bags, approximately 1248 lids per bag, dimensions lids: 120 mm x 120 mm, dimensions pallets: (3x) 1200 mm x 800 mm x 1810 mm.	75
3794	Vikan	2 boxes with 15 Vikan brooms.	75



3795	NN trolley	S/s trolley, dimensions: 1150 mm x 700 mm x 950 mm.	25
3796	NN film	3 film rolls, film width: 1600 mm.	30
3797	NN isolated door	Refrigeration door, dimensions door: 835 mm x 75 mm x 1790 mm.	50
3798	OCS	4 OCS control units for checkweighers, type: HC, serial number: 1002920/1002570/1001526/1002907, year of construction: 2005/2004/2002, dimensions: (4x) 470 mm x 450 mm x 1730 mm. Incomplete, technical condition unknown.	100
3799	NN switch cabinet	S/s switch cabinet with s/s frame, dimensions: 1000 mm x 300 mm x 2010 mm.	50
3800	OCS	OCS checkweigher and metal detector, type metal detector: MN 5.0 CI 350/200, serial number: 1096573, year of construction: 2014, 100-240 V, 50/60 Hz, 50-300 mA, plastic belt, belt width: 150 mm, clearance: 350 mm x 145 mm, total dimensions: 2000 mm x 880 mm x 1080 mm. Including pallet with parts. Incomplete, technical condition unknown.	100
3801	NN table frames	2 steel table frames, dimensions: $\varnothing$ 670 mm x 660 mm.	10
3802	Hofelmeyer	Hofelmeyer s/s meat bin used for calibration weight, weight: 149.8 kg.	50
3803	NN pipes	Various s/s pipes.	25
3804	NN protection poles and frames	12 s/s protection poles, dimensions poles: $\varnothing$ 110 mm x 930 mm, s/s protection frame, dimensions: 1750 mm x 500 mm x 900 mm, approximately 15000 mm steel protection frame.	300
3805	Weissenburg	Weissenburg pallet conveying system, s/s rollers, roller width: 890 mm, dimensions: (2x) 2600 mm x 1150 mm x 700 mm, 1200 mm x 1200 mm x 750 mm, 2500 mm x 1400 mm x 700 mm, (4x) 3800 mm x 1200 mm x 970 mm, (2x) 1360 mm x 1200 mm x 820 mm and (2x) 6340 mm x 1200 mm x 790, dimensions switch cabinet: 800 mm x 600 mm x 2190 mm.	1250
3806	NN mirror	Mirror, dimensions: 830 mm x 220 mm x 620 mm.	10
3807	NN bowl mirror	Bowl mirror, dimensions: $\varnothing$ 870 mm x 360 mm.	10
3808	Hans Güntner GmbH	Hans Güntner GmbH evaporator, 3 fans, type: S-DGN 046A/34, serial number: 100/115649.2, year of construction: 2000, dimensions: 2880 mm x 1500 mm x 420 mm.	500
3809	Hans Güntner GmbH	Hans Güntner GmbH evaporator, 3 fans, type: S-DGN 046A/34, serial number: 100/115649.1, year of construction: 2000, dimensions: 2880 mm x 1500 mm x 420 mm.	500
3810	NN switch cabinet	S/s switch cabinet, dimensions: 800 mm x 310 mm x 1000 mm.	50



3811	Pooch Klimatechnik GmbH	Pooch Klimatechnik GmbH double air curtain, type: Luftwandanlage, number: 15227, year of construction: 03.03.2005, 400 V, 53 Hz, 8 A, 4 kW, capacity: 6000 m <sup>3</sup> /h, height air curtain: (2x) 2480 mm, dimensions boxes: (2x) 310 mm x 300 mm x 2480 mm, dimensions airbox: 1050 mm x 670 mm x 1850 mm.	250
3812	Blemo	2 Blemo frequency convertors, type: ER22-3/4G-V2, 380-500 V, 3 Ph, 50/60 Hz, 10.9 A, dimensions: (2x) 230 mm x 210 mm x 320 mm.	50
3813	Labex GmbH	Labex GmbH electric high speed shutter door, type: 1100, production number: 00060982.05, year of construction: 10.2000, 230 V, 1.5 kW, door size: 2000 mm x 2300 mm. Including control panel.	400
3814	Pooch Klimatechnik GmbH	Pooch Klimatechnik GmbH air curtain, curtain width: 2800 mm, dimensions box: 2800 mm x 350 mm x 320 mm, dimensions air box: 1700 mm x 700 mm x 750 mm.	250
3815	NN coat hanger	S/s wall mounted peg, dimensions: 350 mm x 100 mm x 40 mm.	5
3816	NN protection poles and frames	4 s/s protection poles, dimensions poles: Ø 110 mm x 920 mm, various s/s protection frame, total length frame: 12000 mm.	200
3817	NN bowl mirror	Bowl mirror, dimensions: 550 mm x 300 mm x 300 mm.	10
3818	Plum / Leina-Werke / Björn Steiger Stiftung	Plum eye shower, dimensions: 630 mm x 170 mm x 450 mm, Leine-Werke steel first aid cabinet, dimensions: 400 mm x 200 mm x 580 mm, Björn Steiger Stiftung plastic cabinet for AED, dimensions: 500 mm x 200 mm x 390 mm.	50
3819	Funke Gerber	Funke Gerber centrifuge, type: Nova-Safety, serial number: 3670-6324, year of construction: 2011, 230 V, 50-60 Hz, 2 A, 0.4 kW, dimensions: 470 mm x 370 mm x 220 mm.	50
3820	NN computer cabinet	Mobile s/s computer cabinet, dimensions: 650 mm x 600 mm x 1290 mm.	50
3821	Labex GmbH	Labex GmbH electric high speed shutter door, door size: 2000 mm x 2200 mm. Including control panel.	500
3822	Cool It Isoliersysteme	Cool It Isoliersysteme s/s door, type: B8, number: 15010799-1, year of construction: 27.01.15, dimensions door: 825 mm x 65 mm x 1990 mm, dimensions frame: 1130 mm x 175 mm x 2140 mm.	100
3823	Mediotec	Mediotec s/s insect killer, dimensions: 600 mm x 300 mm x 150 mm.	10
3824	Systec GmbH	Steel floor weighing scale with Systec GmbH indicator, type indicator: IT3000A, serial number: 103506, 110-240 VAC, 50/60 Hz, 0.2 A, dimensions scale: 1450 mm x 1200 mm.	200
3825	Peweta	Peweta clock, diameter clock: 400 mm.	10





3826	Vikan	Vikan wall mounted peg with various hygiene equipment.	10
3827	Mediotec	Mediotec s/s insect killer, dimensions: 600 mm x 300 mm x 150 mm.	10
3828	NN dispensers	2 s/s dispensers, dimensions: (2x) 360 mm x 330 mm x 320 mm.	20
3829	Cyklop	Cyklop pallet wrapper, type: 11 215 00, number: 050062, 400 V, 3 Ph, 50 Hz, 1.3 kW, diameter platform: 1700 mm, total dimensions: 2550 mm x 1700 mm x 2720 mm. Including pallet with parts. Technical condition unknown.	400
3830	Mediotec	Mediotec insect killer, dimensions: 600 mm x 300 mm x 150 mm.	10
3831	Nederman	Nederman hose reel with plastic hose with pistol, maximum: 1.5 Mpa, dimensions: 750 mm x 300 mm x 600 mm.	50
3832	Otto	Otto mobile plastic waste container, dimensions: 560 mm x 480 mm x 930 mm.	10
3833	Mohn GmbH	Mohn GmbH wall mounted s/s hygiene station with sink, sole cleaner, type sole cleaner: Solemaster, machine number: 15-61562/2, year of construction: 05/2015, 230 V, 50/60 Hz, 0.2 kW, 2 soap dispensers, paper dispenser and waste bin, dimensions: 1380 mm x 490 mm x 2350 mm.	250
3834	NN office inventory	Office inventory, consisting of: 2 desks, dimensions: 1600 mm x 800 mm x 730 mm and 1600 mm x 800 mm x 780 mm, 2 chairs.	50
3835	NN protection poles	6 s/s protection poles, dimensions poles: $\varnothing$ 110 mm x 870 mm.	60
3836	Seuster KG	Seuster KG electric high speed shutter door, type: S2010SEL, serial number: 0410-00902420340101, year of construction: 2014, door size: 2280 mm x 2585 mm.	500
3837	Clarbau	Clarbau s/s pallet rack, type: Edelstahl, year of construction: 2016, consisting of: 3 uprights, dimensions uprights: 1100 mm x 3000 mm.	100
3838	Clarbau	Clarbau s/s pallet rack, type: Edelstahl, year of construction: 2016, consisting of: 9 uprights, dimensions uprights: 1100 mm x 3000 mm, 4 beams, length beams: 1850 mm.	200
3839	Hans Güntner GmbH	Hans Güntner GmbH s/s evaporator, 2 fans, type: S-GGF 045D/24.F/32P, year of construction: 2009, PS: 16/-1 bar, TS: 95/-50 °C, PT: 17.6 bar, volume: 16.0 liter, dimensions: 1900 mm x 600 mm x 650 mm.	500
3840	Hans Güntner GmbH	Hans Güntner GmbH evaporator, 2 fans, type: S-GGF 045D/24-E, number: 400/420996.6, year of construction: 2002, PS: 16/-1 bar, TS: 95/-50 °C, PT: 17.6 bar, volume: 18 liter, dimensions: 1900 mm x 600 mm x 650 mm.	500



3841	Hans Güntner GmbH	Hans Güntner GmbH evaporator, 2 fans, type: S-GGF 045D/24-E, number: 400/420996.7, year of construction: 2002, PS: 16/-1 bar, TS: 95/-50 °C, PT: 17.6 bar, volume: 18 liter, dimensions: 1900 mm x 600 mm x 650 mm.	500
3842	NN pallets	7 plastic Euro H1 pallets, dimensions: (7x) 1200 mm x 800 mm x 160 mm.	70
3843	NN pallets	54 plastic Euro H1 pallets, dimensions: (54x) 1200 mm x 800 mm x 160 mm.	540
3844	EHI	24 EHI plastic Euro H1 pallets, dimensions: (24x) 1200 mm x 800 mm x 160 mm.	240
3845	EHI	23 EHI plastic Euro H1 pallets, dimensions: (23x) 1200 mm x 800 mm x 160 mm.	230
3846	EHI	4 EHI plastic Euro H1 pallets, dimensions: (4x) 1200 mm x 800 mm x 160 mm. With IBC tank, dimensions IBC tank: 1200 mm x 1000 mm x 1170 mm.	90
3847	NN pallet boxes	4 plastic pallet boxes, dimensions: (4x) 1200 mm x 1000 mm x 730 mm.	100
3848	NN pallet boxes	6 plastic pallet boxes, dimensions: (6x) 1200 mm x 1000 mm x 730 mm.	150
3849	NN pallet boxes	4 plastic pallet boxes, dimensions: (4x) 1200 mm x 1000 mm x 730 mm.	100
3850	NN IBC tank	IBC tank, dimensions: 1200 mm x 1000 mm x 1170 mm.	10
3851	NN protection frames	S/s protection frames, total length: 70000 mm.	400
3852	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, 1 fan, type: GACV FP 063JJN/1A-70 E, serial number: 524007142/17.01425, year of construction: 2021, PS: 16/-1 bar, TS: -50/+40 °C, PT: 11 bar, volume: 32.0 liter, dimensions: 1600 mm x 800 mm x 1000 mm.	500
3853	NN frame	S/s wall mounted frame, dimensions: 3700 mm x 1350 mm x 660 mm.	50
3854	Güntner AG & Co. KG	Güntner AG & Co. KG evaporator, 2 fans, type: S-GGHN 050.2H/27-ANS51/14P.E, serial number: 400/3650065.0001, year of construction: 2012, PS: 16/-1 bar, TS: 100/-50 °C, PT: 17 bar, volume: 45.1 liter, dimensions: 2500 mm x 700 mm x 800 mm.	500
3855	NN frame	S/s wall mounted frame, dimensions: 3500 mm x 1350 mm x 660 mm.	50
3856	Rotogal	3 Rotogal plastic pallet boxes with lid, dimensions: (3x) 1200 mm x 800 mm x 910 mm.	150
3857	Rotogal	4 Rotogal plastic pallet boxes with lid, dimensions: (4x) 1200 mm x 800 mm x 910 mm.	200
3858	Rotogal	4 Rotogal plastic pallet boxes with lid, dimensions: (4x) 1200 mm x 800 mm x 910 mm.	200
3859	Rotogal	Rotogal plastic pallet box with lid, dimensions: 1200 mm x 800 mm x 910 mm.	50



3860	Rotogal	12 Rotogal plastic pallet boxes with lid, dimensions: (12x) 1200 mm x 800 mm x 910 mm.	600
3861	Rotogal	3 Rotogal plastic pallet boxes with lid, dimensions: (3x) 1200 mm x 800 mm x 910 mm.	150
3862	Nita Hygiene	Nita Hygiene s/s hose reel with hose and pistol, type: 2129, serial number: 113417, year of construction: 06/2014, working pressure: 200 bar, dimensions: 550 mm x 220 mm x 460 mm.	100
3863	NN frame	S/s wall mounted frame, dimensions: 4300 mm x 440 mm x 750 mm.	50
3864	NN sink	S/s sink with sensor control, dimensions: 450 mm x 410 mm x 640 mm. Including 2 soap dispenser, paper dispenser and waste bin.	50
3865	Labex GmbH	Labex GmbH electric high speed shutter door, type: 1100, production number: 00062141.01, year of construction: 11.2000, 230 V, 1.5 kW, door size: 2500 mm x 2450 mm. Including control panel.	500
3866	Labex GmbH	Labex GmbH electric high speed shutter door, type: 1100, production number: 00034696.01, year of construction: 06.1997, 400 V, door size: 2500 mm x 2450 mm. Including control panel.	500
3867	Labex GmbH	Labex GmbH electric high speed shutter door, type: 1100, production number: 00060982.02, year of construction: 10.2000, 230 V, 1.5 kW, door size: 2000 mm x 2500 mm. Including control panel.	500
3868	NN soap dispenser	Soap dispenser, dimensions: 100 mm x 100 mm x 300 mm.	5
3869	Cool It Isoliersysteme	Cool It Isoliersysteme s/s refrigeration sliding door with rail, type: SI-12H, fabrication number: 09831801, year of construction: 2003, dimensions door: 1770 mm x 2500 mm, thickness: 110 mm, length rail: 4020 mm.	500
3870	NN pallet rack	Steel pallet rack, consisting of: 4 uprights, dimensions uprights: 1100 mm x 3150 mm, 6 beams, length beams: 1880 mm.	125
3871	GEA Kübe Kältetechnik GmbH	GEA Kübe Kältetechnik GmbH evaporator, 2 fans, type: SGBE 82 HOCHLEISTUNGSLUFTK., manufacturing number: 6618884, year of construction: 2000, 230/400 V, 3 Ph, 50/60 Hz, 4550 W, dimensions: 1900 mm x 700 mm x 550 mm.	250
3872	Cool It Isoliersysteme	Cool It Isoliersysteme s/s refrigeration sliding door with rail, type frame: ELSR-R-2-BOT, 230 V, 50/60 Hz, 16 A, dimensions door: 1770 mm x 2500 mm, thickness: 110 mm, length rail: 4020 mm.	500
3873	NN pallet rack	Steel pallet rack, consisting of: 2 uprights, dimensions uprights: 1100 mm x 3150 mm, 2 beams, length beams: 1880 mm.	50



3874	GEA Kübe Kältetechnik GmbH	GEA Kübe Kältetechnik GmbH evaporator, 2 fans, type: SGBE 82 HOCHLEISTUNGSLUFTK., manufacturing number: 6618884, year of construction: 2000, 230/400 V, 3 Ph, 50/60 Hz, 4550 W, dimensions: 1900 mm x 700 mm x 550 mm.	250
3875	FHF	FHF telephone, dimensions: 200 mm x 130 mm x 300 mm.	10
3876	NN protection poles and frames	9 s/s protection poles, dimensions poles: $\varnothing$ 110 mm x 870 mm, various s/s protection frame, total length frame: approximately 55000 mm.	350
3877	NN air curtain	S/s air curtain, curtain width: 2100 mm, total dimensions: 2100 mm x 550 mm x 200 mm.	150
3878	Theodor Henrichs GmbH	Theodor Henrichs GmbH s/s hose reel with hose and pistol, type: ST40/12/1e, serial number: 11919, year of construction: 02/2014, working pressure: 200 bar, dimensions: 520 mm x 320 mm x 450 mm.	100
3879	NN message board	S/s message board, dimensions: 1000 mm x 1000 mm.	10
3880	NN cabinet	S/s wall mounted cabinet, dimensions: 1330 mm x 330 mm x 400 mm.	50
3881	NN writing desk	S/s wall mounted writing desk, dimensions: 550 mm x 430 mm x 260 mm.	25
3882	NN pipe	S/s pipe, dimensions: 2800 mm x 250 mm x 450 mm.	20
3883	NN pallet lifter	S/s pallet lifter, fork length: 1130 mm, total dimensions: 1600 mm x 510 mm x 1200 mm.	75
3884	NN knife holders	2 s/s wall mounted knife holders for 17 knife each, dimensions: (2x) 720 mm x 40 mm x 55 mm.	20
3885	NN writing desk	S/s writing desk, dimensions: 610 mm x 540 mm x 1240 mm.	50
3886	Siemens	Siemens clock, diameter clock: 400 mm.	10
3887	NN sink	S/s sink with sensor control, dimensions: 450 mm x 410 mm x 640 mm. Including 2 soap dispenser, paper dispenser and waste bin.	50
3888	Nita Hygiene	Nita Hygiene s/s hose reel with hose and pistol, type: 2129, serial number: 111294, year of construction: 01/2014, working pressure: 200 bar, dimensions: 550 mm x 220 mm x 460 mm.	100
3889	Pago	Pago labeller, type: System 128-2, machine number: 20212832, dimensions: 1500 mm x 1050 mm x 2000 mm. Incomplete, technical condition unknown.	50
3890	NN extraction hood	S/s extraction hood, dimensions: $\varnothing$ 1100 mm x 1050 mm.	50
3891	Nita Hygiene	Nita Hygiene s/s hose reel with hose and pistol, type: 2113, serial number: 125537, year of construction: 11/2015, working pressure: 200 bar, dimensions: 550 mm x 220 mm x 460 mm.	100



3892	Theodor Henrichs GmbH	Theodor Henrichs GmbH s/s hose reel with hose and pistol, type: ST30/12e, serial number: 075176, year of construction: 10/2008, working pressure: 200 bar, dimensions: 550 mm x 350 mm x 460 mm.	100
3893	NN air socks	2 air socks, length: (2x) 9000 mm.	50
3894	NN pallets	8 plastic pallets, dimensions: (8x) 1200 mm x 800 mm x 150 mm.	40
3895	NN pallets	49 plastic Euro H1 pallets, dimensions: (49x) 1200 mm x 800 mm x 150 mm.	490
3896	NN pallets	47 plastic Euro H1 pallets, dimensions: (47x) 1200 mm x 800 mm x 150 mm.	470
3897	NN pallets	51 plastic Euro H1 pallets, dimensions: (51x) 1200 mm x 800 mm x 150 mm.	510
3898	NN pallets	52 plastic Euro H1 pallets, dimensions: (52x) 1200 mm x 800 mm x 150 mm.	520
3899	NN IBC tanks	30 IBC tanks, volume: 1000 liter, dimensions: (30x) 1200 mm x 1000 mm x 1170 mm.	300
3900	NN dispensers	2 s/s dispensers, dimensions: (2x) 370 mm x 360 mm x 320 mm.	20
3901	NN floors for rack	8 steel floors for rack, dimensions floors: (8x) 1100 mm x 520 mm x 45 mm.	5
3902	Videojet	Steel cage with 4 Videojet inkjet printers, (4x) model: Excel 170 i, serial number: I95H01038/I96H15001/I981180013WD, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A, total dimensions: 1230 mm x 830 mm x 870 mm. Technical condition unknown.	250
3903	Einhell	Einhell battery charger with 2 s/s wall mounted frames, type: AFN 12, 12 V, dimensions frames: (2x) 200 mm x 150 mm x 110 mm.	25
3904	NN frame	S/s wall mounted frame, dimensions: 1200 mm x 410 mm x 550 mm.	10
3905	NN pallet racks	2 steel pallet racks with content, (2x) 3 floors, dimensions: (2x) 2820 mm x 1070 mm x 1760 mm.	250
3906	Peddinghaus	Peddinghaus metal cutter, type: 3 R   5, dimensions: 1000 mm x 370 mm x 1550 mm.	50
3907	A-safe	Box with A-safe rack guards, height covers: 600 mm.	50
3908	Intralox	Intralox plastic belt, belt width: 355 mm, length: 9010 mm.	50
3909	Intralox	Intralox plastic mesh belt, belt width: 127 mm, length: 10010 mm.	50
3910	CDS	CDS motor for rotary table, model: Tavola Rotante serie TR, type: TR315/4/300-60 DIS.59M50937, serial number: 15R22.1, year of construction: 2016, dimensions crate: 960 mm x 720 mm x 590 mm. New in crate.	200
3911	NN frames	2 s/s frames, dimensions: (2x) 1120 mm x 620 mm x 1070 mm.	20



3912	NN frame	Steel frame for table, dimensions: 1090 mm x 790 mm x 700 mm.	5
3913	NN rack	Steel pallet rack with content, 4 floors, dimensions: 8290 mm x 950 mm x 1760 mm.	250
3914	Quipo	Quipo steel computer cabinet, dimensions: 570 mm x 570 mm x 620 mm. New.	50
3915	NN message board	S/s message board, dimensions: 670 mm x 1010 mm.	5
3916	NN computer cabinet	Mobile s/s switch cabinet, dimensions: 650 mm x 600 mm x 1290 mm.	50
3917	Videojet	Videojet mobile inkjet printer, model: EXCEL 170i, serial number: I981180012WD, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A, dimensions: 700 mm x 700 mm x 1820 mm. Defect.	150
3918	Videojet	Videojet mobile inkjet printer, model: EXCEL 2000, serial number: 003390017WD, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A, dimensions: 820 mm x 570 mm x 1770 mm. Technical condition unknown.	150
3919	NN frame	S/s wall mounted frame, dimensions: 2060 mm x 710 mm x 1320 mm.	50
3920	NN server cabinet	Server cabinet, dimensions: 600 mm x 580 mm x 1170 mm.	150
3921	NN server cabinet	Server cabinet, dimensions: 800 mm x 600 mm x 2180 mm.	750
3922	NN table	S/s mobile table, plastic worktop, dimensions: 1300 mm x 860 mm x 860 mm.	50
3923	NN waste container	Mobile plastic waste container, dimensions: 720 mm x 570 mm x 1080 mm.	10
3924	NN meat bins	3 s/s meat bins, volume: (2x) 200 liter and (1x) 300 liter.	150
3925	Videojet	Videojet mobile inkjet printer, model: EXCEL 170i, serial number: I96D17043, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A, dimensions: 890 mm x 550 mm x 1400 mm. Technical condition unknown.	150
3926	Videojet	Videojet mobile inkjet printer, model: EXCEL 2000, serial number: 010680006WD, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A, dimensions: 880 mm x 700 mm x 1820 mm. Technical condition unknown.	150
3927	NN knife holders	3 s/s wall mounted knife holders for 19 knife each holder, dimensions: (3x) 780 mm x 70 mm x 150 mm.	30
3928	NN dispenser	S/s dispenser, dimensions: 370 mm x 360 mm x 320 mm.	10
3929	NN office inventory	Office inventory, consisting of: 3 desks, dimensions: (2x) 1600 mm x 800 mm x 720 mm and 1600 mm x 800 mm x 850 mm, 7 cabinets, dimensions: (2x) 600 mm x 450 mm x 1950 mm, (4x) 1000 mm x 440 mm x 710 and 1000 mm x 440 mm x 340 mm and 1 chair.	150



3930	Bosch	Bosch refrigerator freezer combination, model: KGV2601, type: SF-26/KGV, 220-240 V, 50 Hz, 140 W, refrigerant: R12 / 0.120 kg, volume: refrigerator: 194 liter, freezer: 55 liter, total dimensions: 600 mm x 590 mm x 1490 mm.	50
3931	NN office inventory	Office inventory, consisting of: 4 desks, dimensions: (2x) 1600 mm x 600 mm x 750 mm, 1600 mm x 1000 mm x 750 mm and 1800 mm x 800 mm x 730 mm, 3 cabinets, dimensions: 800 mm x 440 mm x 2080 mm, 1200 mm x 420 mm x 900 mm and 1200 mm x 440 mm x 1120 mm, 2 desk cabinets, dimensions: (2x) 800 mm x 420 mm x 600 mm, whiteboard, dimensions: 1200 mm x 900 mm.	100
3932	NN lockers	(1x) 3-doors steel lockers, dimensions: 900 mm x 500 mm x 1860 mm and (3x) 2-doors steel lockers, dimensions: 600 mm x 500 mm x 1800 mm.	75
3934	SIHI Sterling Fluid Systems	SIHI Sterling Fluid Systems vacuum system, consisting of: 2 Sterling Fluid Systems vacuum pumps, type: (1x) LPHA 55312 BN, year of construction: 2003, capacity: 310/335 m <sup>3</sup> per hour and type: (1x) LEHA 450 AB, year of construction: 1996, capacity: 380 m <sup>3</sup> per hour, steel pressure vessel, dimensions tank: Ø 540 mm x 1450 mm and s/s buffer tank, dimensions buffer tank: 1500 mm x 500 mm x 900 mm, dimensions vacuum system: 2300 mm x 1400 mm x 1750 mm and dimensions switch cabinet: 750 mm x 210 mm x 750 mm.	750
3935	NN hose reel	Plastic hose reel with plastic hose, dimensions: 370 mm x 140 mm x 280 mm.	10
3936	Mediotec	Mediotec s/s insect killer, dimensions: 600 mm x 300 mm x 150 mm.	10
3937	NN soap dispenser	Soap dispenser, dimensions: 100 mm x 100 mm x 300 mm.	5
3938	NN soap dispenser	Soap dispenser, dimensions: 100 mm x 100 mm x 300 mm.	5
3939	Fischbach	Fischbach blower, dimensions: 700 mm x 400 mm x 820 mm.	50
3940	O.Erre	O.Erre fan, type: T1, model: VE 400/16"P, number: M9-111038, year of construction: 1 February 1999, 220-240 V, 50 Hz, 58 kW, dimensions: 700 mm x 700 mm x 140 mm.	5
3941	NN rollies	19 steel rollies for pallets, dimensions: (19x) 1270 mm x 880 mm x 350 mm.	190
3942	Nilfisk	Nilfisk mobile industrial vacuum cleaner, model: GB933, number: S/B1-NR 2912/06/98, 3 Ph, 16 A, weight: 116 kg, dimensions: 800 mm x 750 mm x 1570 mm.	75
3943	NN rollie with pallet	Steel rollie with plastic euro pallet, dimensions rollie: 1270 mm x 880 mm x 350, dimensions pallet: 1200 mm x 800 mm x 160 mm.	20



3944	NN pallets	3 plastic Euro H1 pallets, dimensions: (3x) 1200 mm x 800 mm x 160 mm.	30
3945	NN pallets	72 plastic Euro H1 pallets, dimensions: (72x) 1200 mm x 800 mm x 160 mm.	720
3946	NN pallets	22 plastic Euro H1 pallets, dimensions: (22x) 1200 mm x 800 mm x 160 mm.	220
3947	NN pallets	72 plastic Euro H1 pallets, dimensions: (72x) 1200 mm x 800 mm x 160 mm.	720
3948	NN pallets	108 plastic Euro H1 pallets, dimensions: (108x) 1200 mm x 800 mm x 160 mm.	1080
3949	Tenovis / Avaya	2 boxes with Tenovis and Avaya telephones, model: T3.11 COMFORT / T3.11 Classic II	25
3950	Leifheit	Leifheit stairs, 3 steps, dimensions: 750 mm x 430 mm x 1280 mm.	10
3951	Cool It Isoliersysteme	Cool It Isoliersysteme s/s door, type: B8, number: 12053094-6, year of construction: 07.06.12, dimensions door: 1200 mm x 80 mm x 2200 mm.	100
3952	NN soap dispenser	Soap dispenser, dimensions: 100 mm x 100 mm x 300 mm.	5
3953	NN barrels	3 plastic barrels, dimensions: (3x) Ø 470 mm x 780 mm.	10
3954	NN barrels	6 plastic barrels, dimensions: (6x) Ø 460 mm x 790 mm.	20
3955	NN barrels	16 plastic barrels, dimensions: (16x) Ø 460 mm x 790 mm.	25
3956	Karl Klein Ventilatorenbau GmbH	Karl Klein Ventilatorenbau GmbH blower, model: DNG4-14/S22, number: 370258111, 50/60 Hz, 850/1020 m³/h, dimensions: 370 mm x 220 mm x 340 mm.	50
3957	Mecafrance	6 Mecafrance manual valves, DN: 80.	100
3958	Wilo	Wilo circulation pump, type: P 50/250 R, number: 1257590/9004, 380 V, 3 Ph, 50 Hz, 4.1/3.6/3.1/2.6 A, 1100-1650/900-1500/700-1300/500-1000 W, dimensions: 370 mm x 300 mm x 440 mm.	50
3959	Centra-Bürkle GmbH	Centra-Bürkle GmbH valve, type: XD40-25, 25 kvs, dimensions: 200 mm x 150 mm x 480 mm.	50
3960	Cartonplast Pool	3 pallets with large amount of Cartonplast Pool plastic spacers, dimensions each spacer: 1200 mm x 1000 mm.	75
3961	NN pallet box	Plastic pallet box, dimensions: 1200 mm x 800 mm x 870 mm.	50
3962	Karl Klein Ventilatorenbau GmbH	Karl Klein Ventilatorenbau GmbH blower, dimensions: 370 mm x 220 mm x 340 mm.	50
3963	NN protection frames	Steel protection frames, total length: 137000 mm.	300
3964	NN message board	Message board, dimensions: 1350 mm x 60 mm x 1060 mm.	10
3965	NN whiteboard	Whiteboard, dimensions: 1800 mm x 900 mm.	10





3966	NN lockers	12-doors steel lockers, dimensions: 900 mm x 500 mm x 1850 mm.	25
3967	NN lockers	(4x) 18-doors steel lockers, dimensions: (4x) 900 mm x 500 mm x 2000 mm.	100
3968	NN kitchen counter	Kitchen counter, consisting of: s/s sink with faucet, Küppersbusch dishwasher, Küpperbusch refrigerator, 2 Severin coffee machines, Braun blender, Stiebel Eltron boiler with faucet, total dimensions: 3820 mm x 600 mm x 2240 mm. Including all content.	350
3969	Peweta	Peweta clock, diameter clock: 330 mm.	10
3970	Rittal	Rittal computer cabinet, dimensions: 800 mm x 700 mm x 1700 mm.	75
3971	NN message board	Message board, dimensions: 1200 mm x 600 mm x 1940 mm.	5
3972	NN message board	Message board, dimensions: 1350 mm x 120 mm x 2000 mm.	50
3973	NN canteen inventory	Canteen inventory, consisting of: 4 tables, dimensions: Ø1200 mm x 720 mm and 22 chairs.	50
3974	NN message board	Message board, dimensions: 1070 mm x 870 mm.	5
3975	Peweta	Peweta clock, diameter clock: 330 mm.	5
3976	Plum	Plum s/s cabinet with eye shower, dimensions: 1250 mm x 250 mm x 750 mm.	50
3977	NN electric pallet lifter	S/s electric pallet lifter with weighing unit, type control panel weighing unit: IT3000, fork length: 1150 mm, total dimensions: 1900 mm x 720 mm x 1750 mm.	1000
3978	Jungheinrich	Jungheinrich battery charger, type: E 230 G 24/30 B-ET 2, serial number: 177023, 230 V, 50/60 Hz, 5.3 A, dimensions: 450 mm x 250 mm x 350 mm.	50
3979	Jungheinrich	Jungheinrich battery charger, model: E 220 G 24/30 B/E-T, number: 2430119139, 220 V, 50/60 Hz, 5.5 A, dimensions: 450 mm x 250 mm x 350 mm.	50
3980	NN frames	3 s/s wall mounted frames, dimensions: (3x) 2000 mm x 480 mm x 550 mm.	75
3981	NN platforms	2 steel platforms, wooden floor, dimensions: (2x) 3180 mm x 1250 mm x 420 mm.	50
3982	Demag	Demag lifting system used for lifting batteries, maximum capacity: 500 kg, consisting of: Demag conductor, 2 s/s rails, dimensions rails: (2x) 3000 mm x 200 mm x 270 mm and 1 steel beam, dimensions beam: 6000 mm x 80 mm x 140 mm.	250
3983	NN protection poles and frames	2 steel protection poles, dimensions poles: Ø 200 mm x 1120 mm, and s/s protection frame, total length frame: 40000 mm.	300
3985	NN fence	Steel fence with double gate, height fence: 2080 mm, total length fence: 14600 mm.	250
3986	Plum	Plum s/s cabinet with eye shower, dimensions: 1250 mm x 250 mm x 750 mm.	25



3987	NN pallet racks	2 steel pallet racks, consisting of: 6 uprights, dimensions uprights: 1100 mm x 2700 mm, 14 beams, length beams: (12x) 2780 mm (2x) 1780 mm.	200
3988	Weber Kunststofftechnik	2 Weber Kunststofftechnik plastic drip trays, dimensions: (2x) 2650 mm x 1300 mm x 200 mm.	50
3989	Wolf	Wolf electromotor, number: WU-DA180LJ, 400 V, 3 Ph, 50 Hz, 41.0/23.7 A, 22.0 kW, dimensions: 850 mm x 450 mm x 650 mm.	100
3990	NN parts for pallet lifter	Spare parts for electric pallet lifter.	50
3991	Jungheinrich	Jungheinrich electric pallet lifter, type: EJD 20, serial number: 90029555, year of construction: 2001, rated capacity: 2000 kg, load centre distance: 600 mm, 24 V, 1.5 kW, fork length: 1180 mm, total dimensions: 2000 mm x 700 mm x 1230 mm. Incomplete, without battery. Technical condition unknown.	150
3992	NN forks	Steel forks for electric pallet lifter, fork length: 1150 mm, total dimensions: 1400 mm x 660 mm x 500 mm.	50
3993	Jungheinrich	Jungheinrich electric pallet lifter, fork length: 1150 mm, total dimensions: 1850 mm x 680 mm x 1320 mm. Incomplete, without battery. Technical condition unknown.	150
3994	Jungheinrich	Jungheinrich electric pallet lifter, type: EJC 16 G 115-300 ZT (L) VA, serial number: 9150 6120, year of construction: 2003, rated capacity: 1600 kg, load centre distance: 600 mm, 24 V, 1.5 kW, operating hours: 6342 hour, fork length: 1150 mm, weight without battery: 858 kg, battery weight: 283/313 kg, total dimensions: 2020 mm x 800 mm x 1800 mm.	1000
3995	Siegfried Frenzen GmbH	Siegfried Frenzen GmbH electric pallet lifter, type: Vega 8516, factory number: 71756/14393, year of construction: 2003, capacity: 850 kg, fork length: 1120 mm, weight: 290 kg, total dimensions: 1720 mm x 800 mm x 1950 mm.	250
3996	Siegfried Frenzen GmbH	Siegfried Frenzen GmbH electric pallet lifter, type: Vega 8516, factory number: 75222/15209, year of construction: 2009, capacity: 850 kg, fork length: 1120 mm, weight: 290 kg, total dimensions: 1720 mm x 800 mm x 1950 mm.	250
3997	NN trolley	S/s trolley used for battery packs, s/s rollers, roller width: (2x) 270 mm, total dimensions: 1720 mm x 800 mm x 1950 mm.	50



3998	Jungheinrich	Jungheinrich electric pallet lifter, type: WP 20 D MIC, serial number: 90110905, year of construction: 2004, rated capacity: 2000 kg, load centre distance: 600 mm, 24 V, 1.5 kW, fork length: 1180 mm, weight without battery: 360 kg, battery weight: 209/231 kg, total dimensions: 1980 mm x 700 mm x 1230 mm. Incomplete, without battery. Technical condition unknown.	150
3999	Jungheinrich	Jungheinrich electric pallet lifter, type: EJE 22, serial number: 90029326, year of construction: 2001, rated capacity: 2200 kg, 24 V, 1.5 kW, fork length: 1180 mm, weight without battery: 390 kg, battery weight: 282/312 kg, total dimensions: 1800 mm x 700 mm x 1300 mm. Incomplete, without battery. Technical condition unknown.	150
4000	Jungheinrich	Jungheinrich electric pallet lifter, type: EJC 14G 115-250 ZT (L), serial number: 90001450, year of construction: 2000, rated capacity: 1400 kg, load centre distance: 600 mm, 24 V, 1.5 kW, fork length: 1150 mm, weight without battery: 830 kg, battery weight: 280/300 kg, total dimensions: 2050 mm x 800 mm x 1700 mm.	750
4001	Jungheinrich	Jungheinrich electric pallet lifter, working hours: 74044.5 hour, fork length: 1150 mm, total dimensions: 2050 mm x 850 mm x 1900 mm.	750
4002	Jungheinrich	Jungheinrich electric pallet lifter, fork length: 1150 mm, total dimensions: 2050 mm x 850 mm x 1900 mm.	750
4003	Jungheinrich	Jungheinrich electric pallet lifter, fork length: 1150 mm, total dimensions: 2050 mm x 850 mm x 1900 mm.	750
4004	Jungheinrich	Jungheinrich electric pallet lifter, type: EJC 110, number: EJC 110-ZT-ML=1660, year of construction: 2006, fork length: 1150 mm, total dimensions: 2050 mm x 850 mm x 1700 mm. Defect.	500
4005	Jungheinrich	Jungheinrich electric pallet lifter, number: 88269903, fork length: 1150 mm, total dimensions: 2050 mm x 850 mm x 1700 mm.	750
4006	Jungheinrich	Jungheinrich electric pallet lifter, working hours: 9536.31 hour, fork length: 1150 mm, total dimensions: 2050 mm x 850 mm x 1900 mm.	750
4007	Jungheinrich	Jungheinrich electric pallet lifter, fork length: 1150 mm, total dimensions: 2050 mm x 850 mm x 1700 mm.	750



4008	Jungheinrich	Jungheinrich electric pallet lifter, type: EJE 20G 20-115-56 K, serial number: 732111801, year of construction: 1987, rated capacity: 2000, 24 V, 200 Ah, fork length: 1150 mm, weight without battery: 390 kg, battery weight: 230/100 kg, total dimensions: 2150 mm x 850 mm x 1700 mm.	500
4009	Jungheinrich	Jungheinrich electric pallet lifter, type: EJE 20 G 19-115-56, serial number: 7.2645.84.11, year of construction: 1990, rated capacity: 2000 kg, 24 V, 200 Ah, working hours: 14211.25 mm, fork length: 1180 mm, weight without battery: 360 kg, battery weight: 95/310 kg, total dimensions: 1980 mm x 700 mm x 1340 mm. Incomplete, without battery. Technical condition unknown.	150
4010	Jungheinrich	Jungheinrich electric pallet lifter, type: EJE 20 G 19-115-56, serial number: 7.2647.58.08, year of construction: 1992, rated capacity: 2000 kg, 24 V, 200 Ah, fork length: 1150 mm, weight without battery: 360 kg, battery weight: 95/310 kg, total dimensions: 1980 mm x 700 mm x 1340 mm. Incomplete, without battery. Technical condition unknown.	150
4011	Jungheinrich	Jungheinrich electric pallet lifter, fork length: 1150 mm, total dimensions: 1980 mm x 700 mm x 1340 mm. Incomplete, without battery. Technical condition unknown.	150
4012	Jungheinrich	Jungheinrich electric pallet lifter, type: EJE 20G-17-115-51 (L), serial number: 82153353, year of construction: 1999, rated capacity: 2000 kg, 24 V, 220 Ah, fork length: 1150 mm, weight without battery: 380 kg, battery weight: 95/310 kg, total dimensions: 1980 mm x 700 mm x 1340 mm. Incomplete, without battery. Technical condition unknown.	150
4013	Schmalz	Schmalz vacuum gripper, type: JUMBOSPRINT65-250-EDELS, article number: 11.01.17.10002, capacity: 65 kg, weight: 63.5 kg, dimensions frame: 950 mm x 750 mm x 3440 mm, length arm: 3000 mm.	400
4014	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor unit, consisting of: 2 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: 4V-6.2 Y, serial number: 65891050 / 65891049, 380-420/440-480 V, 50/60 Hz, 14 A, 33.07/39.9 m³/h, dimensions cooling compressors: (2x) 750 mm x 450 mm x 680 mm, switch cabinet, dimensions: 1000 mm x 300 mm x 760 mm.	500
4015	Helios Ventilatoren GmbH + Co KG	Helios Ventilatoren GmbH + Co KG blower in noise cancelling cabinet, type: GBD EC 630 T120, article number: 06485/001, 400 V, 3 Ph, 50 Hz, 5.5 A, 3.6 kW, 1350 1/min, weight: 106 kg, dimensions: 800 mm x 800 mm x 800 mm.	150



4016	NN valve	Valve, year of construction: 2018, travel: 20 mm , Ty: 53 sec.	50
4017	Spirax Sarco	Spirax Sarco TVA flow meter, type: H19, serial number: D28920, 9-28 V, 4-20 mA, maximum temperature: 239 °C, maximum pressure: 32 bar g.	50
4018	API Schmidt-Bretten GmbH & Co. KG	API Schmidt-Bretten GmbH & Co. KG plate heat exchanger, number: PA-115609, year of construction: 2018, volume: 11 liter, maximum pressure: 10 bar, temperature range: -10/60 °C, dimensions: 770 mm x 400 mm x 1000 mm.	400
4019	Werthenbach-Hydraulik	Werthenbach-Hydraulik hydraulic station, consisting of: 3 hydraulic units, year of construction: 2008, fluid volume: (3x) 70 liter, hydraulic fluid: HF 46, dimensions units: (3x) 650 mm x 500 mm x 750 mm, 3 switch cabinet, dimensions switch cabinets: (3x) 1000 mm x 300 mm x 750 mm, total dimensions: 3000 mm x 1050 mm x 1870 mm	1000
4020	Wolf GmbH	Wolf GmbH air handling unit, type: KG 400, serial number: 0460, 400 V, 3 Ph, 41.0/23.7 A, 22.0 kW, 32500 m³/h, dimensions unit: 11150 mm x 1900 mm x 1950 mm, dimensions switch cabinet: 1200 mm x 400 mm x 2000 mm. Including all channels, valves and meters.	5000
4021	Mietzsch GmbH	Mietzsch GmbH blower, type: VRE200, number: 734W2900, n: 2900 U/min, V: 3530 m³/h, maximum temperature: 30 °C, dimensions: 700 mm x 600 mm x 780 mm.	50
4022	NN soap dispenser	Soap dispenser, dimensions: 100 mm x 100 mm x 300 mm.	5
4023	NN squeegee	Squeegee.	5
4024	Zarges	Zarges ladder, 14 steps, capacity: 150 kg, dimensions: 350 mm x 55 mm x 4200 mm.	50
4025	NN soap dispenser	Soap dispenser, dimensions: 100 mm x 100 mm x 300 mm.	5
4026	Nederman	Nederman hose reel with plastic hose with pistol, serial number: 884, year of construction: 2001, bore: 12.5 mm, maximum length: 20 meter, maximum: 1.5 Mpa, dimensions: 750 mm x 300 mm x 600 mm.	50
4027	Westa	Westa s/s sink, sensor control, dimensions: 440 mm x 430 mm x 640 mm. Including paper dispenser.	25
4028	Mohn GmbH	Mohn GmbH sole cleaner, type: Solemaster, machine number: 16-60186, year of construction: 11/2015, 230 V, 50/60 Hz, 0.2 kW, dimensions: 680 mm x 410 mm x 1100 mm.	150
4029	NN frames	5 wall mounted s/s pegs dimensions: (3x) 1200 mm x 160 mm x 220 mm and (2x) 900 mm x 160 mm x 220 mm.	30
4030	NN office desk	Office desk, dimensions: 1830 mm x 900 mm x 750 mm. Including 1 office chair.	10



4031	Bitzer	Bitzer cooling compressor, type: 4P-10.2 Y, serial number: 664509504, 380-420/440-480 V, 3 Ph, 50/60 Hz, 21 A, 47.1/56.9 m <sup>3</sup> /h, dimensions Bitzer: 950 mm x 500 mm x 720 mm, dimensions switch cabinet: 600 mm x 210 mm x 670 mm.	250
4032	NN pallet rack	Steel pallet rack, maximum capacity: 2000 kg, consisting of: 2 uprights, dimensions uprights: 1050 mm x 3050 mm, 4 beams, length beams: 3670 mm, total dimensions: 3750 mm x 1050 mm x 3050 mm.	100
4033	NN infeed bunker	S/s infeed bunker, dimensions: 1030 mm x 860 mm x 1050 mm.	75
4034	Weber	Weber mobile waste container, dimensions: 700 mm x 570 mm x 1080 mm.	10
4035	Mediotec	Mediotec s/s insect killer, dimensions: 600 mm x 300 mm x 150 mm.	10
4036	NN pallet rack	Steel pallet rack, maximum capacity: 2000 kg, consisting of 3 uprights, dimensions uprights: 1050 mm x 3050 mm, 8 beams, length beams: 3670 mm, total dimensions: 7460 mm x 1050 mm x 3050 mm.	100
4037	NN pallet	Aluminium pallet, dimensions: 1200 mm x 800 mm x 150 mm.	10
4038	Labex GmbH	Labex GmbH electric high speed shutter door, type: 1100, production number: 00060982.12, year of construction: 10.2000, 230 V, 1.5 kW, door size: 2300 mm x 2650 mm. Including control panel.	500
4039	Nederman	Nederman hose reel with plastic hose and pistol, serial number: 884, year of construction: 2002, bore: 12.5 mm, maximum length: 20 meter, maximum: 1.5 Mpa, dimensions: 750 mm x 300 mm x 600 mm.	50
4040	Vikan	Vikan wall mount.	5
4041	Peweta	Peweta clock, diameter clock: 400 mm.	10
4042	Labex GmbH	Labex GmbH electric high speed shutter door, door size: 1850 mm x 2400 mm. Including control panel.	500
4043	Mediotec	Mediotec s/s insect killer, dimensions: 600 mm x 300 mm x 150 mm.	10
4044	NN meat bin	S/s meat bin, volume: 200 liter. Including s/s pipes, dimensions pipe: $\varnothing$ 500 mm x 1180 mm.	50
4045	Kisters	Kisters carton erector, plastic string conveyor, conveyor width: 270 mm, Robatech glue unit, type glue unit: 112805 Concept 4/2, KPC12, serial number: 03-12-03, total dimensions: 1450 mm x 1050 mm x 2050 mm.	300
4046	Pureflo Lobe	Pureflo Lobe rotary lobe pump, model: 26300-6830, serial number: 10021, dimensions: 1300 mm x 660 mm x 740 mm.	300



4047	Gronemeyer	Gronemeyer transport belt, s/s frame, type: NFA Pos. 54.3, machine number: 9208-055-4, year of construction: 06/2001, dimensions: 2300 mm x 350 mm x 1040 mm and 1950 mm x 350 mm x 1040 mm, 45 ° curve conveyor, s/s frame, plastic mesh belt, belt width: 150, dimensions: 2450 mm x 360 mm x 1150 mm.	100
4048	NN rejecter bin	S/s rejecter bin, dimensions: 300 mm x 300 mm x 1050 mm.	20
4049	NN extraction cabinet	S/s extraction cabinet, dimensions: 2520 mm x 2320 mm x 2950 mm. Including plastic hose reel and s/s lid for meat bins.	250
4050	NN hose reel	Plastic hose reel, dimensions: 370 mm x 140 mm x 280 mm.	5
4051	Nederman	Nederman hose reel with plastic hose and pistol, serial number: 884, year of construction: 2003, bore: 12.5 mm, maximum length: 20 meter, maximum: 1.5 Mpa, dimensions: 750 mm x 300 mm x 600 mm.	50
4052	Labex GmbH	Labex GmbH electric high speed shutter door, type: 1100, production number: 00060982.08, year of construction: 10.2000, 230 V, 1.5 kW, door size: 2300 mm x 2600 mm. Including control panel.	500
4053	NN protection poles	2 s/s protection poles, dimensions: Ø 220 mm x 910 mm.	20
4054	NN pallet	Plastic pallet, dimensions: 1200 mm x 800 mm x 150 mm.	5
4055	NN parts	Pallet with several parts for transport belt, among others: plastic belt, belt width: 110 mm.	10
4056	Holac	Holac dicer, dimensions chamber: 115 mm x 120 mm, total dimensions: 2200 mm x 750 mm x 1850 mm. Including mobile pump, dimensions trolley: 1020 mm x 450 mm x 1090 mm and a pallet with several parts. Incomplete, technical condition unknown.	400
4057	Plastopan	Plastopan mobile plastic waste container, dimensions: 570 mm x 720 mm x 1050 mm.	10
4058	Hans Güntner GmbH	Hans Güntner GmbH evaporator, 3 fans, type: GHF 040 1D/37, serial number: 400/128700.1, year of construction: 2003, dimensions: 2350 mm x 450 mm x 550 mm.	500
4059	Hans Güntner GmbH	Hans Güntner GmbH evaporator, 3 fans, type: GHF 040 1D/37, serial number: 400/128700.2, year of construction: 2003, dimensions: 2350 mm x 450 mm x 550 mm.	500
4060	NN plates for plate heat exchanger	Pallet with s/s plates for plate heat exchanger, dimensions plates: 1500 mm x 590 mm.	125
4061	NN plates for plate heat exchanger	2 pallets with s/s plates for plate heat exchanger, dimensions plates: 1500 mm x 590 mm.	250
4062	Kliko	Kliko mobile plastic waste container, dimensions: 570 mm x 720 mm x 1050 mm.	10



4063	Nederman	Nederman hose reel with plastic hose with pistol, serial number: 884, year of construction: 1999, bore: 12.5 mm, maximum length: 20 meter, maximum: 1.5 Mpa, dimensions: 750 mm x 300 mm x 600 mm.	50
4064	NN tank	S/s double jacketed tank with agitator, dimensions: 1500 mm x 1500 mm x 3080 mm.	500
4065	NN tank	S/s double jacketed tank with agitator, dimensions: 1500 mm x 1500 mm x 3080 mm.	500
4066	NN tank	S/s double jacketed tank with agitator, dimensions: 1500 mm x 1500 mm x 3080 mm.	500
4067	NN tank	S/s double jacketed tank with agitator, dimensions: 1500 mm x 1500 mm x 3080 mm.	500
4068	NN tank	S/s double jacketed tank with agitator, dimensions: 1500 mm x 1500 mm x 3080 mm.	500
4069	NN tank	S/s double jacketed tank with agitator, dimensions: 1500 mm x 1500 mm x 3080 mm.	500
4070	NN tank	S/s double jacketed tank with agitator, dimensions: 1500 mm x 1500 mm x 3080 mm.	500
4071	NN tank	S/s double jacketed tank with agitator, dimensions: 1500 mm x 1500 mm x 3080 mm.	500
4072	NN tank	S/s double jacketed tank with agitator, dimensions: 1500 mm x 1500 mm x 3080 mm.	500
4073	NN tank	S/s double jacketed tank with agitator, dimensions: 1500 mm x 1500 mm x 3080 mm.	500
4074	Endress+Hauser	3 Endress-Hauser flowmeters, type: Promag H, serial number: C4157619000 / A5055519000 / A5055619000, DN: 40, PN 16.	150
4075	NN valves	12 manual valves.	100
4076	NN valves	6 manual valves.	25
4077	NN wall plate	S/s wall plate, dimensions: 2000 mm x 1000 mm.	10
4078	Plum	Plum eye shower, dimensions: 220 mm x 110 mm x 280 mm.	5
4079	Mediotec	Mediotec s/s insect killer, dimensions: 600 mm x 300 mm x 150 mm.	10
4080	NN switch cabinet	S/s switch cabinet.	250
4081	Nederman	Nederman hose reel with plastic hose and pistol, serial number: 884, year of construction: 1999, bore: 12.5 mm, maximum length: 20 meter, maximum: 1.5 Mpa, dimensions: 750 mm x 300 mm x 600 mm.	50
4082	Vikan	Vikan wall mounted peg with various hygiene equipment.	5
4083	Mediotec	Mediotec s/s insect killer, dimensions: 600 mm x 300 mm x 150 mm.	10
4084	NN tables	2 s/s tables, dimensions: 1010 mm x 440 mm x 740 mm and 650 mm x 440 mm x 740 mm.	50
4085	NN hose	Plastic hose.	5
4086	NN tanks	2 s/s tanks, dimensions: 380 mm x 340 mm x 820 mm.	50





4087	NN hose reel	S/s hose reel, dimensions: 380 mm x 150 mm x 210 mm.	20
4088	Zarges	Zarges ladder, 14 steps, dimensions: 380 mm x 80 mm x 4000 mm.	25
4089	NN protection frame	S/s protection frame, dimensions: 2060 mm x 1020 mm x 1120 mm.	20
4090	NN tank	Polyester tank, dimensions: Ø 2400 mm x 3600 mm.	500
4091	NN circulation pump	S/s centrifugal pump, dimensions: 500 mm x 300 mm x 420 mm.	75
4092	NN filter	Filter, dimensions: 140 mm x 120 mm x 330 mm.	5
4093	NN tank	Polyester tank, year of construction: 1997, volume: 5100 liter, dimensions: Ø 1750 mm x 2700 mm.	500
4094	Fristam	Fristam centrifugal pump, type: FPE712 C, number: 41440284, dimensions: 500 mm x 300 mm x 420 mm.	75
4095	NN filter	Filter, dimensions: 140 mm x 120 mm x 330 mm.	5
4096	NN frame	S/s wall mounted frame, dimensions: 730 mm x 370 mm x 300 mm.	10
4097	NN frame	Steel frame, dimensions: 300 mm x 250 mm x 1250 mm.	5
4098	Danfoss	Danfoss frequency converter: type: 12/IP55, serial number: 015024G097, 380-500 V, 3 Ph, 50/60 Hz, 14.4/13.0 A, dimensions: 230 mm x 200 mm x 400 mm.	100
4099	Danfoss	Danfoss frequency converter, dimensions: 240 mm x 190 mm x 530 mm.	100
4100	Danfoss	Danfoss frequency converter, dimensions: 240 mm x 190 mm x 530 mm.	100
4101	Hilge	Hilge pump set, consisting of: 4 Hilge centrifugal pump, type pumps: EURO HYGIA-BL00-II/60 A, number: 27/97/11631A - 23/97/116312 - 23/97/116309 - 23/97/116311, 400/690 V, 50 Hz, 14.7/8.8 A, 7.5 kW, capacity: 21 m <sup>3</sup> /h, dimensions pumps: (4x) 680 mm x 330 mm x 350 mm, including switch cabinet, dimensions: 1600 mm x 500 mm x 2200 mm.	1000
4102	Vikan	Various Vikan hygiene equipment.	10
4103	NN canteen inventory	Canteen inventory, consisting of: 2 tables, dimensions tables: (2x) 1200 mm x 800 mm x 720 mm and 39 chairs, dimensions chairs: (39x) 490 mm x 430 mm x 880 mm.	25
4104	Plum	Plum eye shower, dimensions: 220 mm x 110 mm x 280 mm.	5
4105	Sabroe	Sabroe reciprocating cooling compressor, type: SMC 116 S, manufacturer number: 86358, year of construction: 1988, refrigerant: R717, 1480 U/min, capacity: 894 m <sup>3</sup> /h, motor power: 200 kW, dimensions: 2950 mm x 1050 mm x 1300 mm.	2500



4106	Sabroe	Sabroe reciprocating cooling compressor, type: SMC 116 S, manufacturer number: 97319, year of construction: 1993, refrigerant: R717, 1480 U/min, capacity: 894 m <sup>3</sup> /h, motor power: 200 kW, dimensions: 2950 mm x 1050 mm x 1160 mm.	2500
4107	Thermowave	Thermowave plate heat exchanger, type: TL 650 KC IL, number: 15264, year of construction: 2000, dimensions: 2820 mm x 730 mm x 1850 mm.	750
4108	Thermowave	Thermowave plate heat exchanger, type: TL 650 KC IL, number: 13115, year of construction: 1998, dimensions: 1110 mm x 730 mm x 1750 mm.	750
4109	Sabroe	Sabroe insulated separation vessel for R717 ammonia, dimensions vessel: Ø1600 mm x 4200 mm.	1000
4110	GEA Grasso B.V.	GEA Grasso B.V. purger, number: 13079080, year of construction: 2013, 230 V, 50 Hz, 400 W, weight: 50 kg, temperature range: -15/45 °C, shell refrigerant: R717/R22 - 3.45 liter, tube refrigerant: R404a - 0.075 liter, dimensions: 700 mm x 340 mm x 450 mm.	250
4111	NN hose reel	Plastic hose reel, dimensions: 370 mm x 140 mm x 280 mm.	5
4112	RTK	RTK valve, type: PV 6244, number: 223088, DN 65, dimensions: 280 mm x 190 mm x 830 mm.	100
4113	Zarges	Zarges ladder, 14 steps, dimensions: 350 mm x 60 mm x 4000 mm.	25
4114	Pötter Klima	Pötter Klima air intake unit, dimensions: 1000 mm x 1000 mm x 1500 mm.	300
4115	Zarges	Zarges stairs, 4 steps, maximum working height: 1100 mm, total dimensions: 950 mm x 460 mm x 1620 mm.	25
4116	NN safety cabinet	Safety cabinet with masks for NH <sub>3</sub> , dimensions: 510 mm x 260 mm x 540 mm.	50
4117	Sabroe	Sabroe cooling screw compressor, type: SAB202SM, manufacturing number: 102838, year of construction: 1995, refrigerant: R717, 2950 U/min, capacity: 1233 m <sup>3</sup> /h, permissible operating pressure: 26 bar ü, test pressure: 42 bar, motor power: 90 kW, dimensions: 3180 mm x 1360 mm x 2050 mm, including switch cabinet, dimensions switch cabinet: 600 mm x 500 mm x 2050 mm.	5000
4118	Aerzen Maschinenfabrik GmbH	Aerzen Maschinenfabrik GmbH cooling screw compressor, type: VMY 336SA1, fabrication number: 251669, 2950 U/min, capacity: 23 m <sup>3</sup> /h, dimensions: 4000 mm x 1730 mm x 2450 mm, motor power: 110 kW, including switch cabinet, dimensions switch cabinet: 800 mm x 400 mm x 2000 mm.	5000
4119	Krause	Krause ladder, 12 steps, dimensions: 375 mm x 65 mm x 3180 mm.	25
4120	Zarges	Zarges ladder, 7 steps, maximum working height: 1780 mm, total dimensions: 1440 mm x 580 mm x 2300 mm.	25



4121	Sabroe	Sabroe insulated separation vessel for R717 ammonia, manufacturing number: 67447, year of construction: 1998, permissible operating pressure: -1/16 bar with 50° C, volume: 4880 liter, dimensions vessel: Ø 1300 mm x 4800 mm.	2000
4122	Sabroe	Sabroe reciprocating cooling compressor, type: SMC 112 S, manufacturing number: 109077, year of construction: 1998, refrigerant: R717, 1500 U/min, capacity: 679 m <sup>3</sup> /h, permissible operating pressure: 22 bar ü, test pressure: 42/27 bar ü, motor power: 132 kW, dimensions: 2750 mm x 1100 mm x 1150 mm.	2500
4123	Sabroe	Sabroe reciprocating cooling compressor, type: SMC 108, manufacturing number: 77510, year of construction: 1998, refrigerant: NH3, 1450 U/min, capacity: 452 m <sup>3</sup> /h, permissible operating pressure: 18 bar ü, test pressure: 42/21 bar ü, motor power: 90 kW, dimensions: 2150 mm x 1030 mm x 1120 mm.	2500
4124	Sabroe	Sabroe reciprocating cooling compressor, type: SMC 108, manufacturing number: 76756, year of construction: 1998, refrigerant: NH3, 1450 U/min, capacity: 452 m <sup>3</sup> /h, permissible operating pressure: 18 bar ü, test pressure: 42/21 bar ü, motor power: 90 kW, dimensions: 2150 mm x 1030 mm x 1120 mm.	2500
4125	NN hose reel	Plastic hose reel with hose, dimensions: 370 mm x 140 mm x 280 mm.	10
4126	NN cabinets with parts	2 steel cabinets with various tools and parts, dimensions: (2x) 950 mm x 420 mm x 1960 mm.	200
4127	NN tool trolley	Steel tool trolley, dimensions: 750 mm x 410 mm x 880 mm. Including tool box, dimensions: 580 mm x 210 mm x 160 mm.	50
4128	Sterling SIHI GmbH	Sterling SIHI GmbH self-priming side channel pump, type: CEHY 3607, number: LU-0207819101, dimensions: 940 mm x 300 mm x 260 mm.	50
4129	Grundfos	Grundfos circulation pump, type: UPK 40-180, model: A, number: 9709, 220-240/380-415 V, 3 Ph, 50 Hz, 3.1/1.8 A, 960 W, capacity: 10.2 m <sup>3</sup> /h, temperature range: +20/120 °C, total dimensions: 330 mm x 200 mm x 360 mm. New in box.	50
4130	NN cabinets	4 steel cabinets with various tools and parts, dimensions: (2x) 950 mm x 500 mm x 1950 mm and (2x) 680 mm x 280 mm x 1750 mm.	200
4131	NN table	S/s table, dimensions: 810 mm x 500 mm x 650 mm.	25
4132	NN desk	Desk with 2 office chairs, dimensions desk: 1600 mm x 780 mm x 730 mm.	10
4133	Gaerner	Gaerner steel cabinet with various tools and parts, dimensions: 1000 mm x 500 mm x 2100 mm.	50
4134	NN hygiene equipment	S/s wall mounted peg with hygiene equipment.	10



4135	RTK	RTK valve, type: PV 6214, number: 223088, DN 65, dimensions: 280 mm x 190 mm x 830 mm.	100
4136	NN hygiene equipment	S/s wall mounted peg with hygiene equipment.	10
4137	NN safety cabinet	Safety cabinet with oxygen masks for NH <sub>3</sub> , dimensions: 510 mm x 260 mm x 540 mm.	50
4138	NN hose reel	Plastic hose reel with hose and pistol, dimensions: 370 mm x 140 mm x 280 mm.	10
4139	Denios AG	Denios AG steel drip tray, type: 2 P2-F, number: 110442709-000100-001, year of construction: 2010, volume: 205 liter, dimensions: 1340 mm x 850 mm x 320 mm.	25
4140	Plum	Plum eye shower, dimensions: 220 mm x 110 mm x 280 mm.	5
4143	Jungheinrich	Jungheinrich steel pallet lifter, fork length: 1150 mm, total dimensions: 1460 mm x 510 mm x 1240 mm.	75
4144	Zarges	Zarges ladder, 14 steps, capacity: 150 kg, dimensions: 350 mm x 60 mm x 4000 mm.	25
4150	NN racks	2 s/s racks, 6x 5 floors, dimensions each floor: 1000 mm x 500 mm, total dimensions: 4000 mm x 500 mm x 2000 mm and 2000 mm x 500 mm x 2000 mm.	75
4151	Mediotec	Mediotec insect killer, dimensions: 600 mm x 300 mm x 150 mm.	10
4152	NN sink	S/s sink with 3 faucets, sensor control, dimensions: 1800 mm x 480 mm x 1030 mm. Including 7 soap dispensers, 1 mirror, dimensions mirror: 1240 mm x 440 mm, 1 paper dispenser and 1 glasses dispenser.	250
4153	NN locker	Steel 2-doors locker, dimensions: 620 mm x 500 mm x 1860 mm.	25
4154	Manpower	Manpower clocking system, dimensions: 130 mm x 65 mm x 360 mm.	10
4155	NN locker	Steel 4-doors locker, dimensions: 1600 mm x 500 mm x 2100 mm.	25
4156	NN lockers	6 steel 4-doors lockers, dimensions: (6x) 1600 mm x 500 mm x 2100 mm.	150
4157	NN lockers	8 steel 4-doors lockers, dimensions: (8x) 1600 mm x 500 mm x 2100 mm.	200
4158	NN lockers	8 steel 4-doors lockers, dimensions: (8x) 1600 mm x 500 mm x 2100 mm.	200
4159	NN lockers	6 steel 4-doors lockers, dimensions: (6x) 1600 mm x 500 mm x 2100 mm.	150
4160	NN lockers	8 steel 4-doors lockers, dimensions: (8x) 1600 mm x 500 mm x 2100 mm.	200
4161	NN benches	3 benches with plastic top, dimensions: (3x) 1980 mm x 370 mm x 400 mm.	30
4162	NN benches	2 benches with plastic top, dimensions: (2x) 1980 mm x 370 mm x 400 mm.	20



4163	Zarges	Zarges stairs, 3 steps, maximum weight: 120 kg, maximum working height: 880 mm, total dimensions: 820 mm x 450 mm x 1500 mm.	25
4164	NN waste bin	Plastic waste bin, dimensions: Ø420 mm x 450 mm.	5
4165	NTF Aalborg	NTF Aalborg s/s coat hanger, 10 pegs, dimensions: 1150 mm x 110 mm x 160 mm.	10
4166	NN lockers	4 steel 4-doors lockers and 1 steel 3-doors locker, dimensions: (4x) 1220 mm x 500 mm x 1950 mm and (1x) 920 mm x 500 mm x 1850 mm.	125
4169	NN boots rack	S/s boots rack for 24 pairs of boots, dimensions: 2750 mm x 1100 mm x 1630 mm.	75
4170	NN lockers	3 steel 4-doors lockers, dimensions: (3x) 1200 mm x 500 mm x 1950 mm.	75
4171	NN lockers	2 steel 4-doors lockers, dimensions: (2x) 1200 mm x 500 mm x 1950 mm.	50
4172	NN benches	11 steel benches with wooden top, dimensions: (11x) 890 mm x 390 mm x 420 mm.	110
4173	NN locker	Steel 2-doors locker, dimensions: 600 mm x 500 mm x 1950 mm.	25
4174	NN insect killer	Insect killer, type: 08 BF, factory number: 1623, 230 V, 50 Hz, 60 W, dimensions: 660 mm x 250 mm x 240 mm.	10
4175	NN trolley	S/s trolley, dimensions: 1400 mm x 650 mm x 1630 mm.	50
4176	NN trolley	S/s trolley for spare parts, dimensions: 1800 mm x 950 mm x 1700 mm.	50
4177	Rexnord	Large amount of Rexnord plastic belts, various sizes.	75
4178	NN pallet rack	Steel pallet rack, dimensions: 2750 mm x 1100 mm x 1630 mm.	50
4179	KSB	2 KSB centrifugal pumps, type: (2x) ETANORM-G 100-160 G11, year of construction: 2000, capacity: 260 m <sup>3</sup> per hour, dimensions: (2x) 1450 mm x 700 mm x 1000 mm.	400
4180	Reflex	Reflex pressure vessel, type: Thermopress A, serial number: W/A25/1536, year of construction: 10-01, volume: 250 liter, temperature: -10/+70°C, pressure: 3.5-6 bar, dimensions: 650 mm x 650 mm x 1100 mm.	50
4181	NN pallets	2 plastic H1 pallets, dimensions: (2x) 1200 mm x 800 mm x 120 mm.	10
4182	NN drip trays	3 s/s drip trays, dimensions: 3030 mm x 1830 mm x 200 mm, 1830 x 1830 mm x 200 mm and 1500 mm x 1830 mm x 200 mm.	75
4183	IBC	2 IBC tanks, volume: 1000 liter, dimensions: (2x) 1200 mm x 1000 mm x 1170 mm.	50
4184	NN storage tank	Plastic storage tank, volume: 500 liter, dimensions: 750 mm x 750 mm x 1250 mm.	25



4185	Depa Pumpen	Depa Pumpen membrane pump, type: DL 50-SL-F-T, serial number: 912914, dimensions: 650 mm x 350 mm x 700 mm.	75
4187	ProMinent	ProMinent dosing station, type: BT4A1602PPE200AA00T000, serial number: 2010053739 1017637, 200-230 V, 50/60 Hz, 0.3 A, 17 W, pressure: 16 bar, capacity: 2.1 liter per hour, dimensions: 200 mm x 100 mm x 250 mm.	25
4188	NN drip tray for evaporator	Steel drip tray for evaporator, dimensions: 1950 mm x 520 mm x 120 mm.	10
4189	NN workplace inventory	Pallet with 2 s/s writing desks, s/s pegs and s/s switch cabinet, dimensions pallet: 1200 mm x 800 mm x 500	75
4190	NN belts	Pallet with various plastic belts, belt width: 190 mm and 115 mm.	25
4191	NN parts for cup filling machine	Plastic crate with parts for cup filling machine, dye dimensions: 113 mm x 80 mm.	25
4192	NN drain pipe	7 plastic drain pipes, length: (6x) 1060 mm and (1x) 760 mm.	35
4193	Holac	Pallet with parts for Holac slicer and dicer, diameter slicing blade: 590 mm, 2 grids for dicer, chamber dimensions: 115 mm x 115 mm.	150
4194	Jabsco	2 Jabsco rotary lobe pumps, model: Hy-Line, dimensions: 820 mm x 350 mm x 370 mm and 760 mm x 350 mm x 370 mm. Technical condition unknown.	150
4195	NN parts for shutter door	Parts for shutter door, 3 s/s switch cabinets, dimensions switch cabinets: 400 mm x 300 mm x 200 mm and 2 Elektromen and 1 Groschopp motor.	75
4196	NN cylinders	7 s/s cylinders, length each cylinder: 925 mm, diameter input: 80 mm, diameter output: 25 mm.	50
4197	Crane Process Flow Technologies GmbH / Lever Shutter AG	Crane Process Flow Technologies GmbH membrane pump, type: DL15-PM-TTT, serial number: 204758, year of construction: 19.06.2002, dimensions: 220 mm x 200 mm x 240 mm with Lever Shutter AG dosage pump, type: PC 120, serial number: 00172/01, 230 V, 50/60 Hz, 50 W.	25
4198	AMG-Pech GmbH & Co. KG	AMG-Pech GmbH & Co. KG actuators, type: 2xMikro/M215G/M20x1.5-E, year of construction: 2010, dimensions: 400 mm x 300 mm x 250 mm.	10
4199	NN control panel	S/s control panel, dimensions: 400 mm x 200 mm x 1850 mm.	25
4200	NN switch cabinets	3 s/s switch cabinets.	50
4201	NN machine parts	3 plastic E2 crates with various machine parts.	30
4202	NN switch cabinet	Steel switch cabinet, dimensions: 800 mm x 300 mm x 1000 mm.	25
4203	NN pallet racks	4 steel pallet racks, consisting of: 16 beams, length beams: 2750 mm, 8 uprights, dimensions uprights: 930 mm x 1760 mm.	125



4204	NN protection poles and frames	2 steel protection poles, length: 950 mm and 850 mm, 13 steel protection frames, dimensions: (13x) 290 mm x 130 mm x 350 mm.	50
4205	NN hose reel	S/s hose reel with plastic hose reel and pistol, dimensions hose reel: 400 mm x 170 mm x 250 mm.	25
4206	NN drip trays	3 plastic drip trays, dimensions: (2x) 1300 mm x 1150 mm x 750 mm and (1x) 1300 mm x 1150 mm x 400 mm.	75
4207	NN drip tray	Steel drip tray, dimensions: 1800 mm x 1370 mm x 600 mm.	25
4208	Depa Pumpen	Depa Pumpen membrane pump with s/s tub, type: DL 15-SFSZTT, serial number: B1804595, year of construction: 01.10.2018, temperature: 130°C, pressure: 7 bar, dimensions pump: 200 mm x 200 mm x 250 mm, dimensions tub: 520 mm x 420 mm x 270 mm.	50
4209	Depa Pumpen	Depa Pumpen membrane pump with s/s tub, type: DL 15-SF-ZTT, serial number: 1104891, year of construction: 17.06.2011, temperature: 130°C, pressure: 7 bar, dimensions pump: 200 mm x 200 mm x 250 mm, dimensions tub: 520 mm x 420 mm x 270 mm.	50
4210	Anton Ellinghaus KG	Anton Ellinghaus KG s/s tank with mixer used for peracetic acid, number: 00800121/3, year of construction: 1980, volume: 1500 liter, dimensions: 1600 mm x 1600 mm x 2150 mm.	500
4211	Anton Ellinghaus KG	Anton Ellinghaus KG s/s tank with mixer used for peracetic acid, number: 00800121/1, year of construction: 1980, volume: 1500 liter, dimensions: 1600 mm x 1600 mm x 2150 mm.	500
4212	Anton Ellinghaus KG	Anton Ellinghaus KG s/s tank with mixer, number: 00800121/4, year of construction: 1980, volume: 1500 liter, dimensions: 1600 mm x 1600 mm x 2150 mm.	500
4213	Anton Ellinghaus KG	Anton Ellinghaus KG s/s tank with mixer, number: 00800121/2, year of construction: 1980, volume: 1500 liter, dimensions: 1600 mm x 1600 mm x 2150 mm.	500
4214	NN control panel	S/s control panel: dimensions: 850 mm x 300 mm x 1000 mm.	250
4215	AMG-Pech GmbH & Co. KG	5 AMG-Pech GmbH & Co. KG actuators, type: SAF 15 NC, year of construction: 2010, maximum pressure: 10 bar, temperature: -25°C/+80°C, dimensions: 400 mm x 300 mm x 250 mm.	80
4216	Endress+Hauser	Endress+Hauser flow meter, type: Promag H, serial number: C313FC19000, dimensions: 400 mm x 170 mm x 300 mm.	75
4217	APV	APV valve, DN 40, pressure: 10 bar, dimensions: 100 mm x 100 mm x 350 mm.	10



4218	NN hygiene equipment	Hygiene equipment, consisting of: Sekuroka eye shower, dimensions: 520 mm x 100 mm x 410 mm, s/s cabinet for plastic gloves, dimensions: 300 mm x 110 mm x 530 mm, s/s peg with safety glasses and apron, length: 300 mm.	25
4219	NN frame	S/s frame, dimensions: 2930 mm x 800 mm x 900 mm.	25
4220	NN meat bin	S/s meat bin, volume: 200 liter, with large amount of machine parts.	50
4221	Dräger	Box with various Dräger gas hoses, dimensions box: 640 mm x 610 mm x 340 mm.	25
4222	Hilge GmbH & Co KG	Hilge GmbH & Co KG centrifugal pump, type: Sipla 52.1 Bloc-Super, 7.5 kW, capacity: 30 m <sup>3</sup> per hour, dimensions: 770 mm x 370 mm x 400 mm. New in the box.	1000
4223	Dräger	Wall mounted cabinet with Dräger safety mask, dimensions: 400 mm x 140 mm x 200 mm. With Dräger filter, type: Rd40.	25
4224	NN conveyor system	Conveyor system, consisting of: various parts of transport belts and conveyors, various dimensions.	250
4225	NN frame for inkjet printer	S/s frame for inkjet printer, dimensions: 700 mm x 700 mm x 1550 mm.	25
4226	NN fan	Fan on s/s frame, dimensions: 700 mm x 700 mm x 1550 mm.	25
4227	NN lifter	Mobile lifter with s/s platform, dimensions platform: 650 mm x 570 mm, elevating height: 1260 mm, total dimensions: 1200 mm x 650 mm x 1330 mm.	25
4228	NN trolley with parts	S/s trolley with parts for carton erector, clearance carton denester: 470 mm x 255 mm and 510 mm x 385 mm, trolley with 2 floors, floor dimensions: 800 mm x 770 mm, total dimensions: 830 mm x 800 mm x 1680 mm.	25
4229	Schneider	Schneider pallet lifter with weighing system, type: Rohusio SL 1000, serial number: 1612008, year of construction: 2008, capacity: 1500 kg, minimum weight: 20 kg, e=d: 0.5 kg, T-: 1500 kg, weight: 140 kg, fork length: 1200 mm, total dimensions: 1660 mm x 540 mm x 1200 mm. Weighing function is defect.	150
4230	NN electronical parts	Pallet with various machine parts, among others: electronical parts, motors and belts.	50
4231	Wipotec	Box with Wipotec parts for weighing station.	50
4232	Rexnord	Pallet with large amount of Rexnord chains.	100
4233	NN parts for cup filling machines	3 pallets with spare parts for cup filling machines, dye dimensions: (4x) 150 mm x 100 mm.	75
4234	NN parts	Plastic pallet box with various spare parts, dimensions: 1160 mm x 800 mm x 940 mm.	50
4235	NN parts for carton erectors	2 pallets and plastic crate with various parts for carton erectors.	50





4236	NN platform	S/s platform, dimensions: 1500 mm x 800 mm x 380 mm.	50
4237	NN electrical cable	Various electrical cable.	100
4238	NN trolley	S/s trolley, dimensions: 500 mm x 500 mm x 800 mm.	25
4239	Fripa	Fripa steel circle cutter, dimensions: 1000 mm x 800 mm x 1280 mm.	50
4241	Busch	Busch vacuum pump, type: MM 1142 AV, year of construction: 2005, capacity: 140 m <sup>3</sup> per hour, dimensions: 930 mm x 400 mm x 500 mm.	200
4242	Busch	Busch vacuum pump, type: RA 0025 F 503, year of construction: 2007, capacity: 25 m <sup>3</sup> per hour, dimensions: 560 mm x 300 mm x 400 mm.	200
4243	Bockwoldt / SEW Eurodrive	Pallet with Bockwoldt and SEW Eurodrive motors, with crate with various Festo spare parts.	50
4244	Nordson	Nordson glue unit, type: Vista, serial number: 230883A.AN00K00238, 400/230 V, 3 Ph, 50/60 Hz, 26 A, including plastic crate with large amount of hoses.	100
4245	NN rack with parts	Steel rack with valves, various tools and spare belts, dimensions rack: 2050 mm x 600 mm x 2050 mm.	150
4246	Lowara	Lowara centrifugal pump, type: SHE 40-250/150, number: 00736, year of construction: 22-06-2007, 15 kW, capacity: 51 m <sup>3</sup> per hour, dimensions: 660 mm x 400 mm x 450 mm.	150
4247	Nordson	Nordson glue unit, type: 3400-2AA34/D, serial number: AA92C61071, 220-240/380-415 V, 1/3 Ph, 50/60 Hz, 27 A, dimensions: 700 mm x 350 mm x 570 mm.	75
4248	SEW Eurodrive / Lenze / Schubert	Pallet with electro motors, brands among others: SEW Eurodrive / Lenze / Schubert.	75
4249	Fristam	Pallet with APV centrifugal pump, type: type SRG 103N, serial number: 179933, 3 Fristam centrifugal pumps, type each pump: FP 712, including box with s/s pipes.	200
4250	SEW Eurodrive / H. Tiemann / W. u. H. Neukirchen / Stöber	6 pallets with large amount of electro motors and various parts, brands among others: SEW Eurodrive / H. Tiemann / W. u. H. Neukirchen / Stöber.	300
4251	Güntner	3 pallets with approximately 18 Güntner fans, various sizes.	150
4252	NN pallet racks	2 steel pallet racks, consisting of: 8 steel beams, length beams: 2760 mm, 4 steel uprights, dimensions uprights: 1050 mm x 2400 mm.	200
4253	NN parts	2 pallets with 6 steel rollers, length rollers: 850 mm, and 5 plastic pipes, length pipes: 1110 mm.	25
4254	Güntner	2 Güntner fans, type: FB045-VDK.4C.V4P, 400 V, 3 Ph, 50 Hz, 0.81/0.54 A, 0.33/0.17 kW, new in the box. Dimensions box: (2x) 550 mm x 530 mm x 280 mm.	50
4255	NN parts	Pallet with various spare parts, among others: 2 steel chains, 5 boxes with Uni plastic transport belt.	25



4256	Busch / Becker / Rietschle	2 Pallets with 4 Busch vacuum pumps, type: KB 0020 D 100, capacity: 20 m <sup>3</sup> per hour, type: RC 0016 B 501, capacity: 16 m <sup>3</sup> per hour, type: 016-118, capacity: 16 m <sup>3</sup> per hour, type: RC 0016 B 5Z1, capacity: 16 m <sup>3</sup> per hour, 1 Becker vacuum pump, type: VT 3.16, year of construction: 1996, capacity: 16/19 m <sup>3</sup> per hour, and 1 Rietschle vacuum pump, type: VLT 3 (00), year of construction: 99, capacity: 7.7 m <sup>3</sup> per hour, with 3 electro motors.	150
4257	Scanvaegt	Scanvaegt weighing scale, type: 8406, serial number: 98393734c, year of construction: 1996, 115-230 V, 48-62 Hz, maximum weight: 3 kg, minimum weight: 20 gram, e= 1 gram, T= -3 kg, temperature: -10°C/+40°C, scale dimensions: 240 mm x 200 mm, total dimensions: 300 mm x 240 mm x 420 mm.	50
4258	SysTec GmbH	SysTec GmbH weighing scale, type: IT3000M-AC, serial number: 1505175, year of construction: 2015, 110-240 V, 50-60 Hz, 0.2 A, scale dimensions: 600 mm x 500 mm, total dimensions: 600 mm x 600 mm x 1500 mm.	75
4259	Sartorius AG	Sartorius AG weighing scales, type: CW3S1-15DC-NCE, year of construction: 2006, maximum weight: 15 kg, minimum weight: 500 gram, e=2 gram, scale dimensions: 320 mm x 240 mm, total dimensions: 380 mm x 240 mm x 430 mm.	50
4260	Soehnle	Soehnle weighing scale, type: S20_2760, serial number: 77813460036, year of construction: 1996, maximum weight: 30/60 kg, minimum weight: 40/100 gram, d= 2/5 gram, scale dimensions: 520 mm x 400 mm, total dimensions: 520 mm x 520 mm x 400 mm.	50
4261	Sartorius AG	Sartorius AG weighing scales, type: CAPS1-3DC-L, maximum weight: 6 kg, scale dimensions: 380 mm x 240 mm, total dimensions: 380 mm x 240 mm x 430 mm.	50
4262	NN steel rack	Steel rack with large amount of spare parts, dimensions rack: 1640 mm x 620 mm x 2300 mm.	500
4263	NN steel rack	Steel rack with large amount of spare parts, dimensions rack: 4050 mm x 620 mm x 2300 mm.	1250
4264	NN cable gutters	Various s/s cable gutters, various dimensions.	75
4265	Cyklop	Cyklop cordstrap trolley with tensioner and clamps, strap width: 9 mm.	50
4266	Scanvaegt	Scanvaegt weighing scale, type: 8316, serial number: 98393734c, 115-230 V, 48-62 Hz, temperature: -10°C/+40°C, scale dimensions: 240 mm x 200 mm, total dimensions: 420 mm x 420 mm x 170 mm.	50
4267	NN barrel	Steel barrel, dimensions: 485 mm x 485 mm x 750 mm.	5
4268	NN hose reel with hose	Steel hose reel with hose and pistol, dimensions: 560 mm x 250 mm x 770 mm.	50



4269	NN electrical parts	Various electronic parts.	25
4270	NN standards for fences	2 standards for fences, dimensions: (2x) 470 mm x 220 mm x 130 mm.	20
4271	NN parts	Plastic crate with various parts, among others, s/s lid for tumbler, diameter lid: 460 mm, and plastic hose.	25
4272	Nordson	Nordson container for suction system, dimensions: 550 mm x 480 mm x 1000 mm.	10
4273	Nita Hygiene	Nita Hygiene s/s hose reel, dimensions: 460 mm x 460 mm x 140 mm. New.	50
4274	SPX	Pallet box with various SPX valves.	150
4275	Scanvaegt	Scanvaegt weighing scale, type: 8316, serial number: 95071711, 115-230 V, 48-62 Hz, maximum weight: 3 kg, e= 1 gram, T= - 3 kg, temperature: -10°C/+ 40°C, scale dimensions: 240 mm x 200 mm, total dimensions: 450 mm x 400 mm x 550 mm.	50
4276	Höfelmeyer GmbH	Höfelmeyer GmbH weighing scale, type: HT-F300, serial number: 034073, year of construction: 2003, 110-240 V, 50/60 Hz, 0.2 A, maximum weight: 3 kg, minimum weight: 0.02 kg, e= 0.001 kg, scale dimensions: 240 mm x 200 mm, total dimensions: 320 mm x 300 mm x 560 mm.	50
4277	NN table	S/s table, dimensions: 460 mm x 410 mm x 730 mm.	20
4278	NN frames	2 s/s frames, dimensions: 800 mm x 400 mm x 1000 mm and 1570 mm x 570 mm x 1150 mm.	25
4279	NN hydraulic unit	Hydraulic unit with hydraulic cylinder, dimensions hydraulic unit: 500 mm x 280 mm x 600 mm, length cylinder: 900 mm.	10
4280	PolySafe	PolySafe plastic drip tray, volume: 1000 liter, dimensions: 1430 mm x 1430 mm x 950 mm.	50
4281	NN covers	3 pallets with various s/s and plastic covers.	100
4282	NN hoses	Pallet with large amount of hoses.	50
4283	NN frame	S/s mobile frame, dimensions: 2200 mm x 450 mm x 2130 mm.	25
4284	NN trolley for crates	S/s trolley for crates, dimensions: 700 mm x 510 mm x 680 mm.	20
4285	NN electrical parts	Pallet with various electronic parts, among others: SEW and Danfoss frequency converters and Multivac control panel.	50
4286	NN plastic belt	Pallet with large amount of plastic belts, belt width: 1500 mm, plastic belt with dividers, belt width: 390 mm and plastic belt, belt width: 380 mm.	50
4287	Rosenberg	Rosenberg radial ventilator, type: RRV 250 - D, 400/230 V, 50 Hz, 6.1/10.6 A, 3.0 kW, dimensions: 600 mm x 570 mm x 550 mm.	75
4288	NN plastic bags	Pallet with 7 boxes with plastic bags, volume: 500 liter, 10 bags each box, dimensions each box: 600 mm x 400 mm x 500 mm.	25



4289	NN bags and hoses	Roll with plastic bags, dimensions bag: 1000 mm x 480 mm, and various hoses.	10
4290	NN storage silo	Plastic storage silo with steel frame, dimensions silo: 1100 mm x 900 mm x 750 mm, total dimensions: 1200 mm x 1000 mm x 2250 mm.	150
4291	NN filters	3 pallets with 27 boxes with filters, model: Kompaktfilter M6, dimensions filters: 592 mm x 592 mm x 292 mm, 5000 m <sup>3</sup> per hour, dimensions pallets: (3x) 1200 mm x 800 mm x 1750 mm.	75
4292	NN bottles	9 pallets with large amount of various plastic bottles, dimensions bottles: (9x) 1200 mm x 800 mm x 800 mm.	75
4293	NN work bench	Steel work bench with wooden top and bench vice, dimensions: 2050 mm x 720 mm x 900 mm and steel cabinet with parts for inkjet printer, dimensions cabinet: 950 mm x 420 mm x 1950 mm.	75
4294	NN pallet rack	Pallet rack consisting of: 2 uprights, dimensions: (2x) 930 mm x 1760 mm, 4 beams, length: (4x) 1870 mm and 3 s/s drip trays, dimensions: (3x) 1750 mm x 960 mm x 45 mm.	75
4295	NN machine parts	6 steel cabinets with large amount of machine parts, amongst other parts for: Hagemann packer, Grunwald cup filling machine, Waldner cup filling machine, Festo cylinders, dimensions cabinets: (6x) 950 mm x 450 mm x 1950 mm.	300
4296	NN machine parts	6 steel cabinets and pallet with large amount of machine parts, amongst other: electrical parts, Omron relais, Moeller switches, Sick light barriers, Siemens / Festo parts, Festo cylinders, knives for Treif dicers, dimensions cabinets: (6x) 950 mm x 450 mm x 1950 mm.	500
4297	NN machine parts	3 steel cabinets with machine parts, amongst other: screws, tools, bearings, dimensions cabinets: (3x) 950 mm x 450 mm x 1950 mm.	100
4298	NN machine parts	5 steel cabinets with machine parts, amongst other: Nordson / Prominent parts, sanding paper, Hilti composite sleeve, large amount of chains, large amount of FAG bearings, dimensions cabinets: (5x) 950 mm x 450 mm x 1950 mm.	350
4299	NN machine parts	Storage rack with large amount of machine parts, 6 floors, amongst other: wheels, hoses, cables, pistol for high cleaner, Vikan brushes.	150
4300	Witt-Gasetechnik	2 tool cases with Witt-Gasetechnik OXYBABY measuring devices for packages, dimensions tool cases: 400 mm x 300 mm x 100 mm.	25
4301	Danfoss	2 Danfoss frequency invertors, (1x) T/C: VLT2815PT4B20SBR1DBF00A00C0 and (1x) VLT2807PT4B20SBR1DBF00A00C1, dimensions: (2x) 300 mm x 400 mm x 140 mm.	150



4302	NN waste bins	3 steel waste bins, dimensions: (3x) 500 mm x 300 mm x 1000 mm.	15
4303	Tiflex	2 steel pallet cages with Tiflex inkjet printers and parts, dimensions: (2x) 1200 mm x 800 mm x 900 mm.	75
4304	Eisele	Eisele circular saw with roller conveyor, machine type: VMS III-038, machine number: V 8996, year of construction: 1981, 380 V, diameter saw: 340 mm, roll width: 240 mm, total dimensions circular saw: 1800 mm x 1100 mm x 1850 mm.	250
4305	NN table	S/s mobile table, 2 floors, dimensions: 400 mm x 500 mm x 830 mm.	10
4306	Weidmüller	Steel cabinet with Weidmüller parts, amongst other: cross connectors, end plates, fuse clamps, draw bars, dimensions cabinet: 950 mm x 450 mm x 1950 mm.	100
4307	NN meat bin	S/s meat bin, volume: 200 liter.	50
4308	Nilfisk	Nilfisk mobile vacuum cleaner, model: GD 910, serial number: 0809 00600, 220-240 V, 50-60 Hz, 1100 W, total dimensions: 400 mm x 350 mm x 450 mm.	10
4309	Videojet	2 Videojet mobile inkjet printers on mobile s/s frame, model: EXCEL 2000, serial numbers: 030800029WD and model: EXCEL/170i, serial number: I95J12014, dimensions: (2x) 800 mm x 700 mm x 1850 mm. Incomplete.	150
4310	Rittal	Rittal s/s switch cabinet, dimensions: 600 mm x 600 mm x 250 mm.	25
4311	Strumpf-Metall	Strumpf-Metall steel waste bin, dimensions: 400 mm x 400 mm x 650 mm.	10
4312	NN cabinet with dispenser	Steel cabinet with s/s hair net dispenser, dimensions cabinet: 950 mm x 450 mm x 1950 mm, dimensions hair net dispenser: 360 mm x 300 mm x 300 mm.	20
4313	Rittal	Rittal terminal boxes with gland plate, model: KL 1541.510, dimensions box: 800 mm x 400 mm x 120 mm, dimensions gland plate: 375 mm x 875 mm x 2 mm.	25
4314	Vega	Vega Vegawave 63 level switch for universal use, type: WE63.GXAGDTAMX, serial number: 44247954, year of construction: 2019, power supply: 10 - 55 V, length: 1000 mm.	75
4315	Troodon Torsysteme GmbH	Troodon Torsysteme GmbH rubber for door, dimensions box: 680 mm x 680 mm x 180 mm.	5
4316	NN seal	Carton box with 100 meter seal, model: SSVK 1495, size: 14.00 mm x 7.00 mm, dimensions box: 510 mm x 510 mm x 200 mm.	10
4317	NN cabinet	Cabinet with sliding doors, dimensions: 1200 mm x 420 mm x 1250 mm.	10
4318	NN sink	S/s sink, dimensions: 600 mm x 500 mm x 300 mm, 3 soap dispensers, mirror, s/s peg, length peg: 400 mm.	25



4319	Denios	Denios safety cabinet, serial number: 6021059-10-5, year of construction: 2010, 90 minutes fire resistant, dimensions: 1200 mm x 650 mm x 1970 mm.	250
4320	IMO GmbH	IMO GmbH hand-held instrument PM2000 for pH, dimensions: 400 mm x 300 mm x 120 mm.	75
4321	NN office inventory	Office inventory consisting of: 5 cabinets with sliding doors, dimensions: (2x) 1350 mm x 420 mm x 1080 mm, (1x) 1600 mm x 420 mm x 960 mm, (1x) 1600 mm x 400 mm x 570 mm, (1x) 1600 mm x 400 mm x 1240 mm and cabinet with drawers, dimensions: 1000 mm x 450 mm x 730 mm.	50
4322	NN mirror board	Magnetic mirror board, dimensions: 2050 mm x 1050 mm.	10
4323	NN first aid cabinet	First aid cabinet, dimensions: 500 mm x 200 mm x 560 mm, Infield Safety Equipment GmbH cleaning unit for safety goggles and eye shower station.	25
4324	Russell Hobbs	Russell Hobbs 3 in 1 hand blender, model number: 24700-56, dimensions: 260 mm x 170 mm x 250 mm.	10
4325	3M	3M portable projector, model: MP8770, dimensions: 300 mm x 450 mm x 120 mm.	10
4326	TUV Nord	TUV Nord motor, model: SI 10.140-40,00, year of construction: 2006, 230 V, 3 Ph, 100 Hz, 1.50 kW, dimensions: 550 mm x 200 mm x 300 mm.	25
4327	Intermec	2 Intermec label printers, model: (2x) PX6i, dimensions: 330 mm x 500 mm x 240 mm.	20
4328	Videojet	Videojet print pistol for inkjet printer with hose, dimensions: 480 mm x 460 mm x 150 mm.	10
4329	Siemens	Siemens touch screen, type: TP 1500 Comfort, dimensions: 410 mm x 310 mm x 80 mm.	100
4330	Siemens	Siemens touch screen, type: TP 1500 Comfort, dimensions carton box: 670 mm x 520 mm x 220 mm.	100
4331	NN work benches	2 steel work benches with wooden top, dimensions: 3000 mm x 800 mm x 950 mm and 3000 mm x 800 mm x 900 mm.	100
4332	NN electrical parts	2 pallets with various electrical parts, dimensions pallets: (2x) 1200 mm x 800 mm x 600 mm.	150
4333	NN table	S/s table, 2 floors, dimensions: 520 mm x 400 mm x 900 mm.	10
4334	NN welding curtain	Mobile welding curtain with steel frame, dimensions: 2100 mm x 1200 mm x 1900 mm.	25
4335	NN welding table	Steel welding table, thickness top: 25 mm, dimensions: 1800 mm x 1300 mm x 800 mm.	100
4336	NN wall frame	S/s wall frame with welding wires, dimensions frame: 1000 mm x 110 mm x 50 mm.	10
4337	NN frame for bottles	Steel frame for 2 bottles, dimensions: 600 mm x 220 mm x 40 mm.	10



4338	Hitachi	Hitachi inkjet printer, model: PXR-H450W, serial number: PXR20582107, 100-120 V/200-240 V, 1 Ph, 50/60 Hz, 1.5/0.75 A, weight: 25 kg, dimensions: 450 mm x 300 mm x 550 mm. Incomplete.	50
4339	Urschel	3 Urschel Comitrol cutting heads, type: 3-0601000-10, diameter: (3x) 178 mm, height: (3x) 82 mm.	75
4340	Zebra	Zebra label printer, model: 170Xi4™, serial number: 16J152900713, 100-240 V, 4 A, dimensions labels: 210 mm x 150 mm, total dimensions: 340 mm x 700 mm x 400 mm.	25
4341	Pilz	Pilz servo drive, type: PMCtendo AC2.74/1/M/1/2/5/H/4, 296 V, 13.1 A, dimensions carton box: 700 mm x 550 mm x 500 mm. Including PMC Primo Drive P.24 ABO/3/0/0/208-480 V.	100
4342	Pilz	Pilz servo drive, type: PMCtendo AC2.74/1/M/1/2/5/H/4, serial number: 108731, 296 V, 13.1 A, dimensions carton box: 700 mm x 550 mm x 500 mm. Including PMC Primo Drive P.24 ABO/3/0/0/208-480 V.	100
4343	Rittal	Rittal s/s switch cabinet, dimensions: 500 mm x 250 mm x 370 mm.	50
4344	NN trolley	Steel trolley, dimensions: 1700 mm x 700 mm x 650 mm.	10
4345	NN bin for ear plugs	Plastic bin for ear plugs, dimensions: 300 mm x 300 mm x 300 mm.	5
4346	Peweta	Peweta clock, diameter: 450 mm.	5
4347	NN cabinet	Steel cabinet with some tools, s/s parts and welding helmet, dimensions: 950 mm x 500 mm x 1950 mm.	25
4348	NN office inventory	Office inventory consisting of: 2 office desks, dimensions: (2x) 1600 mm x 800 mm x 800 mm, 1 office table, dimensions: 1200 mm x 600 mm x 760 mm, 5 office cabinets, dimensions: (1x) 1000 mm x 430 mm x 1880 mm, (3x) 1600 mm x 430 mm x 900 mm and (1x) 800 mm x 430 mm x 730 mm, 2 Toshiba laptops.	100
4349	Vega	Vegapuls 69 sensor for continuous measurement, dimensions: 350 mm x 350 mm x 400 mm.	75
4350	Sartorius AG	Sartorius AG weighing scale, type: CW3S1-3DC-NCE, serial number: 19206464, maximum: 3 kg, minimum: 150 gram, e = 1 gram, dimensions scale: 320 mm x 240 mm, total dimensions: 320 mm x 350 mm x 500 mm. Calibrated till 2022.	150
4351	Sartorius AG	Sartorius AG weighing scale, type: CW3S1-3DC-NCE, serial number: 19206459, maximum: 1500 gram, minimum: 10 gram, e = 0.5 gram, dimensions scale: 320 mm x 240 mm, total dimensions: 320 mm x 350 mm x 500 mm. Calibrated till 2022.	150



4352	Sartorius AG	Sartorius AG weighing scale, type: CW3S1-3DC-NCE, serial number: 2230197, maximum: 1500 gram, minimum: 10 gram, e = 0.5 gram, dimensions scale: 320 mm x 240 mm, total dimensions: 320 mm x 350 mm x 500 mm. Calibrated till 2023.	150
4353	NN office table	Office table with 6 chairs, dimensions table: 2200 mm x 800 mm x 760 mm.	25
4354	NN office cabinets	2 office cabinets with sliding doors, dimensions: 1200 mm x 470 mm x 730 mm and 1200 mm x 470 mm x 980 mm.	20
4355	BSD	BSD safety helmet, 28 cal/cm <sup>2</sup> .	10
4356	NN office inventory	Office inventory consisting of U-turn office desk with 3 drawers and refrigerator, total dimensions desk: 4200 mm x 3000 mm x 750 mm, 2 office cabinets, dimensions: 1400 mm x 400 mm x 850 mm and 800 mm x 550 mm x 850 mm.	75
4357	NN insect killer	Insect killer, dimensions: 650 mm x 200 mm x 250 mm.	10
4358	NN office cabinet	Office cabinet with sliding door, dimensions: 800 mm x 420 mm x 1100 mm, Benq monitor and Acer keyboard.	10
4359	NN cabinet	Wooden cabinet with glass doors, dimensions: 1130 mm x 330 mm x 1900 mm.	10
4360	Kimberly-Clark	Kimberly-Clark paper dispenser, dimensions: 300 mm x 250 mm x 400 mm, 2 mirrors, dimensions: (2x) 600 mm x 400 mm, 6 soap dispensers.	20
4361	NN office cabinets	2 wooden office cabinets with sliding doors, dimensions: 1600 mm x 420 mm x 1070 mm and 1600 mm x 420 mm x 900 mm.	10
4362	NN soap dispenser	Soap dispenser, dimensions: 100 mm x 250 mm x 350 mm.	5
4364	NN kitchen	Kitchen with Siemens refrigerator, Siemens dishwasher, s/s sink with faucet, dimensions kitchen: 3000 mm x 600 mm x 2050 mm, Kimberly-Clark paper dispenser, dimensions: 300 mm x 250 mm x 400 mm, table, dimensions: 1600 mm x 800 mm x 700 mm.	150
4365	Kyocera	Kyocera mobile printer / scanner, model: TASKalfa 3051 ci, machine number: L873Y07864, year of construction: 2013, 220-240 V, 50-60 Hz, 7.2 A, dimensions: 700 mm x 800 mm x 1250 mm.	150
4366	NN office cabinets	3 office cabinets with sliding doors, dimensions: (2x) 1600 mm x 420 mm x 900 mm and (1x) 800 mm x 420 mm x 660 mm.	20
4367	Infotec	Trolley with Infotec printer, model: 3693, dimensions printer: 400 mm x 650 mm x 330 mm, dimensions trolley: 800 mm x 500 mm x 870 mm.	10
4368	Daikin	Daikin inside unit for air-conditioning, model: FTKS25CVMB9, year of construction: 2004, dimensions: 800 mm x 300 mm x 300 mm.	50





4369	Palmberg	3 Palmberg drawers, dimensions: (3x) 440 mm x 800 mm x 580 mm, office trolley, dimensions: 900 mm x 550 mm x 740 mm and chair.	20
4370	Eckmann Datentechnik	Eckmann Datentechnik server cabinet, dimensions: 800 mm x 800 mm x 2100 mm.	75
4371	NN office cabinets	2 office cabinets, dimensions: (2x) 1220 mm x 450 mm x 890 mm.	20
4372	NN office inventory	Office inventory consisting of: office desk, dimensions: 2600 mm x 1200 mm x 720 mm and Palmberg cabinet, dimensions: 1200 mm x 320 mm x 1150 mm.	25
4373	NN office inventory	Office inventory consisting of: 3 office desk, dimensions: 2000 mm x 1000 mm x 750 mm, 9 office cabinets, various dimensions.	150
4374	Fakir	Fakir air conditioner, type: 1020 Öko, serial number: 1558, year of construction: 2007, 230 V, 1 Ph, 50 Hz, refrigerant: R410a (0.600 kg), dimensions: 500 mm x 350 mm x 800 mm.	25
4375	Liebherr	Liebherr refrigerator, model: FKS 5000 INDEX 1 C, serial number: 1074326, 220-230 V, 1 Ph, 50 Hz, volume: 500 liter, refrigerant: R 12 (0.190 kg), dimensions: 750 mm x 660 mm x 1480 mm.	25
4376	NN office cabinets	3 office cabinets with sliding doors, dimensions: 1600 mm x 420 mm x 1090 mm, 1600 mm x 430 mm x 720 mm and 1200 mm x 420 mm x 1080 mm.	25
4377	NN office inventory	Office inventory consisting of: 2 office desks, dimensions: (2x) 2000 mm x 2400 mm x 730 mm, 4 Assmann office tables, various dimensions, double wall cabinet, dimensions: 2000 mm x 420 mm x 2250 mm, Hewlett Packard Laserjet 3050 printer, product number: Q6504A, vacuum cleaner.	150
4378	NN office inventory	Office inventory consisting of: office desk, dimensions: 2500 mm x 1400 mm x 720 mm, drawer, dimensions: 420 mm x 800 mm x 720 mm, 2 office cabinets, dimensions: 1200 mm x 420 mm x 820 mm / 800 mm x 420 mm x 720 mm, 2 chairs.	75
4379	NN office inventory	Office inventory consisting of: office desk with 2 chairs, dimensions: 2000 mm x 2400 mm x 780 mm, office cabinet with sliding doors, dimensions: 1130 mm x 400 mm x 680 mm, office cabinet, dimensions: 1000 mm x 500 mm x 1970 mm.	150
4380	NN office inventory	Office inventory consisting of: 2 office desks, dimensions: 1750 mm x 900 mm x 720 mm / 1750 mm x 1200 mm x 720 mm, 2 office cabinets with sliding doors, dimensions: 1600 mm x 420 mm x 900 mm / 1600 mm x 420 mm x 1120 mm, 2 drawers.	100
4381	Kimberly-Clark	Kimberly-Clark paper dispenser, dimensions: 300 mm x 250 mm x 400 mm, mirror, dimensions: (1x) 600 mm x 400 mm, 3 soap dispensers.	10



4382	Soteco	Soteco vacuum cleaner, type: D2, model: BASE 101, 220-240 V, 1 Ph, 50 Hz, maximum: 1000 W, dimensions: 400 mm x 400 mm x 500 mm.	10
4383	Hailo	3 Hailo waste bins, dimensions: (3x) 340 mm x 260 mm x 760 mm.	15
4384	Daikin	2 Daikin inside unit for air-conditioning, model: FTKS25CVMB9, year of construction: 2004, dimensions: (2x) 800 mm x 300 mm x 300 mm.	100
4385	NN office inventory	Office inventory consisting of: 2 office desks, dimensions: (2x) 2160 mm x 1300 mm x 720 mm, 3 office cabinets, dimensions: (3x) 1200 mm x 420 mm x 1600 mm, 1 office cabinet with sliding doors, dimensions: (1x) 1200 mm x 420 mm x 1200 mm, 3 drawers and 3 chairs.	150
4386	NN office cabinets	Office cabinet, dimensions: 800 mm x 420 mm x 720 mm and office cabinet with sliding doors, dimensions: 800 mm x 420 mm x 720 mm, 2 chairs.	20
4387	NN office inventory	Office inventory consisting of: 3 office desks with chair and drawer, dimensions: (3x) 1800 mm x 1200 mm x 750 mm, office table, dimensions: 1800 mm x 900 mm x 720 mm, 6 drawers with sliding doors, various dimensions.	150
4388	NN office cabinets	3 office cabinets with sliding doors, dimensions: 1200 mm x 430 mm x 1200 mm, 800 mm x 430 mm x 720 mm and 1200 mm x 420 mm x 750 mm.	20
4389	Kyocera	Kyocera mobile printer / scanner, model: TASKalfa 3051 ci, machine number: L874719113, year of construction: 2014, 220-240 V, 50-60 Hz, 7.2 A, dimensions: 700 mm x 800 mm x 1250 mm. Including toner kit.	150
4390	NN first aid cabinet	First aid cabinet, dimensions: 490 mm x 200 mm x 560 mm.	5
4391	NN office inventory	Office inventory consisting of: 3 office desks, dimensions: (2x) 2000 mm x 1100 mm x 780 mm and (1x) 1600 mm x 1000 mm x 770 mm, 3 drawers, 4 various cabinets and 4 chairs.	100
4392	NN office desk	Office desk with 2 chairs, dimensions desk: 1600 mm x 800 mm x 730 mm.	10
4393	Liebherr	Liebherr refrigerator, model: KS 2433, type: 1 0028 1, 220-230 V, 1 Ph, 50 Hz, 100 W, volume: 235 liter, refrigerant: R12 (100 gram), dimensions: 600 mm x 600 mm x 1200 mm.	25
4394	NN office inventory	Office inventory consisting of: 6 office desks, dimensions: (4x) 1600 mm x 800 mm x 730 mm, 7 cabinets, dimensions: (7x) 1000 mm x 440 mm x 2330 mm, 4 office cabinets with sliding doors, dimensions: (4x) 1200 mm x 450 mm x 1100 mm.	150
4395	NN office inventory	2 office desks with 2 chairs, dimensions desk: (2x) 1600 mm x 800 mm x 760 mm and drawer.	50



4396	NN server room	Server room consisting of: Knürr server cabinet, dimensions: 800 mm x 800 mm x 2000 mm, IPM computer, etc.	150
4397	NN office inventory	Office inventory consisting of: 2 office desks, dimensions: 1600 mm x 800 mm x 720 mm / 1600 mm x 1000 mm x 750 mm, office table, dimensions: 800 mm x 800 mm x 720 mm, 2 chairs.	25
4398	NN office inventory	Office inventory consisting of: 3 office desks, dimensions: (3x) 1800 mm x 1200 mm x 800 mm, 4 office cabinets, dimensions: (3x) 1200 mm x 420 mm x 1240 mm and (1x) 1200 mm x 420 mm x 750 mm, 4 drawers.	150
4399	Adolphi	Adolphi safe, dimensions: 1100 mm x 700 mm x 1800 mm. Without key.	300
4400	Gorenje / Legamaster	Gorenje refrigerator, dimensions: 500 mm x 600 mm x 850 mm and Legamaster whiteboard, dimensions: 2000 mm x 1000 mm.	10
4401	Kimberly-Clark	2 Kimberly-Clark paper dispenser, dimensions: (2x) 300 mm x 250 mm x 450 mm, 4 soap dispenser and mirror, dimensions: 1400 mm x 650 mm.	50
4402	NN office desks	2 office desks with drawer and chair, dimensions: (2x) 2630 mm x 1200 mm x 740 mm.	25
4403	Kyocera	Kyocera mobile printer / scanner, model: TASKalfa 3051 ci, 220-240 V, 50-60 Hz, 7.2 A, dimensions: 700 mm x 800 mm x 1250 mm. Including various toner kits.	150
4404	NN ICT-Room	ICT-room consisting of: 3 office desks, dimensions: (3x) 1600 mm x 800 mm x 720 mm, 3 office cabinets, dimensions: (2x) 1200 mm x 420 mm x 1160 mm / (1x) 1200 mm x 420 mm x 800 mm, keyboards, mice, cables, laptop bags etc.	150
4405	iPhone	2 iPhones, model: S (A1688) and A1457. Damaged.	10
4406	Toshiba / Dell	6 Toshiba laptops, model: TECRA Z50-A-15T and 1 Dell laptop. Technical condition unknown.	50
4407	NN office inventory	Office inventory consisting of: 2 office desks with chair and drawer, dimensions: (2x) 2400 mm x 1200 mm x 720 mm, 2 office cabinets, dimensions: (2x) 1200 mm x 420 mm x 2100 mm, Benq / Samsung monitor.	100
4408	NN office inventory	Office inventory consisting of: 2 office cabinets with sliding doors, dimensions: 1200 mm x 420 mm x 1100 mm and 1200 mm x 420 mm x 800 mm, 2 drawers and whiteboard.	25
4409	NN office inventory	Office inventory consisting of: office desk with 2 chairs, dimensions: 2400 mm x 1200 mm x 780 mm, standing desk, dimensions: 850 mm x 600 mm x 1150 mm and drawer.	25



4410	NN office inventory	Office inventory consisting of: standing desk, dimensions: 850 mm x 600 mm x 1150 mm, office table with 4 various monitors and keyboard, dimensions table: 800 mm x 800 mm x 720 mm, 2x E2-crate with computer / phone equipment and 2 lamps.	25
4411	Liebherr	Liebherr refrigerator, model: KT 1710 Index 24A/001, type: 1 1172 4, gross capacity: 160 liter, refrigerant: R600a (18 gram), dimensions: 550 mm x 650 mm x 850 mm.	25
4412	NN office inventory	Office inventory consisting of: HSM paper shredder, model: HSM 200 E-CC, office cabinet with sliding doors, dimensions: 800 mm x 420 mm x 730 mm, 2 drawers, dimensions: (2x) 420 mm x 780 mm x 540 mm.	25
4413	PRO-office	PRO-office mobile flip-over, dimensions: 720 mm x 720 mm x 1980 mm.	5
4414	NN first aid cabinet	First aid cabinet, dimensions: 490 mm x 200 mm x 560 mm.	5
4415	NN office inventory	Office inventory consisting of: office desk, dimensions: 1800 mm x 1200 mm x 800 mm, office cabinet, dimensions: 1000 mm x 420 mm x 2270 mm, office cabinet with sliding doors, dimensions: 1200 mm x 430 mm x 1100 mm, table with chair and 2 drawers.	75
4416	Kimberly-Clark	2 Kimberly-Clark paper dispenser, dimensions: (2x) 300 mm x 250 mm x 450 mm, 4 soap dispenser and mirror, dimensions: 1400 mm x 650 mm.	50
4417	NN office inventory	Office inventory consisting of: office desk with 2 drawers and chair, dimensions desk: 2000 mm x 1600 mm x 720 mm, conference table with 4 chairs, dimensions: 2000 mm x 1200 mm x 720 mm, office cabinet, dimensions: 1200 mm x 450 mm x 2100 mm.	100
4418	NN kitchen	Kitchen with Siemens refrigerator and freezer, model: K138SA50/01, gross volume: 296 liter, Miele Jubilee SC dishwasher, s/s sink with faucet, Kimberly-Clark paper dispenser, dimensions kitchen: 3500 mm x 600 mm x 2200 mm.	150
4419	NN office inventory	Office inventory consisting of: office desk, dimensions: 2200 mm x 1140 mm x 760 mm, office cabinet with sliding doors, dimensions: 1600 mm x 420 mm x 1170 mm, 3 drawers.	50
4420	NN office inventory	Office inventory consisting of: 2 office desks, dimensions: (2x) 2200 mm x 1140 mm x 760 mm, 5 office cabinets with sliding doors, dimensions: 1200 mm x 430 mm x 1200 mm, (2x) 1200 mm x 430 mm x 1100 mm, 1600 mm x 430 mm x 1090 mm and 1600 mm x 430 mm x 750 mm.	100



4421	NN office inventory	Office inventory consisting of: 8-compartments wall cabinet, dimensions: 4400 mm x 430 mm x 2280 mm, office cabinet with sliding doors, dimensions: 1600 mm x 420 mm x 900 mm, office table, dimensions: 800 mm x 800 mm x 710 mm.	75
4422	Kyocera	Kyocera mobile printer / scanner, model: TASKalfa 3051 ci, year of construction: 2013, 220-240 V, 50-60 Hz, 7.2 A, dimensions: 700 mm x 800 mm x 1250 mm. Including various toner kits.	150
4423	NN office cabinet	Office cabinet with sliding doors, dimensions: 1200 mm x 430 mm x 1200 mm, 3 chairs.	20
4424	NN office cabinet	Office cabinet, dimensions: 990 mm x 440 mm x 1920 mm, 8 chairs.	25
4425	NN office trolley	Office trolley, dimensions: 630 mm x 530 mm x 830 mm.	5
4426	Panasonic	Panasonic inside unit for air-conditioning with housing, total dimensions: 1200 mm x 370 mm x 800 mm.	50
4427	NN cabinet	Wooden cabinet with glass doors, total dimensions: 3200 mm x 600 mm x 2000 mm. Water damaged.	50
4428	NN chairs	6 chairs. Water damaged.	10
4429	NN office table	Round office table with 3 chairs, diameter table: 900 mm, height table: 720 mm.	10
4430	NN office inventory	Office inventory consisting of: 5 office desks, dimensions: (3x) 2000 mm x 1000 mm x 750 mm, (2x) 1600 mm x 800 mm x 790 mm, 3 office cabinets, dimensions: (3x) 800 mm x 440 mm x 2430 mm, 2 office cabinets with drawers, dimensions: 1200 mm x 430 mm x 1220 mm and 1600 mm x 430 mm x 1180 mm.	150
4431	NN wall cabinet	Wall cabinet with built-in sliding wall, dimensions: 4500 mm x 720 mm x 2900 mm.	250
4432	NN kitchen	U-shaped kitchen with Siemens refrigerator and freezer, Miele dishwasher, 2-pits induction plate, s/s sink with faucet, total dimensions kitchen: 3500 mm x 2200 mm x 2100 mm. Including first aid cabinet.	200
4433	NN office inventory	Office inventory consisting of: office cabinet with sliding doors, dimensions: 1600 mm x 420 mm x 820 mm, office desk with Acer monitor and Logitech keyboard, dimensions desk: 1600 mm x 800 mm x 730 mm, painting, dimensions: 1200 mm x 900 mm.	50
4434	NN office inventory	Office inventory consisting of: round table, diameter: 1200 mm, height: 720 mm, office cabinet with sliding doors, dimensions: 1600 mm x 430 mm x 830 mm.	25
4435	NN pegs	6 pegs for jackets.	10
4436	NN conference table	Conference table with 8 chairs, dimensions table: 2700 mm x 1100 mm x 740 mm, office cabinet with sliding doors, dimensions: 1200 mm x 420 mm x 830 mm.	150



4437	DRU	DRU mobile refrigerated showcase, dimensions: 800 mm x 600 mm x 2000 mm.	25
4438	NN office inventory	Office inventory consisting of: 2 office cabinet desks, dimensions: (2x) 1400 mm x 440 mm x 1100 mm, table with 3 chair, dimensions: 850 mm x 850 mm x 740 mm, wall cabinet, dimensions: 800 mm x 450 mm x 2280 mm.	75
4439	Liebherr	Liebherr refrigerator / freezer, dimensions: 600 mm x 650 mm x 1680 mm.	75
4441	NN office inventory	Office inventory consisting of: wooden dressoir cabinet, dimensions: 4060 mm x 500 mm x 1350 mm, round table with 4 chairs, diameter table: 1400 mm, height table: 740 mm, cabinet with sliding doors, dimensions: 1200 mm x 420 mm x 780 mm, office table, dimensions: 1420 mm x 600 mm x 750 mm.	150
4442	NN office desk	Office desk with 2 drawers, dimensions: 2000 mm x 1000 mm x 730 mm.	10
4443	NN office desk	Office desk, dimensions: 2300 mm x 1500 mm x 740 mm.	10
4444	NN office desk	Office desk, dimensions: 3000 mm x 1800 mm x 760 mm.	25
4445	NN whiteboard	Whiteboard, dimensions: 1200 mm x 900 mm.	5
4446	Kyocera	Kyocera mobile printer / scanner, model: TASKalfa 3051 ci, machine number: L874718804, year of construction: 2014, 220-240 V, 50-60 Hz, 7.2 A, including cassette feeding unit, dimensions: 1500 mm x 800 mm x 1600 mm.	150
4447	NN office cabinet	Office cabinet with sliding doors, dimensions: 1200 mm x 420 mm x 900 mm.	5
4448	NN office desk	Office desk with drawer and Avaya telephone, dimensions desk: 1600 mm x 800 mm x 720 mm, dimensions drawer: 420 mm x 600 mm x 580 mm.	20
4449	NN office table	Round office table with 2 chairs and drawer, diameter table: 1000 mm, height table: 720 mm, dimensions drawer: 440 mm x 800 mm x 580 mm.	20
4451	NN hygiene equipment	Hygiene equipment consisting of Kimberly-Clark paper dispenser, s/s waste bin, mirror and soap dispenser.	75
4452	NN hygiene equipment	Hygiene equipment consisting of Kimberly-Clark paper dispenser, AEG hand dryer, s/s waste bin, 2 mirrors and soap dispenser.	75
4466	NN storage racks	5 steel storage racks, each rack 5 floors, total dimensions: (5x) 3000 mm x 600 mm x 1850 mm, storage rack, 5 floors, dimensions: 1000 mm x 300 mm x 2000 mm and storage rack, 5 floors, dimensions: 2000 mm x 300 mm x 2200 mm.	100
4467	Stiebel Eltron	Stiebel Eltron boiler, type: SH 10 S, number: 071755 - 7545, 2 kW, 10 liter per minute, dimensions: 300 mm x 300 mm x 500 mm.	25



4468	NN storage racks	4 steel storage racks, each rack 4 floors, dimensions: (4x) 4000 mm x 500 mm x 2000 mm. Including 3 various storage racks.	100
4470	NN office cabinet	Office cabinet with sliding doors, dimensions: 1200 mm x 420 mm x 720 mm.	5
4471	NN office inventory	Office inventory consisting of: 2 office desks, dimensions: 1600 mm x 800 mm x 730 mm and 1800 mm x 1200 mm x 720 mm, 3 office cabinets with sliding doors, dimensions: (1x) 1200 mm x 420 mm x 1160 mm and (2x) 1200 mm x 420 mm x 730 mm, Samsung / NEC monitor, 2 chairs.	75
4472	NN office table	Office table with chair, dimensions: 1600 mm x 800 mm x 720 mm.	5
4473	Kyocera	Kyocera mobile printer / scanner, model: TASKalfa 3051 ci, machine number: L874719140, year of construction: 2014, 220-240 V, 50-60 Hz, 7.2 A, including cassette feeding unit, dimensions: 1300 mm x 800 mm x 1250 mm.	150
4474	NN notification board	Notification board, dimensions: 900 mm x 600 mm.	5
4475	NN office cabinets	3 office cabinets with sliding doors, dimensions: (3x) 1560 mm x 400 mm x 950 mm.	30
4476	NN office inventory	Office inventory consisting of: 2 office desks with chair and drawer, dimensions: (2x) 2000 mm x 1000 mm x 720 mm, 4 office cabinets with sliding doors, dimensions: (2x) 1600 mm x 450 mm x 1150 mm, (1x) 1200 mm x 450 mm x 700 mm and (1x) 1200 mm x 450 mm x 1200 mm.	100
4477	NN office inventory	Office inventory consisting of: 2 office desk with chair and drawer, dimensions: (2x) 1800 mm x 1200 mm x 750 mm, 3 wall cabinets, dimensions: (2x) 1200 mm x 440 mm x 2350 mm, (1x) 1600 mm x 440 mm x 2350 mm, office cabinet with sliding doors, dimensions: 1200 mm x 450 mm x 1230 mm.	150
4478	NN kitchen	Kitchen with Liebherr refrigerator, s/s sink with faucet, chair, Kimberly-Clark paper dispenser, dimensions kitchen: 1700 mm x 600 mm x 2100 mm	75
4479	Canon	Canon microprinter, model: Microprinter 60 M32044, number: AQ4 03627, 230 V, 50 Hz, 4.7 A, dimensions: 500 mm x 800 mm x 630 mm.	10
4480	NN office inventory	Office equipment consisting of: 2 office desks with chair, dimensions: (2x) 1200 mm x 800 mm x 720 mm, 2 wall cabinets, dimensions: (2x) 1200 mm x 400 mm x 1650 mm, LG screen / Logitech keyboard.	20
4481	NN office desks	3 office desks with drawers, dimensions: (3x) 1600 mm x 800 mm x 760 mm, 2 chairs.	30
4482	NN office inventory	Office inventory consisting of: 3 office cabinets, dimensions: (3x) 1200 mm x 420 mm x 1620 mm, 8 office cabinets with sliding doors, various dimensions, Lexmark printer.	75



4483	NN cabinet	Steel cabinet, dimensions: 950 mm x 600 mm x 1950 mm.	10
4484	Eckmann Datentechnik	Eckmann Datentechnik server cabinet, dimensions: 800 mm x 800 mm x 2100 mm.	75
4485	NN office desk	Office desk with chair and drawer, dimensions: 2000 mm x 1000 mm x 720 mm.	10
4486	NN office inventory	Office inventory consisting of: 2 office desks, dimensions: (2x) 2000 mm x 1200 mm x 740 mm, 4 office cabinets with sliding doors, dimensions: (2x) 1200 mm x 420 mm x 1100 mm and (2x) 1200 mm x 420 mm x 850 mm, office cabinet, dimensions: 1200 mm x 420 mm x 1120 mm, 3 drawers.	150
4487	NN conference table	Conference table consisting of: 6 tables and 7 various chairs, dimensions tables: (6x) 1400 mm x 600 mm x 740 mm, wall cabinet, dimensions: 1000 mm x 420 mm x 1960 mm, 3 cabinets with sliding doors, dimensions: (2x) 1200 mm x 420 mm x 720 mm and (1x) 1600 mm x 420 mm x 1100 mm.	100
4488	NN office inventory	Office inventory consisting of: 2 office desks, dimensions: 1600 mm x 1000 mm x 800 mm and 1200 mm x 800 mm x 720 mm, 2 cabinets with sliding doors, dimensions: 1600 mm x 420 mm x 1170 mm and 1600 mm x 420 mm x 800 mm, 4 drawers.	100
4489	NN office inventory	Office inventory consisting of: 2 office desks with 3 chairs, dimensions: (2x) 2000 mm x 1000 mm x 760 mm, 3 office cabinets with sliding doors, dimensions: (3x) 1600 mm x 420 mm x 1200 mm, 3 drawers.	100
4490	NN office inventory	Office inventory consisting of: (6x) office desks with chairs, dimensions: (6x) 2000 mm x 1000 mm x 760 mm, 3 office tables, dimensions: (2x) 800 mm x 800 mm x 720 mm and (1x) 1600 mm x 800 mm x 740 mm, 9 drawers, various dimensions, 3 chairs.	200
4491	NN kitchen	Kitchen with s/s sink with faucet, Blaupunkt refrigerator and freezer, dimensions kitchen: 4000 mm x 650 mm x 2200 mm, standing table, dimensions: 1150 mm x 400 mm x 1300 mm, hanging lamp.	150
4492	Kyocera	Kyocera mobile printer / scanner, model: TASKalfa 3051 ci, machine number: L873Z09778, year of construction: 2013, 220-240 V, 50-60 Hz, 7.2 A, dimensions: 700 mm x 800 mm x 1250 mm.	150
4493	iPhone / Samsung / Blackberry	17 various mobile phones, amongst others: iPhone 6S and (2x) iPhone 5S. Various screens broken / technical condition unknown.	150
4494	Lexmark	Lexmark multifunction printer, machine type: 7015-470, model: MX410de, 220-240 V, 50/60 Hz, 4.0 A, dimensions: 500 mm x 500 mm x 500 mm.	25





4495	NN computer/printer equipment	Steel storage rack, 5 floors, with various computer and printer equipment, amongst other: Intermec label printer, Avery Dennison label printer, various toners for printers, etc., dimensions rack: 2500 mm x 400 mm x 2600 mm.	100
4496	NN computer/printer equipment	2 steel storage racks, 6 floors, with various computer and printer equipment, dimensions racks: 5000 mm x 1000 mm x 3000 mm and 4000 mm x 1000 mm x 3000 mm.	100
4497	NN computer/printer equipment	2 steel storage racks, 6 floors, with various computer and printer equipment, dimensions racks: 3000 mm x 1000 mm x 3000 mm and 1000 mm x 1000 mm x 3000 mm.	100
4498	Haga	Haga ladder, height: 1970 mm.	5
4499	NN office cabinets	2 office cabinets with sliding doors, dimensions: 1350 mm x 460 mm x 1680 mm and 800 mm x 420 mm x 900 mm.	10
4500	NN office cabinet	Office cabinet with 4-doors, dimensions: 900 mm x 400 mm x 2200 mm.	10
4501	NN office inventory	Office inventory consisting of: 4 office tables with 13 chairs, dimensions: (4x) 1600 mm x 800 mm x 720 mm, 3 office cabinets with sliding doors, dimensions: (3x) 1200 mm x 430 mm x 1100 mm, Liebherr refrigerator, dimensions: 500 mm x 600 mm x 850 mm, 2 flip-overs.	100
4502	NN office inventory	Office inventory consisting of: 3 office desks with chair, dimensions: (3x) 2000 mm x 1000 mm x 750 mm, 3 office cabinets, dimensions: (2x) 900 mm x 400 mm x 2220 mm and (1x) 900 mm x 400 mm x 1100 mm, 5 various drawers and 3 monitors.	100
4503	NN office inventory	Office inventory consisting of: 2 office desks, dimensions: (2x) 1500 mm x 800 mm x 800 mm, office table, dimensions: 1200 mm x 800 mm x 20 mm, office cabinet with sliding doors, dimensions: 1600 mm x 420 mm x 830 mm, 1 drawer and 2 chairs.	75
4504	NN office inventory	Office inventory consisting of: 2 office desks with 3 chairs, dimensions: (2x) 1200 mm x 800 mm x 720 mm, Tenovis telephone and whiteboard, dimensions: 1500 mm x 1000 mm.	20
4505	NN office inventory	Office inventory consisting of: standing table, diameter table: 1000 mm, height table: 1060 mm, drawer, dimensions: 420 mm x 800 mm x 720 mm, office cabinet with sliding doors, dimensions: 800 mm x 420 mm x 750 mm, chair, Avaya telephone, iiyama and ThinkVision monitor, whiteboard, dimensions: 1500 mm x 1000 mm.	75



4506	NN office inventory	Office inventory consisting of: 2 office desks, dimensions: (2x) 1500 mm x 800 mm x 750 mm and 1600 mm x 840 mm x 750 mm, 2 wall cabinets, dimensions: (2x) 1000 mm x 450 mm x 2330 mm, 2 cabinets with sliding doors, dimensions: 800 mm x 420 mm x 750 mm and 1600 mm x 420 mm x 820 mm.	75
4507	Kyocera	Kyocera mobile printer / scanner, model: TASKalfa 3051 ci, machine number: L873Y07869, year of construction: 2013, 220-240 V, 50-60 Hz, 7.2 A, dimensions: 700 mm x 800 mm x 1250 mm.	150
4510	NN office tables	2 office tables, dimensions: 2000 mm x 1000 mm x 710 mm and 780 mm x 780 mm x 750 mm, trolley and rack.	10
4511	Eckmann Datentechnik	Eckmann Datentechnik server compartment consisting of 4 server cabinets, total dimensions: 3200 mm x 1000 mm x 2150 mm. Incomplete.	150
4512	Stulz GmbH Hamburg	Stulz GmbH room cooling, type: CCD 200 CW, serial number: 0540023630/01-1, year of construction: 2002, 380-415 V, 3 Ph, 50 Hz, maximum operation pressure: 16 bar, 3.70 kVa, dimensions: 1000 mm x 900 mm x 1850 mm.	400
4513	Stulz GmbH Hamburg	Stulz GmbH room cooling, type: CCD 200 CW, serial number: 0540023630/01-2, year of construction: 2002, 380-415 V, 3 Ph, 50 Hz, maximum operation pressure: 16 bar, 3.70 kVa, dimensions: 1000 mm x 900 mm x 1850 mm.	400
4514	NN chair	Chair, dimensions: 500 mm x 500 mm x 800 mm.	5
4515	MGE UPS Systems	MGE UPS Systems uninterruptible power system, model: GALAXY 3000, serial number: 742J12002, 30 kVa, weight: 766 kg, total dimensions: 1500 mm x 900 mm x 1600 mm.	1000
4516	NN office table	Office table, dimensions: 1400 mm x 700 mm x 720 mm.	5
4517	NN office inventory	Office inventory consisting of: office table with chair, dimensions: 1600 mm x 700 mm x 730 mm, 2 cabinets with sliding doors, dimensions: 1000 mm x 430 mm x 750 mm and 1200 mm x 400 mm x 2200 mm, Cleanfix vacuum cleaner.	10
4518	NN office inventory	Office inventory consisting of: conference table, diameter: 2200 mm, height table: 720 mm, cabinet with sliding doors, dimensions: 1600 mm x 420 mm x 770 mm, 3 various office tables.	100
4519	Kaiser + Kraft	5 Kaiser + Kraft information boards, dimensions: (5x) 1270 mm x 920 mm and information trolley, dimensions: 680 mm x 300 mm x 1530 mm.	50



4520	NN large amount of clothing	Complete room with large amount of clothing, trousers, jackets, aprons, overalls, different sizes, consisting of 5 racks with clothing, wall cabinets, trolley for dirty clothing, 2 tables, clothing rack, dimensions racks: (2x) 3300 mm x 800 mm x 2000 mm and (3x) 3300 mm x 800 mm x 2400 mm.	750
4521	Franke	Franke microwave, type: FM 1000 C, 220 V, 1 Ph, 50 Hz, 2100 W, dimensions: 550 mm x 500 mm x 400 mm.	10
4522	Tehibo	Tehibo coffee machine, type: 8.040.201.200, serial number: 81672, 230 V, 1 Ph, 50 Hz, 2145 W, dimensions: 220 mm x 400 mm x 460 mm.	10
4523	NN post sorting centre	Post sorting centre consisting of: sorting table, dimensions: 3200 mm x 800 mm x 800 mm, storage rack, 4 floors with amongst other toner kits, dimensions rack: 5000 mm x 600 mm x 2000 mm, Liebherr refrigerator, steel trolley, various office inventory.	250
4524	Bizerba	Bizerba weighing scale, number: 512649, maximum: 25 kg, minimum: 2.5 kg, e = d = 50 gram, dimensions scale: 520 mm x 470 mm, total dimensions: 520 mm x 600 mm x 1000 mm.	150
4525	Kyocera	Kyocera mobile printer / scanner, model: TASKalfa 3051 ci, machine number: L874719143, year of construction: 2014, 220-240 V, 50-60 Hz, 7.2 A, dimensions: 700 mm x 800 mm x 1250 mm.	150
4526	NN locker	25-doors locker, dimensions: 2000 mm x 500 mm x 2000 mm. Missing keys.	50
4527	NN peg	Peg, dimensions: 500 mm x 500 mm x 1750 mm.	10
4528	Hailo	3 Hailo waste bins, dimensions: (3x) 340 mm x 260 mm x 760 mm.	15
4529	NN lockers	2 x 2-doors locker, dimensions: (2x) 600 mm x 500 mm x 1870 mm, 14 x 3-doors locker, dimensions: (14x) 900 mm x 500 mm x 1870 mm, 30 x 4-doors locker, dimensions: (30x) 1200 mm x 500 mm x 1870 mm, 2 benches, dimensions: 2800 mm x 320 mm x 480 mm.	1150
4530	NN lockers	2 x 2-doors locker, dimensions: (2x) 630 mm x 500 mm x 1800 mm, 26 x 3-doors locker, dimensions: (26x) 930 mm x 500 mm x 1800 mm, 9 x 4-doors locker, dimensions: (9x) 1230 mm x 500 mm x 1800 mm. Various benches. Without keys.	925
4531	NN lockers	5 x 2-doors locker, dimensions: (5x) 600 mm x 500 mm x 1870 mm, 3 x 3-doors locker, dimensions: (3x) 930 mm x 500 mm x 1800 mm, 13 x 4-doors locker, dimensions: (3x) 1200 mm x 500 mm x 1870 mm and (10x) 1230 mm x 500 mm x 1800 mm. Various benches. Without keys.	525



4532	Wolf	Wolf air treatment cabinet, type: KG 40 F, serial number: 0198, 230/400 V, 6.9/4.0 A, 1500 rates per minute, volume: 3000 m <sup>3</sup> per hour, dimensions: 2700 mm x 600 mm x 1300 mm.	250
4533	NN office cabinets	5 office cabinets with sliding doors, dimensions: (1x) 1600 mm x 420 mm x 900 mm, (2x) 1600 mm x 420 mm x 900 mm, (2x) 1600 mm x 420 mm x 1200 mm.	25
4534	NN first aid cabinet	First aid cabinet, dimensions: 490 mm x 200 mm x 560 mm.	5
4535	Toshiba / Targus	Toshiba HI speed port replicator III 120 W and Targus ACP 77 EUZ docking station.	10
4536	NN office inventory	Office inventory consisting of: 3 office tables with chair, dimensions: (3x) 1600 mm x 700 mm x 720 mm, office table, dimensions: 1200 mm x 800 mm x 720 mm, office cabinet with sliding doors, dimensions: 1200 mm x 420 mm x 820 mm, 3 drawers and whiteboard.	100
4537	NN office inventory	Office inventory consisting of: office desk with chair, dimensions: 2500 mm x 2800 mm x 720 mm, round table, diameter: 900 mm, height: 720 mm and 2 cabinets with sliding doors, dimensions: (2x) 1600 mm x 420 mm x 1080 mm.	100
4538	NN office inventory	Office inventory consisting of: office desk with 2 chairs, dimensions: 2300 mm x 3200 mm x 720 mm, office cabinet with sliding doors, dimensions: 1200 mm x 430 mm x 850 mm.	75
4539	NN office inventory	Office inventory consisting of: 3 office desks with 3 chairs, dimensions: (3x) 1600 mm x 800 mm x 720 mm, 2 cabinets with sliding doors, dimensions: (2x) 1200 mm x 420 mm x 1160 mm, 1 standing cabinet with sliding door, dimensions: 920 mm x 500 mm x 1170 mm.	100
4540	NN office inventory	Office inventory consisting of: 3 office desks with chair, dimensions: (3x) 2600 mm x 1400 mm x 750 mm, 3 office tables, 5 cabinets with sliding doors, drawer and peg.	150
4541	NN office inventory	Office inventory consisting of: 4 office desks with chair, dimensions: (4x) 2600 mm x 1400 mm x 750 mm, 2 office tables, 9 cabinets with sliding doors, peg and whiteboard.	150
4542	NN office inventory	Office inventory consisting of 5 office tables/desks, dimensions: (1x) 1600 mm x 800 mm x 700 mm, (1x) 800 mm x 800 mm x 700 mm, (2x) 1600 mm x 700 mm x 700 mm, (1x) 2400 mm x 2000 mm x 750 mm, 9 chairs, 2 cabinets with sliding doors and whiteboard.	100



4543	Bosch / Sharp	Bosch dishwasher, dimensions: 600 mm x 450 mm x 800 mm, Sharp microwave, kitchen with s/s sink and faucet, dimensions: 1000 mm x 600 mm x 850 mm, kitchen cabinet, dimensions: 2000 mm x 320 mm x 550 mm.	75
4544	Rittal	Rittal server cabinet, dimensions: 670 mm x 600 mm x 1000 mm.	50
4545	NN office inventory	Office inventory consisting of 6 office desks, dimensions: (5x) 2000 mm x 1000 mm x 720 mm, (1x) 1600 mm x 800 mm x 740 mm, conference table with 4 chairs, dimensions: 2000 mm x 1100 mm x 720 mm.	150
4546	NN kitchen	Kitchen with Zanker refrigerator, type: 880RF, serial number: 51840064, gross volume: 147 liter, refrigerant: R600a (22 gram), Gorenje dishwasher, s/s sink with faucet, dimensions kitchen: 3050 mm x 600 mm x 1660 mm, Gorenje refrigerator, gross volume: 135 liter, refrigerant: R600a (0.0170 kg), dimensions refrigerator: 500 mm x 610 mm x 850 mm.	150
4547	NN office inventory	Office inventory consisting of: office desk with chair, dimensions: 2000 mm x 1000 mm x 730 mm, 2 drawers, IBM and Samsung monitor, 4 Avaya telephone.	50
4548	NN conference table	Conference table, dimensions: 5200 mm x 1600 mm x 710 mm, office table, dimensions: 2500 mm x 800 mm x 750 mm.	100
4549	NN kitchen	Kitchen with Küppersbusch refrigerator, model: IK164-5 Z, serial number: 13600012, 220-240 V, 1 Ph, 50 Hz, 100 W, gross capacity: 158 liter, s/s sink with faucet, dimensions: 2100 mm x 600 mm x 1410 mm and 1400 mm x 580 mm x 970 mm.	100
4550	NN office desk	Office table, dimensions: 1400 mm x 700 mm x 720 mm, 5 chairs.	10
4551	NN office inventory	Office inventory consisting of: s/s table, dimensions: 1200 mm x 800 mm x 850 mm, 2 s/s waste bins, dimensions: 390 mm x 290 mm x 710 mm, 3 office cabinets with sliding doors, 3 various storage racks.	75
4552	Helpman	2 Helpman evaporators, 1 fan, dimensions: (2x) 850 mm x 600 mm x 600 mm.	150
4553	NN post boxes	2 post boxes, dimensions: 230 mm x 100 mm x 310 mm and 390 mm x 130 mm x 320 mm.	10
4554	NN tourniquets	3 s/s security tourniquets, dimensions: (3x) 1180 mm x 260 mm x 1020 mm.	300
4555	Manpower	Manpower clock system, dimensions: 130 mm x 70 mm x 360 mm.	10



4556	NN archive inventory	Archive inventory, consisting of: 5 steel racks, dimensions: (2x) 3000 mm x 3000 mm x 2170 mm, 3020 mm x 610 mm x 2000 mm, 4000 mm x 300 mm x 2170 mm and 2000 mm x 300 mm x 2170 mm, 2 tables, dimensions: (2x) 1000 mm x 1000 mm x 700 mm, 2 chairs.	50
4557	NN archive inventory	Archive inventory, consisting of: 13 steel racks, dimensions: (1x) 1000 mm x 800 mm x 3000 mm, (3x) 3000 mm x 600 mm x 2550 mm, (1x) 2000 mm x 600 mm x 2550 mm, (3x) 2000 mm x 600 mm x 2520 mm, (1x) 2000 mm x 300 mm x 2250 mm, (1x) 1020 mm x 300 mm x 2170 mm, (2x) 3010 mm x 310 mm x 2170 mm and (1x) 4000 mm x 300 mm x 2170 mm.	130
4558	Plastopan/Weber/ Sulo	12 Plastopan/Weber/Sulo plastic waste containers, dimensions: (12x) 700 mm x 600 mm x 1100 mm.	120
4559	Helit	19 Helit plastic waste bins, dimensions: (19x) 530 mm x 300 mm x 330 mm.	50
4560	NN fence	Steel fence with gate, dimensions: 3750 mm x 90 mm x 3100 mm.	100
4561	NN frame	S/s wall mounted frame, dimensions: 470 mm x 280 mm x 400 mm.	10
4562	NN rack	Steel rack, dimensions: 9000 mm x 760 mm x 2800 mm.	30
4563	Dexion	2 Dexion pallet racks, year of construction: 1981, capacity: 3000/6000 kg, 12 uprights and 24 beams, dimensions: (2x) 8580 mm x 1100 mm x 2860 mm.	150
4564	NN drill	Column drill, type: DM 251/4-M115, number: 92239031, 220/380 V, 50 Hz, 1.5/0.85 A, 0.25 kW, dimensions: 650 mm x 410 mm x 740 mm.	50
4565	Asept	Pallet with large amount of Asept bottle pumps.	50
4566	NN racks	15 Steel racks and 2 wooden shelves, dimensions racks: (3x) 4000 mm x 600 mm x 2000 mm, (2x) 3000 mm x 600 mm x 2000 mm, (1x) 2000 mm x 600 mm x 2550 mm, (1x) 4000 mm x 300 mm x 1650 mm, (1x) 1000 mm x 300 mm x 2000 mm, (2x) 2000 mm x 300 mm x 2000 mm, (1x) 1000 mm x 300 mm x 2000 mm, (1x) 3000 mm x 300 mm x 2000 mm, (2x) 5000 mm x 300 mm x 2000 mm, (1x) 4000 mm x 600 mm x 2000 mm.	150
4567	Zarges	Zarges aluminium stairs, height: 1560 mm.	50
4568	NN office inventory	Various office inventory, among others: 9 cabinets with sliding doors and 7 cabinets in various sizes, 3 steel racks, dimensions: (3x) 1000 mm x 300 mm x 3000 mm.	250
4569	NN racks	13 steel racks, dimensions: (6x) 10000 mm x 600 mm x 2000 mm, (1x) 7000 mm x 400 mm x 2500 mm, (3x) 2000 mm x 300 mm x 2000 mm, (1x) 3000 mm x 300 mm x 2000 mm, (1x) 10000 mm x 600 mm x 2500 mm and (1x) 9000 mm x 300 mm x 1600 mm.	200



4570	Daikin / Mitsubishi / Panasonic	3 Daikin outside cooling unit, model: RKS503VMD9, dimensions: (3x) 770 mm x 250 mm x 510 mm, 1 Panasonic outside cooling unit, dimensions: 900 mm x 350 mm x 700 mm, Mitsubishi outside cooling unit, dimensions: 800 mm x 300 mm x 500 mm.	125
4571	Evapco	Evapco evaporative condenser, type: 5X18X12R, number: 20332/1, year of construction: 1998, pressure: 22 bar, temperature: -10/+125°C, volume: 1771 liter, refrigerant: NH <sub>3</sub> / R717, dimensions: 6000 mm x 4500 mm x 6000 mm.	2500
4572	Sabroe	Sabroe steel ammonia pressure vessel, number: 67449, year of construction: 1998, volume: 650 liter, temperature: -10/+80°C, dimensions: 3150 mm x 550 mm x 550 mm.	200
4573	Sterling	Sterling centrifugal pump, type: ZLKC 65160 A, dimensions: 800 mm x 400 mm x 400 mm.	50
4574	NN pressure vessel	Steel pressure vessel, number: 7835, year of construction: 1998, pressure: 6 bar, dimensions: 800 mm x 500 mm x 500 mm.	25
4575	Sterling	Sterling centrifugal pump, year of construction: 2000, dimensions: 800 mm x 400 mm x 400 mm.	50



## **General terms of the online auction**

### **Article 1. Definitions**

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website [www.Industrial-Auctions.com](http://www.Industrial-Auctions.com), which is maintained by Industrial Auctions, based in Eindhoven;

### **Article 2. Applicability**

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

### **Article 3. Registration on the website and the use**





3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Government laws and regulations, such as the Money Laundering and Terrorist Financing Prevention Act (WWFT), may impose (additional) obligations on Industrial Auctions. The client is required to provide all information requested by Industrial Auctions including (but not limited to) information about the client's identity to establish and verify this further, to verify and record the identity of the ultimate beneficial owner, the purpose and nature of the engagement or to exercise a transaction or an ongoing control over the business relationship or the natural person who represents or is authorized to do so by the client and whether the client is acting for themselves or for a third party. If the requested information is not supplied within



5 days after the first request, Industrial Auctions may immediately terminate the agreement and, pending the information, Industrial Auctions may suspend the services. Industrial Auctions is then not obliged or liable for any compensation for damages.

#### **Article 4. The auction**

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the supporting system;
- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

#### **Article 5. Security**



5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

#### **Article 6. Description lots**

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark.

Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

#### **Article 7. Adjustments; operation**

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

#### **Article 8. Auction organization by Industrial Auctions**



8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;
- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

### **Article 9. Bid; Purchase Agreement**

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that



moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

## **Article 10. Guarantees, claims and indemnities**

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no



indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

#### **Article 11. Payment obligations of the buyer**

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

#### **Article 12. Viewing days, auction days, pick-up days**

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so



entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

### **Article 13. Delivery**

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance



policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

#### **Article 14. Termination**

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

#### **Article 15. Liability**

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at





least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care.

Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

## **Article 16. Applicable law**

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.





**Industrial  
Auctions** BV



**Industrial  
Auctions** BV

Address: Looyenbeemd 11  
5652 BH Eindhoven, Netherlands  
Tel.: +31 (0)40 2409 208  
Email: [info@industrial-auctions.com](mailto:info@industrial-auctions.com)  
Web: [www.industrial-auctions.com](http://www.industrial-auctions.com)

**Upcoming auctions:**

- 27-02 Day 1: Online auction machinery and inventory at former production location Homann Feinkost GmbH in Dissen am Teutoburger Wald (DE)**
- 28-02 Day 2: Online auction machinery and inventory at former production location Homann Feinkost GmbH in Dissen am Teutoburger Wald (DE)**