



Industrial Auctions BV

Online auction machinery for the food industry in Raciaz
(PL)

Closing: 21 March 2023 from 14:00 hrs.



Viewing day:

Address:

Ul. Plocka 76
09-140 Raciaz
Poland



General terms and conditions of the online auction

Closing date	21 March 2023 from 14:00 hrs.
Viewing	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	23% over the highest bid including Premium
Pick up date	28 March 2023 from 09:00 till 16:00 hrs.
Pick up address	Ul. Plocka 76 09-140 Raciaz Poland
Delivery instructions	The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Industrial Auctions B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick up bought lots) will only take place on the mentioned delivery date/time and address..
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 0050339999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Rühle	Rühle vacuum tumbler, year of construction: 1996, Busch vacuum pump, type: RB 0012 B 303 AIZZ, year of construction: 1995, capacity: 12 m ³ per hour, inside dimensions tumbler: 950 mm x 950 mm x 780 mm, total dimensions: 2220 mm x 1310 mm x 2230 mm.	2800
2	Laska	Laska grinder for frozen meat, type: WW 160 G1, number: 11148, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 70 A, 35 kW, diameter plate: 160 mm, dimensions: 2100 mm x 1300 mm x 1800 mm. Including Laska lifter for 200 liter meat bins, type: BA 24, number: 11019, year of construction: 2004, lifting height: 1950 mm, dimensions lifter: 1200 mm x 850 mm x 2900 mm.	20000
3	Technoclipper	Technoclipper mobile double clipper, plastic roller conveyor, plastic roller width: 100 mm, diameter filling pipe: 25 mm, total dimensions: 1100 mm x 500 mm x 1840 mm.	1300
4	Maja	Maja mobile skinning machine, type: easy, number: 43040, year of construction: 2001, 400 V, 50 Hz, 0.75 kW, working width: 330 mm, total dimensions: 660 mm x 560 mm x 1000 mm.	800
5	Maja	Maja mobile skinning and derinding machine, type: SBA 405, number: 348328849, plastic belt, belt width: 360 mm, working width: 430 mm, total dimensions: 750 mm x 840 mm x 1100 mm.	1250
6	NN heated cabinet	S/S heated cabinet with 2 slide doors and 2 floors, floor dimensions: (2x) 960 mm x 500 mm, total dimensions: 1200 mm x 700 mm x 880 mm.	130
7	Rühle	Rühle mobile dicer, chamber: 120 mm x 120 mm, total dimensions: 1500 mm x 950 mm x 1240 mm. Technical condition unknown.	2700
8	Safeline	Safeline X-ray scanner, model: R40, serial number: 2906R40V604, year of construction: October 2006, 220 V, 50 Hz, 10 A, 2.2 kW, plastic belt, belt width: 600 mm, clearance: 600 mm x 110 mm, total dimensions: 2200 mm x 1200 mm x 2300 mm. Missing inverter, technical condition unknown.	800
9	Townsend	Townsend mobile linking- and hanging line, type: NL-21, number: 10214, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 16 A, 7.5 kW, dimensions linking line: 2750 mm x 700 mm x 1680 mm, dimensions hanging line: 3600 mm x 950 mm x 1450 mm.	1600
10	Barotec	Barotec mobile pressure vessel, dimensions: 770 mm x 770 mm x 1030 mm.	200
11	Weber	Weber mobile skinning machine, type: AS 450, number: 4241, 400 V, 50 Hz, 0.4 kW, working width: 380 mm, total dimensions: 700 mm x 550 mm x 970 mm.	700



12	Strojírny Chocen	Strojírny Chocen grinder, type: 139, number: 01, year of construction: 1999, weight: 820 kg, 230/380 V, 50 Hz, 26.6 A, 17.6 kVA, diameter plate: 130 mm, total dimensions: 1200 mm x 1100 mm x 1380 mm.	3500
13	Townsend	Townsend mobile skinning machine, model: 7620, serial number: 1555, year of construction: 1998, 380 V, 3 Ph, 50 Hz, 2 A, working width: 400 mm, total dimensions: 650 mm x 480 mm x 1060 mm.	550
14	Weber	Weber mobile skinning machine, type: AS 450, number: 1619, 380 V, 50 Hz, 0.4 kW, working width: 400 mm, total dimensions: 680 mm x 480 mm x 1060 mm.	350
15	Dadaux	Dadaux mobile skinning machine, type: DW500, number: 124, year of construction: 06/11, 230 V, 50 Hz, working width: 455 mm, total dimensions: 850 mm x 610 mm x 1000 mm.	900
16	Stork	Stork mobile tenderizer, type: PMT 41, serial number: 334, 380 V, 3 Ph, 50 Hz, working width: 410 mm, total dimensions: 1350 mm x 1100 mm x 1170 mm.	750
17	Rühle	Rühle mobile traysealer with label printer, type: VR 1, number: 71, year of construction: 2004, 230 V, 50 Hz, 1.5 kW, dimensions dye: 300 mm x 240 mm, film width: 335 mm, with Busch vacuum pump, type: PC 0008 A, total dimensions: 650 mm x 700 mm x 1700 mm. Including 1 extra dye.	2700
18	Handtmann	Part for Handtmann mobile linking machine, type: 210-01, number: 259, year of construction: 1997, 400 V, 50 Hz, 1.4 A, 1 kW, dimensions: 750 mm x 750 mm x 820 mm.	300
19	Handtmann	Handtmann vacuum filling machine, type: VF50, number: 2524, 220/380 V, 50 Hz, 11 A, 4 kW, dimensions: 850 mm x 750 mm x 1620 mm.	4000
20	Supervac	Supervac belt vacuum machine, type: GK402B, serial number: 207118, year of construction: 2007, 400 V, 3 Ph, 50 Hz, plastic belt, belt width: 620 mm, seal length: (2x) 750 mm, total dimensions: 2250 mm x 1250 mm x 1250 mm.	2500
21	Bizerba	Bizerba mobile traysealer, model: CE-BP 906, 230 V, 50 Hz, 6 A, dye: (2x) 245 mm x 195 mm, total dimensions: 700 mm x 650 mm x 1720 mm.	500
22	Maja	Maja ice machine, type: SA 400 N, serial number: 32970, year of construction: 2003, 400 V, 3 Ph, 50 Hz, refrigerant: R 404 A, capacity: 400 kg per 24 hours, dimensions: 770 mm x 600 mm x 1070 mm.	900
23	NN washing drum for smoke sticks	S/s washing drum for smoke sticks, inside dimensions: 540 mm x 540 mm x 1000 mm, total dimensions: 1700 mm x 850 mm x 1450 mm.	1000



24	Unimasz	Unimasz poultry de-boning conveyor, type: LRD-46, number: 002/16/085, year of construction: 2016, 8 working stations, 23 pins for chicken, 23 pins for turkey, plastic rollers, roller width: 440 mm, total dimensions: 11800 mm x 1450 mm x 2100 mm. Never used.	11500
25	Inject Star	Inject Star cooled vacuum tumbler, type: MA- 1250/2500-CSL, number: K-105-E-SL, year of construction: 1999, 400/230 V, 3 Ph, 50 Hz, 11 kW, dimensions tumbler: 1950 mm x 3750 mm x 2350 mm, dimensions cooling compressor: 950 mm x 1250 mm x 1250 mm, dimensions vacuum pump: 750 mm x 450 mm x 620 mm.	7500
26	NN clipper	Clipper, type: 362-V, year of construction: 2003, dimensions: 850 mm x 340 mm x 850 mm.	400
27	NN fryer	Electrical fryer, dimensions: 800 mm x 500 mm x 700 mm. Missing baskets.	90
28	Handtmann	2 Handtmann linking attachment, numbers: 115-02/653 and 34-4/3281, dimensions: 340 mm x 200 mm x 150 mm and 420 mm x 200 mm x 520 mm.	500
29	Bosch	Bosch mobile netting machine, dimensions: 800 mm x 600 mm x 1780 mm.	100
30	Multivac	Multivac mobile vacuum machine, seal width: 670 mm and 460 mm, chamber dimensions: 670 mm x 460 mm, Rietschle vacuum pump, type: VCE 60 (01), year of construction: 90, capacity: 60 m ³ per hour, total dimensions: 870 mm x 700 mm x 1000 mm.	1500
31	Rühle	Rühle mobile injector, type: PR 15, number: 2877, year of construction: 2002, 400 V, 50 Hz, 16 A, 3/1.1 kW, 15 needles, s/s belt, belt width: 250 mm, total dimensions: 1200 mm x 400 mm x 1600 mm.	700
32	Multivac	Multivac mobile vacuum machine, seal width: 805 mm and 520 mm, chamber dimensions: 770 mm x 520 mm, total dimensions: 1000 mm x 760 mm x 1180 mm.	800
33	Multivac	Multivac double chamber vacuum machine, type: C500, machine number: 527, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 24 A, 8.5 kW, seal width: (4x) 670 mm, chamber dimensions: 740 mm x 670 mm, Busch vacuum pump, type: RA 0160 D 5Z1 GQZZ, year of construction: 2009, capacity: 160 m ³ per hour, total dimensions: 1600 mm x 1050 mm x 1150 mm.	2000
34	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins and with casing spooler attachment , type: VF628, number: 16545, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 26 A, 18 kW, dimensions: 850 mm x 750 mm x 1620 mm. Handtmann casing spooler, type: 78-6, number: 1792, year of construction: 2004, 230 V, 50 Hz, 0.67 A, 0.18 kW.	19000



35	Scheid-system Technic	Scheid-system Technic vacuum tumbler, Busch vacuum pump, type: 100-138, inside dimensions: 1250 mm x 1150 mm x 1150 mm, total dimensions: 2250 mm x 1150 mm x 2000 mm.	2000
36	Poly-Clip System GmbH & Co. KG	Poly-Clip System GmbH & Co. KG double clipper, type: FCA 3461, number: 44309, 380 V, 60 Hz, 16 A, pressure: 5/7 bar, plastic belt, belt width: 115 mm, diameter filling pipe: 20 mm and 115 mm, total dimensions: 1400 mm x 1400 mm x 2050 mm.	3200
37	Schröder Maschinenbau GmbH	Schröder Maschinenbau GmbH vacuum massager, type: MAX 1200, number: M12.6011.03, year of construction: 2003, 400 V, 50 Hz, 23 A, 11.5 kW, volume: 1200 liter, dimensions: 2300 mm x 1400 mm x 2470 mm. Including vacuum pump and switch cabinet, dimensions: 1700 mm x 800 mm x 700 mm.	1500
38	NN dip tank	S/s mobile dip tank, inside dimensions: 600 mm x 400 mm x 200 mm, total dimensions: 850 mm x 650 mm x 1200 mm.	800
39	Poly-Clip System GmbH & Co. KG	Poly-Clip System GmbH & Co. KG double clipper, type: RCA, number: 143, year of construction: 2006, 400 V, 3 Ph, 50/60 Hz, 6 A, 3.2 kW, pressure: 5/7 bar, diameter filling pipe: 20 mm, total dimensions: 1000 mm x 900 mm x 1750 mm.	5000
40	NN pressure vessel	S/s mobile pressure vessel, dimensions: 800 mm x 800 mm x 850 mm.	200
41	Treif	Treif mobile dicer, type: 0802, machine number: 08021.66071.1170-1, year of construction: 1984, 380 V, 3 Ph, 50 Hz, 16 A, chamber dimensions: 85 mm x 85 mm, total dimensions: 1000 mm x 580 mm x 1000 mm.	2000
42	Record	Record flowpacker, model: Gazzella E.T.S., serial number: 47-05-0.16, year of construction: 2005, 4 kW, weight: 1300 kg, plastic belt, belt width: 280 mm, seal width: 420 mm, film width: 650 mm and 440 mm, total dimensions: 3600 mm x 1600 mm x 2000 mm.	3900
43	A & J	A & J s/s crate washer, clearance: 430 mm x 420 mm, total dimensions: 2360 mm x 800 mm x 1800 mm.	2500
44	Holac	Holac dicer, type: AUT 30, serial number: 202-30-02, year of construction: 2000, 400 V, 50 Hz, 19 A, 9 kW, chamber dimensions: 120 mm x 115 mm, total dimensions: 2550 mm x 850 mm x 1670 mm.	2500
45	Formcook PROGRILL	Formcook PROGRILL mobile teflon grill, model: Contact Cooker 409.2E, manufacturing number: 32220192, year of construction: 2013, belt width: 440 mm, total dimensions: 2600 mm x 1000 mm x 1460 mm. With box with spare belt.	5000
46	Talleres Val. S.A.	Talleres Val. S.A. cutter, type: CRI-35, number: 559, year of construction: 2008, 220 V, 3 Ph, 22.8 A, 1500/3000 rpm, volume 35 liter, s/s bowl and s/s knives, dimensions: 1000 mm x 900 mm x 1250 mm.	1000



47	Weber	Weber mobile skinning machine, type: AVI520, number: 566, year of construction: 2003, 400 V, 50 Hz, weight: 220 kg, working width: 520 mm, total dimensions: 850 mm x 600 mm x 1000 mm.	900
48	Mikster	Mikster vacuum tumbler, volume: 750 liter, dimensions: 2780 mm x 1120 mm x 1530 mm.	2200
49	Ilapak	Ilapak flowpacker, type: DELTA 3000 LD, serial number: D. 230.01.006, year of construction: 5-2000, 400 V, 50 Hz, 7000 W, plastic belt, belt width: 300 mm, seal length: 350 mm, with gas mixing station, total dimensions: 2200 mm x 1200 mm x 2300 mm.	2000
50	Cryovac	Cryovac shrink tunnel, model: ST-90 V, serial number: 37, year of construction: 1990, 380 V, 50 Hz, mesh belt, belt width: 600 mm, clearance: 560 mm x 410 mm, total dimensions: 1900 mm x 850 mm x 2100 mm.	700
51	Nowicki	Nowicki flake ice machine with bunker, type: WL-350, factory number: 70104146, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 1.5 kW, weight: 185 kg, capacity: 350 kg per 24 hours, refrigerant: R 507, dimensions: 850 mm x 1400 mm x 2100 mm.	2500
52	NN meat hooks	3 pallets with large amount of meat hooks, capacity: 250 kg each hook, length each hook: 330 mm.	1500
53	NN tumbler	S/S mobile tiltable tumbler, inside dimensions: 600 mm x 600 mm x 700 mm, total dimensions: 900 mm x 900 mm x 1500 mm.	900
54	RM Gastro s.r.o.	RM Gastro s.r.o. ice machine, model: IMG 15055A HC, number: 2019070972870, year of construction: 2019, 220-240 V, 50 Hz, 700 W, refrigerant: R290, 0.115 kg, dimensions: 740 mm x 690 mm x 1190 mm.	600
55	Mado	Mado bandsaw, 220 / 380 V, 50 Hz, 1500 W, table dimensions: 1040 mm x 850 mm, total dimensions: 1040 mm x 850 mm x 1650 mm.	900
56	Laska	Laska double shaft z-arm mixer-grinder with lifter for 200 liter meat bins, plate diameter: 130 mm, dimensions: 1100 mm x 1500 mm x 2000 mm, lifter for 200 liter meat bins, lifting height: 2300 mm, dimensions lifter: 1050 mm x 860 mm x 3100 mm.	11000
57	Germo	Germo injector with filter unit, type: PA 15, number: 082004, year of construction: 2004, 2.2 kW, s/s mesh belt, belt width: 300 mm, 15 needles, total dimensions: 1450 mm x 550 mm x 1850 mm.	800
58	Wiegand	Wiegand mobile binding machine, diameter clearance: 290 mm, total dimensions: 680 mm x 540 mm x 1350 mm.	400
60	Sealpac	Sealpac traysealer, type: Sealpac 500, number: TVG0264101, year of construction: 2002, 400/230 V, 3 Ph, weight: 500 kg, wire belt, belt width: 300 mm, 2 dyes, dimensions dye: (2x) 185 mm x 235 mm, film width: 340 mm, total dimensions: 3600 mm x 750 mm x 1750 mm.	1300



61	Rühle	Rühle cooled vacuum tumbler, year of construction: 1994, inside dimensions: 900 mm x 900 mm x 650 mm, total dimensions: 1930 mm x 1650 mm x 2050 mm.	2800
62	Rochman	Rochman wrap and shrink machine, model: SLAU 50/50, number: 7880604, year of construction: 2004, 400 V, 50 Hz, 8.5 A, 4.5 kW, weight: 639 kg, plastic belt, belt width: (2x) 470 mm, seal length: 560 mm, total dimensions: 1800 mm x 1200 mm x 1700 mm.	750
63	Maja	Maja mobile skinning and derinding machine with foot control, type: ESB 3450, number: 39687, year of construction: 1997, 400 V, 3 Ph, 50 Hz, plastic belt, belt width: 385 mm, working width: 360 mm, total dimensions: 780 mm x 1000 mm x 1250 mm.	1500
64	NN cutter	S/s cutter, s/s bowl and s/s knives, diameter bowl: 680 mm, total dimensions: 1060 mm x 850 mm x 1250 mm.	1000
65	Igo	Igo fryer, gas heated, dimensions: 1000 mm x 800 mm x 950 mm.	500
66	Handtmann	Handtmann vacuum filling machine, type: VF50, number: 14297, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 11 A, 4 kW, dimensions: 850 mm x 550 mm x 1630 mm.	4500
67	Rex	Rex cutter, type: Kutter RK 65 M, machine number: 261974, year of construction: 1997, s/s bowl and s/s knives, diameter bowl: 860 mm, plastic lid, total dimensions: 1350 mm x 1200 mm x 1210 mm.	6000
68	Rühle	Rühle mobile tilttable tumbler, volume: 100 liter, total dimensions: 1000 mm x 900 mm x 1400 mm.	1100
69	NN meat bins	3 s/s mobile meat bins, volume: 200 liter.	300
70	Handtmann	Handtmann vacuum filling machine, type: VF50, number: 3249, year of construction: 1995, 380 V, 50 Hz, 11 A, 4 kW, dimensions: 820 mm x 670 mm x 1700 mm.	5000
71	Rieber	Rieber mobile au-bain marie, type: III-3, number: 88131401/1/100173, year of construction: 2002, 230 V, 1 Ph, 50/60 Hz, 3.4 kW, electrical heated, inside dimensions: (3x) 510 mm x 310 mm x 210 mm, total dimensions: 1250 mm x 650 mm x 1250 mm.	150
72	Treif	Treif slicer, type: 127, machine number: 127002.61044.0427, year of construction: 1990, 380 V, 3 Ph, 50 Hz, 16 A, chamber dimensions: 230 mm x 190 mm, total dimensions: 1800 mm x 900 mm x 1350 mm.	1200
73	Baader	Baader mobile sausage cutter, s/s belt with s/s grippers, belt width: 550 mm, maximum distance between grippers: 400 mm, total dimensions: 2220 mm x 920 mm x 2000 mm.	2800
74	NN hygiene station	S/s hygiene station, with hand disinfection unit, 2 brushes, length brushes: 1750 mm, total dimensions: 3200 mm x 1300 mm x 1570 mm. Missing tourniquet.	300



75	J. Kugler & Co.	J. Kugler & Co. dosing unit on s/s frame, type: K54 T, number: 13923, year of construction: 1987, 2 faucets, dimensions: 1320 mm x 630 mm x 1550 mm. Missing cover, incomplete, technical condition unknown.	90
76	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt, belt width: 700 mm, elevating height: 1200 mm, total dimensions: 1500 mm x 900 mm x 1200 mm.	250
77	NN lifter for meat bins	S/s lifter for 200 liter meat bins, lifting height: 2400 mm, total dimensions: 1100 mm x 1200 mm x 3620 mm.	900
78	NN intestinal crusher	S/s intestinal crusher, diameter infeed: 290 mm, diameter tumbler: 950 mm, total dimensions: 1900 mm x 1200 mm x 1560 mm.	1700
79	Inject Star	Inject Star vacuum tumbler with lifter for 200 liter meat bins, number: 2600-505, dimensions tumbler: 2300 mm x 1300 mm x 1300 mm, total dimensions: 3200 mm x 1600 mm x 1970 mm.	5000
80	Frey	Frey vacuum filling machine with lifter for 200 liter meat bins, dimensions: 1700 mm x 1100 mm x 2050 mm.	2000
81	Krämer+Grebe	Krämer & Grebe grinder with Nimo KG lifter for 200 liter meat bins, type grinder: WW 200, serial number: 281/177, year of construction: 1993, 400 V, 50 Hz, 16 A, plate diameter: 200 mm, dimensions: 1750 mm x 1600 mm x 1730 mm, type lifter: SKV 300 C3-S, serial number: 12156, year of construction: 2015, max loading weight: 350 kg, 3x400 V, 50 Hz, 3.14 A, elevating height: 1880 mm, dimensions lifter: 1050 mm x 1000 mm x 2400 mm.	19000
82	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF620, number: 16638, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 11.5 A, 8 kW, dimensions: 1900 mm x 1410 mm x 1940 mm.	20000
83	Couedic Madore	Couedic Madore ribbon / paddle vacuum mixer, serial number: 00/02694/020-2, year of construction: 2001, Busch vacuum pump, type: 063-122 344607, capacity: 63 m ³ per hour, inside dimensions: 1100 mm x 500 mm x 760 mm, total dimensions: 1500 mm x 900 mm x 1850 mm.	1200
84	Handtmann	Handtmann vacuum filling machine, type: VF80, number: 3244, year of construction: 1998, 400 V, 50 Hz, 11 A, dimensions: 900 mm x 750 mm x 1820 mm.	5000
85	Eloma	Eloma combi steam oven, gas heated, 10 floors, floor dimensions: (10x) 530 mm x 300 mm, total dimensions: 930 mm x 800 mm x 1750 mm.	300
86	Seydelmann	Seydelmann cutter with plastic ejector, type: K120DC6, machine number: 95204-1, 400 V, 50 Hz, 170 A, s/s bowl and s/s knives, diameter bowl: 1040 mm, total dimensions: 2000 mm x 1400 mm x 1700 mm, with control panel and s/s switch cabinet, dimensions switch cabinet: 1000 mm x 800 mm x 300 mm.	12000



87	Inject Star	Inject Star vacuum tumbler with lifter for 200 liter meat bins, dimensions tumbler: 1450 mm x 1000 mm x 1000 mm, total dimensions: 2550 mm x 1600 mm x 1970 mm.	5000
88	Mastech	Mastech double shaft paddle mixer, type: MS-950, number: 001, year of construction: 2011, 400 V, weight: 1560 kg, length paddles: (2x) 1500 mm, volume: 950 liter, dimensions machine: 2060 mm x 1200 mm x 1720 mm. Including lifter for 200 liter meat bins, elevating height: 2000 mm, total dimensions: 950 mm x 800 mm x 2860 mm.	7000
89	VMI Berto	VMI Berto spiral mixer for dough with 2 baskets, model: Major 160, serial number: 14562, year of construction: 02/09, 400 V, 3 Ph, 50 Hz, 12.75 kW, dimensions: 1700 mm x 900 mm x 2000 mm, 2 s/s mobile bowls, model: 160 Major, serial number: 14563, year of construction: 02/09, inside dimensions: 850 mm x 850 mm x 520 mm, dimensions bowls: 1030 mm x 880 mm x 880 mm.	4000
90	Spomasz	Spomasz intestine crusher, type: MGD 35.05, fabrication number: 1457, year of construction: 2009, weight: 318 kg, roll width: 450 mm, working width: 520 mm, total dimensions: 900 mm x 650 mm x 1600 mm.	2000
91	Inject Star	Inject Star cooled vacuum tumbler, type: MA- 1250/2500-CSL, number: K-112-E-SL, year of construction: 2001, 400/230 V, 3 Ph, 50 Hz, 11 kW, dimensions tumbler: 1950 mm x 3750 mm x 2350 mm, dimensions cooling compressor: 950 mm x 1250 mm x 1250 mm, Rietschle vacuum pump, type: VCE 60 (01), year of construction: 2000, capacity: 60/72 m ³ per hour, dimensions vacuum pump: 750 mm x 450 mm x 620 mm.	12000
92	NN rollies	5 s/s rollies, dimensions rollies: (5x) 610 mm x 410 mm x 180 mm, total dimensions: 610 mm x 410 mm x 700 mm.	200
93	NN rollies	5 s/s rollies, dimensions rollies: (5x) 610 mm x 410 mm x 180 mm, total dimensions: 610 mm x 410 mm x 700 mm.	200
94	NN rollies	5 s/s rollies, dimensions rollies: (5x) 610 mm x 410 mm x 180 mm, total dimensions: 610 mm x 410 mm x 700 mm.	200
95	Zakrem	Zakrem pallet lifter, type: WRU4-2200, weight: 74 kg, fork length: 1300 mm, total dimensions: 1650 mm x 540 mm x 1250 mm.	100
96	EFA / Schmid & Wezel	EFA / Schmid & Wezel breaking saw, type: EFA 85, number: 353/01, 42 V, 3 Ph, 50 Hz, 29 A, 1500 W, diameter saw blade: 300 mm, total dimensions: 700 mm x 270 mm x 300 mm.	600
97	EFA / Tecna	EFA splitting saw, model: SB287E, dimensions: 1300 mm x 350 mm x 400 mm. With Tecna balancer, serial number: 002554, year of construction: 2018, weight: 50-60 kg.	1900
98	Berera&C S.r.L	Berera&C S.r.L leg cutter with hydraulic unit, type: TAG 98, fabrication number: 1421, year of construction: 1999, dimensions: 650 mm x 360 mm x 360 mm. Including 2 leg cutters.	700



100	Jungheinrich	Jungheinrich pallet lifter, type: HPT, serial number: 1811829, year of construction: May 2002, capacity: 2500 kg, fork length: 1130 mm, total dimensions: 1530 mm x 530 mm x 1200 mm. Defect.	400
101	NN cutter	Cutter, dimensions: 700 mm x 500 mm x 1220 mm.	2000
102	Eoslift	Eoslift pallet lifter, type: HSA1016, capacity: 1000 kg, fork length: 1150 mm, total dimensions: 1650 mm x 890 mm x 1990 mm.	400
103	Radpak	6 parts of Radpak roller conveyor, plastic rollers, roller width: 400 mm, total dimensions: (6x) 1160 mm x 600 mm x 700 mm.	90
104	NN smoke trolleys	3 s/s smoke trolleys with 6, 7 and 8 floors, floor dimensions: 1000 mm x 950 mm, total dimensions: (3x) 1000 mm x 1000 mm x 1970 mm.	1000
105	NN intestines washer	Intestines washer, chain belt, roll width: 570 mm, total dimensions: 6500 mm x 1400 mm x 1650 mm.	3000
106	NN table	S/s table, dimensions: 2450 mm x 1170 mm x 880 mm.	100
107	Stork	Stork mobile tenderizer with outfeed conveyor, type tenderizer: PMT 41, serial number: 328, 380 V, 3 Ph, 50 Hz, working width: 410 mm, total dimensions: 1050 mm x 1100 mm x 1370 mm, outfeed conveyor with s/s frame, plastic belt, belt width: 325 mm, clearance: 400 mm x 120 mm, total dimensions: 2700 mm x 900 mm x 1100 mm.	1900
108	DanfoTech/Nutridan	DanfoTech/Nutridan mobile tilting device for 200 liter meat bins, type: PH300T, serial number: 664, year of construction: 1998, clearance: 430 mm x 370 mm, total dimensions: 1150 mm x 1470 mm x 1500 mm.	800
109	Boekels	Boekels metal detector, type: Discovery/S 17.5 x 12.5, number: 6 1532 017012W, year of construction: 2000, 85-264 V, 47-440 Hz, 80 VA, plastic belt, belt width: 160 mm, total dimensions: 1840 mm x 700 mm x 1450 mm.	800
110	NN trolley	Aluminium trolley for plates, 13 floors, floor dimensions: 1000 mm x 950 mm, total dimensions: (3x) 1000 mm x 1000 mm x 1970 mm.	100
111	NN trolley	S/s trolley, inside dimensions: 800 mm x 500 mm x 400 mm, total dimensions: 1050 mm x 650 mm x 1000 mm.	100
112	NN trolley	S/s trolley, inside dimensions: 800 mm x 500 mm x 400 mm, total dimensions: 1050 mm x 650 mm x 1000 mm.	100
113	Koppens B.V.	Koppens B.V. cooking belt, type: WB 6000/900, machine number: 94, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 10 A, 2.5 kW, weight: 4250 kg, s/s mesh belt, belt width: 900 mm, cooking length: 6000 mm, total dimensions: 7650 mm x 1900 mm x 3720 mm.	11000
114	Koppens B.V.	Koppens B.V. cooling belt, type: KTIG 6500/900, machine number: 203, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 0.87 A, 0.18 kW, weight: 750 kg, plastic mesh belt, belt width: 900 mm, clearance: 900 mm x 120 mm, total dimensions: 6600 mm x 1180 mm x 4050 mm.	1500



115	NN trolley for plates	S/s trolley for plates, 7 floors, floor dimensions: 580 mm x 1400 mm, total dimensions: 660 mm x 1400 mm x 1800 mm.	200
116	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 800 mm, total dimensions: 1200 mm x 1450 mm x 1550 mm.	180
117	Funk/Bitzer Kühlmaschinenbau GmbH	Funk ice machine, dimensions: 1250 mm x 610 mm x 450 mm, Bitzer Kühlmaschinenbau GmbH cooling compressor, type: 4T-12.2, serial number: 66013766, 380-480 V, 50/60 Hz, 113 A, capacity: 39.36 / 47.5 m ³ per hour, dimensions: 1200 mm x 900 mm x 800 mm.	1000
119	Megapack	Megapack mobile depositor, number: 106023, diameter output: 30 mm, total dimensions: 1150 mm x 700 mm x 1550 mm.	100
120	Finis	Finis diaphragm, model: MV 5, serial number: 13001, year of construction: 1988, 380 V, 3 Ph, 50 Hz, 2.2 kW, diameter output: 50 mm, maximum output: 70 mm, plastic belt, belt width: 110 mm, total dimensions: 1350 mm x 900 mm x 1850 mm.	1000
121	Megapack	Megapack mobile depositor, number: 100016, diameter output: 30 mm, total dimensions: 1150 mm x 700 mm x 1550 mm.	100
122	Horsthemke	Horsthemke mobile transport screw, diameter screw: 300 mm, tier: 300 mm, elevating height: 2050 mm, total dimensions: 4600 mm x 900 mm x 3000 mm.	2200
123	Weber	Weber slicer, type: CCS 9000, number: 761, 380 V, 50 Hz, 8 kW, dimensions: 2900 mm x 1400 mm x 2380 mm. Missing gripper.	1000
124	CFS	CFS traysealer with infeed conveyor, type Star2 HS, plastic string conveyor, belt width: 280 mm, clearance: 300 mm x 150 mm, dye dimensions: (4x) 175 mm x 130 mm, film width: 700 mm, total dimensions: 4800 mm x 1300 mm x 2060 mm, including spare parts, Busch vacuum pump, type: RA 0250 D 561 QMXX, year of construction: 2003, capacity: 250 m ³ per hour, infeed conveyor with chain, working width: 150 mm, distance between dividers: 250 mm, dimensions: 3860 mm x 750 mm x 1140 mm.	4000
125	Material Handling	Material Handling 180° curve conveyor, type: 5161, year of construction: 2003, plastic belt, belt width: 190 mm, total dimensions: 2200 mm x 1450 mm x 1040 mm.	300
126	NN lifter for meat bins	S/s mobile lifter for 200 liter meat bins, elevating height: 2080 mm, total dimensions: 1700 mm x 1400 mm x 2940 mm.	2300
127	Multivac	Multivac vacuum machine, type: C200, serial number: 199142, year of construction: 2014, 230 V, 1 Ph, 50 Hz, 50 A, 0.8 kW, 5 KA, seal width: 480 mm, chamber dimensions: 480 mm x 400 mm, total dimensions: 570 mm x 520 mm x 400 mm.	700



128	Handtmann	Handtmann linking attachment, dimensions: 700 mm x 500 mm x 130 mm.	1000
129	NN rollies	2 s/s rollies, dimensions: (2x) 870 mm x 610 mm x 130 mm.	50
130	Pek-Mont	Pek-Mont belt cooker, type: GP-400, number: 11, year of construction: 2019, 400 V, steam heated, plastic mesh belt, belt width: 950 mm, dimensions belt cooker: 6600 mm x 1900 mm x 2550 mm, dimensions switch cabinet: 900 mm x 700 mm x 1880 mm. Lot located in Bielsk (PL). New.	40000
200	Tetra Laval Food	Tetra Laval Food grinder for fresh and frozen meat with lifter for 200 liter meat bins, type: WW 200, machine number: 281/200, 400 V, 50 Hz, 125 A, diameter plate: 200 mm, dimensions grinder: 1650 mm x 1800 mm x 1730 mm, type lifter: Besch., machine number: 394/0318, year of construction: 2000, lifting height: 1900 mm, dimensions lifter: 1000 mm x 950 mm x 2900 mm, s/s switch cabinet, dimensions switch cabinet: 800 mm x 500 mm x 1850 mm, crate with spare parts. Completely overhauled. Lot located in Łódź (PL).	13000
201	Alfa-Laval / Krämer+Grebe	Alfa-Laval / Krämer+Grebe grinder for fresh and frozen meat with lifter for 200 liter meat bins, type: WW-200, machine number: 281/1804, 400 V, 50 Hz, 125 A, diameter plate: 200 mm, dimensions grinder: 1650 mm x 1450 mm x 1700 mm, Carnitech lifter for 200 liter meat bins, type lifter: L25, year of construction: 2007, 3x400 V, 0.75 kW, lifting height: 1800 mm, dimensions lifter: 1250 mm x 900 mm x 3000 mm. Including crate with spare parts. Completely overhauled. Lot located in Łódź (PL).	12000
202	Poly-Clip System GmbH & Co. KG	Poly-Clip System GmbH & Co. KG mobile automatic double clipper, type: ICA 8700, number: 883, year of construction: 2009, 400 V, 3 Ph, 50/60 Hz, 4.5 A, 3 kW, pressure: 5-7 bar, plastic belt, belt width: 180 mm, total dimensions: 2500 mm x 880 mm x 1870 mm. Including 2 filling pipes, diameter pipes: 60 mm and 85 mm, including 2 rolls with spare clips. Lot located in Łódź (PL).	22000
203	Tipper Tie Alpina AG	Tipper Tie Alpina AG automatic double clipper, type: Swipper 15-12, machine number: 851.082, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 15 A, 7.5 kW, pressure: 6 bar, dimensions: 1450 mm x 1100 mm x 1850 mm. Lot located in Łódź (PL).	10000



General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use



- 3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.
- 3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.
- 3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.
- 3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.
- 3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.
- 3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.
- 3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.
- 3.8 Government laws and regulations, such as the Money Laundering and Terrorist Financing Prevention Act (WWFT), may impose (additional) obligations on Industrial Auctions. The client is required to provide all information requested by Industrial Auctions including (but not limited to) information about the client's identity to establish and verify this further, to verify and record the identity of the ultimate beneficial owner, the purpose and nature of the engagement or to exercise a transaction or an ongoing control over the business relationship or the natural person who represents or is authorized to do so by the client and whether the client is acting for themselves or for a third party. If the requested information is not supplied within



5 days after the first request, Industrial Auctions may immediately terminate the agreement and, pending the information, Industrial Auctions may suspend the services. Industrial Auctions is then not obliged or liable for any compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the supporting system;
- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security



5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark.

Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions



8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;
- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that



moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no



indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so



entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance



policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at



least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care.

Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



**Industrial
Auctions** BV



**Industrial
Auctions** BV

Address: Looyenbeemd 11
5652 BH Eindhoven, Netherlands
Tel.: +31 (0)40 2409 208
Email: info@industrial-auctions.com
Web: www.industrial-auctions.com

Upcoming auctions:

05-04 Online auction machinery for the food industry in Kapelle (NL)