



Industrial Auctions BV

Online auction machinery for the food industry due to closing production location butchery Fischer in Bamberg (DE)

Closing: 04 May 2023 from 14:00 hrs.



Viewing day:

Address:

Jäckstraße 33
96052 Bamberg
Germany



General terms and conditions of the online auction

Closing date	04 May 2023 from 14:00 hrs.
Viewing	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	19% over the highest bid including Premium
Pick up date	11 May 2023 from 09:00 till 16:00 hrs.
Pick up address	Jäckstraße 33 96052 Bamberg Germany
Delivery instructions	The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Industrial Auctions B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick up bought lots) will only take place on the mentioned delivery date/time and address..
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 0050339999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	NN tube rail elevator	Steel tube rail elevator with 2 Stahl chain hoists and extender for loading, length extender: 2150 mm, dimensions: 4300 mm x 1500 mm x 1300 mm.	100
2	Tedea-Huntleigh	Tedea-Huntleigh weighing system for tube rail, model: 3410, serial number: 60014476, year of construction: 2014, Emax: 500 kg, dimensions: 2000 mm x 350 mm x 450 mm.	100
3	NN meat hooks	S/s wall mounted frame with 68 meat hooks, dimensions frame: 1900 mm x 150 mm x 550 mm.	75
4	NN tube rail	Steel tube rail with 6 pneumatic switches, length: (1x) 19300, (1x) 3900 mm, (6x) 2600 mm.	150
5	Seydelmann	Seydelmann bowl cutter with lifter for 200 liter meat bins and ejector, type: K206DC8, number: 93108-1, 380 V, 50 Hz, 220 A, s/s bowl, volume bowl: 200 liter, total dimensions: 2900 mm x 2550 mm x 1850 mm. S/s switch cabinet dimensions: 1000 mm x 460 mm x 350 mm. Including motor, type: NS motor, number: 1014 589, dimensions: 1000 mm x 460 mm x 350 mm. With additional knives and parts.	10000
6	Karl Schnell	Karl Schnell mobile micro cutter, type: 112FD2/70, machine number: 35152, 400 V, 3 Ph, 50 Hz, 90 A, 52 kW, capacity: 3500 kg per hour, dimensions: 1550 mm x 1000 mm x 850 mm. Without worm. Including 2 crates with knives and parts.	4000
7	DMS	DMS bowl cutter, type: DMK 80 C2, serial number: S 16242, year of construction: 2017, 400 V, 3 Ph, 50/60 Hz, 43/2.8 A, 15/18 kW, weight: 920 kg, s/s bowl, volume: 80 liter, total dimensions: 1350 mm x 1200 mm x 1250 mm.	5000
8	Kolbe	Kolbe mobile mixer/grinder, type: MW52-120, serial number: 128 0313, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 15.2/2.8 A, 7.5/1.1 kW, weight: 500/560 kg, plate diameter: Ø 130 mm, total dimensions: 1400 mm x 860 mm x 1350 mm.	4000
9	Vemag	Vemag vacuum filling machine, model: DP 3, number: 138 0260, year of construction: 2015, 400/460 V, 3 Ph, 50/60 Hz, 8 A, 5 kW, capacity: 2300 kg per hour, dimensions: 870 mm x 800 mm x 1800 mm. Including bucket with parts.	7500
10	Vemag	Vemag linking attachment, type: 859, number: 8020679, dimensions: 430 mm x 420 mm x 140 mm.	150
11	NN table	S/s table, dimensions: 1200 mm x 700 mm x 860 mm.	75
12	NN wax heater	Mobile wax heater, type: T 1600, number: 21-06-1, 230 V, 6.96 A, 1.6 kW, dimensions: 600 mm x 450 mm x 950 mm.	100



13	Tippertie Technopak	Tippertie Technopak mobile double clipper, model: KDCM 70, serial number: 4804.445.402, year of construction: 2012, air pressure: 6 bar, weight: 100 kg, dimensions: 1250 mm x 950 mm x 1820 mm.	2500
14	Tippertie Technopak	Tippertie Technopak mobile double clipper, model: KDCV 70, serial number: 4282.319.455, air pressure: 6 bar, dimensions: 1200 mm x 850 mm x 1850 mm.	2500
15	Frey Maschinenbau	Frey Maschinenbau vacuum filling machine with lifter for 200 liter meat bins and linking attachment, type: F-Line E222, machine number: F222F1393315SA, year of construction: 2015, 400 V, 50/60 Hz, 15.15 kW, capacity: 6200 kg per hour, type linking attachment: DA2013, machine number: DA2013140105, maximum load lifter: 250 kg, dimensions: 2150 mm x 1350 mm x 2250 mm. Including 5 crates with parts.	17500
16	Handtmann	Handtmann vacuum filling machine with hood and infeed bunker with lifter for 200 liter meat bins and gristle separating attachment, type: HVF660, number: 34294, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 34.6 A, 24 kW, 2 Busch vacuum pumps, type: RA 0100 F 503 and KB 0040 D IZO, number: 130086137 and 140009612, year of construction: 2013 and 2014, capacity: 100 m ³ per hour and 40 m ³ per hour, dimensions vacuum filling machine: 1450 mm x 1650 mm x 2500 mm, dimensions infeed bunker: 2500 mm x 1900 mm x 2050. Including s/s tool trolley with parts, dimensions: 950 mm x 880 mm x 1050 mm.	25000
18	Tippertie Technopak	Tippertie Technopak clipper, model: TCNI 400, number: 2472.362.208, year of construction: 1998, air pressure: 6 bar, dimensions: 350 mm x 220 mm x 850 mm.	75
19	Tippertie Technopak	Tippertie Technopak clipper, model: TCNI 400, number: 2472.201.507, year of construction: 1997, air pressure: 6 bar, dimensions: 350 mm x 220 mm x 850 mm.	75
20	Tippertie Technopak	Tippertie Technopak clipper, model: TCNI, dimensions: 380 mm x 240 mm x 630 mm.	75
21	Tippertie Technopak	Tippertie Technopak clipper, model: TCNI 400, number: 2472.361.208, year of construction: 1998, air pressure: 6 bar, dimensions: 340 mm x 230 mm x 850 mm.	75
22	Glass GmbH	Glass GmbH mobile flattener, type: SPR 3216, machine number: 1604, year of construction: 2006, 400 V, 50 Hz, 3.6 A, 1.1 kW, 2 plastic belts, belt width: (1x) 320 mm, (1x) 310 mm, s/s mesh belt, belt width: 300 mm, total dimensions: 1750 mm x 750 mm x 1440 mm.	2500
23	NN smoke trolleys	5 s/s smoke trolleys, 5 floors each, floor dimensions: 980 mm x 1000 mm, distance between floors: 250 mm, total dimensions: (5x) 1000 mm x 1020 mm x 1950 mm.	375
24	NN smoke trolleys	8 s/s smoke trolleys, 5 floors each, floor dimensions: 980 mm x 1000 mm, distance between floors: 250 mm, total dimensions: (8x) 1000 mm x 1020 mm x 1950 mm.	600



25	NN smoke trolleys	7 s/s smoke trolleys, 5 floors each, floor dimensions: 980 mm x 1000 mm, distance between floors: 250 mm, total dimensions: (7x) 1000 mm x 1020 mm x 1950 mm.	525
26	NN smoke trolleys	10 s/s smoke trolleys, 5 floors each, floor dimensions: 980 mm x 1000 mm, distance between floors: 250 mm, total dimensions: (10x) 1000 mm x 1020 mm x 1950 mm.	750
27	Wilhelm Fessmann GmbH	2 Wilhelm Fessmann GmbH smoke chambers with wood chip smoulder smoke generator, type smoking chambers: T3000 607-2W, number: 116 and 112, year of construction: 2008, 230/400 V, 50 Hz, 6.8 kW, gas heated, type smoke generator: RZ 325 114, number: 166, year of construction: 2008, 230/400 V, 50 Hz, inside dimensions smoke chambers: (2x) 2130 mm x 1060 mm x 2020 mm, total dimensions: 2750 mm x 3350 mm x 3100 mm. Including 4 smoke trolleys, 6 floors, floor dimensions: 990 mm x 1000 mm, total dimensions: (4x) 1010 mm x 1030 mm x 1950 mm.	5000
28	Wilhelm Fessmann GmbH	2 Wilhelm Fessmann GmbH smoke chambers with wood chip smoulder smoke generator, type smoking chambers: T3000 607-2W, number: 113 and 114, year of construction: 2008, 230/400 V, 50 Hz, 6.8 kW, gas heated, type smoke generator: RZ 325 114, number: 107, year of construction: 2008, 230/400 V, 50 Hz, inside dimensions smoke chambers: (2x) 2130 mm x 1060 mm x 2020 mm, total dimensions: 2750 mm x 3350 mm x 3100 mm. Including 4 smoke trolleys, 6 floors, floor dimensions: 990 mm x 1000 mm, total dimensions: (4x) 1010 mm x 1030 mm x 1950 mm.	5000
29	Peukert	Peukert cooking vessel, model: Kompakt ES, inside dimensions: 1120 mm x 850 mm x 440 mm, total dimensions: 1300 mm x 1270 mm x 1000 mm.	750
30	Peukert	2 Peukert cooking vessels, model: Kompakt ES, inside dimensions: (2x) 1120 mm x 850 mm x 440 mm, total dimensions: 2600 mm x 1270 mm x 1000 mm. Including 5 s/s baskets, dimensions: 600 mm x 320 mm x 380 mm.	1000
31	NN table	S/s table, dimensions: 3000 mm x 800 mm x 940 mm.	100
32	NN table	S/s table, dimensions: 2500 mm x 800 mm x 1000 mm.	75
33	NN washing system for smoke trolleys	S/s washing system for smoke trolleys, dimensions: 1500 mm x 1100 mm x 300 mm.	100



34	Sorgo	Sorgo climate installation consisting of: Sorgo pre ripening chamber with door and 3 channels, door dimensions: 1260 mm x 80 mm x 2080 mm, 3 channels, dimensions: (1x) 3850 mm x 300 mm x 400 mm, (1x) 4600 mm x 300 mm x 400 mm, (1x) 4200 mm x 600 mm x 400 mm, total chamber dimensions: 4100/5000 mm x 3800 mm x 2700 mm. Sorgo ripening chamber with door and 3 channels, door dimensions: 1150 mm x 100 mm x 2030 mm, channel dimensions: (2x) 12600 mm x 300 mm x 400 mm, (1x) 13000 x 600 mm x 300 mm, total chamber dimensions: 13300/14200 mm x 3500 mm x 2850 mm. 2 control panels, dimensions: (2x) 540 mm x 400 mm. Heat generator, dimensions: 1850 mm x 1500 mm x 1300 mm. Heat generator, dimensions: 2000 mm x 1500 mm x 1500 mm. Smoke generator, dimensions: 550 mm x 400 mm x 1300 mm. Kaeser air dryer, type: TC 36, serial number: 2166, year of construction: 2008, 230 V, 1 Ph, 50 Hz, 5.8 A, refrigerant: R134a, 1 kg, dimensions: 700 mm x 950 mm x 1100 mm. Kaeser compressor, type: 8°C1100-500, number: 1821064, year of construction: 1994, 400 V, 3 Ph, 50 Hz, 12 A, 5.5 kW, dimensions: 1850 mm x 600 mm x 1300 mm.	7500
35	Digi	Digi semi-automatic weighing, wrapping and labelling machine, model: AW-5600, serial number: 17191263, year of construction: 2017, 220-240 V, 1 Ph, 50/60 Hz, 2.2 kW, weight: 445 kg, maximum capacity: 3/6 kg, minimum capacity: 60 g, e= 1/2 g, last calibrated: 2022, plastic belt, belt width: 155 mm, aluminium rollers, roller width: 280 mm, total dimensions: 1450 mm x 1550 mm x 1480 mm.	800
36	Digi	Digi semi-automatic weighing, wrapping and labelling machine, model: AW-5600FX, serial number: 18108529, year of construction: 2018, 220-240 V, 1 Ph, 50/60 Hz, 1.8 kW, weight: 250 kg, maximum capacity: 3/6 kg, minimum capacity: 20 g, e= 1/2 g, last calibrated: 2023, dimensions: 820 mm x 1000 mm x 1420 mm.	800
37	Gruppo Fabbri Vignola S.p.A.	Gruppo Fabbri Vignola S.p.A. automatic weighing, wrapping and labelling machine, model: Elix 35 LIBRA-B.285.ESP, serial number: 2\188, year of construction: 2017, 230 V, 1 Ph, 50/60 Hz, 13.1/1.1 A, weight: 240 kg, film width: 280 mm, plastic belt, belt width: 245 mm, plastic outfeed rollers, roller width: 180 mm, type espera labeller: ESW 2134, serial number: DE-17-MI006-PTB008, maximum capacity: 6/9 kg, minimum capacity: 40/100 g, e=d= 2/5 g, total dimensions: 1450 mm x 1500 mm x 1750 mm.	1000



38	Citrocasa	Citrocasa orange juice press, model: 8000SB-ATS Advance, serial number: 131.685, year of construction: 09/2018, 230 V, 50/60 Hz, 280 W, weight: 78.5 kg, total dimensions: 1000 mm x 680 mm x 1850 mm.	200
39	Nieros	Nieros crate washer, number: 1401395, maximum crate dimensions: 430 mm x 190 mm, infeed conveyor with plastic rollers, roller width: 450 mm, total dimensions: 3650 mm x 1270 mm x 1850 mm. With 90° outfeed curve conveyors, plastic rollers, roller width: 450 mm, total dimensions: 1550 mm x 1400 mm x 1550 mm and 1980 mm x 540 mm x 930 mm.	750
40	NN cover plates	S/s cover, dimensions: 6400 mm x 50 mm x 2550 mm.	50
41	Rühle	Rühle cooled vacuum tumbler with lifter for 200 liter meat bins, type: MGR 900, serial number; 10120155, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 31.4 A, 16.1 kW, volume: 900 liter, L'Unite Hermetique cooling compressor, Busch vacuum pump, type: KC 0016 E 320, serial number: D15170903, year of construction: 2015, capacity: 19 m ³ per hour, dimensions: 2100 mm x 2800 mm x 2450 mm.	9500
42	Webomatic	Webomatic double chamber vacuum machine, type: PNC 20-A-D-M2, machine number: 559IG2665, 400 V, 3 Ph, 50 Hz, 17.4 A, 7 kW, capacity: 250 m ³ per hour, seal length: (4x) 845 mm, chamber: (2x) 850 mm x 590 mm, s/s rollers, roller width: 790 mm, total dimensions: 2100 mm x 1000 mm x 1440 mm. Including Busch vacuum pump, type: RA 0250 D 561 CUXX, number: C0018000372, capacity: 250 m ³ per hour, dimensions: 980 mm x 500 mm x 550 mm.	500
43	Webomatic	Webomatic double chamber vacuum machine, type: PNC 20-D-A-M2-G, machine number: 559EK2421, 400 V, 3 Ph, 50 Hz, 15.4 A, 5.5 kW, capacity: 250 m ³ per hour, seal length: (4x) 845 mm, chamber: (2x) 850 mm x 590 mm, s/s rollers, roller width: 790 mm, total dimensions: 2100 mm x 1000 mm x 1440 mm. Including Busch vacuum pump, type: 250-132, number: 42210, capacity: 250 m ³ per hour, dimensions: 1050 mm x 400 mm x 550 mm.	500
44	Webomatic	Webomatic transport belt, type: Tbi 4.5, machine number: 84IG554, 400 V, 3 Ph, 50 Hz, 0.93 A, 0.37 kW, plastic mesh belt, belt width: 555 mm, total dimensions: 4500 mm x 680 mm x 960 mm.	250
45	Webomatic	Webomatic shrink tunnel, type: STB W-60/80-D, machine number: 72IG1658, 230 V, 1 Ph, 50 Hz, 0.5 A, 0.35 kW, operating hours: 49765, s/s mesh belt, belt width: 540 mm, clearance: 600 mm x 400 mm, total dimensions: 1200 mm x 1150 mm x 1400 mm.	400



46	Webomatic	Webomatic s/s turning table, type: DT 1.5, machine number; 911121, 400 V, 3 Ph, 50 Hz, 0.75 A, 0.18 kW, perforations: Ø 10 mm, total dimensions: Ø 1500 mm x 800 mm.	200
47	Treif	Treif mobile slicer, model: PUMA 700 E/EB (HS), machine number: 019419.239433.144527, year of construction: 2021, 415 V, 3 Ph, 50 Hz, 8.2/16 A, 3.4/4.62 kW, chamber: 200 mm x 180 mm, plastic belt, belt width: 320 mm, total dimensions: 2800 mm x 900 mm x 1500 mm.	7000
48	Stork & Herrmann	Stork & Herrmann mixer with mobile tub, type: MND3, year of construction: 1992, s/s mobile tub, tub dimensions: 1100 mm x 1100 mm x 1250 mm, total dimensions: 1700 mm x 1100 mm x 1380 mm.	500
49	Hobart	Hobart dishwasher, inside dimensions: 1250 mm x 700 mm x 550 mm, total dimensions: 1380 mm x 950 mm x 1800 mm.	300
50	Technoclipper	Technoclipper mobile automatic clipper, type: TC 1590 E-N, number: 368.15.1/500 OR, total dimensions: 1150 mm x 650 mm x 1850 mm.	1500
51	Supervac	Supervac vacuum machine, type: 0K 189, number: 890490, 380 V, 50 Hz, seal length: (2x) 650 mm, chamber: 630 mm x 610 mm, Busch vacuum pump, type: 160-320, number: 36283, capacity: 160 m ³ per hour, total dimensions: 860 mm x 790 mm x 1100 mm.	450
52	MKN Maschinenfabrik	MKN Maschinenfabrik double grill, type: 0761602, serial number: 17210291, dimensions: 1700 mm x 850 mm x 1250 mm.	50
53	NN table	S/s table with plastic tops, dimensions: 2020 mm x 2030 mm x 880 mm.	100
54	Rehwa	Rehwa scale with indicator, type: 83Z, number: 043158 T6238 TC6237, 230 V, 50/60 Hz, maximum capacity: 60 kg, minimum capacity: 0.4 kg, e=0.02 kg, scale dimensions: 500 mm x 400 mm x 110 mm, indicator dimensions: 280 mm x 180 mm x 150 mm.	50
55	Rehwa	Rehwa scale with indicator, type: 83Z, number: 043161 T6238 TC6237, 230 V, 50/60 Hz, 15 A, maximum capacity: 150 kg, minimum capacity: 1 kg, e=0.50 kg, scale dimensions: 500 mm x 400 mm x 110 mm, indicator dimensions: 280 mm x 180 mm x 150 mm.	50
56	Heinrich GmbH	Heinrich GmbH mobile casing welding machine, type: Thermo-Fix, machine number: HM 030314, year of construction: 2014, 230 V, 50 Hz, dimensions: 450 mm x 450 mm x 1000 mm.	1000
57	Ernst Jäger	Ernst Jäger mobile binding machine, machine number: 04110891, 220 V, 50 Hz, 10 A, dimensions: 900 mm x 570 mm x 750 mm.	150



58	Soehnle	Soehnle weighing scale with indicator, serial number: 15-4217/2, 100/240 V, 50/60 Hz, 400 mA, maximum capacity: 3/6 kg, minimum capacity: 20/40 g, e=d=1/2 g, scale dimensions: 310 mm x 275 mm x 75 mm, dimensions indicator: 210 mm x 170 mm x 60 mm.	25
59	NN table with display	S/s table with display, display dimensions: 450 mm x 390 mm x 70 mm, total dimensions: 1000 mm x 600 mm x 1700 mm.	75
60	NN table	S/s table with plastic worktop, dimensions: 1500 mm x 900 mm x 950 mm.	75
61	Bizerba	7 knife sharpeners for Bizerba slicer, dimensions: 600 mm x 400 mm x 170 mm.	25
62	Küppersbusch	Küppersbusch cooking counter with, stove, oven and fryer, model: IPX 5, dimensions: 2770 mm x 800 mm x 890 mm.	200
63	Inotec GmbH	Inotec GmbH mobile sausage cutter, type: WT99, machine number: 9058, year of construction: 2002, 200/240/400/460 V, 2 Ph, 50/60 Hz, 12/10/6/5 A, 2 kW, total dimensions: 850 mm x 750 mm x 1100 mm.	25
64	Rühle	Rühle ham netting attachment, type: ER 1, number: 1193, clearance: Ø 190 mm, total dimensions: 660 mm x 360 mm x 750 mm.	25
65	NN frame for oven	S/s frame for oven with (2x) 7 floors, floor dimensions: 530 mm x 320 mm, total dimensions: 850 mm x 650 mm x 810 mm.	100
66	NN table	S/s table with plastic worktop, dimensions: 3000 mm x 1000 mm x 920 mm.	100
67	NN sink	S/s sink, dimensions: 600 mm x 600 mm x 800 mm.	50
68	Mettler Toledo	Mettler Toledo mobile weighing scale with indicator, type: KB60, serial number; 1876958, 100/240 V 50/60 Hz, 480/240 mA, maximum capacity: 60 kg, scale dimensions: 500 mm x 400 mm x 770 mm, indicator dimensions: 350 mm x 150 mm x 180 mm.	50
69	Mettler Toledo	Mettler Toledo mobile weighing scale with indicator, type: KB60, serial number; 1876953, 100/240 V 50/60 Hz, 480/240 mA, maximum capacity: 60 kg, scale dimensions: 500 mm x 400 mm x 770 mm, indicator dimensions: 350 mm x 150 mm x 180 mm.	50
70	Ernst Neumärker	Ernst Neumärker rotisserie grill, serial number: 1390138201, 400 V, 5.3 kW, dimensions: 860 mm x 850 mm x 770 mm.	25
71	Vau	Vau tiltable roasting pan, 400 V, 3 Ph, 50/60 Hz, inside dimensions: 600 mm x 730 mm x 200 mm, total dimensions: 950 mm x 800 mm x 860 mm.	200
72	Ecolab	Ecolab dishwasher, type: ET 8-M, serial number: 10149912, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 16 A, 8.4 kW, dimensions dishwasher: 600 mm x 600 mm x 820 mm, dimensions s/s frame: 600 mm x 600 mm x 450 mm.	100



73	Coven	Coven combi steamer on s/s cabinet, model: TEC 6 MD, number: 0109E/04, 240/415 V, 3 Ph, 50 Hz, 6.8 kW, 5 floors, floor dimensions: 530 mm x 320 mm, s/s cabinet, 12 floors, floor dimensions: 530 mm x 320 mm, total dimensions: 950 mm x 750 mm x 1440 mm.	300
74	Speck-Kolbenpumpenfabrik	Speck-Kolbenpumpenfabrik pump, type: NP16/21-140, number: 244377/021, dimensions: 500 mm x 250 mm x 250 mm.	25
75	Prime Source	Prime Source traysealer, type: TS-3, serial number: TS300352, year of construction: 2010, 230 V, 50 Hz, 1.8 kW, dimensions dye: 305 mm x 245 mm, total dimensions: 770 mm x 350 mm x 280 mm. Including 2 films and 1 extra dye, film width: 195 mm and 325 mm, extra dye dimensions: 205 mm x 160 mm.	50
76	NN cabinet	S/s cabinet, dimensions: 1800 mm x 1700 mm x 900 mm.	75
77	Monzana/Proficook	Monzana and Proficook percolators, Monzana model: DBGWK2, number: 101225, 220/240 V, 1 Ph, 50 Hz, 1650 W, volume: 20 liter, dimensions: 340 mm x 380 mm x 550 mm, Proficook model: PC-HGA 1111, 220/240 V, 1 Ph, 50/60 Hz, 1500 W, volume 20 liter, dimensions: 350 mm x 350 mm x 500 mm.	10
78	NN cabinet	S/s cabinet, dimensions: 1800 mm x 1700 mm x 900 mm.	75
79	NN table	S/s table, dimensions: 800 mm x 720 mm x 900 mm.	75
81	NN rack	S/s rack with (3x) 6 floors, floor dimensions: (18x) 990 mm x 480 mm, total dimensions: 3020 mm x 570 mm x 2000 mm.	50
82	NN table	S/s table, dimensions: 3000 mm x 800 mm x 840 mm.	100
83	NN table	S/s table, dimensions: 2000 mm x 780 mm x 870 mm.	75
84	NN table	S/s table with plastic worktop, dimensions: 2000 mm x 900 mm x 1000 mm.	75
85	NN table	S/s table with plastic top, dimensions: 2000 mm x 800 mm x 870 mm.	75
86	NN rack	S/s rack, 5 floors, floor dimensions: 1000 mm x 500 mm, total dimensions: 1020 mm x 560 mm x 1500 mm.	25
87	NN rack	S/s rack, 3 floors, dimensions floor: 900 mm x 520 mm, total dimensions: 900 mm x 600 mm x 1100 mm.	25
88	Rieber Rino Rega	Rieber Rino Rega rack, 4 floors, floor dimensions: 1400 mm x 500 mm, total dimensions: 1400 mm x 500 mm x 1430 mm.	25
89	Rieber Rino Rega	Rieber Rino Rega rack, 4 floors, floor dimensions: 1400 mm x 500 mm, total dimensions: 1400 mm x 500 mm x 1430 mm.	25
90	NN frame	S/s frame, dimensions: 620 mm x 420 mm x 790 mm.	10
91	NN writing desk	S/s writing desk, dimensions: 600 mm x 520 mm x 1250 mm.	25



92	NN trolley	S/s trolley, (2x) 15 floors, floor dimensions: 530 mm x 325 mm, total dimensions: 750 mm x 555 mm x 1730 mm.	75
93	NN trolley	S/s trolley, 5 floors, floor dimensions: 650 mm x 400 mm, total dimensions: 670 mm x 430 mm x 1400 mm.	50
94	Ehlert	Pallet with large amount of Ehlert vacuum bags, bag dimensions: 350 mm x 700 mm and 500 mm x 800 mm, total dimensions: 1200 mm x 800 mm x 500 mm.	25
95	NN vacuum bags	Pallet with large amount of vacuum bags, bag dimensions: 600 mm x 1000 mm x 0.035 mm, total dimensions: 1200 mm x 800 mm x 700 mm.	50
96	Regina	Pallet with large amount of Regina vacuum bags, bag dimensions: 600 mm x 1000 mm, total dimensions: 1200 mm x 800 mm x 1050 mm.	25
97	NN plastic trays	Pallet with large amount trays and lids, tray dimensions: 120 mm x 90 mm, volume: 280 ml, total dimensions: 1200 mm x 800 mm x 1050 mm.	25
98	Ehlert	Pallet with large amount of Ehlert vacuum bags, bag dimensions: 400 mm x 600 mm, total dimensions: 1200 mm x 800 mm x 600 mm.	25
99	Ehlert	Pallet with large amount of Ehlert vacuum bags, bag dimensions: 270/180 mm x 805 mm x 0.045 mm, total dimensions: 1200 mm x 800 mm x 500 mm.	25
100	NN bags	Pallet with large amount of plastic bags, bag dimensions: 700 mm x 1100 mm, total dimensions: 1200 mm x 800 mm x 650 mm.	25
101	Ehlert	Pallet with large amount of Ehlert disposable face masks and aprons, dimensions: 1200 mm x 800 mm x 550 mm.	10
102	Ehlert	Pallet with large amount of Ehlert disposable aprons, dimensions: 1200 mm x 800 mm x 1000 mm.	10
103	Ehlert	Pallet with large amount of Ehlert disposable aprons, dimensions: 1200 mm x 800 mm x 900 mm.	10
104	NN rollies	19 plastic rollies, rollie dimensions: 610 mm x 380 mm x 160 mm, total dimensions: 800 mm x 750 mm x 1600 mm.	100
105	NN rollies	21 plastic rollies, rollie dimensions: 610 mm x 380 mm x 160 mm, total dimensions: 800 mm x 750 mm x 1800 mm.	100
106	NN sausage casings	3 crates with large amount of sausage casings, various dimensions, total dimensions: 600 mm x 400 mm x 1400 mm.	10
107	Oskutex	Pallet with large amount of sausage casings, dimensions: 800 mm x 700 mm x 2000 mm.	25
108	NN sausage casings	12 crates with large amount of sausage casings, various dimensions, total dimensions: (2x) 1200 mm x 400 mm x 1400 mm.	25
109	NN sausage casings	Pallet with large amount of sausage casings, dimensions: 1200 mm x 800 mm x 1700 mm.	25



110	NN meat bins	2 s/s meat bins, volume: 200 liter.	80
111	NN meat bins	4 s/s meat bins, volume: 200 liter.	160
112	NN meat bins	4 s/s meat bins, volume: 200 liter.	160
113	NN meat bins	8 s/s meat bins, volume: 200 liter.	320
114	NN meat bins	8 s/s meat bins, volume: 200 liter.	320
115	NN meat bins	2 s/s perforated meat bins, perforations: \varnothing 10 mm, volume: 200 liter.	80
116	NN meat bins	2 s/s perforated meat bins, perforations: \varnothing 10 mm, volume: 200 liter.	80
117	AVO-Werke	Large amount of AVO-Werke spices, total dimensions: 1200 mm x 800 mm x 600 mm.	10
118	AVO-Werke	Large amount of various AVO-Werke spices, total dimensions: 1200 mm x 800 mm x 700 mm.	10
119	Südwestdeutsche Salz Werke AG	Südwestdeutsche Salz Werke AG nitrite curing salt, 13 bags, weight: 25 kg, total dimensions: 1200 mm x 800 mm x 800 mm.	25
120	Südwestdeutsche Salz Werke AG	Südwestdeutsche Salz Werke AG table salt, 18 bags, weight: 25 kg, total dimensions: 1200 mm x 800 mm x 700 mm.	25
121	NN spices	S/s frame with large amount of crates with spices, dimensions: 5400 mm x 600 mm x 1600 mm.	75
122	Ehlert	10 bags with Ehlert wood chips for smoke generator, weight: 15 kg, dimensions: 1200 mm x 800 mm x 900 mm.	10
123	Tork	Large amount of Tork napkins and toilet paper, dimensions: 1200 mm x 800 mm x 1100 mm.	10
124	NN cans	Large amount of cans, can dimensions: \varnothing 104 mm x 35 mm, total dimensions: 1200 mm x 800 mm x 500 mm.	25
125	NN foldable boxes	Pallet with large amount of foldable boxes, box dimensions: 400 mm x 320 mm x 200 mm, total dimensions: 1200 mm x 800 mm x 750 mm.	5
126	NN labels	Pallet with large amount of labels and bag with Van Hees Antibelag GTFD, label dimensions: 600 mm x 200 mm, total dimensions: 1200 mm x 800 mm x 750 mm.	25
127	NN labels	Pallet with large amount of labels, 3 different sizes, label dimensions: 100 mm x 40 mm, 100 mm x 95 mm and 100 mm x 70 mm, total dimensions: 1200 mm x 800 mm x 1300 mm.	25
128	NN film	Pallet with 3 film rolls, film width: 420 mm, dimensions: 1200 mm x 800 mm x 600 mm.	25
130	NN waste bag holders	3 s/s waste bag holders, dimensions: (3x) 450 mm x 500 mm x 700 mm.	30
131	Rühle	Rühle mobile cooled vacuum tumbler, model: MKR 150, number: 111, year of construction: 2001, 400 V, 50 Hz, 16 A, 3/3.0 kW, volume: 150 liter, dimensions: 1250 mm x 1000 mm x 1650 mm.	2000
132	NN hygiene equipment	S/s trolley with hygiene equipment, dimensions: 550 mm x 450 mm x 1000 mm.	10



133	NN hygiene equipment	S/s trolley with hygiene equipment, dimensions: 430 mm x 320 mm x 750 mm.	10
134	NN waste bag holders	2 s/s waste bag holders, dimensions: (2x) 450 mm x 500 mm x 700 mm.	20
135	Ubert Gastrotechnik GmbH	Ubert Gastrotechnik GmbH double rotisserie grill, type: RT616RW, serial number: 608-0717-0196 and 608-0717-0197, year of construction: 2017, 400 V, 3 Ph, 50/60 Hz, 32 A, 12.3 kW, dimensions racks: 600 mm x 150 mm, total dimensions: 1000 mm x 950 mm x 2200 mm.	500
136	NN tubs	2 plastic tubs, dimensions: Ø 560 mm x 550 mm and Ø 425 mm x 580 mm.	5
137	NN hood	S/s hood, dimensions: 1200 mm x 1000 mm x 750 mm.	75
138	NN trolleys	6 s/s trolleys for crates, maximum dimensions crate: 800 mm x 600 mm, total dimensions: (6x) 1250 mm x 650 mm x 840 mm.	120
139	Maja Maschinenfabrik	Maja Maschinenfabrik mobile skinning machine, type: ESM 4550, serial number: M-51021, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 1.97 A, 0.75 kW, foot control, working width: 545 mm, total dimensions: 1050 mm x 800 mm x 1000 mm.	250
140	Rühle	Rühle injector and tenderizer, model: IR 56, number: 0655, year of construction: 2015, 3 Ph, 50/60 Hz, 16 A, 8.7 kW, 46 needles, 46 tenderizing knives, s/s walking beam, beam width: 340 mm, clearance: 340 mm x 140 mm, total dimensions: 1800 mm x 950 mm x 2050 mm.	3500
141	NN trolleys	6 s/s trolleys for crates, maximum dimensions crate: 800 mm x 600 mm, total dimensions: (6x) 1250 mm x 650 mm x 840 mm.	120
142	NN rollies	6 s/s rollies, dimensions: (6x) 840 mm x 650 mm x 210 mm.	120
143	NN smoke sticks	Container trolley with large amount of Y-shaped aluminium smoke sticks, length: 1000 mm, total dimensions: 1100 mm x 700 mm x 1530 mm.	75
144	Rühle	Rühle cooled vacuum tumbler with double lifter for 200 liter meat bins, type: MKR 600, number: 0579, year of construction: 2008, 400 V, 50 Hz, 16 A, 3/4.2 kW, volume: 600 liter, L'Unite Hermetique cooling compressor, model: TAJ9480ZMH, serial number: 08E02 173628 444563 170, refrigerant: R404a, Busch vacuum pump, type: KC 0016 D IZO, number: 080046866, year of construction: 2008, capacity: 16 m ³ per hour, total dimensions: 2200 mm x 1750 mm x 2800 mm.	6500
145	NN rollies	8 s/s rollies, dimensions: (8x) 870 mm x 620 mm x 170 mm.	160
146	NN rollies	11 s/s rollies, dimensions: (11x) 665 mm x 420 mm x 170 mm.	110



147	NN trolleys	2 s/s trolleys for crates, maximum dimensions crate: 800 mm x 600 mm, total dimensions: (2x) 1250 mm x 650 mm x 840 mm.	50
148	Supervac	Supervac mobile vacuum machine, type: GK 189, fabrication number: 930230, 400 V, 50 Hz, 18 A, 7 kW, approximate seal length: 710 mm, total dimensions: 850 mm x 850 mm x 1050 mm. Incomplete, missing seal bars.	100
149	NN rollies	8 s/s rollies, dimensions: (8x) 870 mm x 620 mm x 170 mm.	160
150	Günther Maschinenbau GmbH	Günther Maschinenbau GmbH injector with filter tub, type: PI 26 M, machine number: 37218, year of construction: 2020, 400 V, 16 A, 2.2 kW, 26 needles, plastic mesh belt, belt width: 330 mm, clearance: 340 mm x 200 mm, dimensions injector: 1750 mm x 900 mm x 2050 mm, dimensions filter tub: 900 mm x 520 mm x 540 mm.	9000
151	NN tubs	3 s/s tubs, dimensions: (3x) 800 mm x 540 mm x 250 mm.	30
152	Adelmann	Plastic pallet box with approximately 50 s/s Adelmann ham moulds, dimensions each mould: 370 mm x 210 mm x 240 mm, total dimensions: 1200 mm x 1000 mm x 800 mm.	75
153	Adelmann	Plastic pallet box with 31 s/s Adelmann ham moulds and 13 lids, dimensions each mould: 370 mm x 210 mm x 240 mm, total dimensions: 1200 mm x 1000 mm x 800 mm.	50
154	Adelmann	Container trolley with 19 s/s Adelmann ham moulds, dimensions each mould: 315 mm x 195 mm x 150 mm, total dimensions: 800 mm x 700 mm x 1520 mm.	25
155	Adelmann	Mobile s/s tub with approximately 160 s/s Adelmann ham moulds, dimensions each mould: 360 mm x 160 mm x 90 mm, total dimensions: 1000 mm x 800 mm x 750 mm.	75
156	Adelmann	Plastic pallet box with approximately 50 s/s Adelmann ham moulds, dimensions each mould: 320 mm x 200 mm x 150 mm, total dimensions: 1200 mm x 1000 mm x 900 mm.	75
157	NN meat hooks	S/s meat bin with large amount of meat hooks.	50
158	Adelmann	Plastic pallet box with approximately 50 s/s Adelmann ham moulds, dimensions each mould: 305 mm x 200 mm x 140 mm, total dimensions: 1200 mm x 1000 mm x 800 mm.	50
159	Adelmann	6 plastic crates with parts for Adelmann ham moulds, dimensions: 670 mm x 420 mm x 1050 mm.	25
160	Eberhardt GmbH	Eberhardt GmbH mobile ham press, model: I klein, year of construction: 2005, dimensions forms: (4x) 440 mm x 175 mm x 40 mm, total dimensions: 700 mm x 400 mm x 1100 mm.	200



161	Eberhardt GmbH	Eberhardt GmbH mobile ham press, dimensions: 1400 mm x 530 mm x 930 mm.	250
162	NN frames	2 plastic crates with s/s L frames, dimensions: (2x) 600 mm x 400 mm.	20
163	Eberhardt GmbH	Eberhardt GmbH ham press, dimensions: 900 mm x 700 mm x 630 mm.	200
164	Eberhardt GmbH	Eberhardt GmbH mobile ham press, model: Il groß, year of construction: 2005, dimensions forms: 790 mm x 40 mm x 70 mm, total dimensions: 960 mm x 1100 mm x 1550 mm. With 2 pallets with parts.	400
165	Adelmann	2 mobile s/s tubs with approximately 40 ham moulds, dimensions each mould: 285 mm x 210 mm x 150 mm, total dimensions: 1020 mm x 820 mm x 740 mm and 1130 mm x 740 mm x 770 mm.	100
166	Heinrich GmbH	Heinrich GmbH mobile casing welding machine, s/s frame, model: Thermo-Fix, machine number: HM051014, year of construction: 2014, 230 V, 50 Hz, 7 bar, dimensions: 480 mm x 460 mm x 1200 mm.	1000
167	NN sole cleaner	S/s sole cleaner, sensor operated, brush length: 300 mm, total dimensions: 650 mm x 570 mm x 1300 mm.	100
168	NN sink	S/s sink with soap dispenser, paper towel dispenser and waste container, sensor operated sink, dimensions: 600 mm x 390 mm x 600 mm.	50
169	NN sink	S/s sink with soap dispenser, paper towel dispenser and knife steriliser, sensor operated sink, dimensions: 600 mm x 390 mm x 600 mm.	50
170	NN sink	S/s sink with soap dispenser and paper towel dispenser, sensor operated sink, dimensions: 400 mm x 390 mm x 450 mm.	50
171	NN sink	S/s sink with soap dispenser and paper towel dispenser, sensor operated sink, dimensions: 400 mm x 390 mm x 450 mm.	50
172	NN sole cleaner	S/s sole cleaner, sensor operated, brush length: 300 mm, total dimensions: 650 mm x 570 mm x 1300 mm.	100
173	NN sink	S/s sink with 2 soap dispensers, paper towel dispenser and hairnet dispenser, sensor operated sink, dimensions: 400 mm x 390 mm x 450 mm.	50
174	Bizerba	Bizerba floor weighing scale, number: 1374528, 220/240 V, 50/60 Hz, maximum weight: 60 kg, minimum weight: 0.2 kg, e=: 0.01 kg, T=: -60 kg, dimensions scale: 1200 mm x 1230 mm x 150 mm, dimensions indicator: 280 mm x 280 mm x 240 mm.	750



175	VC999 Packaging Systems	VC999 Packaging Systems thermoformer, type: VC999/RS420, machine number: RS42008377400, 400 V, 3 Ph, 50 Hz, 30 A, 12 kW, Garden Denver vacuum pump, type: VC 100 (21), number: 2727004, year of construction: 2007, bottom film width: 423 mm, top film width: 418 mm, dimensions dye: (2x) 382 mm x 174 mm, index: 404 mm, total dimensions: 6100 mm x 1200 mm x 1900 mm. With suction device for rest film, dimensions: 600 mm x 550 mm x 1100 mm.	12500
176	Inauen Maschinen AG	Inauen Maschinen AG mobile double chamber vacuum machine, type: VC999/K12 NA, machine number: 1907358, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 17.5 A, 10 kW, 2 Garden Denver vacuum pumps, type: VCB 20(02) and CLFH 220 (20), number: 2709439 and 2737444, year of construction: 2007, capacity: 20/24 m ³ per hour and 220 m ³ per hour, seal length: (4x) 495 mm and (2x) 935 mm, chamber dimensions: (2x) 950 mm x 505 mm, total dimensions: 2250 mm x 1050 mm x 1100 mm.	3000
177	Mado	Mado grinding machine, type: MNS 630 D, number: 3394591, 220/380 V, 50 Hz, 1.7/1.0 A, 510 W, dimensions: 530 mm x 350 mm x 270 mm.	100
178	Knecht	Knecht knife sharpener, type: S 200 BT, machine number: 2500551200 BT, year of construction: 2004, 400 V, 50 Hz, 3.1 A, 1.1 kW, dimensions: 1050 mm x 680 mm x 1250 mm.	100
179	NN cleaning liquids	Pallet with large amount of cleaning liquids, dimensions: 1200 mm x 800 mm x 900 mm.	10
180	Vestel	Vestel 5-pits stove with oven, model: VF5HC 90.60, type: YE96P3601E19D0S, serial number: 00723019008235230026, 230/400 V, 3 Ph, 11200 W, 4 floor oven, dimensions each floor: 700 mm x 360 mm, total dimensions: 900 mm x 150 mm x 860 mm.	75
181	NN crates	2 pallets with 128 plastic E-1 crates, dimensions each crate: 600 mm x 400 mm x 125 mm, total dimensions: (2x) 1200 mm x 800 mm x 1980 mm.	125
182	NN crates	2 pallets with 48 plastic E-3 crates, dimensions each crate: 600 mm x 400 mm x 295 mm, total dimensions: (2x) 1200 mm x 800 mm x 1880 mm.	125
183	Samsung	Samsung refrigerator with freezer and ice cube machine, model: SR-S2220CSS, serial number: 745043CTB00150 W, 230-240 V, 50 Hz, 165-180 W, refrigerant: HFC-134a, 190 gram, freezing capacity: 14 kg per 24 hours, volume freezer: 196 liter, volume refrigerator: 369 liter, dimensions: 910 mm x 750 mm x 1760 mm.	100
184	GGM Gastro	GGM Gastro refrigerator, model: TKSS400N, serial number: ST06914TKSS400N420, 230 V, 50 Hz, 2.6 A, 425 W, refrigerant: R290, 127 gram, volume: 206 liter, dimensions: 650 mm x 600 mm x 1850 mm.	75



185	Bito	S/s Bito rack with plastic rollers, roller width: 450 mm, 9 uprights, dimensions uprights: 1520 mm x 1920 mm, large amount of beams, beam length: 4300 mm. Already professionally dismantled.	400
186	Bito	Steel Bito rack, model: SF 4, 6 uprights, dimensions uprights: 2500 mm x 1150 mm, 14 beams, beam length: 2200 mm, 15 floors with rollers, 5 lanes each, lane width: 420 mm, dimensions each floor: 3100 mm x 2200 mm. Already professionally dismantled.	250
187	NN clothing	Plastic pallet box with large amount of work clothes, dimensions: 1200 mm x 1000 mm x 1300 mm.	50
188	Dorit	Dorit smoke stick washer, type: DOR-300-3, serial number: 18900-113, 380 V, 50 Hz, 3 A, 0.55 kW, dimensions drum: \varnothing 700 mm x 1000 mm, total dimensions: 1450 mm x 800 mm x 1350 mm.	200
189	NN cage	Steel cage, dimensions: 1250 mm x 850 mm x 920 mm.	25
190	NN pallets	13 plastic Euro H1 pallets, dimensions: (13x) 1200 mm x 800 mm x 155 mm.	65
191	NN pallets	17 wooden Euro pallets, dimensions: (17x) 1200 mm x 800 mm x 145 mm.	85
192	NN display	Waterproof display, model: R19ID3S-65A1, serial number: 1W14B0021140, dimensions: 450 mm x 165 mm x 385 mm.	25
193	JG Gerhardt	JG Gerhardt coffee machine, dimensions: 580 mm x 510 mm x 840 mm.	25
194	NN table	S/s table, dimensions: 1300 mm x 700 mm x 880 mm.	50
195	NN trolley	S/s trolley, dimensions: 830 mm x 530 mm x 980 mm.	50
196	Panasonic	Panasonic microwave, inside dimensions: 330 mm x 300 mm x 195 mm, total dimensions: 510 mm x 370 mm x 305 mm.	25
197	Bosch	Bosch microwave, model Gourmet, dimensions: 560 mm x 550 mm x 380 mm.	25
198	NN heated cabinet	S/s heated cabinet, dimensions: 2000 mm x 800 mm x 930 mm.	100
199	NN apron rack	S/s apron rack, 25 hangers, dimensions: 2000 mm x 980 mm x 1900 mm.	75
200	NN apron washer	S/s apron washer, dimensions: 1310 mm x 700 mm x 2060 mm.	50
201	NN hygiene equipment	Soap dispenser with paper towel dispenser, waste container and hairnet dispenser.	25
202	Toshiba	Toshiba labelling machine, model: B-EX4, serial number: 2305N250476, 100-240 V, 50-60 Hz, 2.0-0.8 A, dimensions: 460 mm x 270 mm x 310 mm. Without power cables.	25
203	Toshiba	Toshiba labelling machine, model: B-EX4, serial number: 2305P250322, 100-240 V, 50-60 Hz, 2.0-0.8 A, dimensions: 460 mm x 270 mm x 310 mm. Without power cables.	25



204	Toshiba	2 Toshiba labelling machines, model: B-EX4, serial number: 2305P250331 and 2305P250323, 100-240 V, 50-60 Hz, 2.0-0.8 A, dimensions: (2x) 460 mm x 270 mm x 310 mm. Without power cables.	50
205	Zebra	Zebra labelling machine, model: ZM400, serial number: 08C08030492, 100-240 V, 47-63 Hz, 4 A, 300 W, dimensions: 410 mm x 260 mm x 335 mm. Without power cable.	25
206	Zebra	Zebra labelling machine, model: ZM400, serial number: 08C08031143, 100-240 V, 47-63 Hz, 4 A, 300 W, dimensions: 410 mm x 260 mm x 335 mm. Without power cable.	25
207	Zebra	2 Zebra labelling machines, model: ZM400, serial number: 08C08030484 and 08C08030487, 100-240 V, 47-63 Hz, 4 A, 300 W, dimensions: (2x) 410 mm x 260 mm x 335 mm. Without power cables.	50
208	Zebra	Zebra labelling machine, model: ZM400, serial number: 08C08031142, 100-240 V, 47-63 Hz, 4 A, 300 W, dimensions: 410 mm x 260 mm x 335 mm. Without power cable.	25
209	Toshiba	2 Toshiba labelling machines, model: B-EX4, serial number: 2305M250636 and 2305P250321, 100-240 V, 50-60 Hz, 2.0-0.8 A, dimensions: (2x) 460 mm x 270 mm x 310 mm. Without power cables.	50
210	Toshiba	2 Toshiba labelling machines, model: B-EX4, serial number: 2305P250326 and 2305P250328, 100-240 V, 50-60 Hz, 2.0-0.8 A, dimensions: (2x) 460 mm x 270 mm x 310 mm. Without power cables.	50
211	GGM Gastro	GGM Gastro mixer, model: RMS7, serial number: 201907012217, 220-240 V, 50/60 Hz, 500 W, 13.3 kg, s/s bowl, volume: 7 liter, dimensions: 390 mm x 240 mm x 420 mm. With extra whisk.	100
212	GGM Gastro	GGM Gastro au-bain marie, model: BHPV35-4, serial number: 202011009, 220-240 V, 600 W, volume: 14 liter, dimensions: 415 mm x 440 mm x 330 mm. Without power cable.	100
213	Cunill	Cunill coffee bean grinder, dimensions: 410 mm x 250 mm x 680 mm. Overhauled.	50
214	NN display	Waterproof display, model: R19ID3S-65A1, serial number: 1W1490012144, dimensions: 450 mm x 165 mm x 385 mm.	25
215	NN display	Waterproof display, model: R19ID3S-65A1, serial number: 1W1570024445, dimensions: 450 mm x 165 mm x 385 mm.	25
216	Olympia	Olympia coin sorting machine, serial number: 16010204, 230 V, 50 Hz, 45 W, dimensions: 330 mm x 330 mm x 270 mm.	50



217	Ohaus	Ohaus weighing scale, model: BW6, serial number: RW566706D, maximum weight: 6 kg, minimum weight: 40 gram, e=: 2 gram, dimensions: 310 mm x 230 mm x 140 mm.	25
218	Ohaus	Ohaus weighing scale, model: BW15, serial number: RW544856HQ, maximum weight: 15 kg, minimum weight: 100 gram, e=: 5 gram, dimensions: 310 mm x 230 mm x 140 mm.	25
219	Ohaus	Ohaus weighing scale, model: BW3, maximum weight: 3 kg, minimum weight: 20 gram, e=: 1 gram, dimensions: 310 mm x 230 mm x 140 mm.	25
220	Mettler Toledo	Mettler Toledo weighing scale, model: RN10, serial number: RN10025795, maximum weight: 6 kg, minimum weight: 40 gram, e=: 2 gram, dimensions: 350 mm x 340 mm x 120 mm.	25
221	Mettler Toledo	Mettler Toledo weighing scale with label printer, type: LP-6S-h, serial number: 2456463, maximum weight: 6 kg, minimum weight: 40 gram, e=: 2 gram, dimensions scale: 350 mm x 280 mm, total dimensions: 410 mm x 350 mm x 540 mm.	50
222	GoDEX	GoDEX film rewinding machine, model: T-10, serial number: REG1002-1220-00096, dimensions: 350 mm x 180 mm x 300 mm.	25
223	Treif	Treif slicer, model: Divider economic 400, machine number: 257008.61738.4584, year of construction: 2003, 400 V, 3 Ph, 50/60 Hz, 6.9 A, 4.8 kW, 400 kg, plastic string outfeed belt, belt width: 325 mm, total dimensions: 2350 mm x 900 mm x 2000 mm. With knife sharpener, model: HS Divider 440/660, machine number: 242003.61973.121337, year of construction: 2014 and with 1 additional knife.	3500
224	Treif	Treif slicer, Divider 400, machine number: 259002.61840.6261, year of construction: 2003, 400 V, 3 Ph, 50/60 Hz, 6.9 A, 4.8 kW, 400 kg, plastic string outfeed belt, belt width: 325 mm, total dimensions: 2350 mm x 900 mm x 2000 mm. With knife sharpener, model: HS Divider 440/660, machine number: 242003.61973.112238, year of construction: 2011 and with 1 additional knife.	4500
225	Günther Maschinenbau GmbH	Günther Maschinenbau GmbH injector with filter tub, type: PI 54/105, machine number: 34244, year of construction: 2014, 400 V, 16 A, 6.5 kW, 88 needles, plastic mesh belt, belt width: 100 mm, total dimensions: 1750 mm x 1000 mm x 2000 mm, type filter tub: GRF 200L, machine number: 34244, year of construction: 2014, 400 V, 0.5 A, 0.12 kW, dimensions filter tub: 1450 mm x 600 mm x 840 mm.	5000



226	Günther Maschinenbau GmbH	Günther Maschinenbau GmbH mobile brine mixer, type: GLA 600, machine number: 36299, year of construction: 2018, 400 V, 16 A, 2.6 kW, volume: 600 liter, dimensions: 1400 mm x 1250 mm x 2000 mm.	900
-----	---------------------------------	---	-----



General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use



3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Government laws and regulations, such as the Money Laundering and Terrorist Financing Prevention Act (WWFT), may impose (additional) obligations on Industrial Auctions. The client is required to provide all information requested by Industrial Auctions including (but not limited to) information about the client's identity to establish and verify this further, to verify and record the identity of the ultimate beneficial owner, the purpose and nature of the engagement or to exercise a transaction or an ongoing control over the business relationship or the natural person who represents or is authorized to do so by the client and whether the client is acting for themselves or for a third party. If the requested information is not supplied within



5 days after the first request, Industrial Auctions may immediately terminate the agreement and, pending the information, Industrial Auctions may suspend the services. Industrial Auctions is then not obliged or liable for any compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the supporting system;
- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security



5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark.

Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions



8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;
- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that



moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no



indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so



entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance



policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at



least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care.

Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



**Industrial
Auctions** BV



**Industrial
Auctions** BV

Address: Looyenbeemd 11
5652 BH Eindhoven, Netherlands
Tel.: +31 (0)40 2409 208
Email: info@industrial-auctions.com
Web: www.industrial-auctions.com