



**Industrial
Auctions** BV

Online auction fish processing machinery in Plungé (LT)

Closing: 21 May 2019 from 14:00 hrs.



Viewing day:

16 May 2019 from 09:00 till 16:00 hrs.

Address:

Birutės g. 50
90112 Plungė
Lithuania



General terms and conditions of the online auction

Closing date	21 May 2019 from 14:00 hrs.
Viewing	16 May 2019 from 09:00 till 16:00 hrs.
Organizing Company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 Fax: +31 (0)40 2409 209 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
V.A.T	21% over the highest bid including Premium
Pickup date	28 May 2019 from 09:00 till 16:00 hrs.
Pickup address	Birutės g. 50 90112 Plungė Lithuania
Delivery instructions	The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Industrial Auctions B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address.
Payment details	Before collection of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account with ING-bank, account number 005033999 in Best, IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Rabobank, account number 157198367 in Best, IBAN: NL80RABO0157198367, BIC: RABONL2U, Gladbacher Bank AG, Iban: DE83310601818887176010, BIC: GENODED1GBM, indicating invoice- and customernumber.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is made in the last 5 minutes the lot closes, the closing time of that lot will be extended with 5 minutes until no bids are made.



Nr	Title	Description	Start €
1	Veripack	Veripack thermoformer, model: TK, film width: 525 mm, dye: (12x) 145 mm x 90 mm, total dimensions: 8100 mm x 1200 mm x 2000 mm. Missing vacuum pump.	1500
2	Urschel	Urschel slicer, dimensions infeed: 230 mm, total dimensions: 1250 mm x 950 mm x 1600 mm. Missing knife.	2000
3	LSM	LSM product pump, model: LSM 40 SC, type: SS NRH, serial number: DK1708U NL 2, capacity: 1.2 m ³ /h, nominal pressure: 3 bar, total dimensions: 3100 mm x 1200 mm x 1400 mm.	500
4	LSM	LSM product pump, capacity: 1.2 m ³ /h, nominal pressure: 3 bar, total dimensions: 3100 mm x 1200 mm x 1400 mm.	500
5	Kramer & Grebe	Kramer & Grebe cutter, type: illing 45/114, machine number: 70/821/75, steel bowl, dimensions bowl: 800 mm, total dimensions: 1600 mm x 1000 mm x 1610 mm. Technical condition unknown.	200
6	MBM	MBM washing machine, model: T1200, total dimensions: 800 mm x 700 mm x 1550 mm. Technical condition unknown.	200
7	NN tank	S/s tank, inside dimensions: 750 mm x 420 mm x 500 mm, total dimensions: 800 mm x 550 mm x 1100 mm.	75
8	Baader	Baader filleting machine, type: 234, machine number: 10 6664 0234, year of construction: 1982, 380 V, 3 Ph, 50 Hz, 2.1 A, 3.5 kW, total dimensions: 1350 mm x 1000 mm x 1550 mm. Missing knife.	1250
9	NN tank	S/s tank with agitator, inside dimensions: 500 mm x 500 mm x 700 mm, total dimensions: 1350 mm x 1000 mm x 1550 mm.	200
10	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 640 mm, total dimensions: 1730 mm x 800 mm x 1420 mm.	100
11	Baader	Baader separator, type: 694, year of construction: 1979, diameter drum: 160 mm, diameter perforations: 3 mm, total dimensions: 1100 mm x 1000 mm x 1300 mm.	1500
12	Yanigiya Machinery Co., LTD	Yanigiya Machinery Co., LTD frozen block cutter, type: CBM250, machine number: 074830010, year of construction: 2008, plastic belt, belt width: 450 mm, working width: 450 mm, total dimensions: 1250 mm x 1000 mm x 1850 mm.	500
13	Maass+Partner GmbH	Maass+Partner GmbH salmon slicer, type: CM 576, dimensions: 1100 mm x 800 mm x 1300 mm, including outfeed belt, plastic belt, belt width: 300 mm, dimensions: 1530 mm x 520 mm x 960 mm, including trolley for tools, dimensions: 1330 mm x 800 mm x 1640 mm.	500
14	Stephan	Stephan universal machine, machine number: 724.178.01, year of construction: 1998, volume: 155 litre, total dimensions: 1500 mm x 800 mm x 2000 mm, technical condition unknown. Missing knife.	750
15	NN tub	S/s tub with agitator, inside dimensions: 500 mm x 600 mm x 670 mm, total dimensions: 1050 mm x 800 mm x 1700 mm.	150
16	NN washing machine	Washing machine, inside dimensions: 1080 mm x 600 mm x 650 mm, total dimensions: 1200 mm x 850 mm x 1900 mm. Technical condition unknown.	200



17	NN tub	S/s mobile tub with agitator, inside dimensions: 600 mm x 500 mm x 700 mm, total dimensions: 1000 mm x 800 mm x 1800 mm.	150
18	NN table	S/s table with hydraulic cutting knife, knife width: 300 mm, total dimensions: 980 mm x 670 mm x 1440 mm.	50
19	NN mixing tank	S/s mixing tank with agitator, inside dimensions: 610 mm x 600 mm x 770 mm, total dimensions: 980 mm x 1100 mm x 1600 mm.	150
22	Bibun Corp.	Bibun Corp. Tilttable vacuum cutter, serial number: 97cp130-24, year of construction: 1997, dimensions: 1900 mm x 950 mm x 2200 mm. Technical condition unknown.	750
23	Digi Europe LTD	Digi Europe LTD weighing and labelling machine, model: HI-3600, serial number: 030251001, 230 V, 1 Ph, 50 Hz, 0.4 A, weight: 230 kg, plastic belt, belt width: (2x) 100 mm, total dimensions: 1600 mm x 720 mm x 1700 mm.	250
24	Electrolux	Electrolux electric double fryer, dimensions each pan: 400 mm x 345 mm x 200 mm, total dimensions: 950 mm x 500 mm x 1050 mm.	125
25	NN tank	S/s tank, inside dimensions: 750 mm x 420 mm x 500 mm, total dimensions: 850 mm x 500 mm x 1050 mm.	75
26	Stephan	Stephan micro cutter, type: MCHD60-11, machine number: 713.943.01, year of construction: 1988, 380 V, 50 Hz, 93 A, 49 kW, dimensions: 2300 mm x 1050 mm x 1200 mm.	1000
27	Carnitech a/s	Carnitech a/s filleting machine, type: 2611, year of construction: 1999, 208-240 V weight: 260 k, total dimensions: 1080 mm x 800 mm x 2000 mm.	450
29	Stephan	Stephan micro cutter, plastic auger, dimensions: 1700 mm x 1000 mm x 800 mm	400
30	Glass GmbH & Co.	Glass GmbH & Co. vacuum pump, type: VP397, machine number: 2769, year of construction: 2009, 400 V, 50 Hz, 22,46 A, 11,16 kW, dimensions: 1100 mm x 500 mm x 1450 mm.	100
31	TipperTie Technopack	TipperTie Technopack double clipper, type: KDCNV 90, dimensions: 1250 mm x 800 mm x 1700 mm.	250
32	Mettler Toledo / Safeline	Mettler Toledo / Safeline metal detector with rejector, plastic belt, belt width: 400 mm, clearance: 415 mm x 120 mm, total dimensions: 1650 mm x 1150 mm x 1400 mm.	400
33	Teltek	Teltek checkweigher, model: 700, plastic belt, belt width: 215 mm, total dimensions: 1350 mm x 700 mm x 1350 mm, Technical condition unknown.	150
34	Teltek	Teltek checkweigher, type: TELTEK 800, serial number: 104130, year of construction: 2004, 230 V, 50 Hz, plastic belt, belt width: 200 mm, total dimensions: 1400 mm x 750 mm x 1350 mm.	150
35	Maja	Maja mobile skinning and derinding machine, type: ESB 4434/2P, serial number: M-49891, year of construction: 2011, 400 V, 3 Ph, 2.15 A, 0.75 kW, weight: 250 kg, working width: 430 mm, total dimensions: 900 mm x 760 mm x 1250 mm.	400



36	Belca	Belca mobile shrink tunnel, serial number: L285K, year of construction: 2000, 380 V, 18 kW, steel belt, belt width, 450 mm, clearance: 450 mm x 250 mm, total dimensions: 2200 mm x 1000 mm x 1650 mm.	250
37	NN vacuum machine	Vacuum machine, seal length: 1200 mm, plastic belt, belt width: 1360 mm, total dimensions: 1900 mm x 1800 mm x 1350 mm. Without vacuum pump.	200
38	NN cooling belt	Cooling belt, plastic mesh belt with dividers, belt width: (2x) 450 mm, divider height: 50 mm, distance between dividers: 295 mm, lifting height: 1500 mm, total dimensions: 2300 mm x 1200 mm x 1600 mm.	250
39	NN mobile pin bone remover	Mobile pin bone remover, plastic belt, belt width: 660 mm, total dimensions: 2200 mm x 900 mm x 1800 mm.	125
40	NN cooking vessel	S/s cooking vessel, inside dimensions: 770 mm x 700 mm x 500 mm, total dimensions: 950 mm x 900 mm x 1000 mm.	100
41	Strapack	Strapack strapping machine, model: JK-5, serial number: 09004134 709, year of construction: 2009, 230 V, 1 Ph, 50 Hz, 0.65 kVA, clearance: 800 mm x 800 mm, total dimensions: 1150 mm x 600 mm x 1730 mm.	100
42	NN mobile tub	S/s mobile filter tub with centrifugal pump, inside dimensions: 1430 mm x 620 mm x 440 mm, total dimensions: 1500 mm x 800 mm x 750 mm.	125
43	NN mobile tub	S/s mobile filter tub with centrifugal pump, inside dimensions: 1430 mm x 620 mm x 440 mm, total dimensions: 1500 mm x 800 mm x 750 mm. Including 4 sieves, missing lid.	125
44	NN mobile tub	S/s mobile filter tub, inside dimensions: 1430 mm x 620 mm x 440 mm, total dimensions: 1500 mm x 800 mm x 750 mm. Missing centrifugal pump and lid, including 3 sieves.	125
45	NN mobile tub	S/s mobile filter tub with centrifugal pump, inside dimensions: 1430 mm x 620 mm x 440 mm, total dimensions: 1500 mm x 800 mm x 750 mm. Including 4 sieves, missing lid.	125
46	Robusch	Robusch low pressure compressor unit, dimensions: 1200 mm x 1200 mm x 1200 mm.	150
47	Sia Peruza	Sia Peruza mobile lifter for pallet boxes, year of construction: 2005, maximum capacity: 800 kg, lifting height: 1600 mm, total dimensions: 2000 mm x 1800 mm x 2950 mm.	275
48	NN transformer	Transformer, type: TM1000.10, year of construction: 1992, 1000 kVA, dimensions: 2100 mm x 1300 mm x 1750 mm.	500
49	NN transformer	Transformer, type: TM3M000 / 10 84y1, year of construction: 1983, 1000 kVA, dimensions: 2100 mm x 1300 mm x 2200 mm.	500
50	Joong Won Engineering	Joong Won Engineering cutter with rejector, model: SC370L, model number: JW-MPS-370-A01, year of construction: 2001, 380 Vac, 50 Hz, 133 A, s/s bowl, diameter bowl: 1550 mm, total dimensions: 2400 mm x 2000 mm x 1900 mm, dimensions switch cabinet: 1000 mm x 400 mm x 1650 mm, technical condition unknown.	300
51	Laska	Laska cutter with rejector and lifter for meat bins, s/s bowl, diameter bowl: 1550 mm, total dimensions: 3300 mm x 2300 mm x 1900 mm. Defect.	750



52	NN washing machine for crates	Washing machine for crates, plastic chain belt, belt width: 320 mm, total dimensions: 3650 mm x 1100 mm x 1800 mm.	250
53	Kitzinger	Kitzinger drying machine for crates, type: L250, machine number: 171, year of construction: 2003, 28 kW, plastic chain belt, belt width: 450 mm, total dimensions: 3150 mm x 850 mm x 1000 mm.	350
54	Carnitech	Carnitech mobile turning table, type: Roundtable, serial number: 125070, year of construction: 2010, plastic table top, diameter top: 1500 mm, total dimensions: 1850 mm x 900 mm x 1900 mm.	125
55	Kazbi	Kazbi mobile turning table, type: STO 5-1500, serial number: 20110327, year of construction: 2011, 230/400 V, 50 Hz, 0,75 kW, plastic table top, diameter table: 1500 mm, total dimensions: 1950 mm x 900 mm x 1800 mm.	125
56	NN elevating belt	Elevating belt, plastic belt, belt width: 750 mm, elevating height: 1150 mm, total dimensions: 1900 mm x 950 mm x 1150 mm.	50
57	Kazbi	Kazbi mobile transport belt, name: tr.modulowy, type: TMA 300-3300, serial number: 20110326, year of construction: 2011, 230/400 V, 50 Hz, 0.12 kW, plastic mesh belt, belt width: 300 mm, total dimensions: 3200 mm x 900 mm x 1900 mm.	75
58	NN de-elevating belt	De-elevating belt, plastic belt with dividers, belt width: 380 mm, divider height: 30 mm, distance between dividers: 390 mm, total dimensions: 2000 mm x 680 mm x 1180 mm.	75
59	NN curve conveyor	Curve conveyor, plastic belt, belt width: 115 mm, total dimensions: 3500 mm x 2300 mm x 1050 mm.	100
60	NN transport belt	Transport belt, plastic mesh belt, belt width: 300 mm, total dimensions: 4400 mm x 600 mm x 90 mm.	200
61	NN curve conveyor	Curve conveyor, plastic belt, belt width: 115 mm, total dimensions: 5100 mm x 1100 mm x 1050 mm.	100
62	NN elevating belt	Elevating belt, s/s frame, plastic mesh belt with dividers, belt width: 400 mm, divider height: 50 mm, distance between dividers: 310 mm, elevating height: 2780 mm, total dimensions: 3000 mm x 600 mm x 2820 mm.	200
63	Norden	Norden fish slicer, type: G60, serial number: 59805, year of construction: 1984, dye: 415 mm x 60 mm, total dimensions: 2150 mm x 1000 mm x 1650 mm.	100
64	CP Food Machinery A/S	CP Food Machinery A/S slicer, model: SILK CUT SLICER, type: SC 45, serial number: 4510, year of construction: 2002, 230/240 V, 1 Ph, 50/60 Hz, 0.1 A, 0.8 kW, plastic belt, belt width: 195 mm, saw width: 225 mm, total dimensions: 1450 mm x 700 mm x 1600 mm.	4000
65	Belca	Belca flowpacker, model: SP-100-H, serial number: L6048A, year of construction: 2001, 380 V, 4.5 kW, plastic belt, belt width: 300 mm, seal length: 400 mm, total dimensions: 3500 mm x 1100 mm x 1700 mm.	950
66	NN transport belt	Transport belt, plastic belt, belt width: 440 mm, total dimensions: 960 mm x 600 mm x 1150 mm.	50



67	Marel	Marel mobile transport belt, year of construction: 23-03-10, 230 V, 1 Ph, 50 Hz, 2 / 10 A, 0.8 m/sec, plastic mesh belt, belt width: 605 mm, total dimensions: 2950 mm x 1000 mm x 1250 mm.	100
68	NN transport belt	Mobile transport belt, s/s frame, plastic mesh belt, belt width: 310 mm, total dimensions: 3560 mm x 1000 mm x 1250 mm.	100
69	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 250 mm, divider height: 50 mm, distance between dividers: 205 mm, lifting height: 1500 mm, total dimensions: 2800 mm x 700 mm x 1600 mm.	200
70	NN 45° curve conveyor	45° curve conveyor, s/s frame, belt width: 350 mm, total dimensions: 1800 mm x 900 mm x 1100 mm. Missing belt.	50
71	NN smoke trolleys	4 s/s smoke trolleys, 15 floors, s/s plates, dimensions each plate: 900 mm x 335 mm x 70 mm, dimensions trolley: (4x) 1100 mm x 1000 mm x 1980 mm.	800
72	NN smoke trolleys	4 s/s smoke trolleys, 15 floors, s/s plates, dimensions each plate: 900 mm x 335 mm x 70 mm, dimensions trolley: (4x) 1100 mm x 1000 mm x 1980 mm.	800
73	NN smoke trolleys	3 s/s smoke trolleys, 15 floors, s/s plates, dimensions each plate: 900 mm x 335 mm x 70 mm, dimensions trolley: (3x) 1100 mm x 1000 mm x 1980 mm.	600
74	NN smoke trolleys	2 s/s smoke trolleys, 15 floors, s/s plates, dimensions each plate: 900 mm x 335 mm x 70 mm, dimensions trolley: (2x) 1100 mm x 1000 mm x 1980 mm.	400
75	NN smoke trolleys	8 s/s smoke trolleys, 15 floors, s/s plates, dimensions each plate: 900 mm x 335 mm x 70 mm, dimensions trolley: (8x) 1100 mm x 1000 mm x 1980 mm.	1600
76	NN trolley	S/s trolley, (2x) 8 floors.	45
77	NN trolley	S/s trolley, (2x) 17 floors.	50
80	NN sink	S/s double sink with one faucet, dimensions: 1800 mm x 750 mm x 500 mm.	50
81	NN platform	S/s platform with stairs, total dimensions: 2250 mm x 800 mm x 2760 mm.	50
82	Joong Won Engineering	Joong Won Engineering mobile breading machine, s/s mesh belt, belt width: 460 mm, dimensions infeed: 420 mm, total dimensions: 1900 mm x 1100 mm x 1930 mm. Defect.	150
83	NN turning table	Mobile turning table, s/s top, diameter table: 1100 mm, total dimensions: 1150 mm x 1150 mm x 1400 mm.	75
84	Yanagiya Machinery Co., LTD	Yanagiya Machinery Co., LTD mobile depositor, 2 heads, machine number: BO17580140 / BO17580141, dimensions: 800 mm x 700 mm x 1700 mm. Technical condition unknown.	200
85	NN turning table	S/s turning table, diameter table: 1160 mm, total dimensions: 1160 mm x 1160 mm x 1010 mm.	75
86	NN tub	S/s tub, inside dimensions: 1200 mm x 500 mm x 250 mm, total dimensions: 1640 mm x 600 mm x 1010 mm.	45
87	NN brine tank	Mobile brine tank, inside dimensions: 650 mm x 650 mm x 650 mm, total dimensions: 700 mm x 700 mm x 2000 mm, missing lid.	100



88	NN 45° curve conveyor	Mobile 45° curve conveyor, s/s frame, plastic mesh belt, belt width: 305 mm, total dimensions: 2600 mm x 1900 mm x 1250 mm.	75
89	NN color wrapping and cutting machine	Mobile color wrapping and cutting machine, plastic belt, belt width: 55 mm, total dimensions: 1900 mm x 600 mm x 1700 mm. Incomplete, technical condition unknown.	100
90	NN tub	Filter tub with sieve belt, belt width: 525 mm, inside tub: 2520 mm x 640 mm x 320 mm, total dimensions: 2960 mm x 1150 mm x 800 mm.	200
91	NN slicer	Mobile slicer, plastic belt, belt width: 50 mm, total dimensions: 1450 mm x 580 mm x 172 mm.	175
92	NN drying tunnel	Mobile drying tunnel, 4 fans, belt width: 1000 mm, total dimensions: 4200 mm x 1250 mm x 2100 mm. Missing belt.	350
93	NN sorting belts	3 sorting belts, belt width: 250 mm, total dimensions: 3600 mm x 700 mm x 400 mm, 4000 mm x 700 mm x 400 mm and 4100 mm x 700 mm x 400 mm.	150
94	Küba kultetechnik	Kübe kultetechnik evaporator, 2 fans, dimensions: 1700 mm x 900 mm x 1100 mm, missing 1 fan.	50
95	Küba kultetechnik	Kübe kultetechnik evaporator, 2 fans, dimensions: 1700 mm x 900 mm x 1100 mm.	100
96	Kerres	Keres smoking chamber for 4 trolleys, inside dimensions: 4400 mm x 1110 mm x 2150 mm, total dimensions: 4600 mm x 1700 mm x 3000 mm.	2000
97	Kerres	Keres smoke generator for woods chips on s/s frame, type: RE984, serial number: 8.1675, year of construction: 2002, 400 V, 4 kW, dimensions: 1200 mm x 1000 mm x 1950 mm.	250
98	NN fans	S/s fans, 3 fans, dimensions: 1700 mm x 1100 mm x 120 mm.	60
99	NN fans	S/s fans, 3 fans, dimensions: 1700 mm x 1100 mm x 120 mm.	60
100	Cabinplant	Cabinplant shredder, dimensions infeed: 345 mm x 125 mm, total dimensions: 1200 mm x 750 mm x 1700 mm. Technical condition unknown.	350
101	Robert Bucker GmbH	Robert Bucker GmbH mobile lifting platform, type: PHC 650 EU1, serial number: 7706, year of construction: 2002, capacity: 250 kg, maximum 1 person, 230 V, 55 bar, dimensions: 1400 mm x 900 mm x 2000 mm, maximum 1 person.	150
102	NN tank	S/s tank with agitator, inside dimensions: 950 mm x 950 mm x 1500 mm, total dimensions: 950 mm x 950 mm x 2350 mm, missing leg.	100
103	NN platform	S/s platform, dimensions: 2500 mm x 2000 mm x 450 mm.	150
104	NN cabinet	S/s cabinet, dimensions: 830 mm x 800 mm x 1200 mm.	100
105	NN infeed bunker	S/s infeed bunker, dimensions: 1100 mm x 880 mm x 1820 mm.	75
106	NN platform	S/s platform, dimensions: 1150 mm x 1050 mm x 370 mm.	75
107	NN elevating belt	Elevating belt, plastic belt with dividers, belt width: 400 mm, divider height: 40 mm, distance between dividers: 300 mm, lifting height: 3150 mm, total dimensions: 4200 mm x 1050 mm x 3150 mm.	150



108	NN grater	Grater, diameter knife: 240 mm, total dimensions: 580 mm x 250 mm x 300 mm, incomplete.	75
109	Brunner	Brunner vegetable slicer, type: GSM 4-PA, number: 65435, 230 V, 1 Ph, 50 Hz, dimensions: 500 mm x 300 mm x 550 mm.	25
110	Comac	Comac vegetable slicer, model: TGV-M/TF, serial number: 07P01999, year of construction: 2007, 400 V, 50 Hz, 1.3 A, weight: 20 kg, dimensions: 500 mm x 220 mm x 450 mm.	25
111	NN table	S/s table with drawers, dimensions: 1200 mm x 600 mm x 780 mm.	25
112	Multifeeder technology	Multifeeder technology tray denester, model: MFT 550 IP, serial number: 0913-08187, 120/240 V, 1 Ph, 50/60 Hz, dimensions trays: 290 mm x 190 mm, total dimensions: 850 mm x 830 mm x 1100 mm.	50
113	Oem	Oem slicer, type: BM/2, number: 0402, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 1.1 A, 0.55 kW, inside dimensions: 320 mm x 300 mm x 480 mm, total dimensions: 800 mm x 480 mm x 530 mm, incomplete.	75
114	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 320 mm, total dimensions: 2100 mm x 500 mm x 1450 mm.	100
115	Oem ALI S.p.a.	2 Oem ALI S.p.a. belt grills, type: TL/105, number: 2001 07 025 / 2002 03 004, 400 V, 3 Ph, 50/60 Hz, 19 A, 11.5 kW, s/s mesh belt, belt width: (2x) 500 mm, clearance: 535 mm x 60 mm, total dimensions: 2200 mm x 960 mm x 940 mm.	200
116	NN roller conveyor	Roller conveyor, s/s rollers, roller width: 400 mm, total dimensions: 2600 mm x 530 mm x 870 mm.	100
117	NN mesh belt	S/s mesh belt, belt width: 250 mm, total dimensions: 1200 mm x 330 mm x 300 mm.	25
118	NN frame	S/s frame for transport belt, belt width: 240 mm, total dimensions: 2400 mm x 330 mm x 850 mm.	10
119	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 2750 mm x 850 mm x 1000 mm.	125
120	NN elevating belt	Elevating belt, plastic belt with dividers, belt width: 680 mm, divider height: 55 mm, distance between dividers: 310 mm, total dimensions: 3800 mm x 700 mm x 1100 mm.	100
121	Carnitech	Carnitech elevating belt, type: PM45, number: 125070, year of construction: 2010, plastic belt with dividers, belt width: 260 mm, divider height: 70 mm, distance between dividers: 290 mm, elevating height: 1860, total dimensions: 2700 mm x 400 mm x 2000 mm.	200
122	NN elevating belt	Elevating belt, s/s frame, plastic belt with dividers, belt width: 450 mm, divider height: 50 mm, distance between dividers: 290 mm, elevating height: 1200 mm, total dimensions: 2500 mm x 650 mm x 1200 mm. Incomplete.	100
123	NN elevating belt	Elevating belt, s/s mesh belt with dividers, belt width: 360 mm, divider height: 75 mm, distance between dividers: 250 mm, total dimensions: 5400 mm x 700 mm x 1200 mm.	100
124	NN plate	S/s plate, plate width: 1500 mm, approximate length: 27000 mm.	300



125	NN autoclave baskets	2 s/s autoclave baskets, 9 floors, distance between floors: 810 mm, floor length: 815 mm, total dimensions: (2x) 890 mm x 890 mm x 815 mm.	150
126	NN autoclave baskets	6 s/s autoclave baskets, 9 floors, distance between floors: 810 mm, floor length: 815 mm, total dimensions: (2x) 890 mm x 890 mm x 815 mm.	450
127	NN inspection table	Inspection table, dimensions inspection platform: 700 mm x 420 mm, total dimensions: 1100 mm x 600 mm x 860 mm.	50
128	SKS / Weishaupt	SKS steam boiler, year of construction: 1968, with Weishaupt gas burner, type: G8/1-D, factory number: 5020899, year of construction: 2001, gas: natural gas, dimensions boiler: 3200 mm x 1900 mm x 2100 mm.	250
129	NN platform	S/s platform, dimensions: 3300 mm x 1000 mm x 550 mm.	100
130	NN platform	S/s platform, dimensions: 2500 mm x 1300 mm x 430 mm.	100
131	NN ice bunker	S/s ice bunker, inside dimensions: 1500 mm x 1270 mm x 740 mm, total dimensions: 1550 mm x 1310 mm x 1080 mm.	125
132	Smipack	Smipack mobile shrink tunnel, model: tunnel 50, machine number: 001654, year of construction: 2001, 415 V, 50-60 Hz, 7200 W, 11 A, steel belt, belt width: 460 mm, clearance: 450 mm x 250 mm, total dimensions: 1400 mm x 730 mm x 1320 mm. Defect.	150
133	NN freezing system	S/s freezing system, s/s mesh belt, belt width: 1970 mm, 1720 mm, clearance: 1970 mm x 130 mm, 1720 mm x 180 mm, Unit Coller evaporator, type: KUC-0506, 2 fans, Air Cooler evaporator, type: KAC-V150, 2 fans, Goedhart evaporator, type: FC38SZi 355-7-230-E, s/s evaporator, 3 fans, Bitzer cooling compressor, type: S6J-16.2Y-40P, serial number: 1672910442, total dimensions: 26000 mm x 4510 mm x 2550 mm, 10400 mm x 5000 mm x 2550, 6800 mm x 2000 mm x 2550 mm, 6800 mm x 2000 mm x 2550 mm. Technical condition unknown.	15000
134	BBS GmbH	BBS GmbH water heating system consisting of steam boiler, water tank and Oilon burner, type: GKP-106.3 T, number: 9325002, year of construction: 1995, oil: 55-200 kg/h, gas pressure: 100-350 mbar, dimensions boiler: 5200 mm x 1800 mm x 2350 mm, dimensions tank: 3600 mm x 2800 mm x 2600 mm, dimensions burner: 1500 mm x 850 mm x 1350 mm, dimensions platform: 3000 mm x 2500 mm x 2600 mm, dimensions fans: 1700 mm x 1180 mm x 2400 mm.	1250
135	Karstovandens Talpa	Karstovandens Talpa isolated water tank, volume: 25 m ³ , dimensions: 5300 mm x 3300 mm x 3900 mm.	2000
136	Vandens Talpa	Vandens Talpa isolated water tank, volume: 20m ³ , dimensions: 5500 mm x 2700 mm x 3300 mm.	1750
138	NN stairs	Aluminium stair, dimensions: 1050 mm x 880 mm x 2050 mm.	50
139	NN platform	S/s platform, dimensions: 1900 mm x 610 mm x 2200 mm.	100
140	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 550 mm, total dimensions: 1480 mm x 650 mm x 1050 mm.	75



141	Yanagiya Machinery Co., LTD	Yanagiya Machinery Co., LTD transport belt, plastic belt, belt width: 195 mm, total dimensions: 2000 mm x 480 mm x 1000 mm.	75
142	NN platform	S/s platform, dimensions: 2000 mm x 550 mm x 1950 mm.	100
144	NN platform	S/s platform, dimensions: 1500 mm x 1000 mm x 1480 mm.	100
146	Detectronic	Detectronic mobile metal detector, type: 606-250-1102-1, plastic belt, belt width: 470 mm, clearance: 500 mm x 115 mm, total dimensions: 1300 mm x 920 mm x 1130 mm, including extra control panel.	250
147	AEW-THURNE LTD	AEW-THURNE LTD slicer, machine: shapeline compact, serial number: 1570009, 380/400 V, 3 Ph, 50 Hz, 22 A, weight: 2000 kg, plastic belt, belt width: 325 mm, total dimensions: 1550 mm x 2400 mm x 2200 mm.	500
148	Baader	Baader mobile automatic feeder, type: 478, machine number: 10023/100067, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 5 A, 5 lanes, lane width: (5x) 40 mm, total dimensions: 3350 mm x 1300 mm x 2450 mm.	750
149	NN cutter	Steel cutter, steel bowl, diameter bowl: 900 mm, total dimensions: 1750 mm x 1100 mm x 1400 mm. Technical condition unknown.	150
150	Stephan	Stephan mobile micro cutter, type: MCH-D 150, machine number: 727.229.01, year of construction: 2001, 400 V, 7.7 A, 45 kW, dimensions: 2000 mm x 1220 mm x 1020 mm.	3500
151	NN cutter	Cutter with rejector, s/s bowl, diameter bowl: 1500 mm, total dimensions: 2200 mm x 2100 mm x 1700 mm, dimensions switch cabinet: 950 mm x 450 mm x 1900 mm. Technical condition unknown.	1250
152	Stephan	Stephan mobile micro cutter, dimensions: 2700 mm x 1100 mm x 1000 mm.	350
153	Bilwinco	Bilwinco mobile lineair weigher, type: AFG001, serial number: 1060, dimensions: 1500 mm x 1100 mm x 2250 mm.	250
155	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 570 mm, divider height: 20 mm, distance between dividers: 335 mm, lifting height: 1500, total dimensions: 2450 mm x 1000 mm x 1600 mm.	100
156	NN transport belt	Transport belt, plastic belt, belt width: 190 mm, total dimensions: 4000 mm x 350 mm x 800 mm.	100
157	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 220 mm, lifting height: 1100 mm, total dimensions: 2400 mm x 550 mm x 1400 mm.	100
158	Belje	Belje cutter, steel bowl, diameter bowl: 960 mm, total dimensions: 1200 mm x 1000 mm x 1700 mm. Missing cover, technical condition unknown.	100
159	Baader	Baader filleting machine, type: 134, machine number: 10023/100066, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 12 A, dimensions: 3300 mm x 900 mm x 1700 mm. Including pallet with outfeed belt, dimensions: 1200 mm x 800 mm x 800 mm.	2500



160	Bibun Corp.	Bibun Corp. noodle cutter, serial number: B9805-4402-9-2, year of construction: 1999, plastic belt, belt width: 640 mm, knife width: 650 mm, total dimensions: 1700 mm x 950 mm x 1550 mm.	150
161	Anritsu Industrial Solutions Co., LTD	Anritsu Industrial Solutions Co., LTD dividing belt, type: K416WB5, serial number: 4600015791, year of construction: 2006, 220 V, 1 Ph, divider width: 150 mm, total dimensions: 830 mm x 700 mm x 1100 mm.	200
162	NN emulsifier	S/s emulsifier, dimensions: 800 mm x 500 mm x 1200 mm.	150
163	NN frying and grilling tunnel	Frying and grilling tunnel, s/s plate belt, belt width: 705 mm, tunnel length: 7700 mm, total dimensions: 12400 mm x 1750 mm x 2050 mm, with upper belt, belt width: 960 mm.	500
165	NN elevating belt	Elevating belt, plastic belt, belt width: 305 mm, elevating height: 2600 mm, total dimensions: 1800 mm x 400 mm x 2650 mm.	50
166	Dini Argeo srl	Dini Argeo srl floor weighing scale, model indicator: DFW-03, serial number: 91631, maximum weight: 1500 kg, minimum weight: 10 kg, e = 500 g, T = -1500 kg, dimensions: 1250 mm x 800 mm x 80 mm.	100
167	NN frame	S/s frame for transport belt, belt width: 515 mm, total dimensions: 5000 mm x 1030 mm x 1000 mm.	100
168	NN transport belt	Transport belt, plastic belt, belt width: 295 mm, total dimensions: 2850 mm x 930 mm x 1050 mm.	75
169	Sumitomo Cyclo Drive	Sumitomo Cyclo Drive motor, model: CVVM8-6225DA, serial number: 001026, ratio: 473, 1800 rpm, 5.5 kW, total dimensions: 600 mm x 600 mm x 1100 mm.	200
170	Sumitomo Cyclo Drive	Sumitomo Cyclo Drive motor, model: CVVM8-6225DA, serial number: 001026, ratio: 473, 1800 rpm, 5.5 kW, total dimensions: 600 mm x 600 mm x 1100 mm.	200
171	Sumitomo Cyclo Drive	Sumitomo Cyclo Drive motor, model: CVVM8-82253A-1711, serial number: 04203364, ratio: 473, 1500 rpm, 5.5 kW, total dimensions: 600 mm x 600 mm x 1100 mm.	200



General Terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers

Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Oirschot;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the



website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The user guarantees the accuracy and completeness of the provided personal details at registration. If the personal details change at any time, the user is obliged to inform Industrial Auctions by return of such change(s).

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 The user is forbidden to reproduce the website or any part thereof or make available (through deep linking or otherwise) without the prior written consent of Industrial Auctions. Intellectual property is retained by Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in



any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the supporting system;
- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or



unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;
- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this



shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code



applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.



11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e-mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately



after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.



15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



**Industrial
Auctions** BV



**Industrial
Auctions** BV

Address: Looyenbeemd 11
5652 BH Eindhoven, Netherlands
Tel.: +31 (0)40 2409 208
Fax: +31 (0)40 2409 209
Email: info@industrial-auctions.com
Web: www.industrial-auctions.com

Upcoming auctions:

- 13-06 Online auction food processing machinery, bakery and catering equipment in Eindhoven (NL)**
- 19-06 Online auction machinery for the food industry due to closing production location Struik/Chillfis in Schoten (BE)**