



Industrial Auctions BV

Online auction machinery for the fruit and vegetable industry in Delbrück (DE)

Closing: 09 July 2019 from 14:00 hrs.



Viewing day:

04 July 2019 from 09:00 till 13:00 hrs.

Address:

Rietberger straÙe 103
33129 Delbrück
Germany



General terms and conditions of the online auction

Closing date	09 July 2019 from 14:00 hrs.
Viewing	04 July 2019 from 09:00 till 13:00 hrs.
Organizing Company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 Fax: +31 (0)40 2409 209 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
V.A.T	19% over the highest bid including Premium
Pickup date	16 July 2019 from 09:00 till 16:00 hrs.
Pickup address	Rietberger straÙe 103 33129 Delbrück Germany
Delivery instructions	The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Industrial Auctions B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address.
Payment details	Before collection of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account with ING-bank, account number 005033999 in Best, IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Rabobank, account number 157198367 in Best, IBAN: NL80RABO0157198367, BIC: RABONL2U, Gladbacher Bank AG, Iban: DE83310601818887176010, BIC: GENODED1GBM, indicating invoice- and customernumber.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is made in the last 5 minutes the lot closes, the closing time of that lot will be extended with 5 minutes until no bids are made.



Nr	Title	Description	Start €
1	NN mesh belt	S/s mobile mesh belt with 2 fans, type: KT1G 2500/900, s/s mesh belt, belt width: 900 mm, 2 fans, fans diameter: (2x) 650 mm, total dimensions: 2650 mm x 1150 mm x 1500 mm.	1250
2	Lubot & Wakker Eng. bv	Lubot & Wakker Eng. Bv centrifuge, type: centrifuge, order number: 20206_05, year of construction: 1991, 380 V, 3.37 kW, diameter drum: 640 mm, height drum: 500 mm, total dimensions: 2540 mm x 1700 mm x 2120 mm. Missing covers, technical condition unknown.	1000
4	NN fryer	Tiltable fryer, inside dimensions: 960 mm x 660 mm x 180 mm, total dimensions: 1400 mm x 980 mm x 970 mm. Technical condition unknown.	250
5	Ciris	Ciris optical sorting machine, belt width: (2x) 80 mm, total dimensions: 2400 mm x 1300 mm x 2000 mm, including vibrating infeed gutter on s/s frame, dimensions: 1300 mm x 1000 mm x 2100 mm. Technical condition unknown.	1950
6	Kersting	Kersting 2-lane transport belt, machine number: A-2485-35-1, year of construction: 1993, 380 V, 50 Hz, 2 plastic mesh belt, belt width: (2x) 400, total dimensions: 1550 mm x 1000 mm x 990 mm.	250
7	LA GARD Inc.	LA GARD Inc. safe, type: 2500 series, inside dimensions: 830 mm x 530 mm x 540 mm, total dimensions: 910 mm x 610 mm x 660 mm.	50
8	Voss	Voss tiltable fryer, fabric number: 0131301001, 230/400 V, 3 Ph, 14 kW, weight: 250 kg, inside dimensions: 910 mm x 650 mm x 160 mm, total dimensions: 1480 mm x 980 mm x 950 mm. Technical condition unknown.	400
9	NN cool cell panels	13 cool cell panels, various dimensions among others: 3000 mm x 900 mm x 120 mm, 2555 mm x 1210 mm x 120 mm, total dimensions: 3050 mm x 1300 mm x 1730 mm.	50
10	NN steel grids	Steel grids with 30 mm x 30 mm raster, approximately 25 grids, dimensions: 1000 mm x 1000 mm x 30 mm, 1000 mm x 800 mm x 30 mm, 1000 mm x 500 mm x 30 mm.	150
11	NN steel grids	Steel grids with 30 mm x 30 mm raster, approximately 27 grids, dimensions: 1000 mm x 1000 mm x 30 mm, 1000 mm x 800 mm x 30 mm, 1000 mm x 600 mm x 30 mm.	150
12	Kärcher	Kärcher floor scrubbing machine, type: BR 530 XL, number: 015373, 230 V, 1 Ph, 50 Hz, 16 A, 1900 W, width brush: (2x) 540 mm, dimensions: 1300 mm x 620 mm x 1000 mm. Missing squeegee.	150
13	Kärcher	Kärcher floor scrubbing machine, type: BR 530 BAT, number: 038515, year of construction: 2000, 230 V, 50 Hz, 430 W, width brush: (2x) 470 mm, width squeegee: 820 mm, dimensions: 1300 mm x 820 mm x 1000 mm.	150
16	Marcelissen b.v.	Marcelissen b.v. elevating screw, machine number: 99101391, s/s screw, diameter: 320 mm, tier: 240, total dimensions: 3520 mm x 1000 mm x 1140 mm.	1750



17	NN elevating belt	Elevating belt with dividers, s/s frame, s/s belt and dividers, belt width: 540 mm, distance between dividers: 300, height dividers: 50 mm, elevating height: 2750 mm, total dimensions: 2970 mm x 820 mm x 3100 mm.	1750
18	NN elevating belt	Mobile elevating belt with dividers, s/s frame, plastic belt and dividers, belt width: 500 mm, distance between dividers: 170 mm, height dividers: 75 mm, elevating height: 2100 mm, total dimensions: 2200 mm x 1010 mm x 2380 mm.	1000
20	NN transport belt	Transport belt , plastic belt, belt width: 500 mm, total dimensions: 3480 mm x 870 mm x 720 mm.	500
21	Marcelissen b.v.	Marcelissen b.v. elevating belt, s/s belt and dividers, machine number: 99.101.392, belt width: 300 mm, distance between dividers: 190 mm, height dividers: 70 mm, total dimensions: 4400 mm x 1590 mm x 1700 mm.	2000
22	Marcelissen b.v.	Marcelissen b.v. elevating belt, s/s belt and dividers, machine number: 99.101.396, belt width: 300 mm, distance between dividers: 190 mm, height dividers: 70 mm, total dimensions: 4100 mm x 970 mm x 1610 mm.	2000
23	NN elevating belt	Elevating belt with dividers, plastic belt and dividers, belt width: 490 mm, distance between dividers: 300 mm, height dividers: 70 mm, total dimensions: 8150 mm x 930 mm x 1920 mm.	3500
24	SuperVac	SuperVac mobile double chamber vacuum machine, type: GK 289, fabrication number: 950 043, 3 Ph, 50 Hz, 14 A, seal length: (2x) 620 mm, dimensions chamber: 810 mm x 760 mm, with Bush vacuum pump, type: 160 136 27712, vacuum: 2 mbar, capacity: 6 liter, total dimensions: 1610 mm x 950 mm x 1100mm.	1250
25	Bitzer	Bitzer cooling compressor on steel frame, type: 4CES-9Y-40S, serial number: 1685111002, 220-240 V, 380-420 V / 265-290 V, 440-480 V, 3 Ph, 50 / 60 Hz, 35.1 A, 20.2 A, 143 A, 82.4 A, 23.5 / 39.2 m ³ /h, 1450 / 1750 rpm , total dimensions: 940 mm x 840 mm x 640 mm.	200
26	Johnson Pump Water BV	Johnson Pump Water BV pump, type CB65-250 R6MG12, number: 07-1596512A, Ø: 220, with Johnson Pump motor: 5RN180m02A3, 400/690 V, 3 Ph, 50 Hz, 40.8/23.5 A, 22 kW, 2945 rpm, dimensions: 910 mm x 370 mm x 470 mm, including Dungs valve, type: FRI 512/10, maximum pressure: 500 mbar, dimensions: 550 mm x 200 mm x 260 mm.	500
27	Johnson Pump Water BV	Johnson Pump Water BV pump, type CB65-250 R6MG12, number: 07-1596511A, Ø: 220, with Johnson Pump motor: 5RN180m02A3, 400/690 V, 3 Ph, 50 Hz, 40.8/23.5 A, 22 kW, 2945 rpm, dimensions: 910 mm x 370 mm x 470 mm, including Dungs valve, type: FRI 512/10, maximum pressure: 500 mbar, dimensions: 550 mm x 200 mm x 260 mm.	500



28	Kronen	Kronen belt cutting machine, type GS-10, serial number: 163, year of construction: 1993, 380 V, 50 Hz, belt width: 120 mm, clearance: 125 mm x 140 mm, total dimensions: 1930 mm x 720 mm x 1480 mm. Including plastic crate with knife.	4000
29	ECO Refrigerazione and Friga-Bohn	2 ECO Refrigerazione evaporators, model: CTE058M6, serial number: AC200307259, AC200300129, year of construction: 16/06/2003, 08/01/2003, 230 V, 1 Ph, 50-60 Hz, 1.41 A, 225 W, 1300 rpm, PS: 28 bar, 2 fans, dimensions: (2x) 1030 mm x 620 mm x 530 mm, and Friga-Bohn evaporator, model: LUC 545 C, serial number: KP0119, 230/380 V, 1/3 Ph, 50 Hz, 5.4 A, 2 fans, Dimensions: 1220 mm x 490 mm x 470 mm.	150
30	ProFroid	2 ProFroid evaporators, type: DFC 46 6P, serial number: 70396/120/8779, 71150/120/10142, 230 V, 1 Ph, 50 Hz, refrigerant: R404A, 4 vans, dimensions: (2x) 1970 mm x 800 mm x 300 mm.	150
31	Friga-Bohn	Friga-Bohn evaporator, model: LUC 545 C, serial number: KP0130, 230/320 V, 1/3 Ph, 50 Hz, 5,4 A, 3 fans, dimensions: 1230 mm x 500 mm x 480 mm.	100
32	NN table	Mobile table, s/s frame with plastic top, dimensions: 2010 mm x 2000 mm x 950 mm.	250
33	NN air handling shaft	S/s air handling shaft, width: 500 mm, total dimensions: 4450 mm x 2000 mm x 450 mm.	100
34	Helpmann	Helpmann evaporator, type THOR 156-7 H2/5 400 E4 L, serial number: 563841-470073-81842, year of construction: 2007, 230/400 V, 3 Ph, 50 Hz, refrigerant: R22/R134a/R404A/R401B/R407C/R417A/R507A, design temperature: -55/60 °C, design pressure: -1/33 bar, total internal volume: 53 liter, weight (empty): 236 kg, 5 fans, dimensions: 4500 mm x 1000 mm x 600 mm.	1250
35	Helpmann	Helpmann evaporator, type THOR 156-7 H2/5 400 E4 L, serial number: 563840-470073-81840, year of construction: 2007, 230/400 V, 3 Ph, 50 Hz, refrigerant: R22/R134a/R404A/R401B/R407C/R417A/R507A, design temperature: -55/60 °C, design pressure: -1/33 bar, total internal volume: 53 liter, weight (empty): 236 kg, 5 fans, dimensions: 4500 mm x 1000 mm x 600 mm.	1250
36	Güntner	Güntner evaporator: type: GHF 050E/27-E, year of construction: 2001, 29 bar, 2 fans, dimensions: 2300 mm x 750 mm x 600 mm.	400



37	Linde AG	Linde AG compressor unit, type: A 1/3, serial number: 121974, year of construction: 2000, refrigerant: R404A, 23,6 liter, maximum pressure: 16 bar, minimum temperature: -50°C, inclusive 3 Bitzer cooling compressors, type 4EC-4,2 Y, serial number: 65891332, 65891325, 65891330, 220-240 V, 380-420 V/265-290 V, 440-480 V, 3 Ph, 50/60 Hz, 18,5 A, 10.7 A, 81.4 A, 47 A, 22.14/27.4 m³/h, 1450/1750 rpm, ND/HD maximum: 19/25 bar, dimensions: 2200 mm x 800 mm x 1900 mm.	1500
38	Waldys s.a.	Waldys s.a. packing machine, model: 33, series: 382, number: 3813, year of construction: 09-98, 400 V, 3 Ph, 50 Hz, 2.6 kW, weight: 310 kg, belt width: 260 mm, roller width: 270, film width: 400, total dimensions: 1500 mm x 1700 mm x 1600 mm. Missing belts and technical condition unknown.	700
39	FAM	FAM mobile dicer, type: 8TD3D, fabric number: 000302, dimensions infeed hopper: 450 mm x 440 mm, total dimensions: 1400 mm x 1000 mm x 1620 mm. Including crate with knives.	2000
40	Rösen & Robbert	Rösen & Robbert mobile bread slicer, type: FG45009, machine number: 93005809, 380 V, 50 Hz, 1500 W, 45 knives, distance between knives: 10 mm, total dimensions: 740 mm x 670 mm x 1310 mm.	20
41	Kronen	Kronen belt cutting machine, type: S 14, machine number: 400.05.05, belt width: 130 mm, clearance: 140 mm x 130 mm, total dimensions: 1740 mm x 920 mm x 1550 mm.	750
42	Kronen	Kronen belt cutting machine, belt width: 130 mm, clearance: 140 mm x 130 mm, total dimensions: 1740 mm x 920 mm x 1550 mm.	750
43	Kronen	Kronen mobile belt cutting machine, type: GS-10, serial number: 700, year of construction: 1998, 230 V, 1 Ph, 50/60 Hz, 1.8 kW, belt width: 130 mm, clearance: 130 mm x 140 mm, total dimensions: 1580 mm x 650 mm x 1350 mm. Missing knife.	4000
44	Kronen	Kronen mobile belt cutting machine, type: GS-18, serial number: 179, year of construction: 2002, 230 V, 1 Ph, 50/60 Hz, 1.8 kW, belt width: 180 mm, clearance: 180 mm x 190 mm, total dimensions: 2150 mm x 780 mm x 1330 mm.	5500
45	Deutsche Hefewerken	Deutsche Hefewerken mobile s/s tank with agitator, model: Sauerteigfermenter RZS 300N, machine number: 30090040, maximum capacity: 300 kg, diameter bowl: 900 mm, height bowl: 830 mm, total dimensions: 1100 mm x 930 mm x 1900 mm.	500
46	Schöler GmbH	Schöler GmbH plum stoner, type: KERN-EX PFV, 230 V, 0.37 kVa, capacity: 9000 per/hour, (10x) 4 stoners, total dimensions: 950 mm x 640 mm x 1180 mm.	250



47	Tecnomeccanica	Tecnomeccanica box folding machine with Meler glue unit, type: UP, serial number: 92422, year of construction: 1992, 380 V, dimensions: 2570 mm x 1880 mm x 2410 mm, with Tecnomeccanica outfeed station for box folding machine, type: IP, serial number: 92423, year of construction: 1992, 380 V, dimensions: 2800 mm x 920 mm x 1160 mm.	3500
48	NN table	Wooden table, dimensions: 3000 mm x 1000 mm x 900 mm.	150
49	NN table	Wooden table, dimensions: 3000 mm x 1000 mm x 900 mm.	150
50	Bock Machinebau	Bock Machinebau slicer, type: 224, number: 057, year of construction: 1981, diameter knife: 240 mm, total dimensions: 1200 mm x 780 mm x 1340 mm.	100
51	Bizerba	Bizerba labeller on frame, type GH, number: 1369313, 230 V, 50/60 Hz, 0.6 A, dimensions: 650 mm x 530 mm x 450 mm.	20
52	NN hose	Plastic hose, diameter: 60 mm, approximately: 7000 mm.	25
53	Küppersbusch	Küppersbusch combsteamer, with s/s trolley 20 floors, dimensions: 950 mm x 860 mm x 1800 mm. Broken handle.	500
54	Kronen	Kronen mobile dicer, type: KUJ, serial number: 361, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 0.9 kW, dimensions: 1000 mm x 850 mm x 1460 mm.	4500
55	Grundfos	Grundfos pump system, type: ME 4 CRE 16/30/2, production number: N54K6102.AM, weight: 369 kg, switch on pressure: 500 kpa, consisting of Grundfoss control unit, type: CONTROL 2000 ME 4, serial number: 995277/14/99, 400/230 V, 3 Ph, 50 Hz, 4x2.2 kW, Tmax: 40°C, and 4 Grundfos circulation pumps, type: EV V02 / EV V00, number: 85555708, 380-415 V, 3 Ph, 50/60 Hz, 5.35 A, dimensions: 2450 mm x 930 mm x 1680 mm.	1750
56	NN table	S/s table with plastic worktop, dimensions worktop: 400 mm x 2000 mm, total dimensions: 2040 mm x 900 mm x 950 mm.	200
57	Sielaff	Sielaff Coca Cola vending machine, dimensions: 850 mm x 720 mm x 1690 mm.	450
58	Zanotti S.p.A.	Zanotti S.p.A. cooling evaporator, model: MSB135T130F, serial number: 021059H, 400 V, 3 Ph, 50 Hz, 5.7/24.00 A, 1.50 kW, refrigerant: R404A, 1.03 kg, weight: 93 kg, dimensions: 930 mm x 820 mm x 750 mm.	500
59	NN tank	S/s tank with agitator, diameter: 1500 mm, height: 1140, total dimensions: 1740 mm x 1640 mm x 1520 mm.	600
60	König Sondermaschinen GmbH	König Sondermaschinen GmbH filling system for trays and bags, type: TKST-W, year of construction: 2013, dimensions: 1000 mm x 1000 mm x 2700 mm. Including foot control pedal.	1500
61	Leobard	Leobard built-in dishwasher, dimensions: 600 mm x 570 mm x 850 mm,	100



62	Convotherm Elektrogeräte GmbH	Convotherm Elektrogeräte GmbH oven, type: AR 28, number: H0122351, 380 V, 3 Ph, 14.5 A, 9.1 kW, 7 floors, dimensions floor: 540 mm x 360 mm, total dimensions: 960 mm x 590 mm x 680 mm.	250
63	NN fryer	S/s fryer, model: NEF 144, type: KCN 0054, number: 522673001, 380 V, 3 Ph, 50 Hz, dimensions: 600 mm x 840 mm x 860 mm.	200
64	OLIS S.P.A.	OLIS S.P.A. combisteamer, model: CVP 21E-CE, serial number: 2007578, 400 V, 3 Ph, 50 Hz, 31.1 kW, 20 floors, dimensions floor: 330 mm x 540 mm, total dimensions: 960 mm x 840 mm x 1970 mm.	500
65	Patron	Patron cooking vessel with agitator, model: FES 150, serial number: 200706, 400 V, 32 A, volume 150 liter, dimensions: 1000 mm x 940 mm x 1030 mm.	150
66	Boss	Boss mobile double chamber vacuum machine, type: RD 2/63 RC, machine number: 01031420, 400 V, 50 Hz, 1.5 kW, seal length: (2x) 500 mm, dimensions chamber: 510 mm x 610 mm, with Bush vacuum pump, type: RA 0063 E 5K1, number: 01006975, total dimensions: 1060 mm x 800 mm x 950 mm.	500
67	Polimoon	Polimoon mobile traysealer, type: 511VG, serial number: 3803090, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 18 A, dye: (2x) 160 mm x 265 mm, film width: 430 mm, with Bush vacuum pump: RA 0040 E 501, number: 10043292, total dimensions: 600 mm x 1000 mm x 1500 mm.	1200
70	Imperial Werken GmbH&Co.	Imperial Werken GmbH&Co.; double cooking vessel, type: E-SGA3/01, E-SGA2/01, serial number: 34.568, year of construction: 1991, 220/380 V, 3 Ph, 50 Hz, 6 kW, diameter: 360 mm, 420 mm, height: (2x) 350 mm, total dimensions: 1580 mm x 980 mm x 1050 mm.	250
71	Imperial Werken GmbH&Co.	Imperial Werken GmbH&Co.; vegetable washer, type: E-GS 200, Fabric number: 33.502, year of construction; 1990, 380 V, 3 Ph, 50 Hz, 3.2 kW, inside dimensions: 1000 mm x 500 mm x 400 mm, total dimensions: 1240 mm x 870 mm x 930 mm.	150
72	Windsor	Windsor Clipper carpet extractor, model: CLP-I, serial number: 229133, 230 V, 50 Hz, total dimensions: 860 mm x 480 mm x 1030 mm.	200
73	NN washing screw	Washing screw used for salad and vegetables, dimensions screw: 520 mm, tier: 200 mm, with outfeed belt, belt width: 470, outfeed height: 1380 mm, total dimensions: 5100 mm x 1200 mm x 1790 mm.	2000
74	Kaesar Kompressoren	Kaesar Kompressoren screw compressor, model: CS 121, serial number: 1211165, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 137.5 A, 75 kW, 1500 rpm, 7.5 bar, dimensions: 2200 mm x 1320 mm x 1560 mm.	250



75	LUX Tools	LUX Tools hedge trimmer, model: E-HS-710/60, serial number: 100033 00358, year of construction: 2015, 230 V, 50 Hz, 710 W, 3200 rpm, trimmer length: 600 mm, total dimensions: 1150 mm x 200 mm x 200 mm.	20
76	Delfin s.r.l.	Delfin s.r.l. flowpacker, model: ORION 600, type: CON,ORIZ, serial number: A107.99, year of construction: 1999, 380 V, 3 Ph, 50 Hz, 3.5 kW, weight: 450 kg, infeed width: 120 mm, outfeed belt width: 280 mm, total dimensions: 3280 mm x 1150 mm x 1650 mm.	1500
77	NN roller conveyors	2 roller conveyors, steel frame, s/s rollers, roller width: 490 mm, dimensions: 2030 mm x 580 mm x 80 mm, 1510 mm x 580 mm x 80 mm.	200
78	Ernst Leitern-Gerüste	Ernst Leitern-Gerüste ladder, last step: 3360 mm, dimensions: 4270 mm x 620 mm x 250 mm.	80
79	NN grids	Large amount of steel grids, various sizes among others: 1000 mm x 1000 mm x 30 mm, 800 mm x 1000 mm x 30 mm, 600 mm x 1000 mm x 30 mm, 200 mm x 1000 mm x 30 mm.	150
80	NN trolley	S/s trolley, dimensions: 930 mm x 530 mm x 1540 mm.	50
81	Eillert	Eillert salad spinner, type: MSD-500-VA, machine number: 163, year of construction: 2008, 230 V, 1 Ph, 16 A, 0.75 kW, diameter basket: 410 mm, height basket: 290 mm, total dimensions: 630 mm x 900 mm x 930 mm.	3750
82	Eillert	Eillert mobile belt cutting machine, type: G-1500, machine number: 048, year of construction: 2008, 400 V, 3 Ph, 2.05 A, 1.25 kW, belt width: 150, clearance: 155 mm x 220 mm, total dimensions: 1640 mm x 620 mm x 1570 mm.	5000
83	Solia	Solia vegetable washer, model: SWA 100, machine number: 8091518, 220 V, 1 Ph, 50 Hz, 5 A, diameter basket: 530 mm, height basket: 250, total dimensions: 1480 mm x 740 mm x 1040 mm. Including extra basket.	1750
84	Batscher	Batscher insect killer, type: EA-20W 2X20W, number: C4M20603-0539-E-16, 230 V, 50 Hz, 35 W, dimensions: 660 mm x 440 mm x 110 mm.	10
85	Waldys s.a.	Waldys s.a. packing machine, model: 36, series: 14, number: 140, year of construction: 1994, 380 V, 3 Ph, 50 Hz, 3.3 kW, weight: 330 kg, belt width: 270 mm, wired belt width: 240, total dimensions: 1560 mm x 1100 mm x 1400 mm.	750
86	Garvens Automation GmbH	Garvens Automation GmbH weighing and labeling machine, type: PAS 2001, fabrication number: 170223, year of construction: 2000, 240 V, 50/60 Hz, maximum weight: 6000 gram, minimum weight: 20 gram, e=d=: 1 gram belt width: (6x) 140 mm, with Mettler Toledo display, type: L2-PASS, number: 2367307, 170/240 V, 50/60 Hz, 270/100 mA, total dimensions: 1550 mm x 800 mm x 1900 mm.	2250
87	NN switch cabinet	Switch cabinet, dimensions: 1250 mm x 1240 mm x 440 mm.	50



88	NN hoses	Pallet with various hoses, dimensions: 1400 mm x 1200 mm x 550 mm.	50
89	Airwell	Airwell air cooled water chiller, dimensions: 1550 mm x 550 mm x 1710 mm.	750
90	Inauen Maschinen AG	Inauen Maschinen AG vacuum machine, type: VC999/07P/F15/220, machine number: 07042384, 400 V, 3 Ph, 50 Hz, 15 A, 10 kW, 5-6 bar, seal length: (1x) 930 mm, (2x) 430 mm, chamber dimensions: 1070 mm x 510 mm, with Rietschle vacuum pump, total dimensions: 1280 mm x 900 mm x 1080 mm.	1250
91	Waldys s.a.	Waldys s.a. packing machine, model: 55, series: 01, number: 903, 300 V, 50 Hz, film width: 400 mm, belt width: 375, wired belt width: 200 mm, total dimensions: 2950 mm x 1450 mm x 1800 mm. Including extra display and roller conveyor. Technical condition unknown.	1250
92	NN turning table	Wooden turning table on steel frame, diameter: 1500 mm, total dimensions: 1500 mm x 1500 mm x 700 mm.	50
93	Altas Copco	Altas Copco compressor, type: GA11VSD, number: API160050, year of construction: 2006, 11 kW, 9.8 bar, 4110 rpm weight: 384 kg, dimensions: 1040 mm x 640 mm x 1910 mm. Incomplete, technical condition unknown.	1250
94	NN cabinet	Steel cabinet, dimensions: 950 mm x 500 mm x 2000 mm.	100
95	NN kitchen block	Wooden kitchen block, with 2 drawers and cabinet, dimensions: 980 mm x 520 mm x 920 mm.	25
96	Schieffer	Schieffer electric shutter door, type: R29 2352611, serial number: 5099523, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 0.4 kW, type of protection: IP54, width door: 2100 mm, height rails: 2100 mm, total dimensions: 2700 mm x 800 mm x 600 mm.	750
97	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 360 mm, total dimensions: 2700 mm x 800 mm x 600 mm.	750
98	Güntner	Güntner evaporator: type: GHF 050E/27-E, year of construction: 2001, minimum temperature: -60°C, 2 fans, dimensions: 2300 mm x 750 mm x 600 mm.	750
99	Dutchi NL	Dutchi NL motor, type: DMAI 8064, number: 2481, year of construction: 1997, 380/400/420 V, 3 Ph, 50 Hz, 2.02/1.94/2.26 A, 0.25 kW, 1385 rpm, weight: 9.6 kg, dimensions: 700 mm x 420 mm x 280 mm.	50
100	SHS Metallbearbeitungs GmbH & Co. KG	SHS Metallbearbeitungs GmbH & Co. KG asparagus peeler, type: SK250, machine number: 474, 230 V, 50 Hz, 6 A, weight: 474 kg, clearance: 100 mm x 80 mm, total dimensions: 1940 mm x 1170 mm x 1400 mm.	9500
101	REA Jet	REA Jet inkjet printer, type: SGT 1/7 LC, serial number: 9770219, dimensions: 390 mm x 370 mm x 1570 mm.	100
102	Schmidt	Schmidt mobile heat exchanger, model: Sigma 16, fabrication number: 61727067106, year of construction: 1976, product: 70% TS, temperature: 100°C till 40°C, capacity: 2000 liter per hour, dimensions: 700 mm x 450 mm x 1420 mm.	500



103	Itavibas g. Silingardi	2 Itavibas g. Silingardi vibrators, type: MVSI 15/200-S02, serial number: 080694083, 080694082, 230/400 V, 3 Ph, 50 Hz, 0.71/0.41 A, 0.17 kW, 1500 rpm, dimensions: (2x) 290 mm x 150 mm x 180 mm.	100
104	NN parts	3 plastic crates with spare parts, among others: Waldys s.a. parts, parts for apple peeler, PND s.r.l. parts, and box with parts for record flowpacker, dimensions: 300 mm x 400 mm x 170 mm, 595 mm x 300 x 240 mm, 595 mm x 300 mm x 200 mm, 570 mm x 400 mm x 270 mm.	250
105	König Sondermaschinen GmbH	König Sondermaschine GmbH tray filling machine, type: SBF-RLS, machine number: 29216, year of construction: 2013, 14 heads, capacity: 3600 trays per hour, tray size: 180 mm x 145 mm x 80 mm, infeed belt, belt width: 200 mm, outfeed belt, belt width: 200 mm, with food control, total dimensions: 2000 mm x 3830 mm x 2220 mm.	12500
106	Trojan Technologies Inc.	Trojan Technologies Inc. UV disinfection for drinking water, type: 841570_A, dimensions: 1030 mm x 400 mm x 120 mm, and Trojan Technologies Inc. switch cabinet, type: SWIFTsc A01, serial number: 1711101107, year of construction: 11/2007, 230 V, 1 Ph, 50 Hz, 0.85 A, 130 W, total dimensions: 1200 mm x 800 mm x 350 mm.	1000
107	NN chairs	4 dining chairs, dimensions: (4x) 420 mm x 445 mm x 820 mm.	80
108	NN chairs	4 dining chairs, dimensions: (4x) 420 mm x 445 mm x 820 mm.	80
109	NN chairs	6 dining chairs, dimensions: (6x) 420 mm x 445 mm x 820 mm.	100
110	NN chairs	6 dining chairs, dimensions: (6x) 420 mm x 445 mm x 820 mm.	100
111	NN chairs	12 dining chairs, dimensions: (12x) 420 mm x 445 mm x 820 mm.	200
112	NN chairs	12 dining chairs, dimensions: (12x) 420 mm x 445 mm x 820 mm.	200
113	NN chairs	16 dining chairs, dimensions: (16x) 420 mm x 445 mm x 820 mm.	300
114	NN chairs	16 dining chairs, dimensions: (16X) 420 mm x 445 mm x 820 mm.	300
115	Guerolo S.A.	Pallet with 18 bags of 20 kg Guerola S.A. hotmelt and two buckets with hotmelt, dimensions bucket: (2x) 430 mm x 390 mm x 700 mm.	500
116	NN cabinet	Steel cabinet, dimensions: 1205 mm x 585 mm x 1620 mm.	30
117	NN cabinet	Steel cabinet, dimensions: 1010 mm x 450 mm x 2280 mm.	30
119	NN table	Table with wooden frame and granite table top, dimensions: 500 mm x 400 mm x 750 mm.	80
120	NN table	Table with wooden frame and granite table top, dimensions: 1200 mm x 400 mm x 810 mm.	120
121	NN table	Table with wooden frame and granite table top, dimensions: 1200 mm x 400 mm x 810 mm.	120



122	NN table	Table with wooden frame and granite table top, dimensions: 1200 mm x 400 mm x 810 mm.	120
123	NN table	2 tables with wooden frame and granite table top, dimensions: (2x) 1200 mm x 400 mm x 810 mm.	240
124	NN table	2 tables with wooden frame and granite table top, dimensions: (2x) 1200 mm x 400 mm x 810 mm.	240
125	NN table	Table with wooden frame and granite table top, dimensions: 500 mm x 400 mm x 750 mm.	80
126	Krefftt	Krefftt cooking vessel with 3 kettles, type KCN 0232, number: 626344, diameter kettle: (3x) 320 mm, height kettle: (3x) 300 mm, total dimensions: 1500 mm x 850 mm x 1400 mm.	250
127	NN table	Table s/s frame and s/s and wood top, dimensions: 2020 mm x 1120 mm x 740 mm.	300
128	Froster	Froster refrigerator, model: EPROG1350H, serial number: E5237329, 230 V, 1 Ph, 50 Hz, 4.7 A, 681 W, refrigerant: R134A, 450 gram, test pressure: 19 bar, dimensions: 1440 mm x 820 mm x 2060 mm.	750
129	Froster	Froster refrigerator, model: PROG1350H, serial number: E5198195, 230 V, 1 Ph, 50 Hz, 4.7 A, 655 W, refrigerant: R134A, 380 gram, test pressure: 19 bar, dimensions: 1440 mm x 820 mm x 2060 mm.	750
130	NN table	Wooden table, dimensions: 1600 mm x 800 mm x 1100 mm.	250
131	NN table	Table with wooden frame and marble table top, dimensions: 1800 mm x 1100 mm x 750 mm.	225
132	NN table	Table with wooden frame and marble table top, dimensions: 1800 mm x 1100 mm x 750 mm.	225
133	Hagola	Hagola table, wooden frame with marble table top, dimensions frame: 2530 mm x 975 mm x 715 mm, dimensions table top: (2x) 1400 mm x 1100 mm x 40 mm.	400
134	NN chairs	8 dining chairs, dimensions: (8x) 440 mm x 430 mm x 840 mm.	400
135	NN chairs	16 dining chairs, dimensions: (16x) 440 mm x 430 mm x 840 mm.	750
136	NN chairs	40 dining chairs, dimensions: (40x) 440 mm x 430 mm x 840 mm.	1800
137	NN tables	21 tables, dimensions: (21x) 1400 mm x 800 mm x 750 mm.	1500
138	NN tables	21 tables, dimensions: (21x) 1400 mm x 800 mm x 750 mm.	1500
140	NN cool cell panels	Large amount of cool cell panels from dismantled cold storage, various sizes among others: 4000 mm x 1050 mm x 120 mm, 9700 mm x 1190 mm x 160 mm, 4000 mm x 630 mm x 120 mm, 1860 mm x 1050 mm x 120 mm, total dimensions cold storage: 10000 mm x 10000 x 4000 mm.	2500



141	GEA	GEA evaporator, type: SCBE 122, serial number: 106821/20/2/94, 230/400 V, 3 Ph, 50/60 Hz, 5/25 bar, -40/100°C, 2 fans, dimensions: 2710 mm x 1370 mm x 940 mm.	225
142	Fincoil	Fincoil evaporator, 2 fans, dimensions: 2900 mm x 1000 mm x 870 mm.	225
143	GEA	GEA evaporator, 3 fans, dimensions: 4000 mm x 1400 mm x 1100 mm.	225
144	Fincoil	Fincoil evaporator, type: FHCE-3-5-4D-FT-IT-PX-R22, number: 158847-016-5, 400 V, 3 Ph, 50 Hz, 1.05/1.98 A, 1400/1150 rpm, -30/20°C, 2 fans, dimensions: 2900 mm x 1000 mm x 860 mm.	225
145	NN evaporator	Evaporator, 2 fans, dimensions: 4000 mm x 1050 mm x 1110 mm.	225
146	NN evaporator	Evaporator, dimensions: 3750 mm x 1070 mm x 380 mm.	225
147	Fincoil	Fincoil evaporator, type: FHCE-3-5-4D-FI-IT, order number: 907957-3-006, year of construction: 18/07/97, 400 V, 3 Ph, 50 Hz, 1.75/1.00 A, 2.1/1.2 A, 0.65/0.52 kW, 1400/1150 rpm, 22/25 bar, -100/100°C, capacity, 65 liter, weight: 300 kg, dimensions: 2900 mm x 950 mm x 860 mm.	225
148	Still	Still forklift, type: B60-16, serial number: 60217104, year of construction: 1994, fork length: 1190 mm, dimensions: 3200 mm x 1150 mm x 2070 mm, battery on separate pallet, dimensions: 1030 mm x 570 mm x 780 mm. Battery charger not included. Defect	750
149	NN elevating belt	Elevating belt with foot control, s/s frame and plastic belt and dividers, belt width: 170 mm, distance between dividers: 240, height dividers: 100 mm, elevating height: 2500 mm, total dimensions: 6000 mm x 800 mm x 2560 mm.	2500
150	Niko	Niko tumbler, type: 072 09 160 101, 400 V, 50 Hz, diameter drum: 1500 mm, height drum: 1400 mm, total dimensions: 2560 mm x 2390 mm x 2630 mm.	4000
151	Bilwinco	Bilwinco multihead weigher, 14 heads, dimensions: 1410 mm x 1250 mm x 1400 mm, including wooden pallet box with parts, parts in plastic pallet box (plastic pallet box not included) and pallet with switch cabinet. Defect.	750
152	NN refrigerated box	Mobile refrigerated box, dimensions: 950 mm x 740 mm x 1750 mm.	50
153	Siemens	Pallet with 2 Siemens motors with ventilator, dimensions: 1200 mm x 800 mm x 800 mm.	800
154	NN tub	Mobile s/s tub with drain, inside dimensions: 1810 mm x 1260 mm x 710 mm, total dimensions: 1960 mm x 1390 mm x 1070 mm.	400
155	NN tub	Mobile s/s tub with drain, inside dimensions: 1930 mm x 1290 mm x 770 mm, total dimensions: 2100 mm x 1420 mm x 1050 mm.	400
156	Kuba	Kuba evaporator, 1 fan, dimensions: 670 mm x 720 mm x 460 mm.	75



157	ECO	ECO evaporator, type: CL 116, 3 fans, dimensions: 1680 mm x 740 mm x 470 mm.	100
158	Bilwinco	Bilwinco multihead weigher, 14 heads, dimensions: 1500 mm x 1400 mm x 1740 mm. Without control panel, technical condition unknown.	750
159	GEA	GEA evaporator, type: SGBE 072 C, serial number: P074330143/2007/14330143/1, 230 V, 1 Ph, 50/60 HZ, 420/3630/4050 W, volume: 10.70 liter, 32 bar, 100/-40°C	150
160	NN elevating belt	Elevating belt, s/s frame, plastic belt and dividers, belt width: 260 mm, distance between dividers: 150 mm, height dividers: 50 mm, elevating height: 2000 mm, total dimensions: 2400 mm x 510 mm x 2430 mm.	800
161	NN cutting blade	Cutting blade, diameter blade: 800 mm	1750
162	NN trolleys	2 s/s trolleys, 20 floors, dimensions floor: 655 mm x 535 mm, total dimensions: (2x) 730 mm x 890 mm x 1790 mm.	50
163	NN trolleys	2 s/s trolleys, 20 floors, dimensions floor: 330 mm x 540 mm, total dimensions: (2x) 540 mm x 720 mm x 1790 mm.	50
164	Semperit	Pallet box with large amount of Semperit hoses, type: LM3, dimensions: 1200 mm x 800 mm x 450 mm.	100
165	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 175 mm, total dimensions: 3250 mm x 400 mm x 780 mm.	300
166	NN elevating belt	Elevating belt, s/s frame, plastic belt and dividers, belt width: 325 mm, distance between dividers: 240 mm, height dividers: 30 mm, total dimensions: 2630 mm x 650 mm x 550 mm.	500
167	NN container	Container with s/s tank, diameter tank: 2500 mm, inside height tank: 2350 mm, outside height tank: 3000 mm, dimensions container: 4940 mm x 2970 mm x 2300 mm, total dimensions: 4940 mm x 2970 mm x 3200 mm.	4000
168	Batscher	Batscher grill, type: 100,512, number: 02G, 380 V, 2 Ph, 50 Hz, 3.9 kW, dimensions: 650 mm x 540 mm x 570 mm.	100
169	Hitec/Foodlife	Hitec/Foodlife filling machine, serial number: 21042 310, dimensions infeed hopper: 900 mm x 800 mm, outfeed diameter: 100 mm, total dimensions: 1050 mm x 1040 mm x 2020 mm.	3500
170	Hitec/Foodlife	Hitec/Foodlife mobile filling machine, type Flex-fill 200, machine number: 20130245, year of construction: 05-2013, dimensions infeed hopper: 750 mm x 550 mm, outfeed diameter: 80 mm, including E2 crate lifter, total dimensions: 1150 mm x 1550 mm x 1710 mm. Incomplete.	2500
171	Ecolab	Ecolab high-pressure station, model: HYBRID-MU421, serial number: 104184,, year of construction: 31.10.2014, 400 V, 50 Hz, 10.6 A, weight: 122 kg, maximum pressure: 2.5 Mpa, maximum temperature: 70°C, water max: 100 liter per minute, dimensions: 1300 mm x 570 mm x 340 mm.	3750



General Terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers

Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Oirschot;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the



website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The user guarantees the accuracy and completeness of the provided personal details at registration. If the personal details change at any time, the user is obliged to inform Industrial Auctions by return of such change(s).

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 The user is forbidden to reproduce the website or any part thereof or make available (through deep linking or otherwise) without the prior written consent of Industrial Auctions. Intellectual property is retained by Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in



any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the supporting system;
- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or



unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;
- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this



shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code



applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.



11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e-mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately



after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.



15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



**Industrial
Auctions** BV



**Industrial
Auctions** BV

Address: Looyenbeemd 11
5652 BH Eindhoven, Netherlands
Tel.: +31 (0)40 2409 208
Fax: +31 (0)40 2409 209
Email: info@industrial-auctions.com
Web: www.industrial-auctions.com

Upcoming auctions:

- 30-07 Online auction unsold lots machinery and inventory due to bankruptcy KLNC Verpakking BV in Zwolle (NL)**
- 31-07 Online auction machinery for the food industry in Sevenum (NL)**
- 13-08 Online auction machinery and inventory due to bankruptcy Van Ruiten Food International BV in Leeuwarden (NL)**
- 21-08 Online auction machinery and inventory on former location Vion Food Group in Wunstorf (DE)**