



Industrial Auctions BV

Online auction machinery for the food industry in
Benschop (NL)

Closing: 31 March 2020 from 14:00 hrs.



Viewing day:

Address:

Benedeneind Noordzijde 388
3405 CC Benschop
Netherlands



General terms and conditions of the online auction

Closing date	31 March 2020 from 14:00 hrs.
Viewing	
Organizing Company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 Fax: +31 (0)40 2409 209 E-mail: info@industrial-auctions.com
Buyers premium	16% over the highest bid
V.A.T	21% over the highest bid including Premium
Pickup date	07 April 2020 from 09:00 till 16:00 hrs.
Pickup address	Benedeneind Noordzijde 388 3405 CC Benschop Netherlands
Delivery instructions	The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Industrial Auctions B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address.
Payment details	Before collection of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in MOnchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is made in the last 5 minutes the lot closes, the closing time of that lot will be extended with 5 minutes until no bids are made.



Nr	Title	Description	Start €
1	Jungheinrich	Jungheinrich electrical pallet lifter, type: ERE 225 kl.P., serial number: 98159908, year of construction: 2016, maximum capacity: 2500 kg, weight without battery: 560 kg, weight battery: 273/310 kg, 2.8 kW, fork length: 1150 mm, total dimensions: 2400 mm x 800 mm x 1500 mm, including Jungheinrich battery charger, dimensions: 500 mm x 500 mm x 750 mm.	500
2	Jungheinrich	Jungheinrich electrical pallet lifter, type: ERE 225 kl.P., year of construction: 2013, maximum capacity: 2500 kg, weight without battery: 560 kg, weight battery: 273/310 kg, 2.8 kW, fork length: 1150 mm, total dimensions: 2400 mm x 800 mm x 1500 mm, including Jungheinrich battery charger, dimensions: 400 mm x 300 mm x 350 mm.	500
3	Jungheinrich	Jungheinrich electrical pallet lifter, type: ERE 225 kl.P., serial number: 98159907, year of construction: 2016, maximum capacity: 2500 kg, weight without battery: 560 kg, weight battery: 273/310 kg, 2.8 kW, fork length: 1150 mm, total dimensions: 2400 mm x 800 mm x 1500 mm, including Jungheinrich battery charger, dimensions: 500 mm x 500 mm x 750 mm.	500
4	Scanvaegt	Scanvaegt mobile 14-heads multihead weigher, type number: Scan Combinator 5414-2L-AD, serial number: BIS 0002387, year of construction: 2007, 3x 400 V, 50 Hz, 2.0 A, weight: 520 kg, dimensions: 1850 mm x 1300 mm x 2700 mm. Including pallet box with parts.	8500
5	Hefter Cleantech	Hefter Cleantech mobile scrubber/dryer, type: Turnado 55, serial number: 19A10 00730, year of construction: 08.04.2010, 24 V DC, 930 W, 220 kg, diameter brush: 300 mm, width squeegee: 700 mm, total dimensions: 1300 mm x 550 mm x 1150 mm.	500
6	NN meat bin	S/s meat bin, volume: 200 liter.	40
7	Karl Schnell	Karl Schnell mobile emulsifier, model: M 320, type: 220, machine number: 18019, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 18.8 A, 11 kW, plate diameter: 400 mm, dimensions: 1300 mm x 600 mm x 1800 mm. Missing cover.	950
8	Garvens Automation GmbH	Garvens Automation GmbH weighing and labelling machine, type: PAS 2001, fabrication number: 170223, year of construction: 2000, 240 V, 50/60 Hz, maximum weight: 6000 gram, minimum weight: 20 gram, e=d=: 1 gram belt width: (6x) 140 mm, with Mettler Toledo display, type: L2-PASS, number: 2367307, 170/240 V, 50/60 Hz, 270/100 mA, total dimensions: 1550 mm x 800 mm x 1900 mm.	1000
9	NN table	S/s table with plastic worktop, dimensions: 2000 mm x 700 mm x 1000 mm.	175
10	Intermec Technologies Corporation	Intermec Technologies Corporation label printer, model: PM4i, 100-240 V, 2-1 A, 50/60 Hz, dimensions: 300 mm x 500 mm x 300 mm.	100



11	Zebra Technologies Corporation	Zebra Technologies Corporation label printer, model: ZM 400tm, serial number: 08J09341036, 100-240 V, 47-63 Hz, 4A, 300 W, dimensions: 270 mm x 430 mm x 350 mm.	100
12	Zebra Technologies Corporation	Zebra Technologies Corporation label printer, model: ZM 4tm, serial number: 08C07360211, 100-240 V, 47-63 Hz, 4A, 300 W, dimensions: 270 mm x 430 mm x 350 mm.	100
13	Zebra Technologies Corporation	Zebra Technologies Corporation label printer, model: ZM 400tm, serial number: 08J09341018, 100-240 V, 47-63 Hz, 4A, 300 W, dimensions: 270 mm x 430 mm x 350 mm.	100
14	Bordex	Bordex wrapping machine, working width: 450 mm, total dimensions: 470 mm x 700 mm x 300 mm.	25
15	Metaltech	Metaltech table model traysealer, type: 290, number: 5675-1182, year of construction: 1998, 220-240 V, 50 Hz, 1.6-2 kW, 7,25 A, 180 °C, dye: 225 mm x 175 mm, film width: 190 mm, total dimensions: 370 mm x 600 mm x 270 mm.	150
16	PMB Fastpack	PMB Fastpack packaging machine, type: Fastpack, 220/240 V, 50 Hz, 530 W, film width: 225 mm, total dimensions: 460 mm x 750 mm x 300 mm.	100
17	NN container trolley	Steel container trolley, dimensions: 650 mm x 900 mm x 1600 mm.	25
18	Espera	Steel container trolley with various parts for Espera weighing equipment, dimensions trolley: 950 mm x 750 mm x 1670 mm.	150
19	Franz Rohwer	Franz Rohwer s/s piston filler, type: 62/1, serial number: 539N, year of construction: 1979, dimensions: 800 mm x 400 mm x 1400 mm.	500
20	Nilma	Nilma speedy cutter, type: DS2, serial number: 1113810, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 4.4 kW, 20 A, capacity: 32 liter, weight: 115 kg, maximum charge: 20 kg, 2800 rpm, dimensions: 650 mm x 450 mm x 1100 mm.	500
21	Scholte	Scholte steel container trolley, dimensions: 800 mm x 700 mm x 1700 mm.	25
22	S.A.M.	S.A.M. slicing and packaging line consisting of: S.A.M automatic slicer, type: S.A.M 329 Cf P2, serial number: 18424, year of construction: 2001, 400 V, 50 Hz, 1.54 A, S.A.M. interleaver, type: IL-4-220, serial number: 100273, year of construction: 2001, 230 V, 50 Hz, 0.43 A, S.A.M. sealing machine, type: P21/21, serial number: 400522, year of construction: 2003, 230 V, 50 Hz, 0.91 A, total dimensions: 1800 mm x 1000 mm x 1450 mm.	1200
23	SG De Jong	2 SG De Jong aluminium ham forms, dimensions: (2x) 250 mm x 300 mm x 200 mm.	100
24	Plus Plastic	2 steel cages with large amount of aluminium trays, dimensions each trays: Ø 130 mm x 27 mm, dimensions each cage: 1200 mm x 800 mm x 900 mm.	100
25	1BiteProducts	2 pallets with large amount of 1BiteProducts plastic trays for 6-amuse glasses, dimensions each tray: 185 mm x 130 mm x 60 mm.	100
26	NN amuse spoons	Pallet with various boxes with amuse spoons.	100



27	Cpet	Pallet with large amount of black plastic trays, dimensions each tray: 225 mm x 175 mm x 250 mm.	75
28	1BiteProducts	Pallet with large amount of 1BiteProducts plastic trays for 6-amuse glasses, dimensions each tray: 185 mm x 130 mm x 60 mm.	50
29	Dynopack Maschinenbau GmbH	Dynopack Maschinenbau GmbH trayselaer, type: 402VG, machine number: 964, year of construction: 11/93, 380 V, 6 kW, 6 bar, dye: 305 mm x 235 mm, film width: 270 mm, total dimensions: 1100 mm x 1000 mm x 1500 mm, including extra form, dye: (2x) 125 mm x 290 mm.	1250
30	Kreff	Kreff cooking vessel with 3 kettles, type KCN 0232, number: 626344, diameter kettle: (3x) 320 mm, height kettle: (3x) 300 mm, total dimensions: 1500 mm x 850 mm x 1400 mm.	250
31	STAS	STAS sorting machine for apples, plastic belt, belt width: 250 mm, total dimensions: 5200 mm x 1500 mm x 2400 mm.	600
32	NN au bain-marie lids	Pallet with 12 crates with various s/s au bain-marie lids, dimensions each lid: 320 mm x 530 mm.	100
33	NN window boxes	Pallet with large amount of window boxes, dimensions each box: 360 mm x 250 mm x 80 mm.	50
34	Bormiolo Rocco & Figlio S.p.a.	Pallet with Bormiolo Rocco & Figlio S.p.a. with large amount of amuse glasses, volume each glass: 5 cl.	75
35	Solia	Pallet with large amount of Solia plastic amuse glasses, volume each glass: 60 ml.	50
36	Bormiolo Rocco & Figlio S.p.a.	2 pallets with Bormiolo Rocco & Figlio S.p.a. with large amount of amuse glasses, volume each glass: 5 cl.	50
37	NN amuse trays	Pallet with large amount of plastic trays for 4 amuse glasses, dimensions each tray: 130 mm x 130 mm x 60 mm.	50
38	1BiteProducts	Pallet with large amount of 1BiteProducts plastic trays for 6-amuse glasses, dimensions each tray: 185 mm x 130 mm x 60 mm.	50
39	1BiteProducts	Pallet with large amount of 1BiteProducts plastic trays for 6-amuse glasses, dimensions each tray: 185 mm x 130 mm x 60 mm.	50
40	Snorkel Economy	Snorkel Economy scissor lift, model number: SP1-32-80-B, serial number: 9607340296, capacity: 1250 lbs, lift height: 32 FT, drive height: 32 FT, dimensions: 3500 mm x 2050 mm x 2350 mm. With 4 new batteries, battery charger is renewed.	2000
41	Tecnomeccanica	Tecnomeccanica box folding machine with Meler glue unit, type: UP, serial number: 92422, year of construction: 1992, 380 V, dimensions: 2570 mm x 1880 mm x 2410 mm, with Tecnomeccanica outfeed station for box folding machine, type: IP, serial number: 92423, year of construction: 1992, 380 V, dimensions: 2800 mm x 920 mm x 1160 mm.	1000
42	Sealpac Maschinenbau GmbH	Sealpac Maschinenbau GmbH traysealer, type: Sealpac 350 V/G, machine number: TVG 01.19001, 3x 400/230 V, 1.5 kg, weight: 450 kg, control type: Omron CQM1-SMC, belt width chain belt: 150 mm, dye: (2x) 115 mm x 150 mm, total dimensions: 3500 mm x 700 mm x 1900 mm.	4000



44	Innotech	Innotech vertical form, fill and seal machine, type: 4500 EVO, machine number: 109 00 364, 230/400 V, vertical seal: 620 mm, horizontal seal: 500 mm, dimensions: 2350 mm x 1700 mm x 2820 mm. Incomplete.	4000
45	König Sondermaschinen GmbH	König Sondermaschinen GmbH filling system for trays and bags, type: TKST-W, year of construction: 2013, dimensions: 1000 mm x 1000 mm x 2700 mm. Including foot control pedal.	1300
46	Ilapak	Ilapak vertical form, fill and seal machine, type: VT 400 S, serial number: S 702 98, year of construction: 10-98, 400 V, 50 Hz, 5000 Watt, diameter filling pipe: 150 mm, horizontal seal: 400 mm, vertical seal: 435 mm, total dimensions: 2000 mm x 1500 mm x 1915 mm.	1750
47	NN tank	S/s tank with agitator, diameter: 1500 mm, height: 1140, total dimensions: 1740 mm x 1640 mm x 1520 mm.	300
48	NN lifter for pallet boxes	Steel lifter for pallet boxes, dimensions pallet boxes: 1330 mm x 1320 mm, plastic belt, belt with: 1200 mm, including outfeed belt, belt width: 340 mm, total dimensions: 3100 mm x 2800 mm x 2350 mm.	450
49	NN inspection and dividing system	Inspection and dividing system provided with custom built Ellips software for dynamic dividing of the apples to the peeling machines, 6 outfeed stations, 2-lanes infeed belt, plastic belt, belt width: (2x) 73 mm, 2-lanes roller conveyor, plastic rolls, roll width: (2x) 130 mm, brush, width: 380 mm, dimensions each cup: 160 mm x 140 mm, total dimensions: 9700 mm x 1500 mm x 3100 mm. Including computer system.	2250
50	ABL s.n.c.	ABL s.n.c. automatic apple peeling line consisting of: ABL s.n.c. infeed gutter, model: SHFL 100, serial number: 141, year of construction: 2000, 3 lanes, weight: 600 kg, dimensions: 2650 mm x 1400 mm x 2140 mm and ABL s.r.l. apple peeler, model: PDS 75, serial number: 105, year of construction: 1995, 380 V, 3 Ph, 50 Hz, 3 lanes, weight: 1000 kg, dimensions: 2700 mm x 1700 mm x 2600 mm.	6000
51	ABL s.n.c.	ABL s.n.c. automatic apple peeling line consisting of: ABL s.n.c. infeed gutter, model: SHFL 100, serial number: 143, year of construction: 2000, 3 lanes, weight: 600 kg, dimensions: 2650 mm x 1400 mm x 2140 mm and ABL s.r.l. apple peeler, model: PDS 75, serial number: 107, year of construction: 1995, 380 V, 3 Ph, 50 Hz, 3 lanes, weight: 1000 kg, dimensions: 2700 mm x 1700 mm x 2600 mm.	6000
52	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 320 mm, total dimensions: 6000 mm x 600 mm x 450 mm.	750
53	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 6800 mm x 650 mm x 1840 mm.	750
54	NN washing belt	Mobile washing belt, steel dewatering belt with dividers, belt width: 600 mm, distance between dividers: 220 mm, divider height: 10 mm, elevating height: 1500 mm, 3x 400 V, total dimensions: 5400 mm x 1200 mm x 1500 mm.	750



55	NN table	Mobile s/s table with plastic worktop, dimensions worktop: 1750 mm x 390 mm, total dimensions: 3550 mm x 800 mm x 1000 mm.	250
56	NN elevating belt	Mobile elevating belt with dividers, s/s frame, plastic belt and dividers, belt width: 500 mm, distance between dividers: 170 mm, height dividers: 75 mm, elevating height: 2100 mm, total dimensions: 2200 mm x 1010 mm x 2380 mm.	850
57	Ammeraal Beltech	Ammeraal Beltech mobile elevating belt, serial number: 1128, s/s frame, plastic belt, belt width: 550 mm, lifting height: 2100 mm, total dimensions: 3600 mm x 850 mm x 2200 mm.	600
58	NN tumbler	S/s tumbler, dimensions tumbler: 700 mm x 700 mm x 900 mm, total dimensions: 2100 mm x 1600 mm x 1800 mm.	500
59	Bedelec Automatisatie	Bedelec automatisatie depositor, plan number: 0641-71, year of construction: 2006, 3x 400 Vac, 2.6/25 A, diameter depositor: 120 mm, total dimensions: 2350 mm x 1200 mm x 2200 mm.	750
60	NN transport belt	Transport belt, steel frame, plastic belt, belt width: 360 mm, total dimensions: 2200 mm x 650 mm x 500 mm.	250
61	Waldys S.A	Waldys S.A. weigh- wrap- and labelling machine, model: B-185, serial number: 494 - 4939, year of construction: 2003, 400 V, 3 Ph, 50/60 Hz, 4.2 A, belt width: 320 mm and 250 mm, film width: 480 mm, total dimensions: 1500 mm x 1400 mm x 1450 mm.	950
62	Masterweigh	Masterweigh 10 heads multihead weigher, steel frame, s/s heads, dimensions multihead weigher: 1500 mm x 1700 mm x 1900 mm, dimensions switch cabinet: 600 mm x 420 mm x 1050 mm.	1500
63	Safeline	Safeline metal detector, serial number: 44004, year of construction: 09/2000, s/s frame, plastic belt, belt width: 250 mm, clearance: 300 mm x 80 mm, with ejector and ejector bin, total dimensions: 1350 mm x 900 mm x 1100 mm.	750
64	Alfa Laval	Alfa Laval wide stream heat exchanger, type: CLIP 6-RM, machine number: 30101-47467, year of construction: 1997, volume: 92.4 liter, maximum pressure: 7 bar, maximum temperature: 130 °C, dimensions: 1450 mm x 600 mm x 1385 mm. Including 9 extra new plates, machines is used for juice, smoothies and puree.	1250
65	Delfin s.r.l.	Delfin s.r.l. flowpacker, model: ORION 600, type: CON,ORIZ, serial number: A107.99, year of construction: 1999, 380 V, 3 Ph, 50 Hz, 3.5 kW, weight: 450 kg, infeed width: 120 mm, outfeed belt width: 280 mm, total dimensions: 3280 mm x 1150 mm x 1650 mm.	1750
66	Valentin Drucksysteme	Valentin Drucksysteme label printer in s/s cabinet, type: Compa II 103/8 T, serial number: 15543957, 110-230 V, 50-60 Hz, 2.5 A, dimensions: 500 mm x 310 mm x 495 mm.	150
67	Niverplast	Niverplast bag sealer, type: ES-480-C-D-P-I, machine number: ESDP0514, year of construction: 2005, 400/230 V, 50 Hz, 16 A, 3 kW, 6 bar, dimensions: 2400 mm x 1200 mm x 2600 mm.	2150



68	Niverplast	Niverplast bag sealer, type: ES-480-C-D-P-I, machine number: ESDP0513, year of construction: 2005, 400/230 V, 50 Hz, 16 A, 3 kW, 6 bar, dimensions: 2400 mm x 1200 mm x 2600 mm.	2150
69	König Sondermaschinen GmbH	König Sondermaschine GmbH tray filling machine, type: SBF-RLS, machine number: 29216, year of construction: 2013, 14 heads, capacity: 3600 trays per hour, tray size: 180 mm x 145 mm x 80 mm, infeed belt, belt width: 200 mm, outfeed belt, belt width: 200 mm, with foot control, total dimensions: 2000 mm x 3830 mm x 2220 mm.	7500
70	Unikon	Unikon crate washer, model: ECO, serial number: M 96254, 400 V, 3 Ph, 50 Hz, clearance: 630 mm x 400 mm, total dimensions: 2900 mm x 750 mm x 1900 mm.	1500
71	Koppert Machines	Koppert Machines buffer belt, s/s frame, plastic belt, belt width: 660 mm, total dimensions: 1650 mm x 950 mm x 1200 mm.	500
72	Koppert Machines	Koppert Machines inspection roller conveyor, type: Leesband, serial number: 2017059, year of construction: 2017, s/s frame, s/s rollers, roller width: 660 mm, total dimensions: 2200 mm x 1050 mm x 1000 mm.	500
73	Koppert Machines	Koppert Machines elevating belt with dividers, s/s frame, plastic belt, type: Opvoerband, serial number: 2017060, year of construction: 2017, belt width: 545 mm, distance between dividers: 50 mm, divider height: 15 mm, elevating height: 3800 mm, total dimensions: 3700 mm x 800 mm x 3800 mm. Missing s/s frame.	1000
74	Koppert Machines	Koppert Machines s/s multihead weigher on s/s frame with 2 outlets, type: Weger, serial number: 2017017, year of construction: 2017, 14 s/s heads, dimensions: 2400 mm x 1500 mm x 3600 mm.	4000
75	Koppert Machines	Koppert Machines transport belt for trays, s/s frame, plastic chain belt, type: Bakjesvuller, serial number: 2017019, year of construction: 2017, belt width: 230 mm, total dimensions: 2900 mm x 700 mm x 1050 mm.	400
76	Koppert Machines	Koppert Machines transport belt, s/s frame, plastic belt, belt width: 220 mm, total dimensions: 3200 mm x 500 mm x 1000 mm.	400
77	Koppert Machines	Koppert Machines cup filling machine for 8 cups, type: Bekervuller, serial number: 2017018, year of construction: 2017, diameter cups: 80 mm, belt width: 100 mm, total dimensions: 1700 mm x 900 mm x 2200 mm. Including crate with spare parts and 2 extra denester dye's, diameter dye's: 120 mm and 125 mm.	1750
78	Koppert Machines	Koppert Machines s/s turning table, type: Draaitafel, serial number: 2017061, year of construction: 2017, diameter table: 1250 mm, total dimensions: 1350 mm x 1350 mm x 1000 mm.	750



79	Airpress / V.R.B. Friesland	Airpress / V.R.B. Friesland screw air compressor, type: APS10D/10, serial number: CAI036460, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 7.5 kW, dimensions: 965 mm x 615 mm x 1050 mm, with Ingersoll-Rand dryer, dimensions: 560 mm x 490 mm x 795 mm. Including Airpress pressure vessel, serial number: 19125, year of construction: 2001, volume: 500 liter, working pressure: 16 bar, test pressure: 24 bar, dimensions: 700 mm x 700 mm x 2200 mm. Airpress / V.R.B. Friesland screw air compressor, type: APS10D/10, serial number: CAI036460, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 7.5 kW, dimensions: 965 mm x 615 mm x 1050 mm, with Ingersoll-Rand dryer, dimensions: 560 mm x 490 mm x 795 mm. Including Airpress pressure vessel, serial number: 19125, year of construction: 2001, volume: 500 liter, working pressure: 16 bar, test pressure: 24 bar, dimensions: 700 mm x 700 mm x 2200 mm.	1250
80	Greefa Machinebouw b.v.	Greefa machinebouw b.v. steel tilting devices for pallet boxes, dimensions box: 1150 mm x 1150 mm x 750 mm, total dimensions: 1800 mm x 2000 mm x 2200 mm.	250
81	Bilwinco A/S	Bilwinco A/S 10 heads multihead weigher on s/s frame, type: DL6010-S, order number: 5264, year of construction: 2002, 3x400 V, 50 Hz, 10 A, 5000 VA, weighing range: 10-1000 gram, 5-10 bar, s/s heads, dimensions: 2700 mm x 1500 mm x 2250 mm.	2000
82	Rex-Maschinen	Rex-Maschinen grinder, machine type: DN 114/1, machine number: 310589, 380 V, 50 Hz, 5.5 kW, plate diameter: 114 mm, total dimensions: 1000 mm x 700 mm x 1050 mm.	800
83	NN vacuum machine	Mobile vacuum machine, seal length: 600 mm and 500 mm, dimensions chamber: 610 mm x 430 mm, total dimensions: 800 mm x 700 mm x 1050 mm.	250
84	Garvens Automation GmbH	Garvens Automation GmbH checkweigher, type: SL3 PM, fabrication number: 4283, maximum 350 gram, 230 V, 50 Hz, belt width: 230 mm, total dimensions: 1100 mm x 700 mm x 1600 mm. Incomplete, technical condition unknown.	500
85	Garvens Kontrollwaagen AG	Garvens Kontrollwaagen AG checkweigher, type: SL3/PM, fabrication number: 3926, maximum 1200 gram, 220 V, 50 Hz, belt width: 130 mm, total dimensions: 1000 mm x 700 mm x 1400 mm. Technical condition unknown.	500
86	Garvens Automation GmbH	Garvens Automation GmbH checkweigher, type: SL3 PM, fabrication number: 4282, year of construction: 1988, maximum 350 gram, min: 20 gram, e= 1 gram, 230 V, 50 Hz, belt width: 300 mm, total dimensions: 1400 mm x 800 mm x 1400 mm. Incomplete, technical condition unknown.	500
87	Garvens Automation GmbH	Garvens Automation GmbH checkweigher, type: SL3/PM, fabrication number: 4995, year of construction: 1991, maximum 6000 gram, 220 V, 50 Hz, belt width: 300 mm, total dimensions: 1650 mm x 800 mm x 1650 mm. Incomplete, technical condition unknown.	500



88	Atoma	Atoma double lane multihead weigher with vibrating gutter, steel frame, s/s heads, fabrication number: 500809, year of construction: 1973, weighing range: 50-500 gram, gutter width: (2x) 200 mm, total dimensions: 2400 mm x 800 mm x 2500 mm, dimensions switch cabinet: 700 mm x 500 mm x 1000 mm.	500
89	Schröter GmbH & Co. KG Anlagenbau	Schröter GmbH & Co. KG Anlagenbau s/s smoke generator on wood chips, type: R70, serial number: 1483, year of construction: 6/1991, dimensions: 1100 mm x 1400 mm x 1900 mm.	2400
90	Decatechnic nv	Decatechnic nv mobile traysealer, type: SM 160 6 meca 900, film width: 430 mm, tray size: 300 mm x 140 mm, with Busch vacuum pump, dimensions: 1450 mm x 820 mm x 1930 mm. Incomplete.	250
91	Saeco	Saeco coffee machine, type: D.A. SG 650 2M, model: Atlante 2 M, year of construction: 11/2008, 230 V, 50 Hz, 2300 W, dimensions: 770 mm x 900 mm x 1920 mm.	250
92	Saeco	Saeco vending machine, type: NS 8, model: New Spiral Food 8S, year of construction: 03/2010, 230 V, 50 Hz, 600 W, dimensions: 920 mm x 950 mm x 1820 mm.	250
93	Vacuumpump SPA	Vacuumpump SPA traysealer, model: GV70E, serial number: 78070497, year of construction: 1997, 380 V, 50 Hz, 6.5 kW, belt width infeed belt: 465 mm, roller width: 540 mm, dye: 335 mm x 280 mm, total dimensions: 3200 mm x 750 mm x 810 mm, including pallet with 2 extra forms, dye: (2x) 185 mm x 140 mm and (2x) 190 mm x 190 mm.	1500
94	CFS	CFS mobile teflon belt grill, type: BG600/420, machine number: 573, 380 V, 3 Ph, 50 Hz, 14 A, 9 kW, weight: 240 kg, belt width: 460 mm, total dimensions: 1450 mm x 1000 mm x 1320 mm.	1500
95	Afoheat	Afoheat grill, clearance: 400 mm x 300 mm, total dimensions: 2700 mm x 1200 mm x 2500 mm, s/s mesh belt, belt width: 300 mm, total dimensions: 3000 mm x 800 mm x 950 mm.	2500
96	NN fryer	S/s fryer, dimensions: 1600 mm x 600 mm x 900 mm.	250
97	Kemper	Kemper spiral mixer for dough, type: SPL 125, fabrication number: 676234, dimensions: 1000 mm x 1400 mm x 1400 mm.	1500
98	Bonnet	Bonnet double fryer with s/s cabinet, year of construction: 2007, dimensions frying pan (2x): 350 mm x 180 mm x 130 mm, total dimensions: 1200 mm x 740 mm x 930 mm.	1300
99	Bonnet	Bonnet double induction plates, model: B-B7.IND 2x3.E4, fabrication number: P46140036 1/P4610013 2, year of construction: 2007, 400 V, 50 Hz, 13 A, 6.0 kW, with s/s cabinet, total dimensions: 1200 mm x 740 mm x 930 mm.	1300
100	NN grinder	Mobile grinder, plate diameter: 115 mm, total dimensions: 600 mm x 500 mm x 740 mm.	950
101	Siat	Siat box closing machine, belt width: 270 mm, maximum box width: 470 mm, total dimensions: 1300 mm x 700 mm x 1650 mm.	175



102	Holac	Holac belt cutting machine, type: S 14, machine number: 400.05.05, belt width: 130 mm, clearance: 140 mm x 130 mm, total dimensions: 1740 mm x 920 mm x 1550 mm.	600
103	Schröder	Schröder injector with s/s walking beam, type: IMAX 350, number: 35026102, year of construction: 2002, 400/440 V, 50/60 Hz, 8 kW, 17 A, 4 bar, walking beam width: 350 mm, total dimensions: 1500 mm x 800 mm x 1900 mm.	5050
104	NN dough moulding machine	Mobile dough moulding machine, clearance: 350 mm, total dimensions: 1550 mm x 800 mm x 1750 mm.	2500
105	NN sink	S/s sink with faucet, dimensions: 500 mm x 400 mm x 1000 mm.	50
106	Jøni Foodline A/S	Jøni Foodline A/S tiltable frying pan, type: J-675 D, number: 11635-793, year of construction: 2002, 3 x 400 V, 50 Hz, 17.6 kW, inside dimensions: 980 mm x 560 mm x 180 mm, total dimensions: 1500 mm x 900 mm x 1050 mm.	1600
107	VLB	VLB mobile bread slicer, type: JLU 40/12.5, 220-380 V, 50 Hz, 1/2 HP, 30 knives, distance between knives: 12.5 mm, dimensions: 600 mm x 650 mm x 1300 mm. One wheel is broken.	150
108	NN slicer	Table model slicer, type: F 300 I, number: 1000 1310, year of construction: 2010, 240 V, 50 Hz, 0.300 kW, dimensions: 600 mm x 500 mm x 500 mm.	150
109	Berkel	Berkel table model slicer, model: 834 S, number: 627999W, year of construction: 1995, 230 V, 1 Ph, 50 Hz, 220 W, dimensions: 600 mm x 600 mm x 500 mm.	150
110	Rieber Werke AG	Rieber Werke AG s/s universal dispenser for trays and baskets, type: PO-Q1/1, serial number: 2500319, maximum capacity: 300 kg, dimensions: 650 mm x 800 mm x 930 mm.	220
111	Blanco	Blanco heated plate dispenser, model: 2 SHV 21-26 E, article number: 564243, 230 V, 50 Hz, 7.8 A, 1.8 kW, plate dimensions: (2x) 230 mm, total dimensions: 430 mm x 900 mm x 950 mm.	110
112	NN ham press	Ham press, diameter filling pipe: 85 mm, total dimensions: 1400 mm x 650 mm x 1200 mm.	175
113	Eillert	Eillert salad spinner, type: MSD-500-VA, machine number: 163, year of construction: 2008, 230 V, 1 Ph, 16 A, 0.75 kW, diameter basket: 410 mm, height basket: 290 mm, total dimensions: 630 mm x 900 mm x 930 mm.	2500
114	Hobart	Hobart mobile grinder, model: 4732 SS, serial number: 11-218-22, 380 V, 3 Ph, 50 Hz, 4.6 A, 1425 rpm, plate diameter: 100 mm, total dimensions: 1200 mm x 600 mm x 1300 mm.	225
115	NN frame	S/s frame for E2 crates, with plastic worktop, dimensions: 900 mm x 600 mm x 1350 mm.	75
116	NN frame	S/s frame for E2 crates, with plastic worktop, dimensions: 900 mm x 600 mm x 1350 mm.	75
117	NN frame	S/s frame for E2 crates, with plastic worktop, dimensions: 900 mm x 600 mm x 1350 mm.	75



118	NN frame	S/s frame for E2 crates, with plastic worktop, dimensions: 900 mm x 600 mm x 1350 mm.	75
119	Technopack Ewald Hahe Dorn K.G.	Technopack Ewald Hahe Dorn K.G. table model clipper, model: HDV 71/2.298, dimensions: 270 mm x 350 mm x 800 mm.	50
120	Coldelite Europe	Coldelite Europe milkshake machine, type: EFS 204 IECS, serial number: 692907, 380 V, 3 Ph, 50 Hz, 10 A, refrigerant: R22 gas 0.8 kg, year of construction: 1995, dimensions: 520 mm x 1100 mm x 1600 mm.	410
121	Imperial Werken GmbH & Co.	Imperial Werken GmbH & Co. vegetable washer, type: E-GS 200, Fabric number: 33.502, year of construction; 1990, 380 V, 3 Ph, 50 Hz, 3.2 kW, inside dimensions: 1000 mm x 500 mm x 400 mm, total dimensions: 1240 mm x 870 mm x 930 mm.	150
122	NN fryer	Tiltable fryer, type: EK 14-80, number: 4463, 380/220 V, inside dimensions: 900 mm x 700 mm x 150 mm, total dimensions: 1500 mm x 1000 mm x 1100 mm.	200
123	Groba	Groba vegetable slicer, dimensions: 520 mm x 600 mm x 1100 mm.	300
124	Rhima	Rhima dish washer, dimensions: 720 mm x 800 mm x 1700 mm.	700
125	Rhima	Rhima dishwasher, model: DR 165, serial number: 03012164, 400 VAC, 50 Hz, 15 A, 790 W, dimensions: 900 mm x 800 mm x 1800 mm.	800
126	Marvu	3 Marvu electrical roller conveyors, roller width: 430 mm, total dimensions: (3x) 1200 mm x 800 mm x 260 mm.	225
127	Lafis	Lafis electrical pallet lifter, fork length: 980 mm, total dimensions: 1500 mm x 670 mm x 1500 mm. Including BAE battery charger.	500
128	NN dyes	2 pallets with dyes for traysealer, dye: (3x) 220 mm x 145 mm.	250
129	Tennant	Tennant floor scrubber, type: T5 Fast, serial number: T510703213, year of construction: 2008, 24 V, 1.2 kW, weight: 285 kg, dimensions: 1450 mm x 1100 mm x 1150 mm. Including Tennant battery charger, model: BC5-MF-1041690, serial number: 292382, 230 V, 50/60 Hz, year of construction: 2007.	1250
130	Kuba	Kuba evaporator, 1 fan, dimensions: 670 mm x 720 mm x 460 mm.	50
131	AEG	AEG battery charger, model: Mikroprozessor-Ladegerät LT20, dimensions: 126 mm x 150 mm x 120 mm.	10
133	NN buckets	2 plastic buckets on plastic rollie, dimensions rollie: 400 mm x 400 mm.	50
134	NN roller conveyors	8 roller conveyors, steel frame, steel rollers, roller width: 80 mm, total dimensions: 2700 mm x 100 mm x 75 mm.	150
135	Busch	Busch vacuum pump, type: SV 1016 B 000 IHXX, number: 0C02950102, year of construction: 1997, ultimate pressure: 150 mbar, dimensions; 400 mm x 230 mm x 370 mm.	100
136	Ravas	Ravas battery charger, dimensions: 200 mm x 150 mm x 350 mm.	10



137	Weda / Bascules Robbe N.V.	Weda weighing scale, model: Dexal, serial number: 2138045, 220 V, 50 Hz, maximum weight: 15 kg, minimum weight: 100 g, e= 5 g, dt=5 g, T= -15 kg, dimensions scale: 400 mm x 400 mm and Bascules Robbe N.V. weighing scale, type: 83II, number: 4995/B94, 220 V, 50 Hz, maximum weight: 30 kg, minimum weight: 500 g, e=d=dt=10 g, T= -30 kg, dimensions: 500 mm x 500 mm.	50
138	NN IBC tank	IBC tank, volume: 1000 liter, dimensions: 1000 mm x 1200 mm x 1400 mm.	10
140	Aquarius	Aquarius vertical form, fill and sealing machine, film width: 915 mm, seal width: 470 mm, total dimensions: 2150 mm x 1600 mm x 2300 mm. Incomplete. Used for spare parts, including pallet with vacuum pump and hydro pump.	150
141	Witt-Gasetechnik	Witt-Gasetechnik gas mixing station, type: type: KM 100 2 M, number: 27907, year of construction: 1997, gas: CO ₂ / N ₂ , PN max: 3 bar, dimensions: 300 mm x 400 mm x 250 mm. Defect.	50
142	NN trolley for barrels	Steel trolley for barrels, dimensions: 1700 mm x 600 mm x 1100 mm.	10
143	Kersting	Kersting 2-lane transport belt, machine number: A-2485-35-1, year of construction: 1993, 380 V, 50 Hz, 2 plastic mesh belt, belt width: (2x) 400, total dimensions: 1550 mm x 1000 mm x 990 mm.	200
144	Friga-Bohn	Friga-Bohn evaporator, model: LUC 545 C, serial number: KP0130, 230/320 V, 1/3 Ph, 50 Hz, 5,4 A, 3 fans, dimensions: 1230 mm x 500 mm x 480 mm.	100
145	Bock / DMW Copeland	4 pallet boxes with: Bock cooling compressor, model: AM 34233-4LN, number: M19794, year of construction: 1981, 24 bar, 1420 rpm, dimensions: 950 mm x 600 mm x 600 mm, DMW Copeland cooling compressor, dimensions: 870 mm x 750 mm x 450 mm, Bock cooling compressor, type: AM3/185, 4 L, number: S28597, year of construction: 1986, 1420 rpm, 6.8 liter, 24 bar, dimensions: 800 mm x 600 mm x 600 mm and evaporator, dimensions: 600 mm x 600 mm x 500 mm and cooling compressor, dimensions: 450 mm x 550 mm x 340 mm, dimensions pallet boxes: 1200 mm x 800 mm x 700 mm.	225
146	Friga-Bohn	Friga-Bohn evaporator, model: LUC 545 C, serial number: KP0130, 230/320 V, 1/3 Ph, 50 Hz, 5,4 A, 3 fans, dimensions: 1230 mm x 500 mm x 480 mm.	100
147	Gardner Denver	Gardner Denver vacuum pump, type: R-VWP 1000, serial number: SC10280552001/2016, 2855/3480 rpm, 43 mbar, dimensions: 950 mm x 500 mm x 550 mm.	225
148	Siemens	Pallet with 2 Siemens motors with ventilator, dimensions: 1200 mm x 800 mm x 800 mm.	600
149	Lafis	Lafis electric pallet lifter, type: LEH 18 c, serial number: 1.1.34863, year of construction: 02/01, capacity: 1800 kg, fork length: 980 mm, total dimensions: 1500 mm x 670 mm x 1500 mm. Including BAE battery charger, type: E230 G 24/25 B40-FP, 230 V, 50/60 Hz.	500



150	Atlet AB	Atlet AB electric pallet lifter, model: PLL180L, serial number: PLL50515/01, year of construction: 2007, capacity: 1800 kg, fork length: 1000, total dimensions: 1530 mm x 670 mm x 1410 mm. Including Midac battery charger, type: SMC-HF 800, 220-240 V, 50/60 Hz.	750
151	Atlet AB	Atlet AB electric pallet lifter, model: PLL180L, serial number: PLL50515/01, year of construction: 2007, capacity: 1800 kg, fork length: 1000, total dimensions: 1530 mm x 670 mm x 1410 mm. Including Micro Power battery charger, model: SMC-HF 600, 220-240 V, 3.5 A.	750
152	Atlet AB	Atlet AB electric pallet lifter, model: PSD/125TH209, serial number: PSD64832/04, year of construction: 2009, weight without battery: 600 kg, fork length: 1000 mm, total dimensions: 1750 mm x 670 mm x 1550 mm. Including Micro Power battery charger, type: SMC-HF 24/30, 220-240 V, 1 Ph, 50-60 Hz.	1500
153	Cesab	Cesab electric pallet lifter, type: P218, number: 6427648, year of construction: 2016, capacity: 1800 kg, weight without battery: 315, weight battery: 180-235 kg, 24 V, fork length: 1000 mm, total dimensions: 1550 mm x 730 mm x 1300 mm. Including Micro Power battery charger, type: SMC-HF 24/30, serial number: 17027064, 220-240 V, 1 Ph, 50-60 Hz, 4.5 A.	1250
154	Atlet AB	Atlet AB electric pallet lifter, model: PSD/125TH209, serial number: PSD64811/04, year of construction: 2009, weight without battery: 600 kg, fork length: 1000 mm, total dimensions: 1750 mm x 670 mm x 1550 mm. Including Micro Power battery charger, type: SMC-HF 24/30, 220-240 V, 1 Ph, 50-60 Hz.	1500
155	DAB	DAB circulation pump, type: CM 80-650/A/BAQE/0.75, model: 1D511G33 L001357 410, capacity: 41 m ³ /h, 1.1 kW, dimensions: 520 mm x 360 mm x 240 mm.	50
156	NN cabinet	Steel cabinet, dimensions: 470 mm x 700 mm x 1380 mm.	45
157	Nicolai	11 Nicolai cabinets, dimensions: 1950 mm x 1000 mm x 400 mm and 2000 mm x 1000 mm x 450 mm.	100
158	NN smoke trolley	S/s smoke trolley, 15 floors, 10 plates, floor dimensions: 850 mm x 720 mm, total dimensions: 860 mm x 740 mm x 1630 mm.	150
159	NN smoke trolley	S/s smoke trolley, 7 floors, 7 plates, floor dimensions: 850 mm x 740 mm, total dimensions: 860 mm x 760 mm x 1680 mm.	150
160	NN smoke trolley	S/s smoke trolley, 9 floors, floor dimensions: 940 mm x 940 mm, total dimensions: 1025 mm x 940 mm x 1835 mm. Missing wheels.	150
161	NN smoke trolleys	3 s/s smoke trolleys, 15 floors, floor dimensions: 1000 mm x 920 mm, total dimensions: 1110 mm x 1100 mm x 1970 mm.	450
162	NN meat hooks	Steel trolley with large amount of DIN 250 meat hooks, dimensions: 2000 mm x 1000 mm x 1600 mm.	710
163	NN roller conveyor	Double roller conveyor, s/s frame, plastic roller, roller width: 380 mm, total dimensions: 2100 mm x 840 mm x 960 mm.	100



164	NN roller conveyor	Double roller conveyor, s/s frame, plastic roller, roller width: 380 mm, total dimensions: 2100 mm x 840 mm x 960 mm.	100
165	NN roller conveyor	Double roller conveyor, s/s frame, plastic roller, roller width: 380 mm, total dimensions: 2100 mm x 840 mm x 960 mm.	100
166	NN transport belt	Transport belt , plastic belt, belt width: 500 mm, total dimensions: 3480 mm x 870 mm x 720 mm.	400
167	NN crates	2 pallets with 56 plastic crates, crate dimensions; 600 mm x 400 mm x 120 mm.	75
168	NN ham press	Ham press with s/s table with plastic worktop, diameter press: 100 mm, length: 900 mm, total dimensions: 2750 mm x 850 mm x 1050 mm.	450
169	NN transport belt	6 s/s frames for transport belt, belt width: 620 mm, total dimensions: (3x) 3950 mm x 950 mm x 350 mm, (2x) 2600 mm x 700 mm x 950 and (1x) 3600 mm x 700 mm x 400 mm, pallet with plastic mesh belt, belt width: 620 mm.	600
170	NN plastic belt	Pallet with plastic mesh belt, belt width: 620 mm.	50
171	NN roller conveyor	Double roller conveyor, s/s frame, plastic rollers, roller width: 430 mm, clearance: 430 mm x 280 mm, total dimensions: 7000 mm x 600 mm x 800 mm.	300
172	Asselbergs & Nachenius BV	Asselbergs & Nachenius BV extraction unit, type: LHRE 16-340, fabric number: 229287, dimensions: 2400 mm x 1300 mm x 770 mm.	150
173	Marvu	Marvu electric roller conveyor, roller width: 430 mm, total dimensions: 1200 mm x 800 mm x 260 mm.	50
174	NN elevating belt	Elevating belt with dividers, s/s frame, s/s belt and dividers, belt width: 540 mm, distance between dividers: 300, height dividers: 50 mm, elevating height: 2750 mm, total dimensions: 2970 mm x 820 mm x 3100 mm.	1750
175	Marcelissen b.v.	Marcelissen b.v. elevating belt, s/s belt and dividers, machine number: 99.101.396, belt width: 300 mm, distance between dividers: 190 mm, height dividers: 70 mm, total dimensions: 4100 mm x 970 mm x 1610 mm.	1500
176	Marcelissen b.v.	Marcelissen b.v. elevating belt, s/s belt and dividers, machine number: 99.101.392, belt width: 300 mm, distance between dividers: 190 mm, height dividers: 70 mm, total dimensions: 4400 mm x 1590 mm x 1700 mm.	1500
177	Bvba Vermeersch Konstruktie	Bvba Vermeersch konstruktie fans, 6 fans, type: JVK VT, serial number: 00 03, year of construction: 2000, speed: 1990 m/ min, dimensions: 4270 mm x 1300 mm x 2030 mm.	180
178	Urschel Laboratories Inc.	Pallet with various frames and infeed hoppers, among others 1 infeed hopper for Urschel Laboratories Inc. dicer.	150
179	Urschel Laboratories Inc.	Pallet with various frames and infeed hoppers, among others 1 infeed hopper for Urschel Laboratories Inc. dicer.	150
180	NN frame	S/s frame used for Urschel dicer, dimensions: 1400 mm x 1200 mm x 900 mm.	75
181	NN hoses	Pallet with vacuum hoses and plastic hoses.	50
182	NN conveyor	S/s conveyor with s/s trays, tray dimensions: 100 mm x 95 mm, total dimensions: 1600 mm x 300 mm x 350 mm.	100



183	NN transport belt	3 transport belts, s/s frame, belt width: 375 mm, total dimensions: 3150 mm x 800 mm x 140 mm.	250
184	NN frame for transport belt	S/s frame for transport belt, belt width: 235 mm, total dimensions: 2550 mm x 440 mm x 630 mm.	150
185	NN platform	S/s platform, dimensions: 2650 mm x 900 mm x 1040 mm.	50
186	NN frame	Frame for transport belt, belt width: 500 mm, total dimensions: 2800 mm x 550 mm x 1000 mm.	90
187	D&D Engineering	D&D; Engineering transport belt, fermentation controller, s/s frame, plastic belt, belt width: 480/420 mm, total dimensions: 6040 mm x 1000 mm.	500
188	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 540 mm, total dimensions: 3920 mm x 960 mm x 800 mm.	500
189	Optipack	Optipack 10 heads multihead weigher on steel frame with masterweigh weighing system, model weighing system: sirius, number: 260, year of construction: oct 90, 240 V, 5 A, total dimensions: 4500 mm x 2600 mm x 2620 mm.	2500
190	Schröter GmbH	Schröter GmbH cooking chamber for 2 smoke trolley, inside dimensions: 1100 mm x 2150 mm x 2050 mm, outside dimensions: 1300 mm x 2500 mm x 3000 mm.	2700
191	Tolsma Tankbouw BV	Tolsma Tankbouw BV diesel tank, fabric number: 02CDW0642, volume: 3000 liter, dimensions: 2700 mm x 1350 mm x 1700 mm. Used for lot number 436-179.	750
192	Kuiper & Zn BV	Kuiper & Zn BV steam boiler installation in trailer, year of construction: 1994, capacity: 1000 kg per hour, 12 bar, Monarch burner, type: L5Z, fabric number: 4018602, year of construction: 1994, dimensions boiler: 3170 mm x 2000 mm x 2000 mm, dimensions trailer: 6600 mm x 2200 mm x 2880 mm.	3000
193	Schutz	2 Schutz IBC tanks, volume: 1000 liter, dimensions: (3x) 1200 mm x 1000 mm x 1150 mm.	90
194	Schutz	2 Schutz IBC tanks, volume: 1000 liter, dimensions: (3x) 1200 mm x 1000 mm x 1150 mm.	90
195	Schutz	4 Schutz IBC tanks, volume: 1000 liter, dimensions: (4x) 1200 mm x 1000 mm x 1150 mm.	200
196	M1 Engineering Ltd.	M1 Engineering Ltd. s/s double jacketed water tank used as back-up for wastewater, serial number: 2575/91, year of construction: 28/5/92, volume: 26511 liter, dimensions: 6100 mm x 2500 mm x 2600 mm.	2500
197	REA	REA rack, dimensions: 3500 mm x 500 mm x 2100 mm.	100
198	REA	REA rack, dimensions: 3500 mm x 500 mm x 2100 mm.	100
199	REA	REA rack, dimensions: 3500 mm x 500 mm x 2100 mm.	100
200	NN plastic crates	720 plastic E2 crates.	1000
201	NN infeed bunker	S/s infeed bunker, working width: 910 mm, total dimensions: 1800 mm x 1400 mm x 1900 mm.	500
202	NN deboning belt	Deboning belt, s/s frame, s/s belt, belt width: 800 mm, belt length: 6120 mm, belt width top belt: 450 mm, total dimensions: 6500 mm x 1100 mm x 1700 mm.	4000



203	Koppert Machines / Etipack	Koppert Machines / Etipack labelling machine, name: Strong 100, serial number: 17/000000803, 100-240 V, 50-60 Hz, 2.0 A, 070 W, dimensions: 1100 mm x 800 mm x 1400 mm.	300
215	Helpman	Helpman roof condenser, 8 fans, type: LCY-244, series: NK, 220/380 V, 3 Ph, 50 Hz, 1000/500 rpm, 3.2/1.1 A, maximum working pressure: 23 bar, dimensions: 5400 mm x 2350 mm x 1600 mm. This lot is located at another location in Tilburg, The Netherlands. Viewing and pick-up in consultation with Industrial Auctions BV. This lot is already professionally dismantled.	1000
216	Helpman	Helpman roof condenser, 2 fans, type: LCY-124, series: BN, 220/380 V, 3 Ph, 50 Hz, 1000/500 rpm, 3.2/1.1 A, maximum working pressure: 23 bar, dimensions: 2900 mm x 1200 mm x 1600 mm. This lot is located at another location in Tilburg, The Netherlands. Viewing and pick-up in consultation with Industrial Auctions BV. This lot is already professionally dismantled.	500
217	Helpman	Helpman roof condenser, 2 fans, type: HTC 090-124 V ZWB. 610, serial number: 536173-140803-43575, year of construction: 2004, 400 V, 3 Ph, 50 Hz, TS: 55/63° C, PS: -1/33 bar, volume: 38 liter, weight: 545 kg, refrigerant: R22/R134a/R404A/R401B/R407C/R417A/R507A, dimensions: 2900 mm x 1200 mm x 1600 mm. This lot is located at another location in Tilburg, The Netherlands. Viewing and pick-up in consultation with Industrial Auctions BV. This lot is already professionally dismantled.	500



General Terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers

Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Oirschot;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the



website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The user guarantees the accuracy and completeness of the provided personal details at registration. If the personal details change at any time, the user is obliged to inform Industrial Auctions by return of such change(s).

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 The user is forbidden to reproduce the website or any part thereof or make available (through deep linking or otherwise) without the prior written consent of Industrial Auctions. Intellectual property is retained by Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in



any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the supporting system;
- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or



unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;
- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this



shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code



applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.



11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expence and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e-mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately



after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.



15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



**Industrial
Auctions** BV



**Industrial
Auctions** BV

Address: Looyenbeemd 11
5652 BH Eindhoven, Netherlands
Tel.: +31 (0)40 2409 208
Fax: +31 (0)40 2409 209
Email: info@industrial-auctions.com
Web: www.industrial-auctions.com

Upcoming auctions:

- 14-04 Online auction food processing machinery, bakery and catering equipment in Eindhoven (NL)**
- 16-04 Online auction machinery and slaughtering technology in Sint-Oedenrode (NL)**
- 29-04 Online auction machinery for the food industry on former location Kuijten Verswaren in Eindhoven (NL)**