



Industrial Auctions BV

Online auction machinery for the food industry in Suffolk
(UK)

Closing: 01 April 2020 from 14:00 hrs.



Viewing day:

Address:

Chapel Pond Hill
IP32 7HT Bury St. Edmunds
United Kingdom



General terms and conditions of the online auction

Closing date	01 April 2020 from 14:00 hrs.
Viewing	
Organizing Company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 Fax: +31 (0)40 2409 209 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
V.A.T	20% over the highest bid including Premium
Pickup date	15 April 2020 from 09:00 till 16:00 hrs.
Pickup address	Chapel Pond Hill IP32 7HT Bury St. Edmunds United Kingdom
Delivery instructions	The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Industrial Auctions B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address.
Payment details	Before collection of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in MOChengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is made in the last 5 minutes the lot closes, the closing time of that lot will be extended with 5 minutes until no bids are made.



Nr	Title	Description	Start €
1	Butcher Boy	Butcher Boy mixer-grinder, type: MG10/220F, serial number: S106, year of construction: 2002, plate diameter: 220, total dimensions: 2450 mm x 1300 mm x 2200 mm.	7000
2	Butcher Boy	Butcher Boy mixer-grinder, type: MG10/220F, serial number: S105, year of construction: 2002, plate diameter: 220, total dimensions: 2450 mm x 1300 mm x 2200 mm.	7000
3	Blentech	Blentech Steam Therm cooker, model: ST-45048-JX, serial number: 2000656, year of construction: 2000, inside dimensions: 1200 mm x 1120 mm x 1200 mm, total dimensions: 3400 mm x 1350 mm x 2600 mm.	6500
4	Belam	Belam injector, type: MI-450, machine number: 9703-016.0038, year of construction: 1997, 415 V, 50 Hz, walking beam, clearance: 440 mm x 220 mm, total dimensions: 2300 mm x 900 mm x 1900 mm.	3000
5	AK Ramon	AK Ramon mixer, s/s bowl, diameter bowl: 550 mm, height bowl: 330 mm, total dimensions: 820 mm x 600 mm x 1410.	1000
6	Magurit	Magurit guillotine, model: Unicut 550, 400 V, 3 Ph, maximum block: 480 mm x 260 mm x 340 mm, knife width: 490 mm, total dimensions: 2450 mm x 1000 mm x 2030 mm.	4500
7	NN tank	S/s tank with agitator, diameter tank: 720 mm, height tank: 820 mm, total dimensions: 970 mm x 970 mm x 2180 mm.	800
8	NN tank	S/s tank with agitator, diameter tank: 860 mm, height tank: 990 mm, total dimensions: 1300 mm x 980 mm x 1940 mm.	800
9	DC Norris	DC Norris tiltable cooking vessel, steam heated, volume 300 liter, working pressure: 100 / 145 PSI, design temperature: 170 / 188 ° C, dimensions: 2100 mm x 1400 mm x 1700 mm.	1800
10	DC Norris	DC Norris tiltable cooking vessel, steam heated, volume 300 liter, working pressure: 100 / 145 PSI, design temperature: 170 / 188 ° C, dimensions: 2100 mm x 1400 mm x 1700 mm.	1800
11	Günther	Günther brine mixer, type: GLT750K, machine number: 32723, year of construction: 2010, 400 V, 16 A, 5.5 kW, pressure: 6 bar, inside dimensions: 1100 mm x 1100 x 1100 mm, total dimensions: 1600 mm x 1400 mm x 2200 mm.	4000
12	Günther	Günther brine cooler, type: GSK 12, machine number: 32724, year of construction: 2010, 400 V, 32 A, 12 kW, Bitzer cool compressor, type: 4EC-6.2Y-40S, serial number: 1678410839, 220-240/380-420/440-480 V, 50/60 Hz, 13.2 A, volume: 22.7/27.4 m ³ per hour, 13.2 A, dimensions: 1900 mm x 1000 mm x 2050 mm.	4000
13	Baker Perkins	Baker Perkins mixing installation, model: Tweedy Mixing System, dimensions: 4000 mm x 3000 mm x 4100 mm.	6000
14	Dataweigh Aja	Dataweigh Aja inline multihead weigher, 14-heads, model: SDW-323WH2, serial number: WG 000218, year of construction: May 2000, 415 V, 3 Ph, 50 Hz, weighing range: 40 till 2000 gram, dimensions: 1800 mm x 900 mm x 1640 mm.	900



15	Handtmann	Handtmann mobile vacuum filling machine with lifter for 200 liter meat bins, type: VF300B, number: 3137, year of construction: 1999, 400 V, 50 Hz, 23.6 A, 9.5 kW, dimensions: 1860 mm x 1400 mm x 2030 mm. Without vacuum pump.	5500
16	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: ROBOT HP10C, type: 142 250 B-1, number: 1420943, 220-240 V, 3 Ph, 50/60 Hz, 37 A, dimensions: 1900 mm x 1500 mm x 2100 mm.	5500
17	Packing Machine	Packing Machine box closing machine, model: AS523S, serial number: 16A164, year of construction: 2016, 240 V, 50 Hz, s/s rollers roller width: 530 mm and 640 mm, 2 plastic belts, belt width: 50 mm, total dimensions: 1750 mm x 850 mm x 1420 mm. New.	2500
18	Riggs / Avery Weigh Tronix	Riggs / Avery Weigh Tronix depositor, model: 1000, serial number: TT696, diameter head: 25 mm, total dimensions: 1400 mm x 780 mm x 1950 mm.	2500
19	Riggs / Avery Weigh Tronix	Riggs / Avery Weigh Tronix depositor, model: 1000, serial number: TT697, diameter head: 25 mm, total dimensions: 1400 mm x 780 mm x 1950 mm.	2500
20	Bonnet	Bonnet s/s kitchen counter consisting of: Bonnet tiltable fryer, inside dimensions: 760 mm x 360 mm x 240 mm, Bonnet salamander grill, Bonnet stove with solid top, gas heated, Bonnet plancha, gas heated, dimensions plate: 640 mm x 420 mm, Bonnet grill, gas heated, dimensions grill: 500 mm x 320 mm and Bonnet deep fryer, electrical, working height: 910 mm, total dimensions: 4620 mm x 1600 mm x 1500 mm.	5000
21	Blentech Corporation	Blentech Corporation tumbler with infeed hopper for liquids, model number tumbler: VT1-1000-X, serial number: 950851, Blentech Corporation infeed hopper for liquids on weighing cells, model number: SH-0660, serial number: 950852, total dimensions: 3000 mm x 2400 mm x 3350 mm. Only used for trails.	6000
22	FRL	FRL bag sealer in continues way, type: FRL-600B, serial number: 2127, year of construction: 2016, 220-240 V, 50-60 hz, 1.03 kW, seal length: 800 mm, sealing speed: 0-13 meter per minute, sealing thickness: 0.04-0.2 mm, lifting space of conveyor: 140-600 mm, maximum capacity: 5 kg, dimensions: 1360 mm x 530 mm x 1490 mm.	1800
23	Sepamatic	Sepamatic separator, type: SEPA 2000V, machine number: 196286/.1, year of construction: 2005, 400 V, 50 Hz, 22 A, 11 kW, diameter drum: 300 mm, diameter perforations: 3 mm, total dimensions: 1750 mm x 1500 mm x 1980 mm.	5500
24	Applied Weighing Europe BVBA	Applied Weighing Europe BVBA auger filling machine, type: SPB-4-25KG platform balance, serial number: 150029-05, year of construction: 2015, 400 V, 50 Hz, 25 A, diameter pipe: 75 mm, total dimensions: 1200 mm x 950 mm x 2280 mm.	4500



25	Mandelprofi	Mandelprofi nut roaster, type: MANDELPROFI - electric -, machine number: 06352, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 16 A, copper bowl, diameter bowl: 360 mm, height bowl: 230 mm, total dimensions: 550 mm x 550 mm x 840 mm.	350
26	Guttridge	Guttridge elevating screw with infeed bunker, type: Bulkflo, machine number: 594182-1-1, year of construction: 2016, dimensions infeed bunker: 1200 mm x 800 mm x 600 mm, diameter screw: 110 mm, elevating height: 2100 mm, total dimensions: 1350 mm x 1500 mm x 2480 mm.	2500
27	Winyard Engineering Ltd.	Winyard Engineering Ltd. mobile 4 heads filler, type: AUGER FILL, serial number: AF160903, diameter heads: (4x) 70 mm, total dimensions: 1350 mm x 1060 mm x 2180 mm.	2500
28	PFM spa	PFM spa flowpacker, model: SWIFT, serial number: C.6288, year of construction: 2001, 220 V, 50 Hz, 12.2 A, 2.7 kW, weight: 400 kg, chain infeed belt with plastic dividers, product width: 40 mm, distance between dividers: 300 mm, divider height: 50 mm, seal length: 250 mm, plastic outfeed belt, belt width: 170, total dimensions: 4050 mm x 930 mm x 1610 mm. Incomplete.	2500
29	Ishida	Ishida 14-heads multihead weigher on steel frame, model: CCW-M-214W-S/30-SS, serial number: 552552, year of construction: 2002, weight: 645 kg, 415 V, 3 Ph, 50 Hz, 3.6 A, dimensions: 1600 mm x 1600 mm x 1700 mm. 1 head broken.	7000
30	Mono Equipment	Mono mobile 5 heads depositor, model number: FG-073 A450, serial number: 090257965, 230 V, 1 Ph, 50 Hz, 2.5 kW, 13 A, weight: 390 kg, belt width: (2x) 70 mm, total dimensions: 1250 mm x 1060 mm x 1500 mm, including extra 4 heads depositor head.	3000
31	Seewer Rondo	Seewer Rondo mobile dough sheeter, model: SFA 69, machine number: B4A231007, plastic belt, belt width: 640 mm, total dimensions: 3350 mm x 1100 mm x 1400 mm.	1800
32	Collette	Collette high speed mixer, model: SM200, distance between bowl holder: 700 mm, total dimensions: 1300 mm x 760 mm x 1650 mm. Missing bowl.	1250
33	Seewer Rondo	Seewer Rondo mobile dough sheeter, plastic belt, belt width: 560 mm, total dimensions: 3300 mm x 1100 mm x 1400 mm.	1500
34	Mono Equipment	Mono mobile 4 heads depositor, model number: FG-079-A25EH, serial number: 040981271 FJ003761, year of construction: 23/04/2009, 200/240 V, 1 Ph, 50/60 Hz, 2.5 kW, 13 A, belt width: (2x) 75 mm, total dimensions: 1200 mm x 900 mm x 1600 mm.	4000
35	Herma	Herma mobile labelling machine, type: H400 24L, serial number: 20618812, 100-240 V, 50-60 Hz, 400 W, plastic belt, belt width: 235 mm, total dimensions: 1550 mm x 800 mm x 1600 mm.	400
36	Rollmatic srl	Rollmatic srl mixer, model: Bull 80, serial number: 8532, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 4 A, 4,5 kW, weight: 570 kg, s/s bowl, diameter bowl: 510 mm, height bowl: 450 mm, total dimensions: 1100 mm x 880 mm x 1800 mm. Extra s/s bowl and batter mixer.	1200



37	BagFast	BagFast bag filler / flour sieve, maximum: 160 kg, minimum: 10 kg, dd: 0,1 kg, dimensions outfeed: 330 mm x 310 mm, total dimensions: 3150 mm x 1400 mm x 1100 mm.	1800
38	Digi Europe Ltd.	Digi Europe Ltd. Mobile labelling machine, model: LA 2600, serial number: 505-50213, 220-240 V, 1 Ph, 50 Hz, 0.15 A, plastic mesh belt, belt width: 300 mm, total dimensions: 2000 mm x 700 mm x 2000 mm.	600
39	Hobart	Hobart mixer, type: H600, serial number: 97.052.880, 415 V, 3 Ph, 50 Hz, 2.7 A, 1,1 kW, s/s bowl, diameter bowl: 460 mm, height bowl: 440 mm, total dimensions: 1050 mm x 740 mm x 1450 mm.	800
40	Emil Kemper GmbH	Emil Kemper GmbH mixer, type: ECO 30-V, year of construction: 7/13, 400 V, 3 Ph, 50 Hz, 4.75 kW, s/s bowl diameter: 560 mm, height bowl: 350 mm, total dimensions: 1050 mm x 780 mm x 1250 mm.	800
41	Digi Europe Ltd.	Digi Europe Ltd. Weighing and labelling machine, type: HI 3600, serial number: 04-0351005, 230 V, 1 Ph, 50 Hz, 1.15/0.4 A, maximum: 1/2 kg, minimum: 1/2 g, minimum: 50 g, T=: 999g, plastic belts, belt width: (2x) 100 mm and 215 mm, total dimensions: 1880 mm x 700 mm x 1860 mm.	800
42	Herbert Industrial Ltd	Herbert Industrial Ltd checkweigher, model: Gemini, serial number: HS734-L6, year of construction: 2003, 230 V, 1 Ph, 0.4 A, maximum: 2 kg, minimum: 0.1 kg, e =: 0.001 kg, T =: -max, plastic belt, belt width: (3x) 100 mm, total dimensions: 1350 mm x 850 mm x 1730 mm. Technical condition unknown, missing belt.	600
43	Logopak / Kugler Womacko	Logopak / Kugler Womacko labeller, dimensions: 1050 mm x 700 mm x 1740 mm.	250
44	Pals	Pals labeller, type: FL 30150 MSRR, serial number: MSPR 074, year of construction: 2005, 230 V, 50/60 Hz, dimensions: 760 mm x 700 mm x 1540 mm.	300
46	NN screens	2 s/s mobile screens, dimensions: (2x) 1040 mm x 600 mm x 2160 mm.	50
47	NN screens	2 s/s mobile screens, dimensions: (2x) 1040 mm x 600 mm x 2160 mm.	50
48	NN waste bag holders	3 s/s waste bag holders, dimensions: (3x) 500 mm x 420 mm x 800 mm.	20
49	NN waste bag holders	3 s/s waste bag holders, dimensions: (3x) 500 mm x 420 mm x 800 mm.	20
50	G. Mondini S.p.a.	G. Mondini S.p.a. traysealer, type: E360 VG, serial number: 3416/07, year of construction: 2008, 415 V, 3 Ph, 50 Hz, plastic infeed belt, belt width: 300 mm, dye: (24x) 60 mm round shaped, plastic outfeed belt, belt width: 270 mm, total dimensions: 4680 mm x 1300 mm x 2570 mm. Incomplete.	1500
51	G. Mondini S.p.a.	G. Mondini S.p.a. 8 heads mobile depositor, model: VF/SP-E-6, serial number: 3416/07, year of construction: 2008, 415 V, 3 Ph, 50 hz, diameter hopper: 730 mm, height hopper: 250 mm, total dimensions: 1620 mm x 1140 mm x 1800 mm. Technical condition unknown.	800



52	G. Mondini S.p.a.	G. Mondini S.p.a. 8 heads mobile depositor, model: VF/SP-E-6, serial number: 3416/07, year of construction: 2008, 415 V, 3 Ph, 50 hz, diameter hopper: 730 mm, height hopper: 250 mm, total dimensions: 1620 mm x 1140 mm x 1800 mm. Incomplete. Technical condition unknown.	800
53	NN CIP installation	CIP installation consisting of Grundfos pump, type: CRN 3-10 A-FGJ-GI-E-HQQE and s/s tank, dimensions tank: 800 mm x 800 mm x 800 mm, total dimensions: 2200 mm x 830 mm x 1830 mm.	900
54	Unitron	Unitron cooling/heating vessel, type: MK 1, serial number: PR1158, 415 V, 3 Ph, 50 Hz, diameter tank: 1300 mm, height tank: 800 mm, total dimensions: 1630 mm x 1450 mm x 2620 mm.	2500
55	APV	APV heat exchanger, type: R56, serial number: 2981, design pressure: 6.9 bar, tested pressure 10.4 bar, dimensions: 1500 mm x 620 mm x 1810 mm.	500
56	NN rollies	5 s/s rollies, dimensions: (5x) 610 mm x 410 mm x 170 mm.	40
57	NN rollies	5 s/s rollies, dimensions: (5x) 610 mm x 410 mm x 170 mm.	40
58	NN rollies	5 s/s rollies, dimensions: (5x) 610 mm x 410 mm x 170 mm.	40
59	NN rollies	5 s/s rollies, dimensions: (5x) 610 mm x 410 mm x 170 mm.	40
60	NN rollies	10 s/s rollies, dimensions: (10x) 610 mm x 410 mm x 170 mm.	80
61	NN rollies	10 s/s rollies, dimensions: (10x) 610 mm x 410 mm x 170 mm.	80
62	Pavan S.p.A.	Pavan S.p.A. pasta shaper, model: MS/1000, serial number: F0190112, year of construction: 2006, 415 V, 50 Hz, 9 kW, weight: 1700 kg, dye: 25 mm, 7 mm and 2 mm, plastic belt, belt width: (2x) 650 mm, total dimensions: 2580 mm x 2120 mm x 2000 mm.	1800
63	Ross / Reiser	Ross / Reiser traysealer, dye: (6x) 200 mm x 130 mm, plastic outfeed belt, belt width: 750 mm, total dimensions: 4780 mm x 1500 mm x 1860 mm with Ross / Reiser loading belt, plastic belt, belt width: 140, plastic mesh belt, belt width: 750 mm, dimensions loading belt: 2530 mm x 1200 mm x 1550 mm. Incomplete.	1300
64	Industrial Washing Machines	Industrial Washing Machines washing machine, model: ED18, serial number: 1019-EDI8 A/1010/02L, year of construction: 18/10/2010, inside dimensions: 920 mm x 690 mm, total dimensions: 1150 mm x 900 mm x 1850 mm.	600
65	Industrial Washing Machines	Industrial Washing Machines washing machine, model: ED18, serial number: 874-EDI8 A/0205/04N, year of construction: 30/05/2008, inside dimensions: 920 mm x 690 mm, total dimensions: 1150 mm x 900 mm x 1850 mm.	600
66	Ulma	Ulma flowpacker, model: PV-350, machine number: 1219302, year of construction: 2007, 415 V, 50 Hz, 14 A, 9.2 kW, dimensions each tray: 270 mm x 150 mm, total dimensions: 6400 mm x 1400 mm x 2100 mm.	4000
67	NN fryer	S/s fryer, inside dimensions: 1560 mm x 600 mm x 260 mm, total dimensions: 1650 mm x 1000 mm x 1200 mm. Technical condition unknown.	1000
68	NN fryer	S/s fryer, inside dimensions: 1560 mm x 600 mm x 260 mm, total dimensions: 1650 mm x 1000 mm x 1200 mm. Missing lid. Technical condition unknown.	1000



69	Insect Exterminator	2 Insect Exterminator insect killers, 220-240 V, 50/60 hz, dimensions: (2x) 500 mm x 130 mm x 370 mm. New in box, UK fuse.	50
70	Insect Exterminator	2 Insect Exterminator insect killers, 220-240 V, 50/60 hz, dimensions: (2x) 500 mm x 130 mm x 370 mm. New in box, UK fuse.	50
71	Insect Exterminator	2 Insect Exterminator insect killers, 220-240 V, 50/60 hz, dimensions: (2x) 500 mm x 130 mm x 370 mm. New in box, UK fuse.	50
72	Insect Exterminator	2 Insect Exterminator insect killers, 220-240 V, 50/60 hz, dimensions: (2x) 500 mm x 130 mm x 370 mm. New in box, UK fuse.	50
73	Insect Exterminator	2 Insect Exterminator insect killers, 220-240 V, 50/60 hz, dimensions: (2x) 500 mm x 130 mm x 370 mm. New in box, UK fuse.	50
74	Kosme Srl	Kosme Srl palletizing line, model: Palpack PS, serial number: P02721002, year of construction: 2007, 400 V, 50 Hz, 20 kW, weight 4800 kg, s/s rollers, roller width: 1150 mm and 650 mm, plastic belt, belt width: 320 mm, total dimensions: 2830 mm x 2350 mm x 4750 mm, 2450 mm x 1800 mm x 2250 mm, 3200 mm x 2500 mm x 2000 mm and 2550 mm x 2100 mm x 2500 mm.	5000
75	B&B Engineering	B&B Engineering trolley for G. Mondini dyes, dimensions: 1800 mm x 1000 mm x 1400 mm.	200
76	NN elevating belt	Elevating belt with infeed hopper, s/s frame, plastic belt and dividers, dimensions hopper: 560 mm x 410 mm, belt width: 260 mm, clearance: 100 mm, distance between dividers: 200 mm, height dividers: 50 mm, elevating height: 2100 mm, total dimensions: 2100 mm x 880 mm x 2280 mm.	800
77	Arnott Conveyors Ltd	Arnott Conveyors Ltd transport belt, number: QC 7954.C.AUG 98, s/s frame, plastic mesh belt, belt width: 300 mm, total dimensions: 3450 mm x 450 mm x 1070 mm.	500
78	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 585 mm, total dimensions: 2500 mm x 930 mm x 1040 mm.	400
79	Tong Engineering Ltd	Tong Engineering Ltd elevating belt, type: Conveyor, serial number: 2005-6952, year of construction: 2005, belt width: 280 mm, elevating height: 900 mm, total dimensions: 3400 mm x 380 mm x 1000 mm.	500
80	York Fabrications Ltd	York Fabrications Ltd mesh belt, serial number: 17503/2, year of construction: 5-7-95, s/s frame, plastic mesh belt, belt width: 590 mm, total dimensions: 1500 mm x 860 mm x 1690 mm.	300
81	Multivac	Multivac thermoformer, type: M 855D, machine number: 534/032, year of construction: 1985, 415 V, 50 Hz, 25/20 A, 8 kW, dye: (4x) 100 mm x 100 mm, index: 310 mm, bottom film width: 325 mm, top film width: 310 mm, total dimensions: 4200 mm x 700 mm x 1700 mm.	1500



82	Ilapack	Ilapack flowpacker, type: Carrera 500M, serial number: 01 96, year of construction: 5/01, chain infeed belt with plastic dividers, product width: 180 mm, distance between dividers: 240 mm, divider height: 35 mm, film width: 420, seal length: 250 mm, outfeed belt, belt width: 240 mm, total dimensions: 4700 mm x 1200 mm x 1470 mm.	3500
83	PFM spa	PFM spa flowpacker, model: SCIROCCO HS, serial number: C.5603, year of construction: 1999, 415 V, 50 Hz, 16.8 A, 7 kW, weight: 1800 kg, plastic infeed belt, belt width: 45 mm, distance between dividers: 145 mm, divider height: 10 mm, seal length: 160 mm, outfeed belt, belt width: 140 mm, total dimensions: 4680 mm x 1430 mm x 2370 mm.	5500
84	NN pasta sheeter	Heavy duty pasta sheeter, roller width: 1160 mm, 2600 mm x 1200 mm x 2050 mm.	2500
85	ICON Engineering	Icon Engineering hot water sterilizer, serial number: 002/13574, year of construction: 18/05/09, 415 V, 3 Ph, 50 Hz, 16 A, clearance: 560 mm x 430 mm, plastic mesh belt, belt width: 540 mm, s/s rollers, roller width: 580 mm, total dimensions: 3650 mm x 1340 mm x 2250 mm.	3500
86	KT	KT bandsaw, model: 750-Extra, table dimensions: 1250 mm x 1250 mm, s/s rollers, roller width: 600 mm, 550 mm and 270 mm, total dimensions: 1250 mm x 1760 mm x 2100 mm.	3500
87	Benier	Benier bread line consisting of: Benier dough divider, type: B 80-20, order number: 3.0922, scheme: 651159, 415 V, 3 Ph, 50 Hz, 4 A, dimensions dough divider: 1150 mm x 700 mm x 2000 mm, Benier infeed belt, type: Infeed, order number: 3.0924, scheme: 660061, 415 V, 3 Ph, 50 Hz, 3 A, dimensions infeed belt: 800 mm x 550 mm x 1000 mm, Benier conical rounder, type: Small-Round, order number: 3.0923, scheme: 660061, 415 V, 3 Ph, 50 Hz, 4 A, dimensions conical rounder: 1300 mm x 1100 mm x 1550 mm, Benier proofer cabinet, system: hanging gauze baskets, dimensions each basket: (12x) 175 mm x 175 mm, baskets width: 2450 mm, Benier outfeed belt, belt width: 290 mm, total dimensions outfeed belt: 4300 mm x 650 mm x 600 mm.	1500
88	Oddy	Oddy dough divider, model Novatek 2, type: 60, serial number: 11373, 400 V, 3 Ph, 50 Hz, 1-8 A, 3200 W, clearance infeed: 320 mm x 240 mm, 2 lane outfeed belt, belt width: (2x) 65 mm, total dimensions: 2380 mm x 870 mm x 1980 mm.	3000
89	Oddy	Oddy proofer, type: 26, serial number: 11037, 400 V, 3 Ph, 50 Hz, 1-14 A, 15 W, dimensions baskets: 490 mm x 80 mm, total dimensions: 1850 mm x 940 mm x 2460 mm. Including box with extra sleeves for baskets.	2500
90	Oddy	Oddy moulding table, type: 46, serial number: 11036, 400 V, 3 Ph, 50 Hz, 900 W, 6 A, cloth belt, belt width: 550 mm, total dimensions: 2650 mm x 1050 mm x 1350 mm.	1500



91	Oddy	Oddy dough divider, model: Novatek 2, type: 60, serial number: KM2290A, 400 V, 3 Ph, 50 Hz, 8-13 A, 1200 W, clearance infeed: 320 mm x 240 mm, 3 lane outfeed belt, belt width: (3x) 65 mm, total dimensions: 2450 mm x 880 mm x 1930 mm.	3500
92	Oddy	Oddy proofer, type: 26, serial number: KM2290B, 400 V, 3 Ph, 50 Hz, 1-13 A, 265 W, dimensions baskets: 520 mm x 70 mm, total dimensions: 3670 mm x 1150 mm x 2600 mm.	1500
93	Oddy	Oddy moulding table, type: 28, serial number: KM2290C, 400 V, 3 Ph, 50 Hz, 4-13 A, 1590 W, cloth belt, belt width: 600 mm, total dimensions: 2850 mm x 1050 mm x 1350 mm.	1500
94	T. Musk Engineering Ltd	T. Musk Engineering Ltd homogenizing installation, type: homogeniser SKID, number: 087923, year of construction: 2004, with Fristam Pumpen pump, type: FL585, dimensions: 2100 mm x 1550 mm x 1610 mm.	3500
95	D.C. Norris & Co. Ltd.	D.C. Norris & Co. Ltd. mixing tank on s/s frame, serial number: N1116, year of construction: 05/97, volume: 1000 liter, design temperature: 170 °C, dimensions: 2300 mm x 1400 mm x 2700 mm.	7000
96	NN mixer	S/s frame with mixer, width mixer: 820 mm, total dimensions: 1140 mm x 980 mm x 1880 mm.	1500
97	NN mixer	S/s frame with mixer, width mixer: 820 mm, total dimensions: 1140 mm x 980 mm x 1880 mm.	1500
98	Arcall	Arcall over conveyor fat sprayer, 8 heads, dimensions: 1700 mm x 970 mm x 1500 mm.	1500
99	Mono Equipment	2 Mono equipment ovens on s/s mobile frame, top oven: type: FG 159 C-B12, serial number: 070566103 FA 021512, 415 V, 3 Ph, 50 Hz, 16 A, 7.5 kW, 4 floors, floor dimensions: 600 mm x 400 mm, bottom oven type: FG 158, serial number: 040480947, 415 V, 3 Ph, 50 Hz, 14 A, 7.5 kW, 5 floors, floor dimensions: 600 mm x 400 mm, total dimensions: 1100 mm x 920 mm x 1960 mm.	500
100	Eurofours	Eurofours double stack oven on s/s trolley, type: RS04A05-1, serial number: RS04A D072 and RS04A D070, 240 V, 50 Hz, 24 A, 5.4 kW, (2x) 4 floors, dimensions floor: 600 mm x 410 mm, total dimensions: 1100 mm x 780 mm x 1990 mm.	500
101	NN Kitchen equipment	Large amount of kitchen equipment consisting of: 5 weighing scales, 2 plate warmers, s/s bowls, plastic cutting boards, hose reel with hose, plastic bins with lid, s/s knife station with knives, 2 gastronorm bins with s/s measuring spoons, s/s dispensers and holders. Storage rack not included.	200
102	Linx	Linx inkjet printer, model: 6200, serial number: BP631, year of construction: 2004, dimensions: 620 mm x 460 mm x 300 mm.	400
103	Linx	Linx inkjet printer, model: 6200, serial number: LP72301, year of construction: 1998, dimensions: 620 mm x 460 mm x 300 mm.	400
104	Linx	Linx inkjet printer, model: 6200, serial number: MC0036008, year of construction: 2000, dimensions: 620 mm x 460 mm x 300 mm.	400
105	Intermec	Intermec label printer, model: PX6i, serial number: 07921422031, 100-240 V, 50/60 Hz, 3-1.5A, dimensions: 490 mm x 330 mm x 240 mm.	100



106	Wright Pugson	Wright Pugson mobile cheese cutter, model: C23 mark III cheese cutter, year of construction: 06.94, dimensions: 2550 mm x 840 mm x 2050 mm.	1500
107	Arcall Plc.	Arcall Plc. mobile cheese cutter, type: C44, serial number: J9344, year of construction: 10.04, plastic belt, belt width: 380 mm, plastic rollers, roller width: 280 mm, total dimensions: 4300 mm x 900 mm x 1620 mm.	1750
108	Wright Pugson	Wright Pugson mobile cheese cutter, model: C23 mark III cheese cutter, plastic infeed belt, belt width: 38, plastic outfeed belt, belt width: 410 mm, dimensions: 4650 mm x 840 mm x 2050 mm.	1700
109	Rochman	Rochman sealing and shrink machine, model: TSLAX 50x40, serial number: 4501402, 400 V, 50 hz, 16 A, 10 kW, seal length: 500 mm and 400 mm, belt width: 370 mm, clearance: 470 mm x 240 mm, total dimensions: 2280 mm x 1100 mm x 1550 mm.	1200
110	Doleschal	Doleschal smoke chamber for 2 smoke trolleys, inside dimensions: 1120 mm x 2050 mm x 2150 mm, total dimensions: 2700 mm x 1900 mm x 3000 mm, including smoke generator for friction smoke, dimensions: 800 mm x 500 mm x 1250 mm.	10000
111	Verinox	Verinox smoke chamber for 4 trolleys, model: M4UN 2+2, inside dimensions: (2x) 2100 mm x 1100 mm x 2050 mm, total dimensions: 2800 mm x 2450 mm x 3050 mm, Verinox smoke generator for friction smoke, dimensions: 850 mm x 510 mm x 1900 mm, Verinox smoke generator for liquid smoke, model: SKL 1, serial number: 2610, year of construction: 2004, 220 V, 0.1 kW, dimensions: 400 mm x 400 mm x 1700 mm, switch cabinet, dimensions: 530 mm x 450 mm x 1850 mm.	7500
112	Graham	Graham labeller, model: COUV 200-40, serial number: 07/02, 230 V, 1 Ph, 50 Hz, 9.9 A, 0.9 kW, dimensions: 1000 mm x 960 mm x 1860 mm.	300
113	Kronen	Kronen tomato slicer, type: 180-122, serial number: 180-200, year of construction: 2010, 230 V, 1 Ph, 50 Hz, 9.9 A, 0.9 kW, dimensions: 1170 mm x 950 mm x 1300 mm. Incomplete.	300
114	Precision	Precision top and bottom labeller, serial number: 4077-2, 240 V, 50 Hz, serial numbers labellers, SO2729 and SO2730, belt width: 300 mm and 260 mm, total dimensions: 1560 mm x 1000 mm x 1750 mm.	300
115	Proseal	Proseal rotary traysealer, model: PR30, serial number: 1647, 240 V, 50 Hz, dye: (2x) 170 mm x 115 mm, total dimensions: 1100 mm x 1100 mm x 1680 mm.	3500
116	Packaging Automation Ltd.	Packaging Automation Ltd. mobile rotary traysealer, model: 187, serial number: E1073182, 240 V, 50 Hz, dimensions dye: 2x (2x) 140 mm x 90 mm and 2x 220 mm x 170 mm, total dimensions: 1350 mm x 1100 mm x 1700 mm.	1500
117	Afos	Afos deglazer, type: DG900, serial number: 503497, year of construction: 2009, 415 V, 3 Ph, 50 Hz, s/s mesh belt, belt width: 870 mm, clearance: 900 mm x 45 mm, total dimensions: 3100 mm x 1350 mm x 2300 mm.	6000



118	Acadian	Acadian grill marker, s/s mesh belt, belt width: 1000 mm, clearance: 950 mm x 60 mm, total dimensions: 4200 mm x 2000 mm x 2600 mm, Acadian burner unit for bottom and top burners, dimensions: 1600 mm x 850 mm x 2400 mm.	8500
119	Revent	Revent oven, inside dimensions: 1200 mm x 900 mm x 1750 mm, total dimensions: 2350 mm x 1600 mm x 2250 mm.	1750
120	NN turning table	Turning table, s/s frame and plastic top, diameter table: 1990 mm, total dimensions: 2010 mm x 2010 mm x 900 mm.	900
121	Wolfking	Wolfking grinder, type: C.250 uni, number: 51506, plate diameter: 250 mm, with Sprint Lifting Equipment lifting arm, capacity: 50 kg, total dimensions: 1780 mm x 1750 mm x 2320 mm.	4500
122	The Ferrite Company	The Ferrite Company microwave defroster, model: GET2024, serial: #062, P/N: S10166-3, 480 V, 3 Ph, 50 Hz, maximum load: 99 kVA, belt width: 605 mm, clearance: 680 mm x 360 mm, total dimensions microwave: 3700 mm x 1750 mm x 2300 mm, The Ferrite Company generator unit, dimensions generator: 1600 mm x 1300 mm x 2300 mm, infeed table with transport belt, belt width: 610 mm, dimensions table: 2800 mm x 1270 mm x 1090 mm, roller conveyor, roller width: 560 mm, total dimensions roller conveyor: 2450 mm x 600 mm x 1000 mm.	8500
123	Rapidair	Rapidair steam cooker, dimensions: 1400 mm x 2000 mm x 2100 mm, including s/s trolley with 9 floors, dimensions trolley: 670 mm x 670 mm x 1250 mm.	1800
125	Ulma	Ulma flowpacker, model Florida-E UNOX.DR, serial number: 141198, year of construction: 2009, 415 V, 50 Hz, 8 A, 5.2 kW, chain infeed belt with plastic dividers, product width: 35 mm, distance between dividers: 200 mm, height dividers: 35 mm, seal length: 300 mm, plastic outfeed belt, belt width: 260 mm, total dimensions: 4200 mm x 1250 mm x 1840 mm.	5000
126	Sandiacre	Sandiacre vertical form, fill and seal machine, film width: 670, diameter filling pipe: 190 mm, vertical seal length: 500 mm, horizontal seal length: 330 mm, total dimensions: 1380 mm x 1930 mm x 2020 mm.	3500
127	UVA packaging	UVA packaging vertical form, fill and seal machine, type: Flash 400, machine number: 2006510, year of construction: 2006, 415 V, 3 Ph, 50/60 Hz, 10 KVA, film width: 740 mm, horizontal seal length: 450 mm, vertical seal length: 660 mm, with Servofill depositor, total dimensions: 2600 mm x 1600 mm x 3330 mm.	10000
128	Ulma	Ulma flowpacker, model: Atlanta E.IZQ, serial number: 112013, year of construction: 2013, 415 V, 50 Hz, 7 A, 4.6 kW, plastic infeed belt with dividers, belt width: 80 mm, distance between dividers: 370 mm, divider height: 40 mm, seal length: 300 mm, plastic outfeed belt, belt width: 300 mm, total dimensions: 5500 mm x 1350 mm x 1620 mm.	15000
129	Karl Schnell GmbH & Co	Karl Schnell GmbH & Co emulsifier, type: 053F18/248, number: 43030, 400 V, 3 Ph, 50 Hz, 30 A, 13.2 kW, 2880 rpm, plate diameter: 250 mm, total dimensions: 5900 mm x 1150 mm x 2400 mm.	5500



130	Zoom	Zoom automatic orange press, model: WDF-OJ 150, 220 V, 50 Hz, 5 A, 200 W, size orange: 60-80 mm, 20-25 oranges per minute, total dimensions: 700 mm x 450 mm x 1500 mm.	500
131	Ishida	Ishida traysealer, model: QX775-R-DEEP, serial number: 580154, year of construction: 11/2004, 415 V, 3 Ph, 50 Hz, 16 A, weight: 830 kg, chain conveyor infeed, distance between dividers: 140 mm, diameter dye: (3x) 150 mm, string wired outfeed belt: belt width: 220 mm, total dimensions: 4500 mm x 700 mm x 1800 mm.	3500
132	Qualitech	Qualitech traysealer, serial number: SQ775/109, year of construction: 08/2002, wired infeed belt, belt width: 160 mm, dye: (3x) 130 mm x 200 mm, wired outfeed belt, belt width: 230 mm, total dimensions: 4600 mm x 700 mm x 1900 mm.	2500
133	Bakon Jelly	Bakon Jelly cream mixer, model: TOP CREAM, serial number: 7.210.043, year of construction: 1998, 220 V, 50 Hz, diameter bowl: 350 mm, height bowl: 420 mm, total dimensions: 800 mm x 510 mm x 1170 mm.	800
134	Packaging Automation Ltd.	Packaging Automation Ltd. mobile rotary traysealer, model: 187, serial number: 182715, 240 V, 50 Hz, , total dimensions: 1350 mm x 1200 mm x 1700 mm. No dyes.	500
135	Jacob White	Jacob White carton sealing machine, model: TFS, chain conveyor with dividers, belt width: 205, distance between dividers: 350 mm, height dividers: 100 mm, 2 hot melt glue applicators, total dimensions: 2250 mm x 950 mm x 1300 mm.	1100
136	Webomatic	Webomatic mobile double chamber vacuum machine, type: PNC 30-G-PR, serial number: 5410LD2870, 400 V, 3 Ph, 50 Hz, 12 A, 5.5 kW, seal length: (4x) 840 mm, chamber dimensions: (2x) 840 mm x 620 mm, Busch vacuum pump, type: RA 0100 E501, number: 99021217, capacity: 100 m ³ per hour, total dimensions: 1860 mm x 880 mm x 1200 mm.	1500
137	Falcon	Falcon oven, model: G6478, serial number: F468490, 6 floors, dimensions floor: 560 mm x 450 mm, total dimensions: 940 mm x 610 mm x 1600 mm.	400
138	Imperia & Monferrina S.p.A.	Imperia & Monferrina S.p.A. crepe making machine, model: C1, serial number: L130211, year of construction: 2013, 220 V, 50 Hz, weight: 44 kg, plastic batter tank, volume: 4 liter, belt width: 210 mm, total dimensions: 950 mm x 640 mm x 480 mm.	1200
139	Bongard	Bongard proofing cabinet, type: BFC Retarded proofer chamber BFC/BFE, serial number: 930000000046283, year of construction: 10/2016, 400-440 V, 3 Ph, 50-60 hz, 6.20 kW, weight: 533 kg, refrigerant: R 404A, volume: 2 liter, inside dimensions: 1800 mm x 880 mm x 1900 mm, total dimensions: 2130 mm x 1200 mm x 2650 mm.	3000
140	Bongard	Bongard oven with infeed belt, 5 floors, dimensions floors: (5x) 1600 mm x 800 mm, cloth belt, belt width: 750 mm, total dimensions: 2820 mm x 1650 mm x 2320 mm. Glass covers included, dismantled for transport.	6500



141	NN weighing scale	Weighing scale, 12 V, maximum: 150 kg, e=d: 20 g, dimensions scale: 480 mm x 400 mm, total dimensions: 640mm x 400 mm x 800 mm. New in box.	50
142	NN weighing scale	Weighing scale, 12 V, maximum: 150 kg, e=d: 20 g, dimensions scale: 480 mm x 400 mm, total dimensions: 640mm x 400 mm x 800 mm. New in box.	50
143	NN weighing scale	Weighing scale, 12 V, maximum: 150 kg, e=d: 20 g, dimensions scale: 480 mm x 400 mm, total dimensions: 640mm x 400 mm x 800 mm. New in box.	50
144	NN weighing scale	Weighing scale, 12 V, maximum: 150 kg, e=d: 20 g, dimensions scale: 480 mm x 400 mm, total dimensions: 640mm x 400 mm x 800 mm. New in box.	50
145	NN weighing scale	Weighing scale, 12 V, maximum: 150 kg, e=d: 20 g, dimensions scale: 480 mm x 400 mm, total dimensions: 640mm x 400 mm x 800 mm. New in box.	50
146	NN weighing scale	Weighing scale, 12 V, maximum: 30 kg, e=d: 5 g, dimensions scale: 300 mm x 300 mm, total dimensions: 410 mm x 310 mm x 410 mm. Only 1 weighing scale. New in box.	50
147	NN weighing scale	Weighing scale, 12 V, maximum: 30 kg, e=d: 5 g, dimensions scale: 300 mm x 300 mm, total dimensions: 410 mm x 310 mm x 410 mm. Only 1 weighing scale. New in box.	50
148	NN weighing scale	Weighing scale, 12 V, maximum: 30 kg, e=d: 5 g, dimensions scale: 300 mm x 300 mm, total dimensions: 410 mm x 310 mm x 410 mm. Only 1 weighing scale. New in box.	50
149	NN weighing scale	Weighing scale, 12 V, maximum: 30 kg, e=d: 5 g, dimensions scale: 300 mm x 300 mm, total dimensions: 410 mm x 310 mm x 410 mm. Only 1 weighing scale. New in box.	50
150	NN weighing scale	Weighing scale, 12 V, maximum: 30 kg, e=d: 5 g, dimensions scale: 300 mm x 300 mm, total dimensions: 410 mm x 310 mm x 410 mm. Only 1 weighing scale. New in box.	50
151	NN table	S/s table with steel frame, dimensions: 1780 mm x 620 mm x 1140 mm.	40
152	NN table	S/s table with steel frame, dimensions: 1780 mm x 620 mm x 1140 mm.	40
153	NN table	Aluminium table with plastic table top, dimensions: 920 mm x 610 mm x 850 mm.	40
154	NN table	S/s table, dimensions: 2360 mm x 760 mm x 820 mm.	100
155	NN table	S/s table top on steel frame, dimensions: 1780 mm x 620 mm x 1160 mm.	20
156	NN table	S/s table, dimensions: 900 mm x 600 mm x 810 mm.	40
157	NN table	S/s table, dimensions: 900 mm x 600 mm x 820 mm.	40
158	NN table	S/s table top on aluminium frame, dimensions: 1220 mm x 620 mm x 850 mm.	50
159	NN table	Aluminium table with plastic table top, dimensions: 920 mm x 610 mm x 850 mm.	40
160	NN table	S/s table top on steel frame, dimensions: 1780 mm x 620 mm x 1140 mm.	40
161	NN table	S/s table, dimensions: 1670 mm x 400 mm x 860 mm.	50



162	Nawi	Nawi crate lifter, plastic rollers, roller width: 630, lifting height: 230 mm, total dimensions: 1100 mm x 1050 mm x 3420 mm. Incomplete.	1200
163	Opal	Opal elevating belt, plastic belt and dividers, belt width: 750 mm, distance between dividers: 700 mm, divider height: 50 mm, elevating height: 2230 mm, total dimensions: 5900 mm x 1150 mm x 2400 mm.	1500
164	NN Sink	S/s sink with 2 faucets, 2 sieves, inside dimensions sieves: 410 mm x 360 mm x 250 mm, total dimensions: 1200 mm x 650 mm x 1050 mm.	350
165	NN Sink	S/s triple sink with 3 faucets, dimensions: 2100 mm x 750 mm x 1950 mm.	350
166	NN platform	S/s platform, 2 steps, platform height: 730 mm, total dimensions: 1750 mm x 800 mm x 1630 mm.	300
167	NN platform	S/s mobile platform, 2 steps, platform height: 500 mm, total dimensions: 1850 mm x 1300 mm x 1620 mm.	300
168	NN stairs	S/s mobile stairs, 9 steps, height: 1820 mm, total dimensions: 2100 mm x 730 mm x 3130 mm.	300
169	NN platform	S/s platform, dimensions: 1300 mm x 830 mm x 1280 mm.	200
170	Barry-Wehmiller Europe Ltd.	Hayssen / Barry-Wehmiller Europe Ltd. vertical form, fill and seal machine, type: Ultimate 40E, serial number: BWE1075-092, year of construction: 2002, 230/240 V, 1 Ph, 50 Hz, 32 A, film width: 450 mm, diameter filling pipe: 50 mm, vertical seal length: 410 mm, horizontal seal length: 280 mm, total dimensions: 1750 mm x 1350 mm x 1850 mm. Including pallet with parts, 3 filling pipes, diameters: 140 mm, 120 mm and 80 mm, and crate with spare parts.	5500
171	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 875 mm, total dimensions: 2220 mm x 1060 mm x 800 mm.	400
172	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 610 mm, total dimensions: 3550 mm x 900 mm x 1400 mm.	600
173	Nawi	Nawi crate lifter, plastic rollers, roller width: 630, lifting height: 230 mm, total dimensions: 1100 mm x 1050 mm x 3420 mm. Incomplete.	1200
174	Ishida	Ishida 14-heads multihead weigher, model: CCW-RZ-214W-5760-WP, number: 22594, year of construction: 1994, 220 V, 1 Ph, 50 Hz, 7.6 A, dimensions: 1650 mm x 1650 mm x 2250 mm.	1500
175	Hygienox	Hygienox knife sterilizer, dimensions: 500 mm x 400 mm x 110 mm.	20
176	NN knife sterilizers	2 s/s knife sterilizers, dimensions: (2x) 500 mm x 400 mm x 110 mm.	20
177	NN knife sterilizers	2 s/s knife sterilizers, dimensions: (2x) 500 mm x 400 mm x 110 mm.	20
178	NN boxes	26 s/s boxes, dimensions: (26x) 450 mm x 210 mm x 60 mm.	100
179	Comas	Comas mobile depositor, 2 heads, model: DN, type: 2, machine number: 4664-1100-6619, year of construction: 2013, dimensions: 1900 mm x 1400 mm x 2080 mm. Incomplete, including plastic box with spare parts.	2000



180	Comas	Comas mobile depositor, 2 heads, model: DN, type: 2, machine number: 4662-1100-6617, year of construction: 2013, dimensions: 1900 mm x 1400 mm x 2080 mm. Incomplete.	2000
181	Comas	Comas mobile depositor, 2 heads, model: DN, type: 2, machine number: 4664-1400-6619, year of construction: 2013, dimensions: 1900 mm x 1400 mm x 2080 mm. Incomplete, including extra set of funnels and plastic box with spare parts .	2000
182	Syspal	Syspal mobile lifter for 200 liter meat bins, type: SCM-1022, serial number: K4401-1-1, year of construction: 2014, capacity: 300 kg, lifting height: 1300 mm, total dimensions: 1500 mm x 1360 mm x 2100 mm.	2500
183	Friga Bohn	3 Friga Bohn evaporators, 3 fans, dimensions: 2050 mm x 450 mm x 500 mm and (2x) 1850 mm x 800 mm x 3700 mm.	500
184	J&E Hall	J&E; Hall roof condenser, model: JEH2-0550-M-3, serial number: 20572202-00526, year of construction: 2014, 380-415 A, 3 Ph, 50 Hz, 13.5 A, refrigerant: R404A, dimensions: 1280 mm x 540 mm x 880 mm.	500
185	J&E Hall	J&E; Hall roof condenser, model: JEHS-1000-M-3, serial number: 20570501-012, year of construction: 2014, 380-415 A, 3 Ph, 50 Hz, 21.5 A, refrigerant: R404A, dimensions: 1200 mm x 520 mm x 1450 mm.	500
186	J&E Hall	J&E; Hall roof condenser, model: JEHS-1000-M-3, serial number: 20574201-00024, year of construction: 2014, 380-415 A, 3 Ph, 50 Hz, 21.5 A, refrigerant: R404A, dimensions: 1200 mm x 520 mm x 1450 mm.	500
187	Wright Field Ltd	Wright Field Ltd curved transport belt, year of construction: 2007, plastic mesh belt, belt width: 305 mm, plastic rollers, roller width: 120 mm, total dimensions: 3170 mm x 670 mm x 1560 mm.	600
188	CKF Systems Ltd	CKF Systems Ltd transport belt, number: 2442-1, plastic belt, belt width: 120 mm, total dimensions: 3170 mm x 670 mm x 1560 mm	600
189	NN roller conveyor	Roller conveyor, s/s frame and rollers, roller width: 495 mm, total dimensions: 1500 mm x 600 mm x 1000 mm.	300
190	NN roller conveyor	Roller conveyor, s/s frame and rollers, roller width: 495 mm, total dimensions: 1500 mm x 600 mm x 1030 mm.	300
191	NN elevating belt	Elevating belt, s/s frame and plastic belt, belt width: 380 mm, elevating height: 2550 mm, total dimensions: 2900 mm x 1000 mm x 2700 mm.	500
192	NN elevating belt	Double elevating belt, s/s frame, plastic belt and dividers, belt width: (2x) 280 mm, distance between dividers: 205 mm, divider height: 50 mm, elevating height: 2040 mm, total dimensions: 4200 mm x 1520 mm x 2100 mm.	800
193	Carnitech	Carnitech transport belt, type: RS-L, year of construction: 2001, plastic mesh belt, belt width: 300 mm and 550 mm, total dimensions: 2550 mm x 1050 mm x 850 mm.	500
194	NN transport belt	Transport belt, s/s frame and plastic belt, belt width: 800 mm, total dimensions: 3050 mm x 1100 mm x 1080 mm.	700
195	NN transport belt	Mobile transport belt, s/s frame and plastic mesh belt, belt width: 705 mm, total dimensions: 2500 mm x 950 mm x 1100 mm.	500



196	NN elevating belt	Elevating belt, s/s frame and plastic belt, belt width: 400 mm, elevating height: 1350 mm, total dimensions: 2700 mm x 700 mm x 1600 mm.	700
197	Biro	Biro bandsaw, serial number: 37673, dimensions table: 710 mm x 730 mm, total dimensions: 900 mm x 750 mm x 1570 mm.	400
198	Kolbe	Kolbe bandsaw, type: K 430, serial number: 96 1237, year of construction: 2004, 400 V, 50 Hz, 2.5-5.4 A, dimensions table: 840 mm x 870 mm, total dimensions 950 mm x 1050 mm x 1850 mm.	1200



General Terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers

Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Oirschot;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the



website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The user guarantees the accuracy and completeness of the provided personal details at registration. If the personal details change at any time, the user is obliged to inform Industrial Auctions by return of such change(s).

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 The user is forbidden to reproduce the website or any part thereof or make available (through deep linking or otherwise) without the prior written consent of Industrial Auctions. Intellectual property is retained by Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in



any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the supporting system;
- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or



unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;
- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this



shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code



applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.



11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expence and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e-mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately



after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.



15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



**Industrial
Auctions** BV



**Industrial
Auctions** BV

Address: Looyenbeemd 11
5652 BH Eindhoven, Netherlands
Tel.: +31 (0)40 2409 208
Fax: +31 (0)40 2409 209
Email: info@industrial-auctions.com
Web: www.industrial-auctions.com

Upcoming auctions:

- 16-04 Online auction machinery and slaughtering technology in Sint-Oedenrode (NL)**
- 29-04 Online auction machinery for the food industry on former location Kuijten Verswaren in Eindhoven (NL)**