



Industrial Auctions BV

Online auction machinery for the food industry in Boxtel
(NL)

Closing: 21 October 2020 from 14:00 hrs.



Viewing day:

Address:

Schouwrooij 26
5281 RE Boxtel
Netherlands



General terms and conditions of the online auction

Closing date	21 October 2020 from 14:00 hrs.
Viewing	
Organizing Company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 Fax: +31 (0)40 2409 209 E-mail: info@industrial-auctions.com
Buyers premium	16% over the highest bid
V.A.T	21% over the highest bid including Premium
Pickup date	28 October 2020 from 09:00 till 16:00 hrs.
Pickup address	Schouwrooij 26 5281 RE Boxtel Netherlands
Delivery instructions	The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Industrial Auctions B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address.
Payment details	Before collection of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is made in the last 5 minutes the lot closes, the closing time of that lot will be extended with 5 minutes until no bids are made.



Nr	Title	Description	Start €
1	Multivac	Multivac thermoformer, type: R530, machine number: 1429/MC, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 19 kW, 48 A, dye: (9x) 125 mm x 140 mm, index: 480 mm, film width: 460 mm, dimensions: 9200 mm x 1300 mm x 2000 mm. Including suction device for rest film and 2 pallets with parts. Without one vacuum pump and outfeed belt.	4500
2	Multivac	Multivac thermoformer, type: R530, machine number: 2897, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 14 kW, 36 A, dye: (6x) 140 mm x 230 mm, index: 495 mm, film width: 505 mm, total dimensions: 9500 mm x 1200 mm x 2000 mm. With suction device for rest film. Without one vacuum pump.	4500
3	Sealpac GmbH	Sealpac GmbH traysealer, type: 750, serial number: TVG 0462601, year of construction: 2002, 3x 400/230 V, 6.5 kW, 800 kg, plastic chain conveyor, distance between dividers: 335 mm, dye: (4x) 130 mm x 180 mm, wire belt width: 140 mm, total dimensions: 7300 mm x 800 mm x 1900 mm.	3300
4	Sealpac GmbH	Sealpac GmbH traysealer, type: Sealpac 350, serial number: TVG 02 1977 01, year of construction: 2008, 3x 400/230 V, 50/60 Hz, 450 kg, s/s chain conveyor, distance between dividers: 350 mm, wire belt width: 120 mm, total dimensions: 5750 mm x 700 mm x 1850 mm. Including 6 s/s frames with 4 dyes, (2x) 185 mm x 130 mm, (1x) 325 mm x 180 mm, (1x) 320 mm x 260 mm, (3x) Ø 90 mm, dimensions frames: 700 mm x 630 mm x 1380 mm. Including pallet with parts. Defect.	1500
5	Leonhardt	Leonhardt mobile 4 heads depositor, type: TG4/250, number: 0140/1125, year of construction: 2007, dimensions: 1900 mm x 1400 mm x 1950 mm.	1000
6	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer, type: 1902, machine number: 190202.61246.0148, year of construction: 1993, 380/220 V, 3 Ph, 50 Hz, 7/16 A, dimensions chamber: 240 mm x 220 mm, total dimensions: 1820 mm x 850 mm x 1300 mm.	1000
7	Saimo Technology UK Ltd	Saimo Technology UK Ltd checkweigher, serial number: P 1112286, 240 V, 50 Hz, belt width: 200 mm, total dimensions: 600 mm x 600 mm x 1900 mm.	250
8	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 1400 mm x 500 mm x 930 mm.	75
9	NN washing machine	Washing machine for cans, clearance: 100 mm x 200 mm, total dimensions: 2380 mm x 1050 mm x 1500 mm.	250
10	Alfred Petri	Alfred Petri packaging machine, type: VEU -2/B, machine number: 312 10 93, seal width: 250 mm, total dimensions: 4750 mm x 1000 mm x 2050 mm.	1000



11	Laudenberg Verpackungsmaschinen GmbH	Laudenberg Verpackungsmaschinen GmbH rotary forming, filling and sealing machine, type: FBM-20-DR, number: 110, year of construction: 1993, film width: 340 mm, width pouch size: 100 mm- 300 mm, length pouch size: 120 mm -350 mm, total dimensions: 4400 mm x 2100 mm x 2650 mm.	5000
12	MegaPack	MegaPack denester, number: 106045-1, 4 lanes, dimensions trays: (4x) 190 mm x 210 mm, total dimensions: 1450 mm x 1400 mm x 1900 mm.	500
13	Cryovac	Cryovac belt vacuum machine, seal length: (2x) 945 mm, (1x) 650 mm, dimensions chamber: 1100 mm x 750 mm, belt width: 480 mm, with Busch vacuum pump, total dimensions: 1160 mm x 1100 mm x 1220 mm.	750
14	Flowcomm Benelux BV	Flowcomm Benelux BV plate heat exchanger, type: FLC-22, manufacturing number: 21150027, nominal capacity: 1140 kW, transmission surface: 8.8 m ² , volume: 13 liter, 10/14.3 bar, medium: steam, working temperature: 5°C - 150°C, dimensions: 1100 mm x 960 mm x 500 mm.	150
15	Minipack-Torre S.p.A	Minipack-Torre S.p.A shrink tunnel, model: Tunnel50 Twin, serial number: 4366, year of construction: 2008, 380 V, 50 Hz, 13200 W, 20.0 A, belt width: 450 mm, clearance: 450 mm x 250 mm, total dimensions: 1700 mm x 800 mm x 1650 mm.	750
16	NN platform	S/s platform, dimensions: 1900 mm x 720 mm x 1720 mm.	400
17	NN platform	S/s platform, dimensions: 2500 mm x 720 mm x 2020 mm.	400
18	NN platform	S/s platform, dimensions: 2250 mm x 700 mm x 1690 mm.	400
19	NN tumbler	S/s vacuum tumbler, dimensions drum: 1600 mm x 1600 mm x 1200 mm, volume: 2400 liter, Busch vacuum pump, total dimensions: 2400 mm x 1900 mm x 2100 mm.	1500
20	Wolfking	Wolfking s/s infeed bunker on weighing cells with double s/s elevating screw, type: 1250L-Silo, number: 61437, year of construction: 2001, 400 V, 50 Hz, 15.8 A, 6.6 kW, volume: 1250 liter, elevating height screw: 1900 mm, total dimensions: 4500 mm x 1000 mm x 2650 mm.	2000
21	Berief GmbH	Berief GmbH double jacketed tiltable cooking vessel, fabrication number: 7248, year of construction: 2000, capacity vessel: 400 liter, capacity jacket: 100 liter, 184 °C, steam heated, dimensions: 2380 mm x 2000 mm x 1950 mm.	5000
22	Jensen Metal	Jensen Metal platform, type: GEA platform, year of construction: 2017, dimensions: 2200 mm x 720 mm x 1900 mm.	400



23	CFS	CFS s/s platform, dimensions: 2500 mm x 720 mm x 2020 mm.	400
24	GEA	GEA platform, type: GEA platform, year of construction: 2015, dimensions: 2500 mm x 720 mm x 2150 mm.	400
25	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 170 mm, total dimensions: 1050 mm x 820 mm x 1000 mm.	200
26	G. Mondini S.p.A	G. Mondini S.p.A mobile cheese spreader, model: DF-GS 300, serial number: 3583/08-1, year of construction: 21-09-2008, 380 V, 3 Ph, 50 Hz, belt width: 280 mm, total dimensions: 1300 mm x 1300 mm x 1980 mm.	500
27	Multivac	Multivac thermoformer, type: R230, serial number: 1982, year of construction: 03/2003, 400/230 V, 3 Ph, 50 Hz, 10 kW, 26/50 A, dye: (1x) Ø 275 mm, film width: 335 mm, belt width: 270 mm, total dimensions: 6100 mm x 1050 mm x 2070 mm. With Gardner Denver vacuum pump, type: VC 303, 300 m ³ /h, dimensions: 1100 mm x 700 mm x 650 mm. Including 3 pallets with film.	10000
28	Séria Constructeur	Séria Constructeur mobile denester, type: Depiteur, serial number: 8 127 2006 010, year of construction: 2006, 2 lanes, lane width: 110 mm, total dimensions: 1350 mm x 900 mm x 2150 mm.	200
29	MK Gilze BV	MK Gilze BV mobile elevating belt, year of construction: 2013, 230 V, 50 Hz, 4 A, s/s frame, plastic belt with dividers, belt width: 490 mm, divider height: 190 mm, distance between divider: 100 mm, elevating height: 2650 mm, total dimensions: 3700 mm x 1200 mm x 3000 mm.	1250
30	Paal Verpackungsmaschinen	Paal Verpackungsmaschinen case packer, type: 1000 HC-CBC-6, number: 1886, year of construction: 2008, 230/400 V, 3 Ph, 50 Hz, 10/35 A, 5.5 kW, s/s belt, width: 95 mm, total dimensions: 7500 mm x 2300 mm x 2100 mm. Including pallet with s/s belt and switch cabinet, dimensions: 1900 mm x 550 mm x 2050 mm.	5000
31	Cremers Compressors	Cremers Compressors air compressor, type: CSG 1300/500, serial number: WCE202275, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 7.5 kW, 10 bar, 78 m ³ /h, 2910 rpm, 330 kg, dimensions: 1900 mm x 650 mm x 1300 mm.	200
32	Jenton Ariana	Jenton Ariana 4 to 1 inliner, belt width: (4x) 75 mm, (1x) 525 mm, total dimensions: 2000 mm x 820 mm x 2000 mm.	950



33	Buhmann Systeme	Buhmann Systeme 2 to 1 inliner, type: Zusammführung 2.1, machine number: 12.30.030, year of construction: 2004, 400 V, 2 A, belt width: (2x) 50 mm, 1x) 600 mm, clearance: 450 mm x 25 mm, total dimensions: 2100 mm x 1300 mm x 1100 mm.	950
34	Busch	Busch vacuum pump, type: HO 0433 E 203, number: C01080034, 250 m ³ /h, 0.5 bar, dimensions: 1500 mm x 1050 mm x 980 mm.	250
35	Converging Solutions	Converging Solutions 3 to 1 inliner, model: Integrator Mk2, serial number: CS 5211, year of construction: 2005, 240 V, 1 Ph, 50 Hz, 16 A, belt width: (3x) 150 mm, (1x) 615 mm, total dimensions: 1650 mm x 1100 mm x 1100 mm.	750
36	Ward Bekker systems LTD	Ward Bekker systems LTD vibrating gutter on mobile s/s frame, model: LZS1, serial number: 2174, year of construction: 03/00, width gutter: 170 mm, infeed height: 2200 mm, outfeed height: 1300 mm, total dimensions: 2200 mm x 1450 mm x 2350 mm.	650
37	NN plates	2 s/s plates, dimensions: 2200 mm x 670 mm x 80 mm and 1250 mm x 670 mm x 60 mm.	50
38	NN dyes	Mobile s/s trolley with dyes, dye: (4x) 235 mm x 215 mm and (12x) 110 mm x 135 mm, dimensions trolley: 1450 mm x 710 mm x 1720 mm. Including trolley for dyes, width: 820 mm, total dimensions: 1200 mm x 850 mm x 1350 mm.	500
39	Busch	Busch vacuum pump, dimensions: 1020 mm x 600 mm x 400 mm.	300
40	Winterhalter	Winterhalter dishwasher, type: GR 62, serial number: 2837, dimensions: 870 mm x 720 mm x 1600 mm.	225
41	NN table	S/s table, dimensions: 1000 mm x 600 mm x 900 mm.	25
42	NN tilting device for meat bins	S/s tilting device for meat bins, dimensions: 900 mm x 750 mm x 1720 mm.	50
43	NN rack	S/s rack, dimensions: 740 mm x 740 mm x 1160 mm.	15
44	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 310 mm, total dimensions: 1200 mm x 400 mm x 750 mm.	15
45	NN containers	3 mobile steel containers, dimensions: 740 mm x 610 mm x 1700 mm.	50
46	NN rack	S/s rack, (2x) 16 floors, with 27 s/s plates, dimensions: 600 mm x 400 mm, total dimensions: 920 mm x 630 mm x 1800 mm.	50
47	NN rack	S/s rack, (2x) 16 floors, with 6 s/s plates, dimensions: 600 mm x 400 mm, total dimensions: 920 mm x 630 mm x 1800 mm.	50
48	NN rack	S/s rack, (2x) 16 floors, with 32 s/s plates, dimensions: 600 mm x 400 mm, total dimensions: 920 mm x 630 mm x 1800 mm.	50



49	NN rack	S/s rack, (2x) 16 floors, with 32 s/s plates, dimensions: 600 mm x 400 mm, total dimensions: 920 mm x 630 mm x 1800 mm.	50
50	NN racks	2 s/s racks, (2x) 16 floors each, with 68 s/s plates, dimensions: 600 mm x 400 mm, total dimensions: 920 mm x 630 mm x 1800 mm.	50
51	NN racks	2 s/s racks, (2x) 16 floors each, with 53 s/s plates, dimensions: 600 mm x 400 mm, total dimensions: 920 mm x 630 mm x 1800 mm.	50
52	Temp Rite International	Temp-Rite s/s trolley, (3x) 17 floors, dimensions floors: 560 mm x 330 mm, total dimensions: 1100 mm x 570 mm x 1980 mm.	50
53	NN racks	2 s/s racks, dimensions: (2x) 620 mm x 465 mm x 1300 mm.	50
54	NN rack	S/s rack with approximately 40 s/s plates, dimensions plates: 600 mm x 400 mm, total dimensions: 620 mm x 465 mm x 1300 mm.	50
55	NN racks	4 s/s racks, dimensions: (4x) 620 mm x 465 mm x 1300 mm.	50
56	NN monitor stands	5 monitor stands, dimensions: 240 mm x 210 mm x 380 mm.	25
57	MK Gilze BV	MK Gilze BV mobile transport belt, type: B-400, serial number: P2001805013, year of construction: 2018, s/s frame, plastic belt, belt width: 380 mm, total dimensions: 1350 mm x 550 mm x 1200 mm.	850
58	Acemia	Acemia transport belt, number: 19154, year of construction: 2000, 400 V, 50 Hz, 1.5 kW, plastic mesh belt, belt width: (3x) 150 mm, (1x) 400 mm, total dimensions: 1860 mm x 1300 mm x 1000 mm.	100
59	Johnson Pump Brussels N.V.	Johnson Pump Brussels N.V. lobe pump , s/s trolley, type: TW2/0171-40, serial number: 2002-402038, dimensions pump: 780 mm x 200 mm x 370 mm, total dimensions: 1270 mm x 550 mm x 1170 mm.	100
60	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 730 mm, total dimensions: 4400 mm x 1000 mm x 950 mm.	500
61	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 280 mm, total dimensions: 5000 mm x 500 mm x 1000 mm.	400
62	Berief	Berief s/s cooking vessel, steam heated, inside dimensions: 1200 mm x 900 mm x 500 mm, total dimensions: 1500 mm x 1400 mm x 1200 mm. Including s/s basket, dimensions: 1100 mm x 850 mm x 480 mm.	500
63	Berief	Berief s/s cooking vessel, steam heated, inside dimensions: 1200 mm x 900 mm x 500 mm, total dimensions: 1500 mm x 1400 mm x 1200 mm. Including s/s basket, dimensions: 1100 mm x 850 mm x 480 mm.	500



64	Berief GmbH	Berief GmbH tiltable fryer, type: Kippbratpfanne 100 L, model: BJ 2000, factory number: 7275/1, 400 V, 3 Ph, 50 Hz, 24 kW, 180 °C, inside dimensions: 1250 mm x 650 mm x 160 mm, total dimensions: 2200 mm x 1300 mm x 1100 mm.	750
65	Gernal	Gernal tiltable fryer, serial number: 0099, year of construction: 2004, inside dimensions: 1680 mm x 800 mm x 150 mm, total dimensions: 2300 mm x 1400 mm x 1300 mm.	1000
66	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 460 mm, dimensions: 960 mm x 600 mm x 1000 mm.	650
67	Sopara	Sopara grill, year of construction: 01-01-2001, s/s mesh belt, belt width: 750 mm, clearance: 750 mm x 40 mm, total dimensions: 6200 mm x 1600 mm x 2200 mm. Including 2 switch cabinets, dimensions: (2x) 950 mm x 500 mm x 2200 mm.	2500
68	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 580 mm, total dimensions: 4000 mm x 840 mm x 890 mm.	400
69	NN frame	S/s frame, dimensions: 2350 mm x 330 mm x 500 mm.	50
70	Lock	Lock mobile metal detector, clearance: 270 mm x 75 mm, on mobile s/s frame with elevating belt, belt width: 260 mm, elevating height: 1150 mm, total dimensions: 3000 mm x 1050 mm x 1200 mm. Last calibration: 20-09-2013.	1050
71	OCS checkweighers GmbH	OCS checkweighers GmbH metal detector with checkweigher, type: MN 2.20 300/100 slim, serial number: 960649-6, 100-240 V, 50/60 Hz, 50 -300 Ma, clearance: 300 mm x 60 mm, belt width: 230 mm, checkweigher type: HC, number: 1002591, year of construction: 2004, maximum weight: 1500 g, minimum weight: 100 g, e= 0.2 g, total dimensions: 1750 mm x 800 mm x 2050 mm.	1250
72	Schröter GmbH&Co KG Technologie	Schröter GmbH&Co KG Technologie cooking chamber for 1 trolley, type: KA 1Wg, fabrication number: 018.0104 1082 020, year of construction: 03-2004, 230/400 V, 2 kW, humid: 0.5/100 kg/h 6 bar, 5l/min, inside dimensions: 1290 mm x 1400 mm x 2100 mm, total dimensions: 170 mm x 1750 mm x 2950 mm. Dimensions switch cabinet: 600 mm x 450 mm x 1600 mm.	1000
73	Schröter GmbH&Co KG Technologie	Schröter GmbH&Co KG Technologie cooking chamber for 1 trolley, type: KA 1Wg, fabrication number: 018 0104, year of construction: 02-2004, 230/400 V, 2 kW, humid: 0.5/100 kg/h 6 bar, 5l/min, inside dimensions: 1290 mm x 1400 mm x 2100 mm, total dimensions: 170 mm x 1750 mm x 2950 mm. Dimensions switch cabinet: 600 mm x 450 mm x 1600 mm.	1000



74	Barriquand	Barriquand autoclave for 4 trolleys, type: Steriflow 1341 EL, number: S.511, year of construction: 1988, volume: 5200 dm ³ , 5 bar, 150°C, 2350 kg, dimensions: 4400 mm x 1300 mm x 1700 mm. Including 4 pallets with parts and switch cabinet, dimensions: 950 mm x 500 mm x 1820 mm. Heat exchanger punctured.	5000
75	Barriquand	Barriquand autoclave for 4 trolleys, type: Steriflow 1341 EL, number: S.799.0, year of construction: 1991, volume: 5200 dm ³ , 5 bar, 150°C, 2350 kg, dimensions: 4400 mm x 1300 mm x 2200 mm. Including 3 pallets with parts. Heat exchanger punctured.	5000
76	NN meat bins	2 s/s meat bins, volume: 200 liter.	50
77	NN bins	2 plastic pallet boxes with large amount of plastic bins, dimensions pallet box: (2x) 1200 mm x 1000 mm x 800 mm.	50
78	NN baskets	2 steel perforated baskets, dimensions: (2x) 1260 mm x 1140 mm x 550 mm.	150
79	NN baskets	2 steel perforated baskets, dimensions: (2x) 1260 mm x 1140 mm x 550 mm.	150
80	Atlas Copco	Atlas Copco air compressor, type: GA 608, serial number: ARP752231, year of construction: 1995, 45 kW, 3000 rpm, 5 l/s, dimensions: 2500 mm x 1150 mm x 1750 mm.	750
81	NN door	S/s refrigerated sliding door, dimensions door: 2980 mm x 2700 mm, thickness: 60 mm. Without rails.	300
82	NN cabinet	Wooden cabinet, dimensions: 600 mm x 600 mm x 2050 mm.	1
83	Busch	Busch vacuum pump, type: RA 0250 D 5Z1 QM22, number: OJ04520103, year of construction: 1997, 0.5 mbar, dimensions: 940 mm x 550 mm x 400 mm.	250
84	Busch	Busch vacuum pump, type: RA 0250 D 562 QMXX, number: C9935000145, year of construction: 1999, dimensions: 1000 mm x 600 mm x 400 mm.	250
85	Somic GmbH & Co. KG	Somic GmbH & Co. KG case packer, type: WA 402, machine number: 99009, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 25 A, 12 kW, dimensions: 3250 mm x 2350 mm x 2650 mm. Incomplete, technical condition unknown.	1000
86	Somic GmbH & Co. KG	Somic GmbH & Co. KG case packer, type: WA 402, machine number: 98005, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 25 A, 12 kW, dimensions: 3250 mm x 2350 mm x 2650 mm. Incomplete, technical condition unknown.	1000
87	NN transport belt	Transport belt, steel frame, belt width: 395 mm, total dimensions: 1850 mm x 800 mm x 950 mm.	200
88	Somic GmbH & Co. KG	Somic GmbH & Co. KG transport belt, belt width: (2x) 150 mm and (1x) 200 mm, distance between dividers: 250 mm, total dimensions: 1450 mm x 1200 mm x 1400 mm.	200



89	Herma	Herma labeller, type: H 300 SNK 8, number: 890 4 965, 220 V, 50 Hz, with chain conveyor, width: 80 mm, distance between dividers: 220 mm, total dimensions: 1000 mm x 650 mm x 1800 mm.	250
90	Somic GmbH & Co. KG	Somic GmbH & Co. KG case packer, type: WA 402, machine number: 99010, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 25 A, 12 kW, dimensions: 3250 mm x 2350 mm x 2650 mm. Including transport belt with plastic covers, belt width: 85 mm, dimensions: 3000 mm x 1600 mm x 1350 and switch cabinet, dimensions: 1000 mm x 310 mm x 1280 mm. Incomplete, technical condition unknown.	1000
91	BAT Maschinenbau GmbH	BAT Maschinenbau GmbH double bowl feeder, 400 V, 3 Ph, 50 Hz, 2.5 kW, dimensions: 1950 mm x 1700 mm x 1950 mm.	500
92	Rhewa	Rhewa weighing scale, type: 83 Z, fabrication number: 05 3322, maximum weight: 150/300 kg, minimum weight: 1/2 kg, e= 50/100 g, dimensions scale: 1000 mm x 1250 mm, total dimensions: 1250 mm x 1250 mm x 1450 mm.	150
93	Rhewa	Rhewa weighing scale, type: 83 Z, fabrication number: 05 3323, maximum weight: 150/300 kg, minimum weight: 1/2 kg, e= 50/100 g, dimensions scale: 1000 mm x 1250 mm, total dimensions: 1250 mm x 1250 mm x 1450 mm.	250
94	Rhewa	Rhewa weighing scale, type: 83 Plus, fabrication number: 045467, maximum weight: 150/300 kg, minimum weight: 1/2 kg, e= 50/100 g, dimensions scale: 1000 mm x 1250 mm, total dimensions: 1250 mm x 1250 mm x 1450 mm.	250
95	Fischer	Fischer mobile battery, type: SP12-9. number: BK87683, year of construction: 2017, 384 V, 192 cells, 84 kg, dimensions: 960 mm x 530 mm x 1250 mm.	200
96	NN mobile hopper	Mobile s/s hopper, inside dimensions: 800 mm x 800 mm x 500 mm, total dimensions: 1400 mm x 1300 mm x 1600 mm.	200
97	NN vibrating gutters	Pallet with various vibrating gutters.	200
98	NN meat bin	S/s meat bin with handle, volume: 200 liter.	40
99	NN mixing tubs	2 s/s mobile mixing tubs, inside dimensions tubs: (2x) 1050 mm x 1050 mm x 540 mm, total dimensions: (2x) 1160 mm x 1100 mm x 910 mm.	300
100	NN mixing tubs	3 s/s mobile mixing tubs, inside dimensions tubs: (3x) 1060 mm x 1060 mm x 520 mm, total dimensions: (3x) 1200 mm x 1100 mm x 1000 mm.	450
101	NN mixing tubs	3 s/s mobile mixing tubs, inside dimensions tubs: (3x) 890 mm x 890 mm x 550 mm, total dimensions: (3x) 1060 mm x 920 mm x 930 mm.	450



102	Multipond	Multipond 14-heads multihead weigher, type: MP 1401, fabrication number: MP971, year of construction: 1996, 230 V, 50 Hz, maximum weight: 500 g, minimum weight: 0.5 g, dimensions: 900 mm x 900 mm x 1520 mm.	1500
103	Multipond	Multipond 14-heads multihead weigher, type: MP 1401, fabrication number: MP937, year of construction: 1996, 230 V, 50 Hz, maximum weight: 500 g, minimum weight: 0.5 g, dimensions: 900 mm x 900 mm x 1520 mm.	1500
104	Multipond	Multipond 14-heads multihead weigher, type: MP 1401, fabrication number: MP 936, year of construction: 1996, 230 V, 50 Hz, maximum weight: 500 g, minimum weight: 0.5 g, dimensions: 900 mm x 900 mm x 1520 mm.	1500
105	Poro	Poro mobile welding unit, type: 250k, number: 005422, 3x 380 V, 50 Hz, 30-250 A / 15-27 V, dimensions: 1200 mm x 450 mm x 550 mm.	100
106	Cebora	Cebora mobile welding unit, type: Plasma prof 90, number: 486908, dimensions: 850 mm x 480 mm x 850 mm.	150
107	NN cabinet	Steel cabinet, dimensions: 2750 mm x 800 mm x 1000 mm. Missing top.	100
108	NN funnel	Funnel, diameter: 350 mm, total dimensions: 1300 mm x 1500 mm x 1150 mm.	50
109	NN hydraulic units	Pallet with 2 hydraulic units, dimensions: 600 mm x 400 mm x 550 mm and 500 mm x 400 mm x 650 mm.	150
110	Závody Tazkeho Strojárstva	Závody Tazkeho Strojárstva plate bender, type: XONM 2000/2A-4, machine number: 237-1537, year of construction: 1982, maximum plate dimensions: 2000 mm x 2 mm, 2.2 kW, 2600 kg, dimensions: 3200 mm x 1150 mm x 1650 mm. Including hydraulic unit.	750
111	Pionier / GEA	Pionier / GEA air handling unit, consisting of Pionier filter, type: QMP-32, number: 060430, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 3 kW, 530 kg, filter class: M, dimensions: 1600 mm x 1300 mm x 1950 mm, GEA radial fan, type: MA 100/250-S, fabrication number: 34496, year of construction: 2001, 6.2 kW, 2900 rpm, 100 m ³ /min, 250 daPa, dimensions: 1050 mm x 800 mm x 1100 mm, filter cabinet, dimensions: 2250 mm x 1200 mm x 1850 mm, 2 pallets with pipes, 2 pallets with filters, 14 filters, dimensions: (14x) 900 mm x 300 mm x 1300 mm.	1000
112	NN cups and plates	2 boxes with cups and plates.	100
113	NN laboratory equipment	Pallet with various laboratory equipment, among others: glasses and pasteur pipettes.	50
114	Bartscher	Pallet with 14 Bartscher soup kettles, type: Club, 230 V, 50 Hz, 400 W, volume: 8.5 l, 30-95°C, height: 385 mm, Ø: 295 mm.	100



115	Hettich	Hettich centrifuge, type: 1004, number: 0002236-03-00, year of construction: 2005, 220-240 V, 50-60 Hz, 2.75 A, 18000 rpm, 1.2 kg/dm ³ , dimensions: 265 mm x 300 mm x 250 mm. Including pipettes and holder for pipettes.	50
116	Heraeus	Heraeus heating and drying oven, type: UT 6120, fabrication number: 9102495, 220 V, 50 Hz, 10.0 A, 2.2 kW, 4 floors, dimensions floors: 550 mm x 330 mm, total dimensions: 900 mm x 600 mm x 720 mm.	50
117	Heraeus	Heraeus heating and drying oven, type: T 6060, fabrication number: 9102473, 50 Hz, 1.40 kW, 250 °C, 3 floors, dimensions floors: 400 mm x 350 mm, total dimensions: 760 mm x 550 mm x 600 mm.	50
118	NN office inventory	Office inventory, consisting of: 12 tables, dimensions: 1400 mm x 600 mm x 750 mm, 18 chairs and 7 mobile leather chairs.	50
119	NN meat hooks	Crate with 3 s/s meat hooks, dimensions: (3x) 540 mm x 280 mm.	15
120	Jungheinrich	Jungheinrich reach truck, type: ETV 214, serial number: 91059594, year of construction: 2009, capacity: 1400 kg, weight without battery: 2602 kg, weight battery: 1175 kg, fork length: 1150 mm, elevating height: 8000 mm, total dimensions: 2500 mm x 1300 mm x 3250 mm. Including Jungheinrich battery charger, type: D400V G 48/90 B-SLT 100, serial number: 93768197, year of construction: 2015, 400 V, 3 Ph, 50/60 Hz, output: 48V/90 A, dimensions: 550 mm x 550 mm x 900 mm.	1500
121	Jungheinrich	Jungheinrich reach truck, type: ETV 214, serial number: 91071752, year of construction: 2009, capacity: 1400 kg, weight without battery: 2602 kg, weight battery: 1175 kg, fork length: 1150 mm, elevating height: 8000 mm, total dimensions: 2500 mm x 1300 mm x 3250 mm. Including Jungheinrich battery charger, type: D400V G 48/90 B-SLT 100, serial number: 93664305, year of construction: 2010, 400 V, 3 Ph, 50/60 Hz, output: 48V/90 A, dimensions: 550 mm x 550 mm x 900 mm.	1500
122	NN parts for pallet rack	Parts for steel pallet rack, consisting of: approximately 60 beams: 2850 mm, 28 uprights, dimensions: 2150 mm x 460 mm, 40 beams, length: 2500 mm and 40 beams, length: 1250 mm and pallet with large amount of plates.	500
123	NN frame for curve conveyor	S/s frame for 90° curve conveyor, belt width: 100 mm, total dimensions: 3000 mm x 1700 mm x 1100 mm.	50



124	Vogel Maschinenbau	Vogel Maschinenbau pallet wrapper, type: KVK 3300, machine number: 02097, year of construction: 1990, 220/380 V, 0.7 kW, diameter platform: 1500 mm, film width: 530 mm, total dimensions: 4000 mm x 1500 mm x 2500 mm.	350
125	NN chain conveyor	NN chain conveyor with buckets, dimensions buckets: 160 mm x 140 mm x 1150 mm, total dimensions: 2300 mm x 250 mm x 850 mm.	50
126	Rhewa	Rhewa weighing scale, type: 83 Plus, fabrication number: 045471, maximum weight: 150 kg, minimum weight: 1 kg, e= 5 g, dimensions scale: 750 mm x 650 mm, total dimensions: 1000 mm x 650 mm x 1520 mm.	200
127	NN part for vibrating gutter	Part for vibrating gutter, gutter width: 170 mm, total dimensions: 1050 mm x 300 mm x 400 mm.	50
128	RNA	RNA vibrating gutter, type: SLL400-600, serial number: 00060, 200 V, 1 Ph, 50 Hz, 0.55 A, 110 VA, 100 Hz, 6000 rpm, gutter width: 100 mm, total dimensions: 550 mm x 150 mm x 720 mm.	150
129	RNA	RNA vibrating gutter, type: SLL400-600, serial number: 00060, 200 V, 1 Ph, 50 Hz, 0.55 A, 110 VA, 100 Hz, 6000 rpm, gutter width: 100 mm, total dimensions: 550 mm x 150 mm x 720 mm.	150
130	NN wire belt	Wire belt, belt width: 130 mm, total dimensions: 1200 mm x 500 mm x 500 mm. Including frame.	150
131	NN vibrating gutter	S/s frame with vibrating gutter, diameter infeed: 285 mm, total dimensions: 1650 mm x 1400 mm x 1450 mm.	50
132	NN switch cabinet	S/s switch cabinet, dimensions: 600 mm x 250 mm x 1050 mm.	100
133	Lock inspection Systems Ltd.	Lock inspection Systems Ltd. fall-through metal detector, type: Met 30+, serial number: 07354/3, year of construction: 02-09-01, 230 V, 1 Ph, 50/60 Hz, 0.25 A, clearance: 155 mm, dimensions: 250 mm x 210 mm x 300 mm, dimensions indicator: 430 mm x 330 mm x 250 mm.	250
134	Lock inspection Systems Ltd.	Lock inspection Systems Ltd. fall-through metal detector, type: Met 30+, serial number: 07354/3, year of construction: 02-09-01, 230 V, 1 Ph, 50/60 Hz, 0.25 A, clearance: 155 mm, dimensions: 250 mm x 210 mm x 300 mm, dimensions indicator: 430 mm x 330 mm x 250 mm.	250
135	Jacob / SEW	Pallet Jacob valves and SEW motors.	100
136	Siemens	Siemens motor, type: 1LA5 280-2AC60, number: 010183106/0100 IM 03, 400 V, 50 Hz, 75 kW, 2900 rpm, dimensions: 1120 mm x 600 mm x 750 mm.	500
137	NN floor weighing scale	S/s floor weighing scale, dimensions: 1120 mm x 600 mm x 750 mm. Without indicator.	100



138	Mesutronic	Mesutronic fall-through metal detector, type: Quicktron 5.0 A 150, serial number: 970314-Q, 100-240 V, 50/60 Hz, 50-300 mA, diameter infeed: 150 mm, total dimensions: 500 mm x 500 mm x 900 mm.	150
139	Mesutronic	Mesutronic fall-through metal detector, type: Quicktron 5.0 A 150, serial number: 960206-ON, 100-240 V, 50/60 Hz, 50-300 mA, diameter infeed: 150 mm, total dimensions: 500 mm x 1000 mm x 1660 mm.	150
140	Meusotronic	Mesutronic fall-through metal detector, type: Quicktron 5.0 A 150, serial number: 960209-ON, 100-240 V, 50/60 Hz, 50-300 mA, diameter infeed: 150 mm, total dimensions: 500 mm x 500 mm x 900 mm.	150
141	NN valve	Valve, diameter infeed: 110 mm, dimensions: 800 mm x 500 mm x 1050 mm, with switch cabinet, dimensions: 800 mm x 520 mm x 800 mm.	100
142	Spellna	Pallet with Spellna blower, type: RV23.4 H2G, number: 92G1425, 500 mbar, 2650 rpm, 0.1797 m ³ /s, 12.1 kW, dimensions: 900 mm x 750 mm x 450 mm.	100
143	Garvens Automation GmbH	Garvens Automation GmbH checkweigher, type: VO 3, fabrication number: 52679, year of construction: 1998, 230 V, 50 Hz, maximum weight: 400 g, belt width: (4x) 110 mm, (2x) 180 mm, dimensions: (2x) 1000 mm x 1500 mm x 1450 mm.	250
144	NN pipes	Various s/s and plastic pipes, diameter: 130 mm and 60 mm.	20
145	Grundfos	Grundfos pump, type: CRN8-200 S-F-G-AUUV, model: B42430020P10147, Q:9.5 m ³ /h, H: 171.0 m, 2900 rpm, dimensions: 1500 mm x 500 mm x 600 mm.	250
146	Grundfos	Grundfos pump, type: CR64-4-2 A-F-A-E-HQQE, model: A96123534P10720, serial number: 0001, 50 Hz, 18.5 kW, 2934 rpm, Q:64 m ³ /h, H: 99 m, dimensions: 1450 mm x 450 mm x 400 mm.	350
147	Lock inspection Systems Ltd.	Lock inspection Systems Ltd. fall-through metal detector, clearance: 155 mm, dimensions: 250 mm x 210 mm x 300 mm. Without indicator.	350
148	Lock inspection Systems Ltd.	Lock inspection Systems Ltd. fall-through metal detector, type: Met 30+, serial number: 07354/20, year of construction: 02-09-01, 230 V, 1 Ph, 50/60 Hz, 0.25 A, clearance: 155 mm, dimensions: 250 mm x 210 mm x 300 mm, dimensions indicator: 430 mm x 330 mm x 250 mm.	250
149	Lock inspection Systems Ltd.	Lock inspection Systems Ltd. fall-through metal detector, type: Met 30+, serial number: 07354/21, year of construction: 02-09-01, 230 V, 1 Ph, 50/60 Hz, 0.25 A, clearance: 155 mm, dimensions: 250 mm x 210 mm x 300 mm, dimensions indicator: 430 mm x 330 mm x 250 mm.	250



150	Igefa Weinbrenner Wärmetauscher GmbH	Igefa Weinbrenner Wärmetauscher GmbH heat exchanger, type: 203.115.114.22.900.10.0, fabrication number: 100231, year of construction: 2010, 200 kW, tube side medium: water, 150/120 °C, 4 liter, shell side medium: steam, 184/160 °C, 6 liter, 13 bar, dimensions: 1300 mm x 220 mm x 500 mm.	250
151	Siemens	Siemens oven, type: HMD5341, number: 335040357816003253, 220-240 V, 50/60 Hz, 3580 W, 5 floors, dimensions floor: 450 mm x 380 mm, total dimensions: 620 mm x 600 mm x 600 mm.	150
152	Garvens-Kontrollwagen AG	Garvens-Kontrollwagen AG checkweigher, type: SL 3 PM, fabrication number: 3335, year of construction: 1985, 220 V, belt width: 150 mm, total dimensions: 1250 mm x 800 mm x 1500 mm.	50
153	Spellna	Spellna blower, type: RV-34.5-L-1-0, 0.5434 m ³ /s, 25C, dimensions: 800 mm x 400 mm x 400 mm.	100
154	Garvens Automation GmbH	Garvens Automation GmbH checkweigher, type: VS 2, serial number: 8889, year of construction: 1995, 230 V, 50 Hz, capacity: 100 g, belt width: 100 mm, total dimensions: 800 mm x 850 mm x 1320 mm. Missing belt.	100
155	NN frames	2 s/s frames with pusher, lane width: 125 mm, total dimensions: (2x) 850 mm x 400 mm x 1200 mm.	200
156	NN chain conveyer	Chain conveyer with dividers, distance between dividers: 490 mm, total dimensions: 3100 mm x 400 mm x 820 mm.	100
157	MK inspection services	MK inspection services control unit, model: PV-2000, serial number: 255, 110 V, 50/60 Hz, dimensions control unit: 500 mm x 500 mm x 1440 mm, with Rose frame for inkjet printer, model: PTB00ATEX1063, type: 15081806, product number: 10067476, year of construction: 26.06.2006, dimensions frame: 500 mm x 600 mm x 2060 mm.	100
158	NN coat hanger	Coat hanger, dimensions: 400 mm x 400 mm x 1850 mm.	5
159	Bestron	Bestron fan, model: AFT45S2/LF6-40, serie: 15150, 220-240 V, 50 Hz, diameter: 450 mm, total dimensions: 700 mm x 700 mm x 1100 mm.	5
160	Frigor	Frigor freezer, type: TM600, number: 10120146, 220-240 V, 50 Hz, 211 W, 2.05 kW/24h, capacity: 38kg/24h, refrigerant: R134A, 270 gr, dimensions: 1700 mm x 700 mm x 850 mm.	25
161	NN roller conveyer	Roller conveyer, s/s rollers, roller width: 500 mm, total dimensions: 640 mm x 640 mm x 100 mm.	10
162	Koxka refrigerator	Koxka refrigerated showcase, dimensions: 2000 mm x 1000 mm x 950 mm.	25



163	Electrolux	Electrolux refrigerator/freezer, type: TR 1090, model: ER 3006 B, serial number: 42601197, 230 V, 50 Hz, 150 W, refrigerant: R134a / 155 gram, dimensions: 650 mm x 600 mm x 1550 mm.	10
164	Intercold	Intercold refrigerated showcase, model: E223 CP-1500, serial number: 00077083, 230 V, 50 Hz, 490/570 W, refrigerant: R404a, 0.40 kg, dimensions: 1600 mm x 1050 mm x 1050 mm.	25
165	NN frame	S/s frame, dimensions: 550 mm x 360 mm x 430 mm.	10
166	NN rollies	7 rollies, inside dimensions (6x): 375 mm x 575 mm, (1x) 400 mm x 600 mm.	25
167	NN trolley	Steel trolley, 2 floors, dimensions: 730 mm x 480 mm x 780 mm.	10
168	Mobile Containing	3 Mobile Containing mobile plate dispenser, model: 3 TN-MS 240, serial numbers: 112826, 112827 and 112828, year of construction: 2005, diameter plates: 190 mm - 240 mm, total dimensions: (3x) 1000 mm x 400 mm x 1000 mm.	75
169	Mobile Containing	2 Mobile Containing mobile dispenser, model: S-FR, serial number: 103031 and 103030, year of construction: 2004, dimensions: 900 mm x 570 mm x 1000 mm.	50
170	NN plates	3 s/s plates, dimensions: (3x) 1400 mm x 700 mm.	15
171	Sampos	Sampos cash register, model: ECR-1810, serial number: 90900185, 230 V, 50 Hz, 0.38 A, dimensions: 400 mm x 430 mm x 280 mm.	15
172	NN frame	S/s frame, dimensions: 150 mm x 100 mm x 750 mm.	5
173	Iseco	3 Iseco serving trolley, type: Vitalis Carbo 85, model: (2x) 20 and (1x) 24, number: 04 09 0497 / 04 09 0496 / 05 06 0435, 400 V, 3 Ph, 50 Hz, 9.1 A, 5.3 kW, 3x (2x) 10 floors, floor dimensions: 330 mm x 310 mm, total dimensions: (3x) 1000 mm x 750 mm x 1380 mm.	150
174	Iseco	3 Iseco serving trolley, type: Vitalis Carbo 85, model: (1x) 24 and (2x) 20, number: 05 06 0434 / 05 01 0004 / 04 09 0498, 400 V, 3 Ph, 50 Hz, 8.9 A, 5.1 kW, 3x (2x) 10 floors, floor dimensions: 330 mm x 310 mm, total dimensions: (3x) 1000 mm x 750 mm x 1380 mm.	150
175	AEG	AEG heater, model: WK/TPN 2001w, 230 V, 1 Ph, 50 Hz, 2000 W, dimensions: 840 mm x 100 mm x 400 mm.	10
176	Berson	Berson insect killer, type: I-216, serial number: 2160127, 220 V, 50 Hz, 120 W, dimensions: 600 mm x 200 mm x 450 mm.	5
177	NN tub	S/s tub, inside dimensions: 1100 mm x 900 mm x 850 mm, total dimensions: 1210 mm x 1030 mm x 1000 mm.	75
178	NN peg	S/s wall mounted peg, dimensions: 1150 mm x 100 mm x 150 mm.	10



179	NN dispenser	S/s dispenser, dimensions: 150 mm x 90 mm x 270 mm, s/s wall mounted table, dimensions: 190 mm x 100 mm x 500 mm.	5
180	TKT-Thermobehälter	TKT-Thermobehälter mobile thermo container, dimensions: 780 mm x 560 mm x 1630 mm.	50
181	NN waste bag holder	S/s waste bag holder, dimensions: 430 mm x 430 mm x 750 mm.	5
182	NN waste bag holder	S/s waste bag holder, dimensions: 430 mm x 380 mm x 850 mm.	5
183	NN boots rack	S/s boots rack, dimensions: 1000 mm x 370 mm x 200 mm.	5
184	NN autoclave trolleys	4 autoclave trolleys, 14 floors each, with 28 perforated plates, dimensions plate: 800 mm x 800 mm, dimensions trolley: 820 mm x 820 mm x 1150 mm.	500
185	NN autoclave trolleys	4 autoclave trolleys, 14 floors each, with 30 perforated plates, dimensions plate: 800 mm x 800 mm, dimensions trolley: 820 mm x 820 mm x 1150 mm.	500
186	NN autoclave trolleys	4 autoclave trolleys, 14 floors each, with perforated plates, dimensions plate: 800 mm x 800 mm, dimensions trolley: 820 mm x 820 mm x 1150 mm.	500
187	NN autoclave trolleys	8 autoclave trolleys, 14 floors each, with 70 perforated plates, dimensions plate: 800 mm x 800 mm, dimensions trolley: 820 mm x 820 mm x 1150 mm.	1000
188	NN autoclave trolleys	8 autoclave trolleys, 14 floors each, with 55 perforated plates, dimensions plate: 800 mm x 800 mm, dimensions trolley: 820 mm x 820 mm x 1150 mm.	1000
189	Intercold	Intercold refrigerated showcase, model: E223 CP-2000, serial number: HR21602, 230 V, 50 Hz, 650/898 W, refrigerant: R404A, 0.500 kg, dimensions: 2020 mm x 1000 mm x 1020 mm.	25
190	NN cargo handling beams	3 aluminium cargo handling beams, length: 2450 mm.	15
191	NN cargo handling beams	2 cargo handling beams, height: 2400 mm.	10
192	Küppersbusch	Küppersbusch freezer, model: ACG-1002, serial number: 11040556, year of construction: 2001, 220 V, 50/60 Hz, 900 W, 5-946 A, temperature: -19C, refrigerant: R-404, 750 g, 5 floors, dimensions floors: 530 mm x 650 mm, total dimensions: 1400 mm x 820 mm x 2050 mm.	100
193	SMC	SMC microwave, model: E22TF, serial number: 9306062075, 230 V, 50 Hz, 2.45 MHz, output: 850 Watt, input: 1330 Watt, dimensions: 500 mm x 350 mm x 300 mm.	5
194	NN computer equipment	Various computer equipment.	10
195	Gerhardt Bonn	Gerhardt Bonn lab shaker, type: RO 15, number: 910078, 220 V, 50 Hz, 1.0 A, dimensions: 400 mm x 320 mm x 160 mm.	150



196	Lükon	Lükon plate warmer, type: 5031, number: 915606, 220 V, 300 W, maximum dimensions plate: 280 mm x 280 mm, total dimensions: 330 mm x 340 mm x 300 mm.	50
197	Organon Teknika NV	Organon Teknika NV mini washer, model: L208 001, serial number: 10 032, year of construction: 1986, 220 V, 50 Hz, 1.4 A, dimensions: 300 mm x 450 mm x 250 mm, Organon Teknika NV heating block system microelisa system, model: N202 020, serial number: 24 183, year of construction: 1988, 220 V, 50 Hz, 0.2 A, dimensions: 200 mm x 200 mm x 120 mm, Organon Teknika NV strip reader, model: 330, serial number: 1303 819, year of construction: 1987, 220 V, 50/60 Hz, 2 x 200 mA, dimensions: 220 mm x 250 mm x 100 mm.	100
198	NN tubs	2 mobile s/s tubs with drain, dimensions: (2x) 1100 mm x 1300 mm x 1150 mm.	300
199	NN tubs	4 mobile s/s tubs with drain, dimensions: (2x) 1100 mm x 1300 mm x 1150 mm.	600
200	Fusion	Fusion mobile plastic tub with drain, type: TS86-01, on s/s frame, dimensions: 1100 mm x 1300 mm x 1150 mm.	150
201	Fusion	Fusion mobile plastic tub with drain, type: TS86-01, on s/s frame, dimensions: 1100 mm x 1300 mm x 1150 mm.	150
202	Fusion	Fusion mobile plastic tub with drain, type: TS86-01, on s/s frame, dimensions: 1100 mm x 1300 mm x 1150 mm.	150
203	Fusion	2 Fusion mobile plastic tubs with drain, type: TS86-01, on s/s frame, dimensions: (2x) 1100 mm x 1300 mm x 1150 mm.	300
204	Fusion	2 Fusion mobile plastic tubs with drain, type: TS86-01, on s/s frame, dimensions: (2x) 1100 mm x 1300 mm x 1150 mm.	300
205	Fusion	4 Fusion mobile plastic tubs with drain, type: TS86-01, on s/s frame, dimensions: (4x) 1100 mm x 1300 mm x 1150 mm.	600
206	Fusion	4 Fusion mobile plastic tubs with drain, type: TS86-01, on s/s frame, dimensions: (4x) 1100 mm x 1300 mm x 1150 mm.	600
207	Fusion	8 Fusion mobile plastic tubs with drain, type: TS86-01, on s/s frame, dimensions: (8x) 1100 mm x 1300 mm x 1150 mm.	1200
208	Fusion	14 Fusion mobile plastic tubs with drain, type: TS86-01, on s/s frame, dimensions: (14x) 1100 mm x 1300 mm x 1150 mm.	2100
209	VIB	VIB s/s refrigerated sliding door, type: KSL, number: 7773, year of construction: 10-03, dimensions: 2800 mm x 3200 mm, thickness: 100 mm, including s/s refrigerated sliding door, dimensions: 3100 mm x 3000 mm, thickness: 100 mm.	300



210	NN table	Table, s/s frame, wooden top, dimensions: 2400 mm x 1160 mm x 720 mm.	10
211	NN eye shower	Eye shower, dimensions: 1000 mm x 300 mm x 40 mm.	10
212	F. Ili Tramonano angri (sa)	F. Ili Trantomano angri (sa) can washer for full cans, chain belt, belt width: 600 mm, clearance: 190 mm x 180 mm, total dimensions: 1600 mm x 900 mm x 1430 mm.	750
213	Krones	Krones can labeller, thread belt, belt width: 120 mm, total dimensions: 1990 mm x 650 mm x 1570 mm.	500
214	Aerzener Maschinenfabrik GmbH	Aerzener Maschinenfabrik GmbH vacuum pump, type: GMA 19.5 N, machine number: 314504, year of construction: 1988, 8.35 m ³ per hour, dimensions: 2250 mm x 1500 mm x 2300 mm.	200
215	NN fans	Pallet with 8 fans, diameter: 500 mm, 550 mm and 600 mm.	25
216	Witt Gasetechnik	Euro H1 pallet with Witt Gasetechnik gas mixing station, type: KM.100 3M, serial number: 11284, year of construction: 1988, serial number: 11284, gas: N2 CO2 O2, 3 bar, dimensions: 470 mm x 400 mm x 260 mm, dimensions pallet: 1200 mm x 800 mm x 140 mm.	75
217	NN parts for traysealer	Pallet with various parts for traysealer, among others: dyes, dimensions: (2x) Ø 115 mm and (4x) Ø 95, dimensions pallet: 1200 mm x 1050 mm x 850 mm.	100
218	NN switch cabinets	Pallet with 3 switch cabinets, dimensions: 450 mm x 280 mm x 650 mm, 370 mm x 200 mm x 370 mm and 360 mm x 200 mm x 360 mm.	50
220	NN rollies	2 plastic rollies for barrels, diameter barrel: 400 mm, total dimensions: (2x) 530 mm x 530 mm x 250 mm.	20
221	NN plate stands	Steel plate stands for 3 plates each, maximum diameter plate: 280 mm, total dimensions: (6x) 400 mm x 300 mm x 450 mm.	15
222	NN racks	2 s/s racks, dimensions: (2x) 600 mm x 600 mm x 500 mm.	20
223	NN racks	3 s/s racks, dimensions: (3x) 600 mm x 600 mm x 500 mm.	30
224	Samag	Samag s/s pallet lifter, fork length: 1150 mm.	75
225	Buhmann Pac Solutions	Buhmann Pac Solutions inline cup filling machine, type: SERVOFILL F100, serial number: 12.140.066, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 8 A, 0.6 kA, weight: 800 kg, belt width: 75 mm, optional infeed for filled cups, foil top seal, diameter seal: 90 mm, including large amount of plastic cups with lids, (+/-1550) 535 ml cups, diameter: 95.7 mm, height: 120.9 mm, (+/- 2000) 315 ml cups, diameter: 95.7 mm, height: 72.4 mm, (+/- 2750) lids, diameter lids: 95.7 mm, transport belt, s/s frame, plastic mesh belt, belt width: 400 mm, total dimensions: 1250 mm x 500 mm x 800 mm. Cups and lids on another location.	20000



226	NN can filler & seamer	Can filler and seamer, filler: 13 stations, maximum: 100 ccm, seamer: 8 stations, capacity: 12000 per hour, plastic belt, belt width: 85 mm, total dimensions: 2970 mm x 1500 mm x 1950 mm.	12500
227	Busgetto	Busgetto can seamer / filler / closer, seamer: 6 stations, closer: 6 stations, filler: 8 stations, capacity: 10000 per hour, dimensions seamer / closer: 1830 mm x 1200 mm x 1430 mm, dimensions frame: 3000 mm x 1500 mm x 1700 mm, dimensions switch cabinet: 730 mm x 500 mm x 1600 mm, dimensions crate: 1220 mm x 1000 mm x 1050 mm, dimensions extra parts: 4400 mm x 1500 mm x 1200 mm.	10000
228	TMCI PADOVAN	TMCI PADOVAN wrap around labelling machine, type: Etichettatrice 3000B/H, serial number: 1107, year of construction: 2010, plastic belt, belt width: 85 mm, total dimensions: 2850 mm x 1550 mm x 1860 mm.	10000
229	NN shrink packaging machine	Shrink packaging machine, s/s mesh belt, belt width: 645 mm, seal width: 750 mm, clearance: 820 mm x 560 mm, total dimensions: 3080 mm x 1200 mm x 2150 mm.	1500
230	NN magnetic elevating belt	Magnetic elevating belt, plastic belt, belt width: 110 mm, elevating height: 2800 mm, total dimensions: 860 mm x 500 mm x 3100 mm.	350
231	NN transport belt	Transport belt , s/s frame, plastic mesh belt, belt width: 530 mm, total dimensions: 3020 mm x 1020 mm x 1000 mm.	200
232	NN transport belt	Transport belt , s/s frame, s/s belt, belt width: 100 mm, total dimensions: 2500 mm x 420 mm x 910 mm.	100
233	NN transport belt	Transport belt, steel frame, plastic mesh belt, belt width: 400 mm, total dimensions: 3030 mm x 770 mm x 1220 mm.	200
234	NN workshop inventory	Pallet with various workshop inventory, among others paint, oil and benzene.	10
235	Microwa AG	Microwa AG weighing machine, type: 6641 Prozentwaage, number: 67116, dimensions: 370 mm x 230 mm x 440 mm.	10
236	NN office supplies	Pallet with various office supplies, among others, keyboards, toner, phone and printer.	10
237	NN plates for vacuum machine	4 plastic plates for vacuum machine, dimensions: (4x) 640 mm x 385 mm x 25 mm.	10
238	Samsung	Samsung microwave, dimensions: 500 mm x 340 mm x 280 mm.	5
239	Hendi	Hendi coffee machine, model: Mini-Pro 15MV/15SV, 230 V, 50-60 Hz, 1450 W, dimensions: 170 mm x 350 mm x 380 mm.	10



240	Compact Air	Arbin face mask with Compact Air filter unit, type: Powered Filt. Device Juni, Norm: EN 146/TH2, serial number: 303232/114100-01/0025, year of construction: 30/11/01, dimensions box: 350 mm x 250 mm x 350 mm.	10
-----	-------------	--	----



General Terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers

Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the



website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The user guarantees the accuracy and completeness of the provided personal details at registration. If the personal details change at any time, the user is obliged to inform Industrial Auctions by return of such change(s).

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 The user is forbidden to reproduce the website or any part thereof or make available (through deep linking or otherwise) without the prior written consent of Industrial Auctions. Intellectual property is retained by Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in



any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the supporting system;
- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or



unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;
- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this



shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code



applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.



11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e-mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately



after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.



15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



**Industrial
Auctions** BV



**Industrial
Auctions** BV

Address: Looyenbeemd 11
5652 BH Eindhoven, Netherlands
Tel.: +31 (0)40 2409 208
Fax: +31 (0)40 2409 209
Email: info@industrial-auctions.com
Web: www.industrial-auctions.com

Upcoming auctions:

- 05-11 Online auction machinery and slaughtering technology in Sint-Oedenrode (NL)**
- 10-11 Online auction machinery for the vegetable and meat industry as well as bakery, catering and workshop inventory in Oosterhout (NL)**
- 11-11 Online auction machinery for the food industry in Sevenum (NL)**
- 17-11 Online auction bakery machinery and inventory on behalf of Ayzta due to closing production location in Mansfeld (DE)**
- 18-11 Online auction machinery for the food industry due to closing production location Hulshof Vleeswaren in Lichtenvoorde (NL)**
- 26-11 Online auction machinery for the food industry on behalf of Euro Meat Oss BV in Oss (NL)**
- 01-12 Online auction tanks, pumps and machinery for the process industry on behalf of RFT GmbH in Hünfeld (DE)**