



Industrial Auctions BV

Online auction machinery for the food industry due to closing production location Vleeswarenfabriek Gebr. De Leeuw B.V. in Borne (NL)

Closing: 16 December 2020 from 14:00 hrs.



Viewing day:

Address:

Oonksweg 32
7622 AW Borne
Netherlands



General terms and conditions of the online auction

Closing date	16 December 2020 from 14:00 hrs.
Viewing	
Organizing Company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 Fax: +31 (0)40 2409 209 E-mail: info@industrial-auctions.com
Buyers premium	16% over the highest bid
V.A.T	21% over the highest bid including Premium
Pickup date	22 December 2020 from 09:00 till 16:00 hrs. 23 December 2020 from 09:00 till 16:00 hrs.
Pickup address	Oonksweg 32 7622 AW Borne Netherlands
Delivery instructions	The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Industrial Auctions B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address.
Payment details	Before collection of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is made in the last 5 minutes the lot closes, the closing time of that lot will be extended with 5 minutes until no bids are made.



Nr	Title	Description	Start €
1	Baader	Baader soft separator, type: 604-518, serial number: 120001717/10, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 21.0 A, 8.0 kW, 11.0 HP, capacity: 2000 kg per hour, working hours: 883.9, diameter drum: 285 mm, diameter perforations: 2 mm, total dimensions: 1500 mm x 2120 mm x 1810 mm.	35000
2	NN meat bin	S/s meat bin, volume: 200 liter.	40
3	Sepamatic	Sepamatic separator, diameter drum: 180 mm, diameter perforations: 1.3 mm, total dimensions: 1200 mm x 1080 mm x 1540 mm.	4000
4	NN cutter	S/s cutter, type: SC 40/CTL, number: A 40 00, 400 V, 117 Hz, 22 A, 5 kW, variable speed, temperature indicator, s/s bowl, bowl volume: 40 liter, total dimensions: 1210 mm x 1060 mm x 1120 mm.	4000
5	Koneteollisuus OY	Koneteollisuus OU mixer grinder, type: LM 130 A, number: 118515, year of construction: 1997, 3 Ph, 50 Hz, weight: 390 mm, plate diameter: 130 mm, inside volume: 106 liter, dimensions: 700 mm x 1140 mm x 1280 mm.	4000
6	FAM	FAM slicer/dicer, type: MC-3D, clearance infeed: 420 mm x 420 mm, knife width: 230 mm, total dimensions: 1320 mm x 1000 mm x 1720 mm.	2500
7	Magurit	Magurit slicer/dicer for frozen and fresh products, type: Galan-920, machine number: 6336, year of construction: 2012, 400 V, 50 Hz, 13 A, 3.9 kW, air pressure: 6 bar, clearance: 240 mm x 110 mm, plastic belt, belt width: 220 mm, total dimensions: 2550 mm x 1030 mm x 1520 mm. Including trolley with knife set, dimensions trolley: 590 mm x 500 mm x 1140 mm.	5000
8	Holac	Holac dicer, type: VA 120 N, machine number: 23.032.02/1, 5.2 kW, chamber: 120 mm x 120 mm, total dimensions: 2400 mm x 1400 mm x 2200 mm. Including extra grid sets.	1000
9	Safeline / Ramsey	Safeline metal detector and Ramsey belt weigher feeder, serial number metal detector: 29082, model belt weigh feeder: XD-06-59.00, loadcell: 4x BSP / 125 kg / 3 mV/V, plastic belt with dividers, belt width: 600 mm, divider height: 75 mm, distance between dividers: 820 mm, elevating height: 2000 mm, clearance: 600 mm x 225 mm, total dimensions: 7300 mm x 1650 mm x 2500 mm.	1500
10	FAM	FAM slicer/dicer, type: CMD-3D, serial number: 6352, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 11 kW, weight: 600 kg, knife set: 25 knives, distance between knives: 10 mm, total dimensions: 2560 mm x 1550 mm x 2390 mm. Including crate with 2 extra knife sets.	17500
11	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 635 mm, divider height: 100 mm, distance between dividers: 530 mm, elevating height: 1320 mm, total dimensions: 3030 mm x 870 mm x 1490 mm.	1000



12	PROMAX	PROMAX vacuum tumbler, type: TM-150, serial number: FM16090104, year of construction: 2016, 220 V, 1 Ph, 50 Hz, 0.6 kW, weight: 200 kg, volume: 150 liter, maximum load: 60 kg, Busch vacuum pump, type: RB 0021 C 305, dimensions: 1210 mm x 910 mm x 1460 mm.	1500
13	Inject Star	Inject Star vacuum tumbler, type: ES-2200, number: 234, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 3.7 kW, volume: 2200 liter, Busch vacuum pump, dimensions: 2450 mm x 1650 mm x 1960 mm.	1500
14	Henneken	Henneken vacuum tumbler, type: B4, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 16 A, 3.5 kW, volume: 1500 liter, Busch vacuum pump, type: 025-116, inside dimensions: 1200 mm x 1200 mm x 1250 mm, total dimensions: 2260 mm x 1720 mm x 1800 mm.	3000
15	Rühle	Rühle cooled vacuum tumbler with lifter for 2 x 200 liter meat bins, type: MKR 600, volume: 600 liter, Busch vacuum pump, type: KB 0016 D 100, dimensions: 2200 mm x 1750 mm x 2800 mm. Screen broken, technical condition unknown.	2500
16	Suhner AG Bremgarten	Suhner AG Bremgarten injector, type: WS 80 F, number: 0080930, 400 V, 50 Hz, 6 A, 1.1 kW, 20 needles, s/s belt, belt width: 285 mm, clearance: 300 mm x 175 mm, total dimensions: 1330 mm x 560 mm x 1790 mm.	750
17	Fomaco	Fomaco injector, model: FGM 26/52, machine number: 5312, year of construction: 1991, 380 V, 50 Hz, 6.1 A, 2.6 kW, 52 needles, s/s belt, belt width: 330 mm, clearance: 340 mm x 270 mm, total dimensions: 2100 mm x 700 mm x 2180 mm.	1500
18	NN depositor	Mobile 2-heads depositor, dimensions: 1700 mm x 1100 mm x 1970 mm. Incomplete.	500
19	Koppens	Koppens fryer, type: BR 1200 / 400, machine number: BR 1200 / 400 - 1023, 380 V, 3 Ph, 50 Hz, 27.7 A, 18.045 kW, weight: 550 kg, electrical heated, s/s mesh belt, belt width: 400 mm, 2 Lewis hoists, total dimensions: 2680 mm x 1300 mm x 2370 mm.	5000
20	Schütz GmbH & Co.KGaA	Schütz GmbH & Co.KGaA IBC tank with sunflower oil, dimensions: 1200 mm x 100 mm x 1140 mm. Without pallets.	20
21	Alkar	Alkar cooking and smoking chamber for 1 trolley, serial number: 8000531108E1E075, 400 V, 3 Ph, 50 Hz, 2/3.7 A, inside dimensions: 1420 mm x 1310 mm x 1870 mm, total dimensions: 2010 mm x 1550 mm x 2960 mm. Including 2 Alkar smoke generators, serial number: (2x) 8000531108E1E075, 400 - 220 V, 1 Ph, 50 Hz, dimensions: 840 mm x 550 mm x 970 mm and 1150 mm x 1100 mm x 1800 mm.	10000
24	Lensink	Lensink s/s tank on s/s frame, diameter tank: 580 mm, depth tank: 1200 mm, total dimensions: 1200 mm x 780 mm x 1800 mm.	400
25	J. Rettenmaier & Söhne GmbH +Co	2 bags with J. Rettenmaier & Söhne GmbH+Co wood chips, approximately 20 kg.	5



26	Mettler Toledo	Mettler Toledo weighing scale, type: ID1 plus, serial number: 2045084, 120/240 V, 50/60 Hz, 220/110 mA, dimensions scale: 500 mm x 400 mm x 135 mm, dimensions indicator: 300 mm x 175 mm x 130 mm. Technical condition unknown.	10
27	Scanvaegt	Scanvaegt weighing scale on s/s trolley, indicator type: 8221.00, serial number: 88251883, weighing unit type: 1020.30.57, serial number: 88251883, max 60 kg, min 400 gram , e = 20 9gram, dimensions scale: 600 mm x 500, total dimensions: 710 mm x 530 mm x 1660 mm.	50
28	NN mixer	Mobile mixer, double jacketed, inside dimensions: 670 mm x 670 mm x 610 mm, total dimensions: 1100 mm x 800 mm x 1800 mm.	250
29	NN tub	Mobile s/s tub, inside dimensions: 770 mm x 770 mm x 600 mm, total dimensions: 910 mm x 910 mm x 730 mm.	40
30	NN tub	Mobile s/s tub with lid, inside dimensions: 770 mm x 770 mm x 600 mm, total dimensions: 910 mm x 910 mm x 730 mm.	40
31	NN tubs	2 mobile s/s tubs, inside dimensions: (2x) 770 mm x 770 mm x 600 mm, total dimensions: (2x) 910 mm x 910 mm x 730 mm.	80
32	NN tubs	2 mobile s/s tubs with 1 lid, inside dimensions: (2x) 770 mm x 770 mm x 600 mm, total dimensions: (2x) 910 mm x 910 mm x 730 mm.	80
33	NN tubs	2 mobile s/s tubs, inside dimensions: 770 mm x 770 mm x 580 mm and 770 mm x 770 mm x 600 mm, total dimensions: (2x) 910 mm x 910 mm x 730 mm.	80
34	NN tubs	2 mobile s/s tubs, inside dimensions: (2x) 770 mm x 770 mm x 600 mm, total dimensions: (2x) 910 mm x 910 mm x 730 mm.	80
35	Mauting s.r.o.	Mauting s.r.o. smoke chamber for 1 trolley with smoke generator for wood chips, type: UKM Kompakt-P, serial number: 021-10, year of construction: 2010, 400 V, 50 Hz, 29 A, 20 kW, weight: 950 kg, inside dimensions: 1240 mm x 750 mm x 1600 mm, total dimensions: 1370 mm x 1110 mm x 2400 mm. Including 2 smoke trolley's, 1 x 4 floors and 1 x 7 floors with 8 plates and 10 sticks, dimensions: trolley: (2x) 810 mm x 700 mm x 1510 mm. And 1 bag of wood chips.	7500
36	Weisser	Weisser mobile depositor, type: AP1-080, fabrication number: 3461002, 230 V, 570 W, dimensions: 700 mm x 450 mm x 1200 mm.	500
37	NN waste bag holders	2 s/s waste bag holder, dimensions: (2x) 500 mm x 500 mm x 850 mm.	50
38	REXPOL	REXPOL cooking vessel, type: KW 600, serial number: 67, year of construction: 06/11, volume: 600 liter, electrical heated, dimensions cooking vessel: 1500 mm x 1480 mm x 1170 mm, dimensions: switch cabinet: 500 mm x 250 mm x 450 mm.	1500
39	NN cooking vessel	S/s cooking vessel with agitator, inside dimensions: 480 mm x 480 mm x 380 mm, total dimensions: 900 mm x 900 mm x 880 mm.	250



40	Convotherm	Convotherm combi steamer on s/s table, model: OGS 6.10, type: B23, number: HSI/B3095, 400 V, 3 Ph, 50/60 Hz, 1.2 kW, 7 floors, dimensions floor: (7x) 540 mm x 330 mm, dimensions combi steamer: 970 mm x 850 mm x 870 mm, dimensions table: 1200 mm x 800 mm x 950 mm.	500
41	Tekno Stamap	Tekno Stamap dough sheeter, product: ZZSMA65164053GINQR, serial number: 0104140101, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 1500 kW, weight: 445 kg, belt width: 650 mm, working width: 650 mm, total dimensions: 3200 mm x 1200 mm x 1340 mm.	2500
42	Kolbe	Kolbe bandsaw, type: K 440, machine number: 96 0404, year of construction: 2001, 230-400 V, 50 Hz, 9.0 A, 4.0 kW, dimensions table: 880 mm x 840 mm, total dimensions: 990 mm x 920 mm x 1890 mm.	850
43	Townsend	Townsend mobile skinning machine, model: 7650, serial number: 135, year of construction: 1994, 380 V, 3 Ph, 50 Hz, 2.8 A, foot control, working width: 510 mm, total dimensions: 880 mm x 660 mm x 970 mm.	750
44	Graef GmbH & Co KG	Graef GmbH & Co KG slicer, type: Euro 320-VS-DS-S-W-C3, serial number: 7103758, year of construction: 2014, 230 V, 50 Hz, 2.4 A, 500 W, dimensions: 640 mm x 530 mm x 430 mm.	500
45	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG, clipper type: SCD 500, number: 5455/08, year of construction: 2008, air pressure: 5-7 bar, dimensions: 520 mm x 360 mm x 550 mm. Including box with clips.	200
46	NN table	S/s table with plastic work top, dimensions: 1200 mm x 1200 mm x 940 mm.	100
47	Talsa	Talsa piston filler, model: H20, serial number: 119762, year of construction: 2011, 230/400 V, 3 Ph, 50 Hz, 1.9/3.3 A, 0.56 kW, volume: 20 liter, knee control, dimensions: 580 mm x 300 mm x 1250 mm. With 3 filling pipes.	350
48	Weber	Weber mobile skinning and derinding machine, type: ASB 1000, number: 823, 50 Hz, plastic belt, belt width: 400, working width: 480 mm, total dimensions: 2020 mm x 880 mm x 1720 mm.	750
49	Rühle	Rühle cooled vacuum tumbler, type: MKR 150, number: 0747, year of construction: 2006, 400 V, 50 Hz, 16 A, 3 kW, volume: 150 liter, dimensions: 1300 mm x 770 mm x 1660 mm.	4500
50	Glass GmbH & Co. KG	Glass GmbH & Co KG tumbler type: VSM 150, number: 2766, year of construction: 2004, 415 V, 3.03 A, 1.04 kW, volume: 150 liter, 3 speeds, total dimensions: 1200 mm x 900 mm x 1470 mm.	2500
51	Henkelman	Henkelman double chamber vacuum machine, type: 600, number: 60111068, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 12 A, 2.7 kW, seal length: (4x) 620 mm, dimensions chamber: (2x) 620 mm x 550 mm, Busch vacuum pump, type: RA 0100 E 506, total dimensions: 1530 mm x 890 mm x 1240 mm.	850



52	OMAS food machinery	OMAS food machinery slicer, model: CX MATIC 35 E, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 550 W, dimensions: 640 mm x 500 mm x 610 mm.	150
53	NN table	S/s table, dimensions: 1010 mm x 760 mm x 840 mm.	50
54	UNOX	UNOX oven, model: XF013, serial number: 2014 0056446, 230 V, 1 Ph, 50-60 Hz, 2.7 kW, 3 floors, dimensions floor: (3x) 455 mm x 330 mm, total dimensions: 600 mm x 590 mm x 405 mm.	20
55	NN table	S/s table with plastic work top, dimensions: 1200 mm x 700 mm x 1000 mm.	75
56	Berkel	Berkel weighing scale on s/s trolley, type: 3000, number: 85801, year of construction: 1964, weighing capacity: 100 kg, dimensions scale: 450 mm x 430 mm, total dimensions: 860 mm x 700 mm x 1420 mm.	75
57	Rühle	Rühle injector with lifter for E2 crates, type: IR-56, walking beam, width beam: 350 mm, clearance: 350 mm x 170 mm, 56 needles, total dimensions: 1700 mm x 900 mm x 2100 mm.	2000
58	Hellings machinebouw	Hellings machinebouw mobile elevating belt, s/s frame, type: BT-KS-FSPW, serial number: 7094-1, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 16 A, plastic belt with dividers, belt width: 450 mm, divider height: 50 mm, distance between dividers: 2550 mm, elevating height: 1450 mm, total dimensions: 1640 mm x 1020 mm x 1600 mm.	750
59	Maja	Maja mobile skinning machine, type: EVM50060PS, serial number: M-52964, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 1.84, 0.55 kW, 6 bar, weight: 208 kg, working width: 540 mm, total dimensions: 950 mm x 720 mm x 980 mm.	1000
60	NN table	S/s table, dimensions: 2000 mm x 1000 mm x 840 mm.	100
61	Townsend	Townsend mobile skinning machine, model: 7650, foot control, working width: 510 mm, total dimensions: 880 mm x 660 mm x 970 mm.	750
62	Vemag	Vemag co-extrusion system, type: 891, serial number: 891 0154, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 0.6 A, dimensions: 900 mm x 700 mm x 1490 mm. Machine is used for making mozzarella sticks.	4000
63	Handtmann	Handtmann linking and hanging line, type linker: 216-22, number: 658, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 3.6 A, 2.5 kW, dimensions: 1470 mm x 700 mm x 1450 mm, type hanging line: 241-16, number: 664, year of construction: 2007, dimensions: 2530 mm x 700 mm x 1620 mm. Linker incomplete.	500
64	Risco	Risco hamburger portioning machine, type: ARP-125, plastic belt, belt width: 140, total dimensions: 1250 mm x 710 mm x 1540 mm.	950
65	Gaser	Gaser mobile automatic batter - breading machine, model: PRACTIC-350, serial number: 5149-5880, year of construction: 2018, 230 V, 50-60 Hz, 4.7 A, 0.8 kW, s/s mesh belt, belt width: 610 mm & 440 mm, total dimensions: 1940 mm x 890 mm x 1660 mm.	2500



66	NN writing desk	S/s writing desk, dimensions: 800 mm x 630 mm x 1170 mm	50
67	REX	REX vacuum filling machine, type: RVF560, number: 560002025, year of construction: 05/2005, 400 V, 3 Ph, 50 Hz, 32 A, 11 kW, dimensions: 1030 mm x 950 mm x 1920 mm.	7500
68	ReTon	ReTon rotary traysealer, type: RT801D4G, dimensions dye: (4x) 220 mm x 175 mm, dimensions: 1030 mm x 950 mm x 1920 mm.	1500
69	Risco	Risco portioning machine, model: RS 912, serial number: P309002, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 24 A, 4.0 kW, weight: 610 kg, plastic belt, belt width: 185 mm and 300 mm, total dimensions: 2700 mm x 800 mm x 1700 mm.	1000
70	NN table	S/s mobile table, dimensions: 1770 mm x 660 mm x 1000 mm.	50
71	NN back savers	3 s/s back savers, dimensions: (3x) 490 mm x 300 mm x 190 mm.	50
72	Henkelman	Henkelman mobile vacuum machine, type: Falcon 52 KK, number: F001407063, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 10.5 A, 3 kW, seal length: (2x) 520 mm, dimensions chamber: 500 mm x 530 mm, Busch vacuum pump, type: RA0063F 5K3, total dimensions: 680 mm x 670 mm x 1060 mm.	750
73	Risco	Risco vacuum filling machine with lifter for 200 liter meat bins, model: RS303, serial number: R305041, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 24 A, 10.7 kW, weight: 906 kg, Busch vacuum pump, type: R5 KB0016 E, dimensions: 1870 mm x 1150 mm x 2250 mm. Including case holding device, type: 216-01/1808.	5000
74	Risco	Risco mobile diaphragm, type: AT-200, plastic belt, belt width: (2x) 200 mm, total dimensions: 1670 mm x 720 mm x 1360 mm.	3500
75	Stephan	Stephan universal machine, type: UMC 5, number: 721.737.01, year of construction: 1994, 230 V, 1 Ph, 50 Hz, 3.3 A, 0.75 kW, double jacketed, volume: 5 liter, Busch vacuum pump, type: RB,0006 C 120, dimensions universal machine: 470 mm x 400 mm x 730 mm, dimensions s/s table: 570 mm x 400 mm x 730 mm.	2500
76	Henkovac	Henkovac mobile vacuum machine, type: E-302, number: 300090402, 400 V, 3 Ph, 50 Hz, 9 A, 4.4 kW, Busch vacuum pump, seal length: 820 mm and 540 mm, dimensions chamber: 860 mm x 630 mm, total dimensions: 930 mm x 770 mm x 1150 mm.	750
77	NN table	S/s table with can opener, dimensions: 1010 mm x 700 mm x 980 mm.	50
78	Alco	Alco mobile flattener, type: ASP 250, serial number: 20307213, year of construction: 2002, 400 V, 0.36 kW, weight: 260 kg, plastic belt, belt width: 250 mm, total dimensions: 1780 mm x 780 mm x 1410 mm.	2000



79	Alco	Alco mobile flattener, type: ASP 400, serial number: 16305211, 400 V, 50 Hz, 16 A, 0.5 kW, weight: 500 kg, plastic belt, belt width: 400 mm, total dimensions: 2100 mm x 950 mm x 1380 mm.	4500
80	Alco	Alco mobile coating machine, type: APN 400 N, serial number: 10511216, year of construction: 2005, 400 V, 1.1 kW, weight: 200 kg, s/s mesh belt, belt width: 400 mm, total dimensions: 1530 mm x 750 mm x 1500 mm. Incomplete	1500
81	Alco	Alco mobile breading machine, type: PXT 400 N, serial number: 08403215, year of construction: 2004, 400 V, 17.4 kW, weight: 330 kg, s/s mesh belt, belt width: 400 mm, total dimensions: 2210 mm x 850 mm x 2160 mm.	2500
82	Alco	Alco pre-duster, type: ABM 400, serial number: 14103218, year of construction: 2007, 400 V, 3.1 kW, weight: 540 kg, s/s mesh belt, belt width: 400 mm, total dimensions: 2760 mm x 900 mm x 1900 mm.	5000
83	RAMA	RAMA sleeve machine, model: RM SMS-1, serial number: 1292/11, 400 V, 7 kW, 6 bar, clearance: 220 mm x 170 mm, plastic belt, belt width: 100 mm, total dimensions: 1770 mm x 1400 mm x 2110 mm.	750
84	HFE vacuum systems BV	HFE vacuum systems BV thermoformer, model: TH-4200, serial number: 42.06.074, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 29 A, weight: 938 kg, dimensions dye: (2x) 235 mm x 180 mm, film width: 420 mm, plastic outfeed belt, belt width: 385 mm, Busch vacuum pump, type: RA 0100 E, total dimensions: 3300 mm x 860 mm x 1780 mm.	3500
85	Hajek	Hajek thermoformer, type: VS 30/320-150, machine number: 109162, year of construction: 2002, 230/400 V, 3 Ph, 50 Hz, 11 kW, dimensions dye: 280 mm x 200 mm, film width: 320 mm, total dimensions: 3480 mm x 850 mm x 1710 mm. Including 4 crates with 3 dye's and parts, dimensions dye: (2x) 180 mm x 120 mm.	3000
86	Ulma	Ulma horizontal flow packer, model: Alaska, machine number: AL-03026, year of construction: 1998, 400 V, 50 Hz, 16 A, 6.4 kW, film width: 75 mm, chain infeed belt with dividers, divider height: 30 mm, distance between dividers: 295 mm, seal length: 280 mm, plastic outfeed belt, belt width: 300 mm, total dimensions: 5800 mm x 1200 mm x 1930 mm.	5000
87	Ulma	Ulma shrink tunnel, model: HRX-300, machine number: 4200100, year of construction: 1999, 380 V, 50 Hz, 25 A, 15.4 kW, belt width: 300 mm, clearance: 300 mm x 170 mm, total dimensions: 2070 mm x 1020 mm x 1220 mm.	1500
88	Stork	Stork transport belt, model: GB 4001 7250, number: 4T210814, 380 V, s/s mesh belt, belt width: 400 mm, total dimensions: 5000 mm x 700 mm x 960 mm.	1500
89	Stiller GmbH	Stiller GmbH can closing machine, type: DV 5 R, serial number: 3662, year of construction: 2011, diameter cans: 65 mm and 85 mm, total dimensions: 700 mm x 350 mm x 1370 mm.	300



90	NN frame for film rolls	S/s mobile frame for film rolls, dimensions: 1470 mm x 1000 mm x 1490 mm.	50
91	Ilpra	Ilpra traysealer, model: speedy v/g, serial number: FP7751, year of construction: 2007, 380 V, film width: 350 mm, dimensions dye: (2x) 180 mm x 140 mm, plastic outfeed belt, belt width: 400 mm, total dimensions: 3150 mm x 830 mm x 1680 mm. Including steel cage with large amount of trays, dimensions trays: 180 mm x 140 mm x 45 mm, dimensions cage: 1200 mm x 770 mm x 1280 mm.	3000
92	Safeline / Mettler Toledo	Safeline / Mettler Toledo metal detector, serial number: 75321, 100-240 V, 50-60 Hz, 300 W, clearance: 325 mm x 145 mm, plastic belt, belt width: 250 mm, total dimensions: 2500 mm x 800 mm x 1200 mm. Last calibrated: 03-08-2020.	1000
93	NN turning table	S/s turning table, dimensions: 1600 mm x 1600 mm x 940 mm.	750
94	NN ventilator	Ventilator, dimensions: 1050 mm x 900 mm x 860 mm.	50
95	NN tub	Plastic tub, dimensions: 770 mm x 600 mm x 570 mm.	10
96	Goring Kerr	Goring Kerr metal detector, type: DSP 2, serial number: 59222, 230 V, 1 Ph, 50 Hz, clearance: 300 mm x 90 mm, plastic belt, belt width: 200 mm, total dimensions: 1350 mm x 870 mm x 1000 mm. Last calibrated: 12-01-2018.	500
97	Safeline / Mettler Toledo	Safeline / Mettler Toledo metal detector with rejector, serial number: 114346, 100-240 V, 50-60 Hz, 330 W, clearance: 200 mm x 100 mm, plastic belt, belt width: 150 mm, total dimensions: 1840 mm x 830 mm x 1700 mm. Last calibrated: 16-12-2019.	1000
98	AEW Delford	AEW Delford checkweigher, type: 8060, factory number: 81086, year of construction: 2004, 230 V, 50/60 Hz, maximum: 5500 gram, minimum: 40 gram, e=d= 2 gram, plastic belt, belt width: 200 mm, dimensions scale: 310 mm x 280 mm, total dimensions: 1160 mm x 680 mm x 1500 mm.	1000
99	AEW Delford	AEW Delford labelling machine with 2 top labeller and 2 bottom labellers, plastic belt, belt width: 200 mm and (2x) 90 mm, total dimensions: 2200 mm x 600 mm x 1820 mm.	1500
100	AEW Delford	AEW Delford labelling machine with 2 top labeller and 2 bottom labellers, plastic belt, belt width: 200 mm and (2x) 90 mm, total dimensions: 2200 mm x 600 mm x 1820 mm.	1500
101	Safeline / Mettler Toledo	Safeline / Mettler Toledo metal detector with rejector, serial number: 89002, year of construction: 09/2007, 100-240 V, 50/60 Hz, 2.2 A, 1.5 kW, clearance: 250 mm x 50 mm, plastic belt, belt width: 120 mm, total dimensions: 1250 mm x 960 mm x 1640 mm. Last calibrated: 23-03-2018.	1000
102	AEW Delford	AEW Delford checkweigher, type: 8060, factory number: 81082, year of construction: 2004, 230 V, 50/60 Hz, maximum: 2000 gram, minimum: 20 gram, e=d= 1 gram, plastic belt, belt width: 200 mm, total dimensions: 1160 mm x 680 mm x 1500 mm.	1000



103	AEW Delford	AEW Delford labelling machine with 2 top labeller and 2 bottom labellers, plastic belt, belt width: 200 mm and (2x) 90 mm, total dimensions: 2200 mm x 600 mm x 1820 mm.	1500
104	AEW Delford	AEW Delford checkweigher and labelling machine, type: 8060, factory number: 81085, year of construction: 2004, 230 V, 50/60 Hz, maximum: 2000 gram, minimum: 20 gram, e=d= 1 gram, plastic belt, belt width: 200 mm, total dimensions checkweigher: 1160 mm x 680 mm x 1500 mm, labelling machine with 2 top labeller plastic belt, belt width: 200 mm and (2x) 90 mm, total dimensions: 2200 mm x 700 mm x 1780 mm.	2500
105	NN slicer	Slicer, s/s frame, plastic belt, belt width: 235 mm, working width: 170 mm, total dimensions: 1260 mm x 670 mm x 1140 mm.	250
106	AEW Delford	AEW Delford checkweigher and labelling machine, type: 8060, factory number: 81081, year of construction: 2004, 230 V, 50/60 Hz, maximum: 2000 gram, minimum: 20 gram, e=d= 1 gram, plastic belt, belt width: 200 mm, total dimensions checkweigher: 1160 mm x 680 mm x 1500 mm, labelling machine with 2 top labeller and 2 bottom labellers, plastic belt, belt width: 200 mm and (2x) 90 mm, total dimensions: 2200 mm x 600 mm x 1820 mm.	2500
107	NN gastronorm bins	1/1 gastronorm bins, 11 pieces.	20
108	ECONOCORP INC.	ECONOCORP INC. cartoner, type: SPARTAN, model number: 7512, serial number: 7808, year of construction: 2-3-03, with Nordson glue unit, type: PROBLUE 4, clearance infeed: 265 mm x 235 mm, total dimensions: 3900 mm x 1420 mm x 1600 mm. Including extra nest, clearance: 335 mm x 270 mm.	1500
109	AEW Delford	AEW Delford labelling machine with 2 top labellers, plastic belt, belt width: 200, total dimensions: 2150 mm x 900 mm x 1820 mm.	1500
110	NN waste bag holder	S/s waste bag holder, dimensions: 500 mm x 500 mm x 850 mm.	25
111	NN elevating screw	S/s elevating screw, screw width: 400 mm, tier: 205 mm, total dimensions: 6250 mm x 950 mm x 1150 mm.	750
112	Ghidini Benvenuto S.R.L.	Ghidini Benvenuto S.R.L. steam generator, model: VAP 60 EL, serial number: 18.1414, serial number boiler: 12733.780, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 60.7 kW, 7 bar, volume boiler: 55 liter, dimensions: 800 mm x 780 mm x 790 mm.	500
113	Cyklop International	Cyklop International mobile strapping machine, model: Ci70, serial number: 110613049, year of construction: 2011, 230 V, 50 Hz, clearance: 850 mm x 600 mm, total dimensions: 1450 mm x 630 mm x 1550 mm.	200



114	Cyklop International	Cyklop International mobile strapping machine, model: Ci89 8X, serial number: 12008156802, year of construction: 2012, 230 V, 1 Ph, 50 Hz, 0.65 kVA, clearance: 650 mm x 500 mm, strap width: 12 mm, total dimensions: 1250 mm x 610 mm x 1400 mm.	200
115	Robopac S.p.A.	Robopac S.p.A. pallet wrapper, model: ECOPLAT FRD, serial number: KN/115863, year of construction: 2013, 200-230 V, 1 Ph, 50/60 Hz, 4.0 A, 0.9 kW, weight: 315 kg, maximum film width: 550 mm, lifting height: 2350 mm, total dimensions: 4500 mm x 1650 mm x 2560 mm.	1500
116	NN writing desk	S/s writing desk, dimensions: 800 mm x 660 mm x 1330 mm.	50
117	Mafo Howden B.V.	Mafo Howden B.V. crate washing machine, model: MAFO 250 S, serial number: 4568-485/1, year of construction: 1990, clearance: 335 mm x 225 mm, total dimensions: 3350 mm x 850 mm x 1500 mm.	1250
118	Busch	Busch vacuum pump, type: RA 0400 B 461 DUBI, number: OCO 2840102, vacuum: 0.5 mbar, oil iso vg 100 / 12 liter, year of construction: 1997, volume: 400 m3 per hour, dimensions: 1300 mm x 860 mm x 970 mm.	400
119	BT	BT s/s pallet lifter, fork length: 1000 mm, total dimensions: 1400 mm x 520 mm x 1230 mm.	150
120	BT	BT s/s pallet lifter, fork length: 1000 mm, total dimensions: 1400 mm x 520 mm x 1230 mm.	150
121	IPC cleaning S.p.A.	IPC cleaning S.p.A. pressure vessel, serial number: 8000025773, year of construction: 2005, maximum temperature: 60 °C, maximum pressure: 8 bar, dimensions: 330 mm x 270 mm x 960 mm.	25
122	NN pressure vessel	S/s pressure vessel, dimensions: 520 mm x 450 mm x 103 mm.	500
123	NN ham moulds	2 pallets with 79 ham moulds, dimensions ham moulds: (20x) 550 mm x 120 mm x 100 mm and (59x) 530 mm x 120 mm x 100 mm.	350
124	NN parts	Pallet with s/s parts for skewering machine and a box with wooden skewers.	25
125	NN frame	Steel frame with hose reel, dimensions: 760 mm x 500 mm x 700 mm.	5
126	NN trays	3 pallets with cups, trays and cans, dimensions cups: diameter: 40 mm, height: 70 mm, dimensions cans: diameter: 85 mm, height: 65 mm, dimensions trays: 170 mm x 140 mm, dimensions pallets: 1200 mm x 800 mm x 1500 mm and 1200 mm x 800 mm x 1300 mm.	100
127	VSD food machinery	VSD food machinery tumbler, inside dimensions: diameter: 1010 mm, length: 1500 mm, total dimensions: 2200 mm x 1330 mm x 2060 mm.	750
128	Veerman BV	Veerman BV autoclave, model: 900, year of construction: 1993, dimensions: 1200 mm x 850 mm x 1250 mm.	100
129	NN ham moulds	Pallet with 48 aluminium ham moulds, dimensions ham moulds: (48x) 540 mm x 150 mm x 120 mm.	250



130	NN pate moulds	Pallet with 29 s/s pate moulds, dimensions pate moulds: (29x) 550 mm x 130 mm x 70 mm.	200
131	NN refrigerated showcase	S/s refrigerated showcase, inside dimensions: 3750 mm x 1060 mm x 200 mm, total dimensions: 3790 mm x 1300 mm x 1060 mm.	100
132	NN refrigerated showcase	S/s refrigerated showcase, inside dimensions: 3750 mm x 1060 mm x 200 mm, total dimensions: 3790 mm x 1300 mm x 1060 mm.	100
133	NN ham moulds	2 pallets with 27 ham moulds, dimensions ham moulds: (9x) 430 mm x 160 mm x 140 mm and (18x) 550 mm x 100 mm x 110 mm.	200
134	NN ham moulds	Pallet with 9 s/s ham moulds, dimensions: (9x) 280 mm x 160 mm x 130 mm.	100
135	NN pipes and tubes	Large amount of s/s and copper pipes and carbon fiber tubes, maximum length: 6500 mm.	10
136	NN refrigerated showcase	Refrigerated showcase, inside dimensions: 2500 mm x 900 mm x 950 mm, total dimensions: 2550 mm x 1210 mm x 1470 mm.	50
137	NN ham moulds	Large amount of ham moulds and lids, among others: 265 mm x 145 mm x 130 mm and 315 mm x 155 mm x 120 mm.	100
138	NN parts	Pallet with electrical sockets, air hose parts and anti-slippery mats.	5
139	NN pneumatic cylinders	Pallet with s/s parts and 2 pneumatic cylinders, model: SPWG/88640, maximum pressure: 10 bar.	5
140	Havantec	Havantec hygiene control station with hand disinfection unit, sole cleaner and turnstile, model: WH-212, year of construction: 2018, 400 V, 3 Ph, 1 kW, length brush: 1050 mm, total dimensions: 2000 mm x 1000 mm x 1850 mm.	1500
141	NN splash screen	2 splash screens, s/s frame, dimensions: (2x) 1210 mm x 500 mm x 1660 mm.	50
142	S.A.M.	S.A.M. mobile automatic slicer, model: S.A.M. 328 i, serial number: 17131, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 1.41 A, dimensions: 790 mm x 790 mm x 1330 mm.	150
143	Memmert	Memmert waterbath, type: WNB 45, fabrication number: L706.0046, 230 V, 50/60 Hz, 12.2 A, 2800 W, temperature: 95 ° Celsius, inside dimensions: 590 mm x 380 mm x 235 mm, total dimensions: 820 mm x 520 mm x 410 mm.	50
144	NN table	S/s table, dimensions: 1100 mm x 660 mm x 900 mm.	50
145	Buffalo	Buffalo mixer, model: CD606, serial number: 2014066016, 230 V, 50 Hz, 1.1 kW, s/s bowl, dimensions bowl: diameter: 320 mm, height: 250 mm, total dimensions: 540 mm x 475 mm x 780 mm. Including 1 extra whisks and a 1 hook.	200
146	Kenwood	Kenwood grinder, type: MG70, model: Pro 2000 Excel, serial number: 10551, 220-240 V, 50/60 Hz, 850 W, plate diameter: 70 mm, total dimensions: 310 mm x 200 mm x 450 mm.	50
147	Robot Coupe	Robot Coupe blender, model: MP600 Ultra, serial number: H6460147401, 220-240 V, 50/60 9Hz, 850 W, dimensions: 220 mm x 130 mm x 1000 mm.	100



148	NN table	Mobile s/s table, dimensions: 1700 mm x 800 mm x 970 mm.	100
149	NN kitchen equipment	Kitchen equipment, among others: buckets, 1/1 gastronorm bin and sieve.	10
150	Severin	Severin fryer, type: 2431, article number: FR2431, 220-240 V, 50/60 Hz, 2000 W, dimensions: 560 mm x 230 mm x 240 mm.	10
151	Koenic	Koenic induction cooker with HEMA pan, model: KIP 1332, serial number: 1835004664, 220-240 V, 50 Hz, 2000 W, dimensions: 370 mm x 295 mm x 40 mm.	25
152	Ninbo Weitao Electrical Appliance Co., LTD	Ninbo Weitao Electrical Appliance Co., LTD, steamer, model: WTE-001, 220 V, 50 Hz, 650 W, dimensions: 300 V, 150 mm x 320 mm.	10
153	NN table	Mobile s/s table, dimensions: 1200 mm x 700 mm x 1140 mm.	50
154	REA	REA rack, 3 floors, dimensions: 2000 mm x 600 mm x 650 mm.	50
155	REA	REA rack, 3 floors, dimensions: 2000 mm x 600 mm x 980 mm.	50
156	Tefal	Tefal pressure cooker, model: P2530738, serial number: 3045384362433, capacity: 6 liter, dimensions: 450 mm x 250 mm x 220 mm.	10
157	Mettler Toledo	Mettler Toledo weighing scale, type: LC-G, serial number: 1122372291, dimensions scale: 360 mm x 280, total dimensions: 400 mm x 360 mm x 130 mm.	50
158	Sartorius	Sartorius weighing scale, model: CWP1P1-3DC-NCE, serial number: 22710826, maximum: 1.5 / 3 kg, minimum: 10 / 20 gram, e = 0.5 / 1 gram, dimensions scale: 320 mm x 240 mm, total dimensions: 480 mm x 320 mm x 90 mm.	50
159	Magimix Cuisine System	2 Magimix Cuisine System food processor, model: 4200 XL, serial number: 12604 003410833 / 11476 003410833, 230-240 V, 50 Hz, 950 W, dimensions: (2x) 250 mm x 250 mm x 360 mm. 1 Magimix defect.	25
160	UWE	UWE weighing scale, model: AFW-150, serial number: AFW-C 0339, maximum: 150 kg, minimum: 1 kg, e=d= 50 gram, dimensions scale: 520 mm x 420 mm, total dimensions: 660 mm x 420 mm x 830 mm.	50
162	NN trays and cans	Pallet with 2 thermoboxes, trays and cans, dimensions trays: 200 mm x 150 mm x 50 mm, dimensions cans: diameter: 65 mm, height: 60 mm.	10
163	NN casings	Carton box with with large amount of casings, dimensions box: 840 mm x 110 mm x 2850 mm.	25
164	Alga product	Alga product aluminium extendable ladder, type: NEN 248, 20 steps, dimensions: 840 mm x 110 mm x 2850 mm.	25
165	NN sole cleaner	Sole cleaner, 2 brushes, brush length: 860 mm, total dimensions: 1300 mm x 870 mm x 1120 mm.	400
166	NN ladder	Aluminium ladder, 10 steps, dimensions: 350 mm x 60 mm x 2640 mm.	25
167	NN trolley	Steel trolley, 3 floors, dimensions floor: (3x) 630 mm x 430 mm, total dimensions: 880 mm x 450 mm x 1040 mm.	10



168	NN crates	Pallet with 26 plastic crates, dimensions crates: (26x) 600 mm x 400 mm x 225 mm, total dimensions: 1200 mm x 800 mm x 1650 mm.	10
169	NN crates	Pallet with 28 plastic crates, dimensions crates: among others: 600 mm x 400 mm x 230 mm, 600 mm x 400 mm x 90 mm and 600 mm x 400 mm x 200 mm, total dimensions: 1200 mm x 800 mm x 1650 mm.	10
170	NN crates	4 plastic rollies with 22 plastic crates, among others: 600 mm x 400 mm x 230 mm and 600 mm x 400 mm x 180 mm.	10
172	NN rollies	3 plastic rollies, maximum load: 250 kg, dimensions rollie: (3x) 620 mm x 420 mm x 160 mm.	15
173	NN rollies	4 s/s rollies, dimensions rollie: (4x) 620 mm x 420 mm x 170 mm.	40
174	Jungheinrich	Jungheinrich pallet lifter, fork length: 1150 mm, total dimensions: 1550 mm x 530 mm x 1220. New.	125
175	Jungheinrich	Jungheinrich pallet lifter, fork length: 1150 mm, total dimensions: 1550 mm x 530 mm x 1220. New.	125
176	Jungheinrich	2 Jungheinrich pallet lifter, fork length: 1150 mm, total dimensions: (2x) 1550 mm x 530 mm x 1220. New.	250
177	Atlet AB	Atlet AB pallet lifter, type: BF, serial number: 2038637, year of construction: 2010, weight: 69 kg, capacity: 2500 kg, fork length: 1150 mm, total dimensions: 1550 mm x 540 mm x 1230 mm.	25
178	Irion	Irion pallet lifter, serial number: 08071519-1/1-15, year of construction: 2008, capacity: 2500 kg, fork length: 1150 mm, total dimensions: 1550 mm x 540 mm x 1230 mm.	25
179	Vestergaard	Vestergaard s/s pallet lifter, type: HPT, serial number: 1395, year of construction: October 2014, weight: 71 kg, capacity: 1000 kg, fork length: 1000 mm, total dimensions: 1400 mm x 520 mm x 1230 mm.	100
180	BT	BT s/s pallet lifter, fork length: 1150 mm, total dimensions: 1550 mm x 540 mm x 1230 mm.	100
181	Vestergaard	Vestergaard s/s electric pallet lifter, type: HHPT, serial number: 390, year of construction: September 2008, weight: 156 kg, capacity: 1000 kg, total dimensions: 1600 mm x 520 mm x 1230 mm.	150
182	AHT	AHT freezer, type: B945N, serial number: 2671000002064, 220-240 V, 50 Hz, 2.0 A, 450 W, refrigerant: R290/0.110 kg, volume: 881 dm ³ , total dimensions: 2100 mm x 1000 mm x 910 mm.	35
183	AHT	AHT freezer, type: B945N, serial number: 26751500000699, 220-240 V, 50 Hz, 2.0 A, 450 W, refrigerant: R290/0.110 kg, volume: 881 dm ³ , total dimensions: 2100 mm x 1000 mm x 910 mm.	35
184	AHT	AHT freezer, type: B945N, serial number: 26706540003740, 220-240 V, 50 Hz, 2.0 A, 450 W, refrigerant: R290/0.110 kg, volume: 881 dm ³ , total dimensions: 2100 mm x 1000 mm x 910 mm.	35



185	Berko	Berko rotary vane compressor, model: AC 11 L, 11 kW, working pressure: 7.5-8 bar, dimensions: 1250 mm x 610 mm x 1010 mm.	350
186	Berko	Berko rotary vane compressor, model: AC 11 L, serial number: 6D8LFZ, year of construction: 2008, 11 kW, working pressure: 7.5-8 bar, dimensions: 1250 mm x 610 mm x 1010 mm.	350
187	Rocla OY	Rocla OY electric pallet lifter, type: REC16, serial number: 98-46108, 24 V, weight without battery: 250 kg, weight battery: 140 kg, capacity: 1600, fork length: 1000 mm, total dimensions: 1480 mm x 670 mm x 1370 mm. Including S.P.E. battery charger. Technical condition unknown.	100
188	Hozelock	Hozelock plastic pressure vessel, maximum volume: 5 liter, total volume: 7 liter, dimensions: 175 mm x 175 mm x 450 mm.	5
189	NN frame	S/s frame, dimensions: 900 mm x 460 mm x 210 mm.	10
190	Atlet AB	Atlet AB electric pallet lifter, model: PSD/125TH179, serial number: PSD91636/05, year of construction: 2014, total weight: 815 kg, fork length: 1200, total dimensions: 1850 mm x 680 mm x 1430 mm. Including Tebetron battery charger. Technical condition unknown.	100
191	NN cans	4 pallets with large amount of cans, dimensions cans: diameter: 90 mm, 70 mm and 65 mm, height: 60 mm, dimensions pallets: 1400 mm x 1150 mm x 1530 mm, 1400 mm x 1150 mm x 1120 mm, 1400 mm x 1150 mm x 1950 mm and 1200 mm x 800 mm x 1700 mm.	100
192	Atlet AB	Atlet AB pallet lifter, type: BF, serial number: 2038639, year of construction: 2010, weight: 69 kg, capacity: 2500 kg, fork length: 1150 mm, total dimensions: 1550 mm x 540 mm x 1230 mm.	25



General Terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers

Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the



website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The user guarantees the accuracy and completeness of the provided personal details at registration. If the personal details change at any time, the user is obliged to inform Industrial Auctions by return of such change(s).

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 The user is forbidden to reproduce the website or any part thereof or make available (through deep linking or otherwise) without the prior written consent of Industrial Auctions. Intellectual property is retained by Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in



any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the supporting system;
- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or



unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;
- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this



shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code



applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.



11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expence and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e-mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately



after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.



15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



**Industrial
Auctions** BV



**Industrial
Auctions** BV

Address: Looyenbeemd 11
5652 BH Eindhoven, Netherlands
Tel.: +31 (0)40 2409 208
Fax: +31 (0)40 2409 209
Email: info@industrial-auctions.com
Web: www.industrial-auctions.com

Upcoming auctions:

- 12-01 Online auction meat processing machinery on former location Skivarp Meathouse in Skivarp (SE)**
- 13-01 Online auction meat and fish processing machinery in Landskrona (SE)**
- 14-01 Online auction of surplus processing lines of chocolate factory in Halle (BE)**
- 14-01 Online auction bakery machinery and inventory due to company closure bakery Herijgers in Eindhoven (NL)**
- 19-01 Online auction machinery and inventory for the food industry due to closing production location Bakx Foods in Veldhoven (NL)**