



**Industrial
Auctions** BV

**Online auction meat processing machinery on former
location Skivarp Meathouse in Skivarp (SE)**

Closing: 12 January 2021 from 14:00 hrs.



Viewing day:

Address:

Mariefältsvägen 1
274 51 Skivarp
Sweden



General terms and conditions of the online auction

Closing date	12 January 2021 from 14:00 hrs.
Viewing	
Organizing Company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 Fax: +31 (0)40 2409 209 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
V.A.T	25% over the highest bid including Premium
Pickup date	19 January 2021 from 09:00 till 16:00 hrs.
Pickup address	Mariefältsvägen 1 274 51 Skivarp Sweden
Delivery instructions	The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Industrial Auctions B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address.
Payment details	Before collection of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is made in the last 5 minutes the lot closes, the closing time of that lot will be extended with 5 minutes until no bids are made.



Nr	Title	Description	Start €
1	Magurit GmbH	Magurit GmbH frozen block cutter, type: 315, machine number: 4334, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 25 A, 10 kW, clearance: 540 mm x 300 mm, s/s switch cabinet, dimensions switch cabinet: 600 mm x 210 mm x 800 mm, total dimensions: 2200 mm x 1200 mm x 1250 mm.	3500
2	Myac System Maschinenbau AG	Myac System Maschinenbau AG quick curing press, model: Pökelpresse 650, machine number: 2262, year of construction: 1991, 380 V, 50 Hz, 0.75 kW, plastic belt with dividers, belt width: 650 mm, distance between dividers: 50 mm, divider height: 5 mm, roll width: 650 mm, total dimensions: 1600 mm x 1200 mm x 1420 mm.	500
3	Scansteel	Scansteel mobile double shaft ribbon mixer, type: 400 L, number: 851214, volume: 400 liter, dimensions: 1900 mm x 1000 mm x 1360 mm.	1750
4	NN meat bin	S/s meat bin, volume 200 liter.	40
5	Bruendler AG maschinenfabrik	Bruendler AG maschinenfabrik mobile frozen block cutter, type: FMS.500, machine number: 124, year of construction: 1978, working width: 500 mm, total dimensions: 1600 mm x 950 mm x 1600 mm.	350
6	NN shredder	S/s mobile shredder, infeed dimensions: 485 mm x 310 mm, dimensions: 900 mm x 850 mm x 1900 mm.	250
7	Schwan	3 Schwan cooking vessel, inside dimensions: (3x) 750 mm x 750 mm x 600 mm, total dimensions: 3400 mm x 1150 mm x 1900 mm.	1500
8	Inauen-Geräte Herisau	Inauen-Geräte Herisau mobile vacuum machine, type: VC 999, machine number: 71068, 3x380 V, 50 Hz, 16 A, seal length: 700 mm and 450 mm, chamber dimensions: 760 mm x 450 mm, with vacuum pump, total dimensions: 830 mm x 700 mm x 1000 mm.	250
9	Frey	Frey vacuum filling machine with lifter for 200 liter meat bins, type: Konti - S200, machine number: KS 200 050882, year of construction: 2002, 400 V, 50 Hz, 7.6 kW, filling portioning and linking, dimensions: 2100 mm x 900 mm x 1850 mm.	3200
10	Tipper Tie Technopack	Tipper Tie Technopack mobile s/s clipper, model: TCEA 317 E 510, dimensions: 1100 mm x 800 mm x 1450 mm.	500
11	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer, chamber dimensions: 110 mm x 110 mm, total dimensions: 1950 mm x 950 mm x 1150 mm. With plastic crate with spare parts.	1300
12	Bankeryds Maskin AB	Bankeryds Maskin AB bandsaw, type: BM 6, number: 6272, 380 V, 3 Ph, 50 Hz, 5.8 A, 2.2 kW, 930 rpm, table dimensions: 900 mm x 800 mm, total dimensions: 1430 mm x 1230 mm x 1850 mm.	500
13	Guang Dong Heng Lian Food Processing Machinery	Guang Dong Heng Lian Food Processing Machinery mobile cutter, type: QS630 Big food cut up machine, serial number: 4K10121, year of construction: 2012, 380 V, 50 Hz, 2.2/2.8/5 kW, weight: 318 kg, capacity: 300 kg/h, dimensions: 1000 mm x 800 mm x 980 mm.	1000



14	Stephan	Stephan mobile micro cutter, type: MCHD60-11, machine number: 711.318.01, year of construction: 1985, 380 V, 3 Ph, 50 Hz, 100 A, 51 kW, dimensions: 2080 mm x 1080 mm x 940 mm.	1500
15	NN meat bin	S/s meat bin, volume 200 liter.	40
16	Hollymatic	Hollymatic mobile mixer-grinder, model: GMG 180A GMG 175, number: 5674, plate diameter: 98 mm, inside dimensions: 610 mm x 500 mm x 670 mm, total dimensions: 1020 mm x 720 mm x 1320 mm. With spare knife and plate.	600
17	Wolfking	Wolfking double shaft paddle mixer, manufacturing number: TSM 1000, year of construction: 2003, volume: 1000 liter, total dimensions: 2200 mm x 1200 mm x 1900 mm.	4500
18	NN meat bin	S/s meat bin, volume 200 liter.	40
19	NN meat bin	S/s meat bin, volume 200 liter.	40
20	NN platform	S/s platform, dimensions: 1200 mm x 600 mm x 350 mm.	25
21	NN meat bin	S/s meat bin, volume 200 liter.	40
22	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer with lifter for 200 liter meat bins, model: Taurus-CE C, machine number: 320000.76371.3207, year of construction: 2002, 230-400 V, 3 Ph, 50 Hz, 12-16 A, 5.2 kW, weight: 1000 kg, plastic screws, chamber dimensions: 120 mm x 120 mm, total dimensions: 3800 mm x 1250 mm x 1840 mm.	3750
23	NN meat bin	S/s meat bin, volume 200 liter.	40
24	NN platform	S/s platform, dimensions: 1460 mm x 500 mm x 330 mm.	25
25	FTC Sweden AB	FTC Sweden AB one-all slicer, model: ML2A-360-2, serial number: 1477, year of construction: 2002, 380 V, 3 Ph, 50 Hz, 5 kW, weight: 850 kg, working width: 360 mm, distance between knives: 2 mm, total dimensions: 2030 mm x 1200 mm x 1515 mm.	1000
26	Holac	Holac slicer, type: SECT 28 CT, machine number: 403-01-11, year of construction: 2006, 400 V, 50 Hz, 12 A, 5 kW, weight: 950 kg, cuts per minute: 350/400, plastic mesh belt with grippers, belt width: 275 mm, clearance: 295 mm x 180 mm, total dimensions: 3100 mm x 1100 mm x 1500 mm. With outfeed transport belt, s/s frame, plastic belt, belt width: 255 mm, dimensions outfeed belt: 1400 mm x 400 mm x 890 mm.	3900
27	Mado	Mado mobile mixer-grinder, type: MEW 623, number: 30054, year of construction: 2001, 230/400 V, 3 Ph, 50/60 Hz, 19.5 A, 9.0 kW, 1500/3000 U/min, plastic screws, plate diameter: 98 mm, inside dimensions: 620 mm x 520 mm x 530 mm, total dimensions: 1250 mm x 850 mm x 1320 mm.	2050
28	NN meat bin	S/s meat bin, volume 200 liter.	40
29	Funk GmbH	Funk GmbH automatic scale ice machine, type: Schildgemaß, year of construction: 1992, refrigerant: R22, clearance: 105 mm x 60 mm, dimensions: 750 mm x 435 mm x 300 mm, with L'Unite Hermetique cooling compressor, type: CAJ2428Z, serial number: 6278430100, 220-240 V, 50 Hz, refrigerant: R404A, dimensions cooling compressor: 500 mm x 390 mm x 300 mm.	250



30	NN table	S/s table, dimensions: 1420 mm x 670 mm x 970 mm.	50
31	NN meat bins	3 s/s meat bins, volume: (3x) 200 liter.	120
32	NN meat bin	S/s meat bin, volume 200 liter.	40
33	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: Robby 2, type: 135, number: 135.0073, year of construction: 1994, 220-240 V / 380-460 V, 3 Ph, 50/60 Hz, 15/27 A, total dimensions: 2200 mm x 1700 mm x 2200 mm. Plastic crate with linking attachment.	3500
34	Poly-Clip System GmbH & Co. KG	Poly-Clip System GmbH & Co. KG automatic sealing and clipping machine, type: TSCA-65 N, number: 101, year of construction: 2014, 400 V, 3 Ph, 50/60 Hz, 4 A, 3.6 kW, pressure: 5-7 bar, weight: 640 kg, dimensions: 1500 mm x 1000 mm x 1930 mm.	15000
35	Teltek/Ceia	Teltek checkweigher with metal detector, type checkweigher: Teltek 800, serial number: 100051, year of construction: 2000, 230 V, 50-60 Hz, temperature: +5°C till +40 °C, plastic belt, belt width: 210 mm and 250 mm, Ceia metal detector, model: THS/SL, serial number: 20400212037, clearance: 350 mm x 125 mm, total dimensions: 2000 mm x 950 mm x 1360 mm.	1000
36	NN meat bins	2 s/s meat bins, volume: (2x) 200 liter.	80
37	NN meat bin	S/s meat bin, volume 200 liter.	40
38	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF200B, number: 948, 220 V, 50 Hz, Becker vacuum pump, dimensions: 1650 mm x 700 mm x 1500 mm.	2900
39	Handtmann	Handtmann mobile linking and hanging line, consisting of Handtmann AL linker, type linker: 216-21, number: 559, year of construction: 1999, 400 V, 50 Hz, dimensions: 1650 mm x 700 mm x 1500 mm, Handtmann hanging line, type: 220-16, number: 889, year of construction: 2000, dimensions: 2650 mm x 650 mm x 1520 mm.	2250
40	NN platform	S/s platform, dimensions: 750 mm x 510 mm x 120 mm.	25
41	Novlab AB	Novlab AB tiltable cooking vessel, type: ESK-1E-300, number: 313102, year of construction: 1991, 220/380 V, 50 Hz, 16 A, 1.5 kW, volume: 300 liter, maximum temperature: 127°C, weight: 215 kg, dimensions: 1500 mm x 1420 mm x 1300 mm.	700
42	Novlab AB	Novlab AB tiltable cooking vessel, type: ESK-1E-300, number: 313072, year of construction: 1991, 220/380 V, 50 Hz, 16 A, 1.5 kW, volume: 300 liter, maximum temperature: 127°C, weight: 215 kg, dimensions: 1500 mm x 1420 mm x 1300 mm.	700
43	Electrolux	Electrolux tiltable cooking vessel with agitator, model: EBV300, 400 V, 3 Ph, 50 Hz, 36.1/45.6 A, 25/26.1 kW, volume: 300 liter, maximum temperature: 127°C, dimensions: 1570 mm x 1070 mm x 1100 mm.	700



44	Bankeryds Maskin AB	Bankeryds Maskin AB cheese slicer, type: OS-20, number: 20-162, year of construction: 2000, pressure: 600-1600 kpa, machine weight: 111 kg, plastic rollers, roller width: (2x) 165 mm, knife length: (8x) 200 mm, total dimensions: 1400 mm x 670 mm x 1360 mm.	500
45	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer, type: 1860, machine number: 186003.61439.0053, year of construction: 1997, 400 V, 50 Hz, 4-10 A, 1.5 kW, weight: 195 kg, chamber dimensions: 185 mm x 175 mm, total dimensions: 1800 mm x 750 mm x 1300 mm.	1900
46	NN rollie with crate	Plastic rollie with plastic crate, crate dimensions: 800 mm x 600 mm x 300 mm, rollie dimensions: 840 mm x 650 mm x 150 mm.	25
47	Brevetti E. Gasparin & C snc	Brevetti E. Gasparin & C snc horizontal wrapping machine, model: 50COR2, serial number: 50234, year of construction: 1996, 220 V, 3 Ph, 50 Hz, 5.5 A, 4 kW, weight: 735 kg, plastic film, film width: 350 mm, chain infeed belt with dividers, distance between dividers: 190 mm, divider height: 30 mm, seal width: 220 mm, plastic outfeed belt, belt width: 240 mm, total dimensions: 3850 mm x 780 mm x 1780 mm.	1900
48	Espera	Espera mobile weighing and labelling machine, model: ES 5000, type: ESW 2504 / ESW 304 / ESW 2504, 180-255 V, 50-60 Hz, 4 A, maximum weight: 6 kg, minimum weight: 40 gram, e= 2 gram, T=- 6000 gram, plastic belt, belt width: 140 mm, total dimensions: 1600 mm x 870 mm x 1600 mm.	2500
49	NN platform	S/s platform, dimensions: 600 mm x 400 mm x 210 mm.	25
50	NN platform	S/s platform, dimensions: 620 mm x 500 mm x 260 mm.	25
51	NN dip tank	S/s mobile dip tank, working width: 625 mm x 415 mm, total dimensions: 720 mm x 680 mm x 1290 mm. Missing button.	500
52	NN turning table	Turning table, steel frame, plastic worktop, diameter table top: 1500 mm, total dimensions: 1500 mm x 1500 mm x 1000 mm.	250
53	Webomatic	Webomatic thermoformer, type: APS-ML3300, machine number: E6513NA295, 400 V, 3 Ph, 50 Hz, 5.5 A, 2.2 kW, plastic film width: 420 mm, dye dimensions: (1x) 370 mm x 265 mm and (2x) 260 mm x 180 mm, plastic outfeed belt, belt width: 360 mm, 2 Busch vacuum pumps, type: RA 0100 E 541, number: 04042933, year of construction: 2004, capacity: 100 m ³ per hour and type: RB 0021 C 3Z3, serial number: D14411473, year of construction: 2014, capacity: 21 m ³ per hour, total dimensions: 3400 mm x 1000 mm x 1620 mm. With plastic crate with spare parts, among others 2 dyes, dimensions dyes: (2x) 250 mm x 170 mm x 120 mm.	4900



54	Espera	Espera weighing and labelling machine, model: ES 7000, type: ES 1000 / ES 901 / ESG 2154, year of construction: 2012, 230 V, 50-60 Hz, 8 A, maximum weight: 3/6/8 kg, minimum weight: 20 gram, e= 1/2/5 gram, T=- 3 kg, plastic belt, belt width: (2x) 140 mm and (3x) 90 mm, total dimensions: 2350 mm x 750 mm x 1880 mm. Including 2 rolls with labels.	4900
55	NN trolleys for plates	2 s/s trolleys for plates, 10 plates each trolley, dimensions plates: (20x) 775 mm x 510 mm x 50 mm, dimensions trolley: (2x) 840 mm x 520 mm x 1725 mm.	200
56	NN trolleys for plates	2 s/s trolleys for plates, 10 plates and 9 plates per trolley, dimensions plates: (19x) 775 mm x 510 mm x 50 mm, dimensions trolley: (2x) 840 mm x 520 mm x 1725 mm.	200
57	NN trolleys for plates	3 s/s trolleys for plates, 10 plates each trolley, dimensions plates: (30x) 775 mm x 510 mm x 50 mm, dimensions trolley: (3x) 840 mm x 520 mm x 1725 mm.	300
58	NN trolleys for plates	3 s/s trolleys for plates, 10 plates each trolley, dimensions plates: (30x) 775 mm x 510 mm x 50 mm, dimensions trolley: (3x) 840 mm x 520 mm x 1725 mm.	300
60	Maja	Maja mobile skinning machine, type: EVM 4006, number: 45759, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 2.2 A, 0.75 kW, working width: 540 mm, total dimensions: 930 mm x 630 mm x 1030 mm.	750
61	Günther Maschinenbau GmbH	Günther Maschinenbau GmbH mobile tiltable vacuum tumbler, type: GPA 90S, machine number: 29513, year of construction: 2006, 230 V, 16 A, 0.5 kW, volume: 90 liter, Shell Rotella vacuum pump, model: X 30, capacity: 6 m ³ per hour, dimensions: 1200 mm x 640 mm x 1320 mm.	2500
62	Inotec GmbH	Inotec GmbH mobile sausage cutter, type: WT93-S3/F DSC-Versione, number: 1311, working width: 45 mm, dimensions: 920 mm x 560 mm x 1070 mm.	1900
63	Townsend	Townsend mobile skinning machine, type: SK 11-320, serial number: 8776, year of construction: 2006, 380 V, 3 Ph, 50 Hz, working width: 500 mm, total dimensions: 790 mm x 720 mm x 980 mm.	1000
64	Berkel	Berkel slicer, type: 834, number: 13654, 220 V, 1 Ph, 50 Hz, 2.3 A, 1425 N, dimensions: 630 mm x 500 mm x 480 mm.	75
65	NN table	S/s table, dimensions: 630 mm x 500 mm x 480 mm.	30
66	NN tub	S/s mobile tub, inside dimensions: 1500 mm x 700 mm x 160 mm, total dimensions: 1515 mm x 710 mm x 850 mm.	100
67	Cryovac	Cryovac vacuum machine, model: VC14 RH, serial number: A51100307, year of construction: 1998, 415 V, 50 Hz, 40 A, 13 kW, pressure: 10 Nm ³ /h, plastic rollers, roller width: 560 mm, Rietschle vacuum pump, type: VCAH 250 (03) 10163-0312, number: 1945051, year of construction: 1998, capacity: 250 m ³ per hour, total dimensions: 1440 mm x 850 mm x 1180 mm.	1250



68	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 410 mm, dimensions: 970 mm x 490 mm x 860 mm, s/s tub with plastic rollers and drain, 12 plastic rollers, roller width: 9 mm, inside dimensions: 790 mm x 520 mm x 290 mm, total dimensions tub: 810 mm x 600 mm x 940 mm.	50
69	NN trolley	S/s trolley, inside dimensions: 600 mm x 350 mm x 160 mm, total dimensions: 700 mm x 410 mm x 240 mm.	50
70	NN injector	Mobile injector, s/s walking beam, beam width: 300 mm, 14 needles, dimensions: 1200 mm x 500 mm x 1850 mm.	750
71	KA GE Lyften	KA GE Lyften mobile lifter for 200 liter meat bins, type: SKV200MIPSKVRT, number: 2817, lifting height: 1400 mm, total dimensions: 1200 mm x 1100 mm x 2040 mm.	750
72	K + G Wetter	K + G Wetter grinder, type: WW 130, machine number: 223/626/1, plate diameter: 130 mm, dimensions grinder: 1300 mm x 1000 mm x 1400 mm.	1900
73	NN meat bin	S/s meat bin, volume 200 liter.	40
74	M-tek	M-tek bag sealer, type: corr-vac, serial number: 204, seal length: 1400 mm, with Busch vacuum pump, total dimensions: 1450 mm x 900 mm x 1890 mm.	500
75	Fomaco	Fomaco injector, model: FGM 64/128/256 SW, machine number: 6162 1994, 380 V, 50 Hz, 13.1 A, 5.4 kW, 64 needles, clearance: 540 mm x 195 mm, walking beam width: 550 mm, dimensions injector: 2350 mm x 950 mm x 2190 mm. Fomaco filter drum, model: PFS 5/180, number: 6163 1994, dimensions: 1170 mm x 600 mm x 820 mm. Plastic crate with spare parts.	3500
76	Garos	Garos injector, s/s mesh belt, belt width: 350 mm, approximately 48 needles, clearance: 350 mm x 265 mm, total dimensions: 2120 mm x 660 mm x 1920 mm.	2500
77	NN meat bin	S/s meat bin, volume 200 liter.	40
78	NN platform	S/s platform, dimensions: 890 mm x 890 mm x 200 mm.	25
79	Cryovac / W.R. Grace & Co	Cryovac / W.R. Grace & Co shrink tunnel, model: ST 40, s/s mesh belt, belt width: 500 mm, clearance: 460 mm x 330 mm, total dimensions: 1840 mm x 650 mm x 1750 mm.	750
80	Ross Industries Inc.	Ross Industries Inc. double lane mobile slicer, model: 950, serial number: 964, 380 V, 3 Ph, 50 Hz, 9 A, s/s mesh belt, belt width: 190 mm, total dimensions: 1200 mm x 800 mm x 1660 mm.	750
81	Inauen Maschinen AG	Inauen Maschinen AG vacuum machine, type: VC999/07DKN, machine number: 0785594, 380 V, 3 Ph, 50 Hz, 25 A, 9 kW, seal length: (2x) 445 mm and (1x) 950 mm, chamber dimensions: 450 mm x 950 mm, s/s rollers, roller width: 400 mm, Rietschle vacuum pump, type: CLFH 220V (01), year of construction: 1985, capacity: 220 m ³ per hour, total dimensions: 1115 mm x 800 mm x 1050 mm.	900
82	NN trolley for plates	S/s trolley for plates, 12 s/s plates, plate dimensions: (12x) 650 mm x 520 mm, total dimensions: 870 mm x 720 mm x 1790 mm.	75



83	NN tub	S/s tub with drain, inside dimensions: 900 mm x 900 mm x 850 mm, total dimensions: 1020 mm x 1020 mm x 950 mm.	50
84	NN tub	S/s tub, inside dimensions: 900 mm x 900 mm x 850 mm, total dimensions: 1020 mm x 1020 mm x 950 mm.	50
85	NN tub	S/s tub, inside dimensions: 900 mm x 900 mm x 850 mm, total dimensions: 1020 mm x 1020 mm x 950 mm.	50
86	NN basket	S/s mobile basket, inside dimensions: 610 mm x 560 mm x 200 mm, total dimensions: 615 mm x 580 mm x 900 mm.	25
87	NN baskets	2 s/s mobile baskets, inside dimensions: (2x) 610 mm x 560 mm x 200 mm, total dimensions: (2x) 615 mm x 580 mm x 900 mm.	50
88	NN trolley	Trolley, inside dimensions: 950 mm x 655 mm x 700 mm, total dimensions: 1000 mm x 680 mm x 880 mm.	50
89	NN smoke trolley	S/s smoke trolley, 6 floors, 5 s/s plates, dimensions plates: (5x) 1005 mm x 960 mm, total dimensions: 1020 mm x 1000 mm x 1960 mm.	75
90	NN smoke trolley	S/s smoke trolley, 6 floors, 5 s/s plates, dimensions plates: (5x) 1005 mm x 960 mm, total dimensions: 1020 mm x 1000 mm x 1960 mm.	75
91	Linde	Linde cabinet freezer, type: Cryoline of Twin, number: 12052006, year of construction: 2006, 400 V, 50 Hz, 5.2 kW, weight: 1190 kg, refrigerant: LIN, pressure: 4 bar, inside dimensions: 1470 mm x 1110 mm x 2120 mm, total dimensions: 2330 mm x 1770 mm x 2300 mm.	5500
92	NN vessel	S/s mobile vessel, inside dimensions: 590 mm x 590 mm x 1030 mm, total dimensions: 680 mm x 680 mm x 1320 mm.	50
93	Roser	Roser disinfection unit consisting of hand disinfection and tourniquet, 220-240 V, dimensions: 900 mm x 685 mm x 1860 mm.	250
94	Laumas	Laumas floor weighing scale with indicator and ramp, model: WINOXLBP, serial number: E0221918, year of construction: 02/05/18, ramp width: 850 mm, dimensions weighing scale: 1500 mm x 1500 mm x 180 mm.	250
95	Ohaus	Ohaus floor weighing scale with indicator and ramp, model: T32XW, serial number: B637032996, 100-240 V, 50/60 Hz, 1 A, maximum weight: 60 kg, minimum weight: 0.4 kg, e= 0.02 kg, working width: 1240 mm, total dimensions: 1430 mm x 1250 mm x 100 mm.	200
96	Holac	Holac dicer, model: AUT 30, machine number: 202-31-31, year of construction: 08-12-06, 400 V, 50 Hz, 10 kW, 170/153 cuts per minute, total weight: 1250 kg, temperature: 0°C till +30°C, chamber dimensions: 115 mm x 115 mm, total dimensions: 2330 mm x 1400 mm x 1650 mm. Including s/s trolley with extra knives, extra grids and other spare parts, dimensions trolley: 2160 mm x 1040 mm x 1650 mm.	3900
97	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt, belt width: 305 mm, elevating height: 1270 mm, total dimensions: 3500 mm x 750 mm x 1380 mm.	350



98	Supervac	Supervac mobile bag blower, type: BG 450, fabrication number: 2010007, year of construction: 2010, 230 V, 1 Ph, 50 Hz, 1.59 A, 0.16 kW, capacity: 40 bags per minute, maximum bag width: 450 mm, machine weight: 54 kg, total dimensions: 1000 mm x 570 mm x 900 mm.	150
99	Supervac	Supervac belt vacuum machine, type: GK402B, fabrication number: 2010046, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 8 A, 3 kW, seal width: (2x) 750 mm, chamber dimensions: 750 mm x 660 mm, plastic belt with dividers, belt width: 620 mm, distance between dividers: 820 mm, divider height: 10 mm, total dimensions: 2000 mm x 1200 mm x 1550 mm. With two boxes with spare engine and plastic bags.	3900
100	Supervac	Supervac dip tank, type: AT8E, fabrication number: 2010047, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 45 A, 30.6 kW, plastic infeed rollers, roller width: (2x) 195 mm and (1x) 230 mm, outfeed roller width: (2x) 300 mm, plastic mesh belt, belt width: 640 mm, clearance: 660 mm x 360 mm, total dimensions: 2300 mm x 1300 mm x 1550 mm.	1900
101	Busch	Busch vacuum pump, type: 250-136, number: 33897, vacuum: 2 mbar, capacity: 250 m ³ per hour, dimensions: 1050 mm x 600 mm x 720 mm.	250
102	NN platform	S/s platform, dimensions: 2000 mm x 600 mm x 110 mm.	50
103	GLN Conveyor	GLN Conveyor drying belt, plastic mesh belt, belt width: 200 mm, clearance: 230 mm x 125 mm, total dimensions: 1150 mm x 450 mm x 1740 mm.	250
104	NN infeed table	S/s infeed table with drains, inside dimensions: 1600 mm x 1050 mm x 250 mm, total dimensions: 1650 mm x 1000 mm x 1450 mm.	150
105	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 490 mm, distance between dividers: 300 mm, divider height: 45 mm, elevating height: 1860 mm, total dimensions: 3700 mm x 900 mm x 2120 mm.	500
106	NN smoke trolley	S/s smoke trolley, 6 floors, 5 s/s plates, dimensions plates: (5x) 1000 mm x 950 mm, total dimensions: 1010 mm x 1010 mm x 1965 mm.	75
107	NN smoke trolley	S/s smoke trolley, 6 floors, 5 s/s plates, dimensions plates: (5x) 1000 mm x 950 mm, total dimensions: 1010 mm x 1010 mm x 1965 mm.	75
108	NN smoke trolleys	2 s/s smoke trolleys, each 6 floors and 5 s/s plates, dimensions plates: (10x) 1000 mm x 950 mm, dimensions smoke trolley: (2x) 1010 mm x 1010 mm x 1965 mm.	150
109	NN smoke trolleys	3 s/s smoke trolleys, each 6 floors and 5 s/s plates, dimensions plates: (15x) 1000 mm x 950 mm, dimensions smoke trolley: (3x) 1010 mm x 1010 mm x 1965 mm.	225
110	NN smoke trolleys	3 s/s smoke trolleys, each 6 floors and 5 s/s plates, dimensions plates: (15x) 1000 mm x 950 mm, dimensions smoke trolley: (3x) 1010 mm x 1010 mm x 1965 mm.	225
111	AIA	AIA roof condenser, 2 fans, type: KDVA-5, number: 66291, 380 V, 3 Ph, 2.8 A, 0.9 kW, 1750 mm x 1010 mm x 1250 mm.	300



112	Nissan	Nissan forklift truck, model: PH02A250, chassis number: PH02-002358, year of construction: 1987, mast: 2W330, weight: 3720 kg, medium: gas, maximum elevating height: 3300 mm, maximum capacity: 2000 kg, fork length: 1200 mm, total dimensions: 3600 mm x 1200 mm x 2200 mm.	1700
113	BT lifters	BT lifters pallet lifter, type: BT high lifter, number: 1000024/1992, capacity: 1000 kg, weight: 121 kg, fork length: 1180 mm and fork width: 550 mm, total dimensions: 1750 mm x 550 mm x 1270 mm.	40
114	J&E Hall	J&E; Hall roof condenser, 1 fan, type: JEH2-0675-M-3, serial number: 20530502-070, year of construction: 2010, 380-415 V, 3 Ph, 50 Hz, 19 A, refrigerant: R404A, dimensions: 1280 mm x 460 mm x 880 mm.	300
115	J&E Hall	J&E; Hall roof condenser, 1 fan, type: JEH2-0675-M-3, serial number: 20530502-069, year of construction: 2010, 380-415 V, 3 Ph, 50 Hz, 19 A, refrigerant: R404A, dimensions: 1280 mm x 460 mm x 880 mm.	300
116	Lu-Ve	Lu-Ve roof condenser, 1 fan, model: SHVN 24 H/V SPEC, serial number: 37184/2009, 400 V, 50-60 Hz, 1.9 A, 1050 W, volume: 6.11 dm ³ , temperature: -10°C till + 55°C, refrigerant: R134A, R404A, R22, R507, R407C, dimensions: 1090 mm x 970 mm x 1050 mm.	200
117	Lu-Ve	Lu-Ve roof condenser, 1 fan, model: SHVN 24 H/V SPEC, serial number: 37185/2009, 400 V, 50-60 Hz, 1.9 A, 1050 W, volume: 6.11 dm ³ , temperature: -10°C till + 55°C, refrigerant: R134A, R404A, R22, R507, R407C, dimensions: 1090 mm x 970 mm x 1050 mm.	200
118	Busch	Busch vacuum pump, type: RA 0302 D 521 QNZZ, number: C0635000054, year of construction: 2006, capacity: 302 m ³ per hour, dimensions: 1000 mm x 700 mm x 850 mm.	250
119	Rietschle	Rietschle vacuum pump, 5.5 kW, dimensions: 820 mm x 560 mm x 380 mm.	100
120	NN vacuum pump	Vacuum pump, dimensions: 700 mm x 380 mm x 470 mm.	50
121	NN pallet boxes	8 plastic pallet boxes, inside dimensions: (8x) 1100 mm x 900 mm x 580 mm, total dimensions: (8x) 1180 mm x 980 mm x 730 mm.	200
122	NN pallet boxes	11 plastic pallet boxes, inside dimensions: (10x) 1100 mm x 900 mm x 580 mm and (1x) 1100 mm x 720 mm x 580 mm, total dimensions: (10x) 1180 mm x 980 mm x 730 mm and (1x) 1180 mm x 800 mm x 780 mm.	250
123	Deighton Manufacturing UK LTD	Deighton Manufacturing UK LTD forming machine, model: C Series Formatic Machine, serial number: C4000/11/09/193, 220/240 V, 50 Hz, 1.1 kW, dye dimensions: 87 mm x 87 mm, plastic belt, belt width: 140 mm, foot control, dimensions: 850 mm x 800 mm x 760 mm.	750



124	Toledo	Toledo weighing scale, model: 82030102, serial numbers: 2048115-2, 240 V, 50/60 Hz, 70 mA, maximum weight: 15 kg, minimum weight: 100 gram, e= 5 gram, T=-9995 gram, dimensions scale: 410 mm x 290 mm, total dimensions: 410 mm x 670 mm x 520 mm.	75
125	Flintab/Digi	Flintab weighing scale with indicator, maximum weight: 60 kg, minimum weight: 0.4 kg, e= 0.02 kg, T=-60 kg, temperature: 0°C till + 40°C, scale dimensions: 500 mm x 500 mm, total dimensions weighing scale: 600 mm x 500 mm x 690 mm. Digi label printer, model: GP460, dimensions: 350 mm x 220 mm x 330 mm. Technical condition unknown.	60
126	Flintab	Flintab weighing scale with indicator, number: 4041-32, maximum weight: 600 kg, minimum weight: 4 kg, e= 0.2 kg, temperature: +5°C till + 40°C, scale dimensions: 500 mm x 500 mm, plastic rollers, roller width: 585 mm, total dimensions weighing scale: 750 mm x 650 mm x 1300 mm. Technical condition unknown.	60
127	Flintab	Flintab weighing scale with indicator, maximum weight: 30 kg, minimum weight: 0.2 kg, e= 0.01 kg, temperature: 0°C till + 40°C, scale dimensions: 500 mm x 500 mm, total dimensions: 730 mm x 700 mm x 1480 mm.	60
128	Norpe	Norpe refrigerated showcase, type: A204005 Promoter-C-HE, serial number: SNP463895, 230 V, 1 Ph, 50 Hz, 10 A, 205 W, refrigeration: R290, 70 gram, inside dimensions: 680 mm x 330 mm x 410 mm, total dimensions: 720 mm x 450 mm x 900 mm.	50
129	Flintab	Flintab weighing scale, type: 1250E-300, serial number: 158780, dimensions: 650 mm x 650 mm x 750 mm.	40
130	Flintab	Flintab double weighing scale with indicator on s/s frame, maximum weight: 60 kg, minimum weight: 0.4 kg, e= 0.02 kg, T= 60 kg, temperature: 0°C till + 40°C, scale dimensions: (2x) 500 mm x 500 mm, dimensions table: 450 mm x 450 mm x 560 mm, s/s switch cabinet, dimensions switch cabinet: 370 mm x 290 mm x 130 mm. Technical condition unknown.	100
131	Intermec	Intermec label printer, model: easy coder 501 XP, serial number: 15581, 100-240 V, 50-60 Hz, 2.5-1.2 A, dimensions: 480 mm x 270 mm x 240 mm.	25
132	Mettler Toledo/ Intermec	2 Mettler Toledo weighing scales with indicator, type: BBA231-3A6A/M and BBA231-3BB35/M, serial number: B540527700 and B540527701, year of construction: 2015 100-240 V, 50/60 Hz, 0.2 A, temperature: -10°C till + 40°C, maximum weight: 6 kg, minimum weight: 40 gram, e= 2 gram, dimensions scale: 300 mm x 240 mm x 50 mm and 400 mm x 300 mm x 80 mm. Intermec label printer, model: PF4i, dimensions: 380 mm x 230 mm x 180 mm. Missing cover.	75
133	NN table	S/s table, dimensions: 1420 mm x 670 mm x 980 mm.	50
134	NN table	S/s table, dimensions: 1420 mm x 670 mm x 970 mm.	50
135	NN table	S/s table, dimensions: 1420 mm x 670 mm x 970 mm.	50



136	Flintab	Flintab weighing scale with indicator, maximum weight: 60 kg, minimum weight: 0.4 kg, e= 0.02 kg, T= 60 kg, temperature: 0°C till + 40°C, scale dimensions: 500 mm x 500 mm, dimensions indicator: 380 mm x 110 mm x 200 mm, dimensions switch cabinet: 370 mm x 150 mm x 300 mm. Technical condition unknown.	50
137	Mettler Toledo/ Flintab	Mettler Toledo weighing scale with Flintab indicator, maximum weight: 300 kg, minimum weight: 2 kg, dimensions weighing scale: 600 mm x 450 mm x 150 mm, dimensions indicator: 250 mm x 190 mm x 100 mm. Technical condition unknown.	40
138	Flintab	Flintab weighing scale, type: 12-07-01/47-04/1131-V, serial number: 120701B1-34, dimensions: 330 mm x 230 mm x 80 mm. Technical condition unknown.	25
139	Intermec	Intermec label printer, model: PD42, serial number: 07471040015, 100-240 V, 50/60 Hz, 2-1 A, dimensions: 430 mm x 270 mm x 270 mm.	75
140	Tormek	Tormek knife sharpener, model: PR-250, 220-240 V, 1 Ph, 50 Hz, 200 W, 90 - 150 rpm, diameter disks: 230 mm, thickness: 30 mm and 50 mm, dimensions: 410 mm x 250 mm x 350 mm.	75
141	NN table	Table with steel frame, dimensions: 600 mm x 400 mm x 900 mm.	40
142	Flintab	Flintab weighing scale on s/s frame with indicator, type weighing scale: 12-07-1/47-04/1131-P, serial number: 906702, dimensions scale: 650 mm x 650 mm x 120 mm, dimensions frame: 610 mm x 610 mm x 590 mm, type indicator: ML466, serial number: 466018, 230 V, 50 Hz, 70 W, dimensions: 400 mm x 380 mm x 300 mm. Technical condition unknown.	60
143	Bizerba	Bizerba weighing scale, type: 18-A, number: 1622467, maximum weight: 6 kg, minimum weight: 40 gram, e = 2 gram, dimensions: 340 mm x 270 mm x 270 mm.	25
144	Apack	Apack table model traysealer, model: DOT SC, serial number: 099, year of construction: 2014, 230 V, 1 kW, diameter dye: 185 mm, total dimensions: 500 mm x 300 mm x 430 mm	400
145	Apack	Apack table model traysealer, model: DOT SC, serial number: 096, year of construction: 2014, 230 V, 1 kW, diameter dye: 185 mm, total dimensions: 500 mm x 300 mm x 430 mm	400
146	Hallde	Hallde vegetable slicer, type: RG-350, serial number: 1171403, 380-400 V, 3 Ph, 50/60 Hz, 2.2 A, 0.75 kW, 1500 rpm, diameter blade: 230 mm, dimensions: 600 mm x 550 mm x 1250 mm.	150
147	Scanscale	Scanscale weighing scale, model: 813, maximum weight: 6000 gram, minimum weight: 40 gram, e= 2 gram, 220 V, 50 Hz, 10 W, dimensions: 360 mm x 290 mm x 110 mm.	25



148	Mettler Toledo	Mettler Toledo weighing scale with indicator, model: IND 425 B60, maximum weight: 30/60 kg, d= 10/20 gram, dimensions weighing scale: 500 mm x 400 mm x 90 mm, dimensions indicator: 280 mm x 200 mm x 80 mm. Technical condition unknown.	40
149	Mettler Toledo	Mettler Toledo weighing scale with indicator, type: PTA455-1500T, serial number: 2801730, maximum weight: 1500 kg, minimum weight: 10 kg, e= 0.5 kg, 230-240 V, 50-60 Hz, dimensions weighing scale: 360 mm x 310 mm x 80 mm, dimensions indicator: 310 mm x 190 mm x 80 mm. Technical condition unknown.	40
150	NN table	S/s table, dimensions: 1420 mm x 670 mm x 980 mm.	50
151	Maskin & Service	Maskin & Service mobile ice cream machine, model: SV.PAT.ANS.17.180/69, dimensions: 510 mm x 400 mm x 1600 mm.	300
152	NN showcase	S/s heated showcase, dimensions: 700 mm x 635 mm x 750 mm.	50
153	Face mask	5 carton boxes with 1000 face masks per box, approved for medic use, three layers, size face mask: 175 mm x 95 mm.	250
154	Dickies	5 carton boxes with Dickies socks, 180 pieces per box, seize: 41-45.	250
155	Slazenger	5 carton boxes with Slazenger socks, 180 pieces each box, seize: 47-50.	250



General Terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers

Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the



website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The user guarantees the accuracy and completeness of the provided personal details at registration. If the personal details change at any time, the user is obliged to inform Industrial Auctions by return of such change(s).

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 The user is forbidden to reproduce the website or any part thereof or make available (through deep linking or otherwise) without the prior written consent of Industrial Auctions. Intellectual property is retained by Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in



any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the supporting system;
- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or



unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;
- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this



shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code



applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.



11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e-mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately



after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.



15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



**Industrial
Auctions** BV



**Industrial
Auctions** BV

Address: Looyenbeemd 11
5652 BH Eindhoven, Netherlands
Tel.: +31 (0)40 2409 208
Fax: +31 (0)40 2409 209
Email: info@industrial-auctions.com
Web: www.industrial-auctions.com

Upcoming auctions:

- 28-01 Online auction inventory due to company closure cafe and banquet hall 't Aambeeld in Stiphout (NL)**
- 03-02 Online auction machinery, inventory, trucks and trailers due to bankruptcy potato processor AC Loogman & Sons in Aalsmeer (NL)**