



Industrial Auctions BV

Online auction machinery and inventory for the food industry due to closing production location Bakx Foods in Veldhoven (NL)

Closing: 19 January 2021 from 14:00 hrs.



Viewing day:

Address:

De Run 4463
5503 LS Veldhoven
Netherlands



General terms and conditions of the online auction

Closing date	19 January 2021 from 14:00 hrs.
Viewing	
Organizing Company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 Fax: +31 (0)40 2409 209 E-mail: info@industrial-auctions.com
Buyers premium	17% over the highest bid
V.A.T	21% over the highest bid including Premium
Pickup date	26 January 2021 from 09:00 till 16:00 hrs.
Pickup address	De Run 4463 5503 LS Veldhoven Netherlands
Delivery instructions	The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Industrial Auctions B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address.
Payment details	Before collection of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is made in the last 5 minutes the lot closes, the closing time of that lot will be extended with 5 minutes until no bids are made.



Nr	Title	Description	Start €
1	Kresta / Speck Kolbenpumpenfabrik	Kresta / Speck Kolbenpumpenfabrik water pressure station consisting of s/s tank, item number: Filtratbehalter, fabrication number: 91112-18, year of construction: 1992, design pressure: hydrostat, design temperature: 70°C, volume: 9000 liter, 2 Speck-Kolbenpumpenfabrik high pressure pumps, type: P52/120-120, year of construction: 2017 / 2018, 120 bar, 29.1 kW, quantity: 123.1 liter per minute, temperature: 60°C, total dimensions: 1500 mm x 1400 mm x 800 mm. Lot is already dismantled.	750
2	Chameleon	Chameleon 1 x 2 insect killer, dimensions: 450 mm x 300 mm x 40 mm.	10
3	NN protection rack	Steel protection rack, dimensions: 3950 mm x 200 mm x 370 mm. Lot is already dismantled.	10
4	Roma Nederland B.V.	Roma Nederland B.V. refrigerated sliding door, type number: V / 2010 / 140 / N, year of construction: 1994, dimensions door: 1900 mm x 2360 mm, thickness door: 180 mm, length rail: 4200 mm. Lot is already dismantled.	100
5	Güntner	Güntner evaporator, type: GACC 040 1H/17-AW.E, year of construction: 2014, 1 fan, dimensions: 1000 mm x 550 mm x 550 mm. Lot is already dismantled.	75
6	Güntner	Güntner evaporator, type: GACC 040 1F/17-AW.E, serial number: 401093609/42.00387, year of construction: 2014, ambient temperature: 50°C / -30°C, pressure: 32 bar / -1 bar, 1 fan, dimensions: 1000 mm x 550 mm x 550 mm. Lot is already dismantled.	75
7	NN protection rack	Steel protection rack, dimensions: 3950 mm x 200 mm x 370 mm. Lot is already dismantled.	10
8	Metaflex	Metaflex refrigerated sliding door, serial number: 1050119, year of construction: 2005, dimensions door: 2500 mm x 1850 mm, thickness door: 110 mm, length rail: 3950 mm. Lot is already dismantled.	100
9	NN refrigerated sliding door	Refrigerated sliding door, dimensions door: 2550 mm x 1900 mm, thickness door: 200 mm, length rail: 4450 mm. Lot is already dismantled.	100
10	NN refrigerated sliding door	Refrigerated sliding door, dimensions door: 2550 mm x 1950 mm, thickness door: 140 mm, length rail: 4350 mm. Lot is already dismantled.	75
11	Dynaco Entrematic	Dynaco Entrematic electric shutter door, door width: 1800 mm, total dimensions: 2300 mm x 2850 mm. Lot is already dismantled.	200
12	GEA Goedhart B.V.	GEA Goedhart B.V. evaporator, type: VCI 125010, manufacturing number: PJV113030, year of construction: 2012, refrigerant: R507 DX, volume: 47 dm ³ , PS: 28 bar, PT: 40 bar, TS: + 55 / -31°C, 2 fans, total dimensions: 2450 mm x 1250 mm x 700 mm. Lot is already dismantled.	125



13	NN protection racks	3 s/s protection racks, dimensions: (1x) 1650 mm x 200 mm x 600 mm, (1x) 6000 mm x 350 mm x 300 mm and (1x) 5000 mm x 2500 mm x 300 mm. Lot is already dismantled.	25
14	NN sliding door	Refrigerated sliding door, dimensions door: 2550 mm x 1620 mm, thickness door: 80 mm, length rail: 3500 mm. Lot is already dismantled.	75
15	NN protection racks	4 s/s protection racks, dimensions: (1x) 7300 mm x 5000 mm x 300 mm, (1x) 850 mm x 400 mm x 300 mm, (1x) 6500 mm x 2150 mm x 300 mm and (1x) 3150 mm x 1730 mm x 300 mm. Lot is already dismantled.	25
16	Roma Nederland B.V.	Roma Nederland B.V. refrigerated sliding door, type number: K/900/100/NL, year of construction: 1992, dimensions door: 1800 mm x 2500 mm, thickness door: 110 mm, length rail: 4400 mm. Lot is already dismantled.	100
17	Güntner	Güntner evaporator, year of construction: 2015, 2 fans, dimensions: 1700 mm x 550 mm x 550 mm. Lot is already dismantled.	125
18	VIB	VIB s/s door, dimensions door: 1000 mm x 2200 mm. Lot is already dismantled.	25
19	NN shutter door	Electric shutter door, door width: 1800 mm, total dimensions: 2200 mm x 300 mm x 2950 mm. Lot is already dismantled.	200
20	MIB	MIB s/s sink with s/s soap dispenser, dimensions sink: 450 mm x 450 mm x 700 mm, dimensions dispenser: 250 mm x 100 mm x 350 mm. Lot is already dismantled.	25
21	NN protection rack	3 s/s protection racks, dimensions: (1x) 2700 mm x 200 mm x 300 mm, (1x) 3800 mm x 200 mm x 300 mm and (1x) 5450 mm x 150 mm x 300 mm. Lot is already dismantled.	25
22	PA	PA plastic pistol, type: RB, 24 bar - 350 PSI, 60 liter per minute, maximum: 90°C.	10
23	Güntner	Güntner evaporator, year of construction: 2015, 2 fans, dimensions: 1700 mm x 550 mm x 550 mm. Lot is already dismantled.	125
24	VIB	VIB door, type: BDR, number: 5068, year of construction: 1997, dimensions door: 1000 mm x 2200 mm.	25
25	VIB	VIB refrigerated s/s door, dimensions: 1250 mm x 2200 mm.	25
26	NN frame	S/s frame, dimensions: 400 mm x 180 mm x 550 mm.	5
27	NN evaporator	Evaporator, 2 fans, dimensions: 1900 mm x 850 mm x 700 mm.	75
28	Helpman	Helpman evaporator, 2 fans, dimensions: 1650 mm x 650 mm x 450 mm.	75
29	NN protection rack	3 s/s protection racks, dimensions: (1x) 3400 mm x 1250 mm x 200 mm, (1x) 2150 mm x 150 mm x 300 mm and (1x) 5850 mm x 1200 mm x 300 mm.	25



30	Metaflex	Metaflex refrigerated sliding door, serial number: 1060228, year of construction: 2006, dimensions door: 2200 mm x 1900 mm, thickness door: 80 mm, length rail: 4150 mm.	75
31	NN protection racks	5 s/s protection racks, dimensions: (1x) 2050 mm x 500 mm x 300 mm, (1x) 10030 mm x 5350 mm x 300 mm, (2x) 7900 mm x 150 mm x 450 mm and (1x) 8100 mm x 150 mm x 450 mm.	50
32	GEA Küba GmbH	GEA Küba GmbH evaporator, type: SPBE 073 D cooler MARKET PLUS, serial number: 10057786 / 2011 / 00617068 / 1, year of construction: 2011, 230/400 V, 3 Ph, 50/60 Hz, 14525 W, tube volume: 21.30 liter, maximum pressure: 32 bar, maximum temperature: 100° C, 3 fans, dimensions: 3250 mm x 650 mm x 600 mm.	250
33	NN refrigerated door	Refrigerated door, thickness door: 55 mm, dimensions door: 1100 mm x 2030 mm.	25
34	Dynaco Europe	Dynaco Europe electric shutter door, door type: D-311, year of construction: 2008, door width: 1500 mm, total dimensions door: 1800 mm x 2450 mm.	150
35	Kovu	Kovu refrigerated sliding door, dimensions door: 1400 mm x 2050 mm, thickness door: 85 mm, rail length: 3000 mm.	75
36	Helpman	Helpman evaporator, 1 fan, dimensions: 650 mm x 500 mm x 400 mm.	25
37	Lubeca	Lubeca autoclave for 4 baskets, type: LW 2002 - ST 4, production number: 4258, year of construction: 1984, volume: 3570 liter, maximum working pressure: 6 bar, temperature: 164°C, Alfa Laval heat exchanger, total dimensions: 4500 mm x 1550 mm x 2300 mm. Control panel is missing. Lot is already dismantled.	2500
38	Lagarde	Lagarde autoclave for 4 baskets, type: SA 602, serial number: 3000304, year of construction: 1992, maximum working pressure: 5 bar, maximum working temperature: 158°C, medium: water / steam, volume: 6317 liters, dimensions autoclave: 1650 mm x 5500 mm x 2450 mm, pallet with heat exchanger, dimensions pallet: 1200 mm x 800 mm x 1700 mm, trolley with parts and pipings, dimensions trolley: 850 mm x 650 mm x 1700 mm. Lot is already dismantled.	3000
39	Lagarde	Lagarde autoclave for 4 baskets, type: SA 997, serial number: 8037233, year of construction: 2002, maximum working pressure: 5 bar, maximum working temperature: 158°C, medium: water / steam, volume: 5350 liters, Alfa Laval heat exchanger, serial number: V28-08521, year of construction: 2002, total dimensions autoclave: 1650 mm x 5050 mm x 2450 mm. Lot is already dismantled.	3750
40	VIB	VIB s/s door, type: BDR, number: 7793, year of construction: 2004, dimensions door: 1050 mm x 2200 mm.	25



41	NN rack with pegs	S/s rack with pegs, dimensions: 1000 mm x 250 mm x 1850 mm.	25
42	NN hose reel with pistol	S/s hose reel with PA pistol, diameter hose reel: 600 mm.	10
43	NN sink	S/s sink with 2 faucets, JohnsonDiversey soap dispenser, dimensions sink: 1250 mm x 400 mm x 1250 mm.	25
44	NN protection rack	2 steel protection racks, dimensions: 3250 mm x 200 mm x 150 mm.	10
45	Alfa Laval Krakow Sp. Z.o.o.	Alfa Laval Krakow Sp. Z.o.o. evaporator, model: CSEH305CS 230V BO ALE CB CA 7.0 CU, serial number: AP 2004185, year of construction: 2016, 230 V, 1 Ph, 50/60 Hz, 5 fans, dimensions evaporator: 2870 mm x 550 mm x 300 mm.	125
46	NN protection rack	S/s protection rack, dimensions: 4600 mm x 1000 mm.	25
47	Helpman	Helpman evaporator, type: Lex-8 C.S., 220/240 V - 380/415 V, 50 Hz, 1 fan, total dimensions: 800 mm x 750 mm x 500 mm.	25
48	NN protection rack	S/s protection rack, dimensions: 5050 mm x 1500 mm x 300 mm.	50
50	Dynaco Europe	Dynaco Europe electric shutter door, door type: D-311, serial number: NL21882A, year of construction: 2008, door width: 1450 mm, total dimensions door: 1750 mm x 2300 mm.	150
51	Dynaco Europe	Dynaco Europe electric shutter door, door type: D-311, serial number: NL21882B, year of construction: 2008, door width: 1250 mm, total dimensions door: 1500 mm x 2750 mm.	150
52	Helpman	Helpman evaporator, type: DPLX-62, series: HS, 220-240 V, 1 Ph, 50 Hz, maximum working pressure: 23 barg, 2 fans, refrigerant: R507, dimensions: 1900 mm x 700 mm x 400 mm.	100
53	Helpman	Helpman evaporator, type: LEX-3, 220-240 V, 1 Ph, 50 Hz, maximum working pressure: 23 barg, electric defrost: 3.0 kW, 1 fan, dimensions: 800 mm x 650 mm x 500 mm.	50
54	NN sliding door	Refrigerated sliding door, dimensions door: 1700 mm x 2500 mm, length rail: 3550 mm. Lot is already dismantled.	75
55	NN swing door	Plastic double swing door, dimensions door: 1900 mm x 2500 mm. Lot is already dismantled.	50
56	NN hose reel with pistol	S/s hose reel with pistol and plastic hose reel, dimensions hose reel: 500 mm x 200 mm x 300 mm. Lot is already dismantled.	50
57	NN swing door	Plastic double swing door, dimensions door: 1900 mm x 2500 mm. Lot is already dismantled.	50
58	TEHA	TEHA s/s hose reel with hose and pistol, type: ST40 / 12 / 1e, serial number: 067729, year of construction: 2007, working pressure: 200 bar, dimensions hose reel: 700 mm x 500 mm x 300 mm. Lot is already dismantled.	75



59	Mib	Mib s/s sink with knee control and soap dispenser, dimensions sink: 450 mm x 450 mm x 750 mm. Lot is already dismantled.	25
60	NN swing door	Plastic double swing door, dimensions door: 1500 mm x 2550 mm. Lot is already dismantled.	50
61	Luvata	Luvata evaporator, model: DFE35EL7, serial number: AD201400707, year of construction: 2014, 230 V, 1 Ph, 50-60 Hz, maximum allowable pressure: 30 bar, 1340 - 1090 rates per minute, 2.5 - 3.1 A, 5 fans, dimensions: 3450 mm x 800 mm x 300 mm. Missing one fan. Lot is already dismantled.	100
62	Luvata	Luvata evaporator, model: DFE35EL7, serial number: AD201401048, year of construction: 2014, 230 V, 1 Ph, 50-60 Hz, maximum allowable pressure: 30 bar, 1340 - 1090 rates per minute, 2.5 - 3.1 A, 5 fans, dimensions: 3450 mm x 800 mm x 300 mm. Lot is already dismantled.	100
63	PA	PA plastic pistol, type: RB, 24 bar - 350 PSI, 60 liter per minute, maximum: 90°C. Lot is already dismantled.	10
64	EMS	EMS refrigerated s/s door, thickness door: 80 mm, dimensions door: 1100 mm x 2400 mm. Lot is already dismantled.	25
65	Güntner	Güntner evaporator, equipment type: GHF 031.2H/17-ENW50.E, serial number: 401115649/51.00717, year of construction: 2015, maximum/minimum allowable pressure: 32 bar / - 1 bar, maximum/minimum temperature: 100°C / -50°C, volume: 4.80 liter, 1 fan, dimensions: 750 mm x 550 mm x 450 mm. Lot is already dismantled.	75
66	NN protection rack	S/s protection rack, dimensions: 2750 mm x 300 mm. Lot is already dismantled.	25
67	EMS	EMS refrigerated s/s door, type: KTM-1-FLG, year of construction: 2014, thickness door: 80 mm, dimensions door: 900 mm x 2300 mm. Lot is already dismantled.	50
68	NN sink with eye shower	S/s sink with eye shower and soap dispenser, knee control, dimensions sink: 400 mm x 300 mm x 1150 mm, dimensions eye shower: 350 mm x 400 mm x 300 mm. Lot is already dismantled.	50
69	NN swing door	Plastic double swing door, dimensions door: 1800 mm x 2450 mm. Lot is already dismantled.	50
70	NN swing door	Plastic double swing door, dimensions door: 1800 mm x 2450 mm. Lot is already dismantled.	50
71	Roma Nederland B.V.	Roma Nederland B.V. refrigerated sliding door, type number: K / 900 / 100 NL, year of construction: 1992, dimensions door: 1230 mm x 2130 mm, thickness door: 110 mm, length rail: 3050 mm. Lot is already dismantled.	75
72	Roma Nederland B.V.	Roma Nederland B.V. refrigerated sliding door, type number: K / 900 / 100 NL, year of construction: 1992, dimensions door: 1800 mm x 2500 mm, thickness door: 100 mm, length rail: 4300 mm. Lot is already dismantled.	75



73	NN protection rack	2 s/s protection rack, dimensions: 1900 mm x 150 mm x 300 mm and 2400 mm x 150 mm x 300 mm. Lot is already dismantled.	20
74	NN swing door	Plastic double swing door, dimensions door: (2x) 950 mm x 2450 mm. Lot is already dismantled.	50
75	NN sink	S/s sink with knee control, dimensions: 1250 mm x 400 mm x 1600 mm. Lot is already dismantled.	25
76	NN protection rack	4 s/s protection racks, dimensions: (1x) 2400 mm x 150 mm x 300 mm, (1x) 7000 mm x 7000 mm x 300 mm, (1x) 4750 mm x 250 mm x 300 mm and (1x) 7000 mm x 6350 mm x 300 mm. Lot is already dismantled.	50
77	NN door	S/s door, dimensions: 1050 mm x 2150 mm. Lot is already dismantled.	25
78	NN swing door	Plastic swing door, dimensions: 850 mm x 2050 mm. Lot is already dismantled.	25
79	Helpman	Helpman evaporator, type: LEX-20, 220-240 V, 1 Ph, 50 Hz, 2 fans, dimensions evaporator: 1750 mm x 550 mm x 550 mm. Lot is already dismantled.	125
80	VIB	VIB refrigerated sliding door, model: KSR, production number: 18-02-024, thickness door: 110 mm, dimensions door: 1950 mm x 2250 mm, length rail: 4350 mm. Lot is already dismantled.	100
81	Goedhart	Goedhart evaporator, type: LLK p 139 m ² , manufacturing number: PJV072482, year of construction: 2008, refrigerant: R134A DX, weight: 270 kg, volume: 39 dm ³ , 5 fans, dimensions: 3450 mm x 1000 mm x 550 mm. Lot is already dismantled.	150
82	Goedhart	Goedhart evaporator, type: LLK p 139 m ² , manufacturing number: PJV072482, year of construction: 2008, refrigerant: R134A DX, weight: 270 kg, volume: 39 dm ³ , 5 fans, dimensions: 3450 mm x 1000 mm x 550 mm.	150
83	VIB	VIB refrigerated sliding door, model: KSR, production number: 18-02-025, thickness door: 110 mm, dimensions door: 1950 mm x 2250 mm, length rail: 4350 mm. Lot is already dismantled.	100
84	NN door	S/s door, dimensions: 1050 mm x 2050 mm. Lot is already dismantled.	25
85	Thermofin GmbH	Thermofin GmbH s/s evaporator, model: X-TELA 1-050-14-E-N-S5-07-E LHS, article number: HY1 012 116, year of construction: 2018, 230/400 V, medium temperature: -30 / + 60°C, bruto volume: 30.5 liter, 4 fans, dimensions: 4700 mm x 1000 mm x 700 mm. Lot is already dismantled.	400
86	Thermofin GmbH	Thermofin GmbH s/s evaporator, model: X-TELA 1-050-14-E-N-S5-07-E LHS, article number: HY1 012 115, year of construction: 2018, 230/400 V, medium temperature: -30 / + 60°C, bruto volume: 30.5 liter, 4 fans, dimensions: 4700 mm x 1000 mm x 700 mm. Lot is already dismantled.	400



87	NN door	S/s door, dimensions: 1050 mm x 2050 mm. Lot is already dismantled.	25
88	NN swing door	Plastic swing door, dimensions: 900 mm x 2200 mm. Lot is already dismantled.	25
89	NN protection rack	S/s protection rack, dimensions: 6550 mm x 550 mm x 300 mm. Lot is already dismantled.	25
90	GEA Goedhart B.V.	GEA Goedhart B.V. evaporator, type: FC38SBr 62357-230 E, manufacturing number: PJV081, VK0801661 / 280697050, year of construction: 2008, PS: 22 bar, PT: 32 bar, weight: 80 kg, volume: 11 dm ³ , 1 fan, dimensions: 1600 mm x 600 mm x 650 mm. Lot is already dismantled.	125
91	NN swing door	Plastic swing door, dimensions: 1050 mm x 2450 mm. Lot is already dismantled.	25
92	NN swing door	Plastic swing door, dimensions: 1150 mm x 2250 mm. Lot is already dismantled.	25
93	NN pegs	2 s/s pegs, dimensions: (2x) 400 mm x 200 mm x 80 mm. Lot is already dismantled.	20
94	GEA Goedhart B.V.	GEA Goedhart B.V. evaporator, type: FC38SBr 61357-230 E, manufacturing number: PJV081966, VK0801661 / 280697060, year of construction: 2008, PS: 22 bar, PT: 32 bar, weight: 60 kg, volume: 6 dm ³ , 1 fan, dimensions: 1000 mm x 550 mm x 550 mm. Lot is already dismantled.	75
95	VIB	VIB refrigerated sliding door, model: KSL.80, production number: 18-11-173, thickness door: 110 mm, dimensions door: 1350 mm x 2200 mm, length rail: 3250 mm. Lot is already dismantled.	100
96	NN evaporator	Evaporator, 2 fans, dimensions: 1800 mm x 950 mm x 800 mm. Lot is already dismantled.	75
97	NN swing door	Plastic double swing door, dimensions door: (2x) 950 mm x 2450 mm. Lot is already dismantled.	50
98	Goedhart	Goedhart evaporator, 1 fan, dimensions: 1250 mm x 650 mm x 650 mm. Lot is already dismantled.	75
99	GEA Goedhart B.V.	GEA Goedhart B.V. evaporator, type: PACp 44507, manufacturing number: PJV150301, VK1500194 / 350108080, year of construction: 2015, PS: 28 bar, PT: 40 bar, weight: 370 kg, volume: 28 dm ³ , refrigerant: R134a DX, 4 fans, dimensions: 4500 mm x 1300 mm x 600 mm.	300
100	GEA Goedhart B.V.	GEA Goedhart B.V. evaporator, type: PACp 44507, manufacturing number: PJV150301, VK1500194 / 350108080, year of construction: 2015, PS: 28 bar, PT: 40 bar, weight: 370 kg, volume: 28 dm ³ , refrigerant: R134a DX, 4 fans, dimensions: 4500 mm x 1300 mm x 600 mm.	300
101	NN protection rack	S/s protection rack, dimensions: 3000 mm x 2400 mm x 300 mm.	25
102	BMP	BMP electric shutter door, door width: 2000 mm, total dimensions: 2400 mm x 400 mm x 2800 mm.	250
103	B&B Slasoft	B&B; Slasoft s/s cabinet, dimensions: 750 mm x 300 mm x 520 mm.	10



104	NN protection rack	S/s protection racks, lengths: 4350 mm / 2800 mm / 7450 mm / 2650 mm / 1250 mm.	50
105	Kemko	Kemko electric shutter door, door width: 3000 mm, total dimensions: 3150 mm x 200 mm x 3650 mm.	250
106	VIB	VIB door, dimensions door: 1050 mm x 2050 mm.	25
107	NN sink	S/s sink with 2 faucets and Ecolab soap dispenser, knee control, dimensions: 2050 mm x 400 mm x 1300 mm. Lot is already dismantled.	50
108	Chameleon	Chameleon 1 x 2 insect killer, dimensions: 450 mm x 40 mm x 300 mm.	10
109	GEA Goedhart B.V.	GEA Goedhart B.V. evaporator, type: PACp 44507, manufacturing number: PJV150301, VK1500194 / 350108080, year of construction: 2015, PS: 28 bar, PT: 40 bar, weight: 370 kg, volume: 28 dm ³ , refrigerant: R134a DX, 4 fans, dimensions: 4500 mm x 1300 mm x 600 mm.	300
110	Portylen	Portylen plastic swing door, dimensions: 900 mm x 2250 mm. Lot is already dismantled.	25
111	NN swing door	Plastic swing door, dimensions: 900 mm x 2050 mm. Lot is already dismantled.	25
112	NN swing door	Plastic swing door, dimensions: 1200 mm x 2050 mm. Lot is already dismantled.	25
113	NN swing doors	Double plastic swing door, dimensions: 1800 mm x 2500 mm. Lot is already dismantled.	50
114	NN swing doors	Double plastic swing door, dimensions: 1750 mm x 2500 mm. Lot is already dismantled.	50
115	NN swing doors	Double plastic swing door, dimensions: 1650 mm x 2500 mm. Lot is already dismantled.	50
116	NN sink	S/s sink with soap dispenser, knee control, dimensions sink: 400 mm x 300 mm x 1200 mm. Lot is already dismantled.	25
117	GEA Goedhart B.V.	GEA Goedhart B.V. evaporator, dimensions: 1550 mm x 1300 mm x 1000 mm. Lot is already dismantled.	150
118	NN sink	S/s sink with JohnsonDiversey soap dispenser, knee control, dimensions sink: 550 mm x 450 mm x 600 mm. Lot is already dismantled.	25
119	GEA Goedhart B.V.	GEA Goedhart B.V. evaporator, type: FC38XBp 63407-230, manufacturing number: PJV150300, VK1500194 / 3501080070, year of construction: 2015, PS: 28 bar, PT: 40 bar, weight: 130 kg, volume: 19 dm ³ , refrigerant: R134a DX, 3 fans, total dimensions: 2450 mm x 800 mm x 600 mm. Lot is already dismantled.	125
120	Helpman	Helpman evaporator, dimensions: 1900 mm x 1300 mm x 400 mm. Lot is already dismantled.	100
121	GEA Goedhart B.V.	GEA Goedhart B.V. evaporator, type: FC38Lp 61407-230, manufacturing number: VK1500194, 708607 / 350095010, year of construction: 2015, PS: 28 bar, PT: 40 bar, weight: 30 kg, volume: 7 dm ³ , 1 fan, dimensions: 1100 mm x 900 mm x 450 mm. Lot is already dismantled.	100



122	Frigoscandia	Frigoscandia spiral freezer, model: GYRoFREEZE AGA, serial number: 0045 401, s/s belt, belt width: 400 mm, product gap: 65 mm, tiers: 15 pieces, mesh wire gap belt: 7 mm, infeed height: 900 mm, outfeed height: 2500 mm, total dimensions: 7300 mm x 3200 mm x 2900 mm. Lot is located in Middelbeers (NL).	4000
123	Luwa BV	Luwa BV air handling unit, type: Zuluftgerät Anl. LBK 1-Slagery, fabrication number: 95291, year of construction: 1995, volume: 8000 m ³ /hour, 2.22 m ³ /s, heating: 65.87 kW, heating medium: PWW 90/70°C, dimensions: 5600 mm x 1800 mm x 2350 mm. Lot is already dismantled.	100
124	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor, type: 4DES-5Y-40S, serial number: 1690814602, ND/HD maximum: 19 / 32 bar, 26.9 / 32.4 m ³ per hour, 1450 / 1750 rates per minute, dimensions: 1300 mm x 900 mm x 800 mm. Lot is already dismantled.	100
125	DK-Kälteanlagen GmbH	DK-Kälteanlagen GmbH cold water machine used for cooling tap water, refrigerant: R 134 A, volume: 6 kg, dimensions: 3200 mm x 1100 mm x 1600 mm. Lot is already dismantled.	400
126	Grasso	Grasso piston compressor, type: RC 6311, serial number: 92101734, year of construction: 1992, refrigerant: NH3, maximum volume flow rate: 798 m ³ per hour, maximum design pressure: 21 bar, maximum permissible speed: 1000 rates per minute, Schorch motor, 132.0 kW, dimensions: 2200 mm x 2050 mm x 1700 mm. Lot is already dismantled.	4000
127	Grasso	Grasso piston compressor, type: RC 6311, serial number: 92101735, year of construction: 1992, refrigerant: NH3, maximum volume flow rate: 798 m ³ per hour, maximum design pressure: 21 bar, maximum permissible speed: 1000 rates per minute, VEM motor, 132.0 kW, dimensions: 2200 mm x 2050 mm x 1700 mm, GEA Grasso oil separator, type: OS4, year of construction: 2010, volume: 126.0 liter, weight: 218 kg, dimensions: 400 mm x 540 mm x 1500 mm. Lot is already dismantled.	4000
128	GEA Grasso	GEA Grasso piston compressor, type: RC 4211, number: 05100754, year of construction: 2005, volume: 532 m ³ /hour, 21 bar, refrigerant: NH3, 1000 rates per minute, Dutchi Motors B.V. motor, 75 kW, 132/76.2 A, dimensions compressor: 2200 mm x 1650 mm x 1350 mm, 2 GEA Grasso B.V. oil separators, type: OS 3 / OS 4, volume: 70.0 / 126.0 liter, dimensions separator: 400 mm x 540 mm x 150 mm. Lot is already dismantled.	4000
129	NN switch cabinet	Switch cabinet used for Grasso piston compressors, dimensions: 1200 mm x 500 mm x 2150 mm. Lot is already dismantled.	400



130	NN storage vessel for ammonia	Storage vessel for ammonia with 2 Hermetic ammonia pumps, identification number: G0055/00219-005-2-01, year of construction: 2010, refrigerant: R717 (NH3), capacity: 2500 kg, cooling capacity: 400 kW by 0/40°C, 2 Hermetic ammonia pumps, total dimensions: 4320 mm x 1850 mm x 3000 mm. Lot is already dismantled.	500
131	NN ammonia vessel	Ammonia vessel in steel frame, dimensions: 1600 mm x 1500 mm x 2850 mm. Lot is already dismantled.	400
132	NN cooling tank	S/s double jacketed cooling tank on steel frame, type: 6100, serial number: 823270, dimensions tank: 4000 mm x 1600 mm x 1800 mm. Lot is already dismantled.	250
133	NN tank	Steel isolated tank on steel frame, dimensions tank: 2850 mm x 1250 mm x 1600 mm. Lot is already dismantled.	200
134	NN tank	Steel tank, dimensions: 900 mm x 900 mm x 1200 mm. Lot is already dismantled.	75
135	NN valves	9 valves, dimensions: (4x) 140 mm x 300 mm x 200 mm, (2x) 170 mm x 450 mm x 290 mm, (1x) 230 mm x 500 mm x 350 mm and (2x) 100 mm x 240 mm x 130 mm. Lot is already dismantled.	100
137	Danfoss	Danfoss VLT Automation Drive frequency inverter, serial number: 010815G381, in: 3 x 380-500 V, 50/60 Hz, 96/95 A, out: 3x0-Vin 0-1000 Hz, 106/105 A, dimensions: 380 mm x 380 mm x 800 mm. Lot is already dismantled.	75
138	Chameleon	Chameleon 1 x 2 insect killer, dimensions: 450 mm x 300 mm x 40 mm.	10
139	Lets BV	Lets BV high pressure cleaning unit consisting of 3 DP Pumps circulation pumps, type: DPV 10/3 B, 1.1 kW (1kW) 50 Hz, year of construction: 2014, quantity: (3x) 9.35 m ³ per hour, 2 Remeha boilers with expansion vessels, dimensions cleaning unit: 2200 mm x 770 mm x 2050 mm. Lot is already dismantled.	750
140	NN sink	S/s sink with 1 faucet, knee control, s/s waste bag holder, dimensions sink: 440 mm x 440 mm x 750 mm. Lot is already dismantled.	25
141	GEA Goedhart B.V.	GEA Goedhart B.V. evaporator, type: PACp 42507, manufacturing number: PJV 150298, VK1500194 / 35010805, year of construction: 2015, PS: 28 bar, PT: 40 bar, weight: 210 kg, volume: 15 dm ³ , refrigerant: R134a DX, 2 fans, dimensions: 2500 mm x 1300 mm x 450 mm.	200
142	NN shelves	8 s/s shelves with plastic top, dimensions: (7x) 840 mm x 740 mm x 60 mm and (1x) 1700 mm x 400 mm x 330 mm.	25
143	NN protection rack	2 s/s protection racks, dimensions: (2x) 1280 mm x 250 mm.	10
144	Chameleon	Chameleon 1 x 2 insect killer, dimensions: 450 mm x 300 mm x 40 mm.	10
145	Tempodeur Bedrijfsdeuren	Tempodeur Bedrijfsdeuren s/s refrigerated sliding door, thickness door: 120 mm, dimensions door: 2020 mm x 2400 mm, rail length: 3900 mm.	200



146	GEA Küba GmbH	GEA Küba GmbH evaporator, type: SGB 091 C HOCHLEISTUNGS-LUFTK, manufacturing number: 10057699 / 2011 / 00623741 / 1, 230/400 V, 3 Ph, 50/60 Hz, 450 W, volume: 10.70 liter, maximum allowable pressure: 32 bar, maximum allowable temperature: 100° C, 1 fan, dimensions: 1100 mm x 600 mm x 640 mm.	75
147	GEA Küba GmbH	GEA Küba GmbH evaporator, type: SGB 091 C HOCHLEISTUNGS-LUFTK, manufacturing number: 10057699 / 2011 / 00623741 / 1, 230/400 V, 3 Ph, 50/60 Hz, 450 W, volume: 10.70 liter, maximum allowable pressure: 32 bar, maximum allowable temperature: 100° C, 1 fan, dimensions: 1100 mm x 600 mm x 640 mm.	75
148	VIB	VIB double s/s door with door frame, dimensions: (2x) 900 mm x 2100 mm.	75
149	NN protection rack	S/s protection rack, dimensions: 2150 mm x 250 mm.	10
150	NN switch cabinet	Switch cabinet used for cooling equipment in factory, year of construction: 2015, dimensions cabinet: 1200 mm x 460 mm x 2100 mm.	200
151	Dynaco Europe	Dynaco Europe electric shutter door, door type: SUPERCOMPACT+, serial number: NL11540C, year of construction: 2003, dimensions door: 2700 mm x 2550 mm.	200
152	NN barrels	2 plastic barrels, dimensions: 580 mm x 580 mm x 940 mm.	10
153	NN swing door	Double plastic swing door, dimensions: (2) 855 mm x 2080 mm.	50
154	GEA Goedhart B.V.	GEA Goedhart B.V. evaporator, 1 fan, dimensions: 970 mm x 750 mm x 510 mm.	75
155	NN pallet loading device	Steel pallet loading device, dimensions: 1280 mm x 830 mm x 1510 mm.	25
156	NN protection rack	S/s protection rack, dimensions: 2280 mm x 1010 mm.	25
157	Tempodeur Bedrijfsdeuren	Tempodeur Bedrijfsdeuren s/s refrigerated sliding door, thickness door: 150 mm, dimensions door: 2110 mm x 2340 mm, length rails: 4070 mm.	200
158	Goedhart	Goedhart evaporator, type: PLK s. 302 m ² , manufacturing number: PJV111945, year of construction: 2011, PS: 22 bar, PT: 32 bar, weight: 680 kg, volume: 99 dm ³ , refrigerant: NH ₃ , 4 fans, dimensions: 4600 mm x 1000 mm x 1150 mm.	300
159	VIB	VIB refrigerated sliding door, thickness door: 170 mm, dimensions door: 1920 mm x 2080 mm, length rail: 4300 mm.	100
160	Goedhart	Goedhart evaporator, type: PLK s. 172 m ² , manufacturing number: PJV111944, year of construction: 2011, PS: 22 bar, PT: 32 bar, weight: 550 kg, volume: 60 dm ³ , refrigerant: NH ₃ , 4 fans, dimensions: 4600 mm x 1000 mm x 1150 mm.	300



161	Goedhart	Goedhart evaporator, type: PLK s. 172 m ² , manufacturing number: PJV111944, year of construction: 2011, PS: 22 bar, PT: 32 bar, weight: 550 kg, volume: 60 dm ³ , refrigerant: NH3, 4 fans, dimensions: 4600 mm x 1000 mm x 1150 mm.	300
162	VIB	VIB s/s refrigerated sliding door, thickness door: 190 mm, dimensions door: 1930 mm x 2070 mm, length rail: 4300 mm.	100
163	VIB	VIB s/s refrigerated sliding door, thickness door: 190 mm, dimensions door: 1930 mm x 2070 mm, length rail: 4300 mm.	100
164	Goedhart	Goedhart evaporator, type: PLK s. 172 m ² , manufacturing number: PJV111944, year of construction: 2011, PS: 22 bar, PT: 32 bar, weight: 550 kg, volume: 60 dm ³ , refrigerant: NH3, 4 fans, dimensions: 4600 mm x 1000 mm x 1150 mm.	300
165	Goedhart	Goedhart evaporator, type: PLK s. 172 m ² , manufacturing number: PJV111944, year of construction: 2011, PS: 22 bar, PT: 32 bar, weight: 550 kg, volume: 60 dm ³ , refrigerant: NH3, 4 fans, dimensions: 4600 mm x 1000 mm x 1150 mm.	300
166	VIB	VIB refrigerated sliding door, thickness door: 170 mm, dimensions door: 1920 mm x 2080 mm, length rail: 4300 mm.	100
167	NN stairs	Galvanized stairs, dimensions: 850 mm x 750 mm x 4250 mm.	25
168	NN pallet loading device	Steel pallet loading device, dimensions: 2550 mm x 1070 mm x 2010 mm.	25
169	NN sliding door	Refrigerated sliding door, thickness door: 150 mm, dimensions door: 2100 mm x 2800 mm, length rail: 4800 mm.	75
170	Kovu / Roma	Kovu / Roma refrigerated sliding door, thickness door: 100 mm, dimensions door: 1400 mm x 2040 mm, length rail: 3000 mm.	75
171	Roma Nederland B.V.	Roma Nederland B.V. refrigerated sliding door, thickness door: 100 mm, dimensions door: 2640 mm x 3560 mm, length rail: 5600 mm.	150
172	Dynaco Europe	Dynaco Europe electric shutter door, type: D-501 Compact, serial number: NL32518, year of construction: 08-2012, dimensions door: 2500 mm x 3500 mm.	250
173	NN protection racks	Plastic pallet and rollie with steel protection racks, length racks: 4000 mm / 3000 mm / 1400 mm / 1960 mm.	50
174	GEA Küba GmbH	GEA Küba GmbH evaporator, type: SPBE 062 D HOCHLEISTUNGS-LUFTK MARKET PLUS, manufacturing number: P391142 / 2011 / 0062754 / 1, 230 V, 1 Ph, 50/60 Hz, maximum allowable pressure: 32 bar, maximum allowable temperature: 100°C, tube volume: 12.10 liter, 7011 Watt, 2 fans, dimensions: 1850 mm x 600 mm x 650 mm.	125



175	NN sliding door	Refrigerated sliding door, thickness door: 150 mm, dimensions door: 2640 mm x 3520 mm, length rail: 5350 mm.	150
176	Dynaco Europe	Dynaco Europe electric shutter door, door type: FREEZER M2, serial number: NL10468B, year of construction: 2003, dimensions door: 2500 mm x 3500 mm.	200
177	Barpro Storage Systems	6 Barpro Storage Systems movable pallet racks, each unit consisting of 10 uprights, dimensions uprights: 1010 mm x 6950 mm, 48 beams, length beams: 3680 mm, total dimensions: (6x) 15000 mm x 2600 mm x 7200 mm.	3000
178	NN pallet rack	Pallet rack consisting of 12 uprights, dimensions uprights: 2380 mm x 8200 mm, 66 beams, length beams: 2580 mm.	1000
179	GEA Küba GmbH	GEA Küba GmbH evaporator, 3 fans, dimensions: 3300 mm x 600 mm x 650 mm.	250
180	GEA Küba GmbH	GEA Küba GmbH evaporator, 3 fans, dimensions: 3300 mm x 600 mm x 650 mm.	250
181	NN crates	4 pallets with approximately 534 plastic crates, dimensions crates: 610 mm x 390 mm x 160 mm.	100
182	NN crates	11 pallets with approximately 688 plastic crates, dimensions crates: 600 mm x 400 mm x 120 mm.	150
183	NN crates	80 rollies with approximately 717 plastic crates, dimensions crates: 800 mm x 530 mm x 200 mm, dimensions plastic rollies: 760 mm x 470 mm x 180 mm.	250
184	NN crates	Plastic EURO H1-pallet with 80 plastic crates, dimensions crates: 600 mm x 400 mm mm x 100 mm, dimensions pallet: 1200 mm x 800 mm x 120 mm.	50
185	NN pallets	11 plastic pallets, dimensions pallets: (11x) 1200 mm x 800 mm x 150 mm.	25
186	NN crates	Plastic EURO H1-pallet with 77 plastic crates, dimensions crates: (75x) 600 mm x 400 mm x 80 mm, (1x) 600 mm x 400 mm x 170 mm and (1x) 600 mm x 400 mm x 190 mm.	50
187	NN pallet rack	Pallet rack consisting of 30 uprights, lengths: 8200 mm / 650 mm, 54 beams, length: 2580 mm, including drive protection, bolts, nuts and parts.	500
188	GEA Goedhart B.V.	GEA Goedhart B.V. evaporator, type: FC38Li 61407-400, manufacturing number: PJV150304, VK1500194 / 350108110, year of construction: 2015, PS: 28 bar, PT: 40 bar, volume: 7 dm ³ , weight: 30 kg, refrigerant: R134a, 1 fan, dimensions: 1150 mm x 760 mm x 450 mm.	75
189	NN trolleys	1 steel trolley with 5 floors, dimensions trolley: 1300 mm x 610 mm x 1880 mm, 1 steel container trolley, dimensions: 820 mm x 650 mm x 1700 mm.	10
191	Roma Nederland B.V.	Roma Nederland B.V. refrigerated sliding door, type number: V / 900 / 140 / NL, thickness door: 140 mm, dimensions: 2500 mm x 3500 mm, length rail: 5450 mm.	150



192	Jungheinrich	Jungheinrich pallet rack consisting of 15 uprights, dimensions uprights: 1050 mm x 8000 mm, 27 beams, length: 5100 mm, total dimensions: 6350 mm x 5350 mm x 8000 mm.	750
193	NN pallet rack	Pallet rack consisting of 5 uprights, dimensions: 1450 mm x 6250 mm, 27 beams, length: 1720 mm, total dimensions: 6250 mm x 1720 mm x 6250 mm.	400
194	GEA Küba GmbH	GEA Küba GmbH evaporator, 3 fans, dimensions: 3300 mm x 600 mm x 650 mm.	250
195	NN sliding door	Refrigerated sliding door, thickness door: 90 mm, dimensions door: 2300 mm x 3020 mm. Without rail.	50
196	Assa Abloy	Assa Abloy electric shutter door, door type: HS9010PFR, serial number: NL53187, year of construction: 11-2017, dimensions door: 2100 mm x 3050 mm.	250
197	Jungheinrich	Jungheinrich pallet rack consisting of 18 uprights, dimensions uprights: 1050 mm x 8000 mm, 33 beams, length: 5100 mm, total dimensions: 7800 mm x 5350 mm x 8000 mm.	750
198	NN pallet rack	Pallet rack consisting of 6 uprights, dimensions: 1450 mm x 6250 mm, 33 beams, length: 1720 mm, total dimensions: 7750 mm x 1720 mm x 6250 mm.	400
199	GEA Küba GmbH	GEA Küba GmbH evaporator, 3 fans, dimensions: 3300 mm x 600 mm x 650 mm.	250
200	NN swing door	Double plastic swing door, dimensions: (2x) 955 mm x 2980 mm.	50
201	NN swing door	Double plastic swing door, dimensions: (2x) 955 mm x 2980 mm.	50
202	J & H.W. van der Ploeg	J & H.W. van der Ploeg s/s double jacketed tank with agitator, number: 651 B-794-3-69, dimensions tank: 2000 mm x 2000 mm x 2150 mm, total dimensions tank: 2000 mm x 2000 mm x 3800 mm.	500
203	NN tank	Steel tank, volume: 12000 liter, total dimensions: 2450 mm x 2450 mm x 4700 mm.	500
204	Dynaco	Dynaco electric shutter door, dimensions door: 3500 mm x 3000 mm.	200
205	NN swing door	Double plastic swing door, dimensions: (2x) 860 mm x 2460 mm.	50
206	GEA Küba GmbH	GEA Küba GmbH evaporator, type: SGB 033 C HOCHLEISTUNGS-LUFTK, manufacturing number: 10057699 / 2011 / 00623552 / 1, 230 V, 1 Ph, 50/60 Hz, maximum allowable pressure: 32 bar, maximum allowable temperature: 100°C, tube volume: 5.80 liter, 3 fans, dimensions: 1650 mm x 450 mm x 440 mm.	75
207	GEA Küba GmbH	GEA Küba GmbH evaporator, type: SGB 033 C HOCHLEISTUNGS-LUFTK, manufacturing number: 10057699 / 2011 / 00623552 / 1, 230 V, 1 Ph, 50/60 Hz, maximum allowable pressure: 32 bar, maximum allowable temperature: 100°C, tube volume: 5.80 liter, 2 fans, dimensions: 1650 mm x 450 mm x 440 mm.	75



208	NN hose reel	S/s hose reel with 10 s/s pegs, dimensions hose reel: 290 mm x 150 mm x 290 mm.	10
209	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack with 2 Bitzer cooling compressors, type: (2x) 4H-15.2 Y, serial number: 662200499 / 662200499, 380-420 V / 440-480 V, 73.6 / 88.8 m ³ per hour, Bitzer oil separator, volume: 105 liter, maximum pressure: 28 bar, refrigerant: R134, volume: 171 kg, dimensions compressor rack: 2400 mm x 1000 mm x 1600 mm.	400
210	Danfoss	Danfoss VLT Automation Drive frequency inverter, model: VLT 6000 HVAC, dimensions: 220 mm x 160 mm x 350 mm.	50
211	NN server cabinet	Steel server cabinet, dimensions: 600 mm x 500 mm x 830 mm.	25
212	NN boot rack	S/s heated boot rack for 20 pairs of boots, dimensions rack: 850 mm x 800 mm x 1840 mm.	75
213	NN coat rack	S/s mobile coat rack, dimensions: 960 mm x 600 mm x 1730 mm.	25
214	NN storage rack	2 pallets boxes and pallet with storage rack, dimensions uprights: 2000 mm x 580 mm, length beams: 1070 mm.	75
215	NN forming plates	Pallet with large amount of forming plates for VM 400 forming machine.	400
216	Duijvelaar Pompen	S/s tub with 2 Duijvelaar Pompen circulation pumps, type pumps: DPV 6/4 B, 1.1 kW (0.79 kW) 50 Hz, year of construction: 2011, quantity: 6.3 m ³ per hour, total dimensions: 1970 mm x 1050 mm x 1550 mm.	250
217	J.E. Stork Ventilatoren	J.E. Stork Ventilatoren air handling unit, dimensions: 4900 mm x 1050 mm x 720 mm. Lot is already dismantled.	100
218	Tork	2 Tork paper dispensers, dimensions: (2x) 340 mm x 200 mm x 370 mm. Lot is already dismantled.	10
219	GEA Cair Plus SX	GEA Cair Plus SX air handling unit, dimensions: 4600 mm x 1000 mm x 800 mm.	250
220	NN air sock	Air sock, length approximately: 14000 mm.	25
221	NN swing door	Double plastic swing door, dimensions: (2x) 860 mm x 2070 mm.	50
222	Quartz	Quartz clock, diameter: 400 mm.	5
223	NN wall plates	3 pallets with large amount of various plastic wall plates, various dimensions.	75
224	NN wall plates	1 pallet with large amount of various plastic wall plates, various dimensions.	25
225	NN air sock	Air sock, length approximately: 17000 mm.	25
226	NN stairs	Steel stairs, dimensions: 1560 mm x 580 mm x 1550 mm.	25
227	NN switch cabinets	Plastic pallet with various switch cabinets, dimensions pallet: 1200 mm x 1000 mm x 1500 mm.	75
228	NN switch cabinets	2 switch cabinets, dimensions: 2140 mm x 1200 mm x 450 mm and 1100 mm x 800 mm x 340 mm.	150



229	NN sink	S/s sink, knee control, dimensions: 550 mm x 450 mm x 350 mm.	10
230	Johnson	Johnson pump, type: CL 40-160, number: 06-02 50202-90, dimensions: 350 mm x 250 mm x 400 mm.	10
231	NN wall plates	Large amount of plastic wall plates, dimensions: 1560 mm x 55 mm x 2000 mm.	25
250	GEA Küba GmbH	GEA Küba GmbH roof condenser, type: NAV L08-1 X 4 B, manufacturing number: 10057699 / 2011 / 00611481 / 1, 400 V, 3 Ph, 50 Hz, maximum allowable pressure: 32 bar, maximum allowable pressure: 100°C, 4800 W, tube volume: 129.0 liter, 4 fans, total dimensions: 7100 mm x 1200 mm x 1800 mm.	500
251	GEA Grasso B.V.	GEA Grasso B.V. purger, number: 10079075, year of construction: 2010, 230 V, 50 Hz, 400 W, temperature minimum/maximum: -15 / + 45°C, shell: volume 3.45 liter, refrigerant: R717/R22, PS: 25 bar, tube: volume: 0.075 liter, refrigerant: R404A, volume: 0.650 kg, total dimensions: 350 mm x 700 mm x 450 mm.	50
252	Baltimore Aircoil International BV	Baltimore Aircoil International BV evaporative condenser, belt number: XPA 1900, pressure vessel name plate, type: PED C100, serial number: H100613, year of construction: 2010, heat exchanger coil: 356 liter, refrigerant: R717, design pressure: -1 / 23 bar, design temperature: - 20 / + 120°C, total dimensions: 4000 mm x 1300 mm x 2570 mm.	1000
253	Cubo Packs	Cubo Packs air-cooled compressor/condensing unit, model: 050 MT, 400 V, 3 Ph, 50 Hz, refrigerant: R134A, quantity: 6 kg, dimensions: 1100 mm x 600 mm x 1200 mm.	100
254	Bitzer Kühlmaschinenbau GmbH / Güntner	Bitzer Kühlmaschinenbau GmbH / Güntner compressor / condensing unit consisting of 2 Bitzer cooling compressor, type: (1x) 4JE-13Y-40P, serial number: 1686308567, 63.5 / 89.8 m ³ per hour and type: (1x) 4PES-10Y-40P, serial number: 1685103818, 48.5 / 68.6 m ³ per hour, GVN horizontal liquid receiver, model: HLR-8A-F/F-50x1, volume: 50 liter, Güntner roof condenser, unit name: GVHX 050.1A/2-NW.E, year of construction: 2015, total dimensions: 2450 mm x 1500 mm x 2200 mm.	500
255	GEA Küba GmbH	GEA Küba GmbH roof condenser, refrigerant: R134A, volume: 143 kg, 3 fans, dimensions: 3600 mm x 1170 mm x 1200 mm.	200
256	Goedhart	Goedhart roof condensor, 2 fans, dimensions: 1850 mm x 750 mm x 950 mm.	150
257	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor / condensing unit, type compressor: 4G-20.2Y-40P, serial number: 1671009872, ND/HD maximum: 19/28 bar, 84.6 / 102.1 m ³ per hour, 1450/1750 rates per minute, refrigerant: R134A, dimensions: 2300 mm x 1150 mm x 1700 mm.	400



258	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor / condensing unit, type compressor: 4G-20.2Y-40P, serial number: 1671009872, ND/HD maximum: 19/28 bar, 84.6 / 102.1 m ³ per hour, 1450/1750 rates per minute, refrigerant: R134A, dimensions: 2300 mm x 1150 mm x 1700 mm.	250
259	NN water chiller	Water chiller, year of construction: 2002, refrigerant: R407C, quantity of refrigerant: 5.60 kg, dimensions: 3900 mm x 700 mm x 1610 mm.	400
260	NN tank	S/s isolated tank, diameter: 1600 mm, height: 2800 mm.	250
261	GEA Küba GmbH	GEA Küba GmbH roof condensor, type: GAV L09A-1X1 C Ventilatoren Verdraht, manufacturing number: 10095622 / 2014 / 01037383 / 1, 400 V, 3 Ph, 50 Hz, 1850 W, maximum allowable pressure: 16 bar, maximum allowable temperature: 100°C, tube volume: 43.40 liter, 1 fan, dimensions: 2300 mm x 1200 mm x 1700 mm.	200
262	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor / condensing unit, type compressor: 4TCS-12.2Y-40P, serial number: 1680716321, 380-420 V / 440-480 V, 50/60 Hz, 24.0 A, ND/HD maximum: 19/28 bar, 41.3/49.9 m ³ per hour, 1450/1750 rates per minute, refrigerant: R507, total dimensions: 2260 mm x 1100 mm x 950 mm.	250
263	MTA S.p.A.	MTA S.p.A. air cooled water chillers and heat pumps with R410A featuring hermetic scroll compressor, model: AS T 080/N, serial number: 2200194892, year of construction: 2012, cooling capacity: 71 kW by -2 / 32°C, refrigerant: R410A, 16 kg, empty weight: 2300 kg, total dimensions: 3400 mm x 2200 mm x 2100 mm.	1250
264	IBC	IBC tank used for glycol, dimensions: 1000 mm x 1000 mm x 1200 mm. Damaged.	25
265	Bitzer Kühlmaschinenbau GmbH / Güntner	Bitzer Kühlmaschinenbau GmbH / Güntner compressor / condensing unit consisting of 3 Bitzer cooling compressor, type: (2x) 4FE-28Y-40P, serial number: 1687004282 / 1687205578, 101.8 / 121.3 m ³ per hour and type: (1x) 4JE-15Y-40P, serial number: 1686805879, 63.5 / 76.6 m ³ per hour, Henry Technologies LTD oil reservoir, model: S-9108U-CE, Güntner roof condenser, total dimensions: 4400 mm x 1500 mm x 2300 mm.	750
266	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor / condensing unit, type compressor: 6F-50.2Y-40P, serial number: 1682100786, ND/HD maximum: 19/28 bar, 151.6 / 183.0 m ³ per hour, 1450/1750 rates per minute, refrigerant: R507, dimensions: 2950 mm x 1250 mm x 2150 mm.	500
267	NN autoclave baskets	40 steel autoclave baskets with trolley, inside dimensions each baskets: 780 mm x 680 mm x 660 mm, dimensions each basket: 850 mm x 770 mm x 730 mm, dimensions each trolley: 980 mm x 580 mm x 310 mm.	2000



268	NN autoclave baskets	40 steel autoclave baskets with trolley, inside dimensions each baskets: 780 mm x 680 mm x 660 mm, dimensions each basket: 850 mm x 770 mm x 730 mm, dimensions each trolley: 980 mm x 580 mm x 310 mm.	2000
300	NN cooling panels	Large amount of cooling panels, among others: dimensions: 3000 mm x 1200 mm x 140 mm, 3000 mm x 900 mm x 140 mm and 2700 mm x 1200 mm x 140 mm. Lot is located in Middelbeers (NL).	25
301	NN cooling panels	Large amount of cooling panels, among others: thickness panels: 80 mm, length: 5850 mm, 5200 mm, 3300 mm, 2100 mm and 1800 mm. Lot is located in Middelbeers (NL).	50
302	NN cooling panels	Large amount of cooling panels, among others: thickness panels: 80 mm and 140 mm, length: 6350 mm, 4400 mm, 4250 mm, 3600 mm, and 2700 mm. Lot is located in Middelbeers (NL).	50
303	NN cooling panels	Large amount of cooling panels, among others: thickness panels: 50 mm and 80 mm, length: 4800 mm, 5200 mm, 3300 mm, 2100 mm and 1800 mm, and 1 pallet with 9 panels, dimensions: (9x) 1000 mm x 1220 mm x 80 mm. Lot is located in Middelbeers (NL).	50



General Terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers

Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the



website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The user guarantees the accuracy and completeness of the provided personal details at registration. If the personal details change at any time, the user is obliged to inform Industrial Auctions by return of such change(s).

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 The user is forbidden to reproduce the website or any part thereof or make available (through deep linking or otherwise) without the prior written consent of Industrial Auctions. Intellectual property is retained by Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in



any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the supporting system;
- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or



unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;
- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this



shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code



applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.



11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e-mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately



after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.



15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



**Industrial
Auctions** BV



**Industrial
Auctions** BV

Address: Looyenbeemd 11
5652 BH Eindhoven, Netherlands
Tel.: +31 (0)40 2409 208
Fax: +31 (0)40 2409 209
Email: info@industrial-auctions.com
Web: www.industrial-auctions.com

Upcoming auctions:

- 03-02 Online auction machinery, inventory, trucks and trailers due to bankruptcy potato processor AC Loogman & Sons in Aalsmeer (NL)**
- 13-04 Online auction fish processing machinery on behalf of Prins & Dingemans in Yerseke (NL)**