



**Industrial
Auctions** BV

**Online auction machinery and inventory due to
termination of soup and sauce production TOMamore
GmbH in Ravensburg (DE)**

Closing: 04 November 2021 from 14:00 hrs.



Viewing day:

Address:

Franz-Xaver-Honer-Strasse 9
88213 Ravensburg
Germany



General terms and conditions of the online auction

Closing date	04 November 2021 from 14:00 hrs.
Viewing	
Organizing Company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 Fax: +31 (0)40 2409 209 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
V.A.T	19% over the highest bid including Premium
Pickup date	<p>15 November 2021 and in consultation with Industrial Auctions BV.</p>
Pickup address	Franz-Xaver-Honer-Strasse 9 88213 Ravensburg Germany
Delivery instructions	The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Industrial Auctions B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address.
Payment details	Before collection of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is made in the last 5 minutes the lot closes, the closing time of that lot will be extended with 5 minutes until no bids are made.



Nr	Title	Description	Start €
1	Nimo KG	Nimo KG lifter for 200 liter meat bins with infeed hopper, type: SKV 200 MK2, serial number: 12579, year of construction: 2017, 3 x 400 V, 50 Hz, 3.40 A, elevating height: 3650 mm, total dimensions: 1300 mm x 2300 mm x 4700 mm, 2 sensors, length: 1700 mm.	5000
2	HERMANN WALDNER GmbH & Co. KG	HERMANN WALDNER GmbH & Co. KG double jacketed vacuum cooking vessel with agitator and scrapers, fabrication number: 5259, year of construction: 2017, volume: 2328 liter (maximum filling volume: 1750 liter), 3 heating zones, steam heated, glycol cooled, inner vessel: -1 / 1 bar, 0/150°C, outer vessel I: -1 / 6 bar, 0 / 150 °C, volume: 5 liter, outer vessel II / III: -1 / 6 bar, 0 / 150 °C, volume: 1.5 liter, high-tech agitators with reverse running, fully automatic closable manway doors, automatic dosing various ingredients, diameter vessel: 1550 mm, height vessel: 3600 mm.	27500
3	Pumpenfabrik Wangen GmbH	Pumpenfabrik Wangen GmbH twin screw pump, type: TWIN 104.53-1, number: P947881, year of construction: 2017, with working pressure up to 25 bar / 362.6 psi, dimensions: 1350 mm x 500 mm x 700 mm.	2500
4	Pentair Südmo GmbH	5 Pentair Südmo GmbH control valves, type: KV NC DN 50-100, dimensions: (5x) 100 mm x 100 mm x 350 mm.	500
5	HERMANN WALDNER GmbH & Co. KG / Alfa Laval	HERMANN WALDNER GmbH & Co. KG reversed cooling installation consisting of HERMANN WALDNER GmbH & Co. KG vessel, fabrication number: 5263, year of construction: 2017, maximum pressure: -1 / 1 bar, minimum / maximum temperature: 0 / 140 °C, volume: 560 liter, Alfa Laval heat exchanger, type: M10-MFM, serial number: 30110-24480, year of construction: 2017, S1 - S2 = volume: 53.5 liter, 0 / 5.0 bar, 0 / 120°C, S3 - S4 = volume: 54.5 liter, 0 / 5.0 bar, 0 / 120°C, Sterling SIHI GmbH ring liquid vacuum pumps, model: LEMA 150 AZ, serial number: AAE OK 0 2D, year of construction: 2017, 140 / 170 m ³ per hour, Ramex SRL s/s hose reel with hose and pistol, model: AV3501, year of construction: 2017, Endress + Hauser guided radar, model: Levelflex FMP53-MKX3/0 and various Pentair Südmo GmbH control valves, total dimensions: 2800 mm x 1000 mm x 3750 mm.	4500
6	Rittal	Rittal s/s switch cabinet with electrical and pneumatic components, dimensions: 800 mm x 330 mm x 1450 mm.	400



7	HERMANN WALDNER GmbH & Co. KG	HERMANN WALDNER GmbH & Co. KG s/s platform with stairs and control panel Nimo KG lifters and HERMANN WALDNER GmbH & Co. KG double jacketed vacuum cooking vessels, dimensions platform: 1700 mm x 3500 mm x 4400 mm.	2000
8	Nimo KG	Nimo KG lifter for 200 liter meat bins with infeed hopper, type: SKV 200 MK2, serial number: 12580, year of construction: 2017, 3 x 400 V, 50 Hz, 3.40 A, elevating height: 3650 mm, total dimensions: 1300 mm x 2300 mm x 4700 mm, 2 sensors, length: 1700 mm.	5000
9	HERMANN WALDNER GmbH & Co. KG	HERMANN WALDNER GmbH & Co. KG double jacketed vacuum cooking vessel with agitator and scrapers, fabrication number: 5258, year of construction: 2017, volume: 2328 liter (maximum filling volume: 1750 liter), 3 heating zones, steam heated, glycol cooled, inner vessel: -1 / 1 bar, 0/150C, outer vessel I: -1 / 6 bar, 0 / 150 C, volume: 5 liter, outer vessel II / III: -1 / 6 bar, 0 / 150 C, volume: 1.5 liter, high-tech agitators with reverse running, fully automatic closable manway doors, automatic dosing various ingredients, diameter vessel: 1550 mm, height vessel: 3600 mm.	27500
10	Pumpenfabrik Wangen GmbH	Pumpenfabrik Wangen GmbH twin screw pump, type: TWIN 104.53-1, number: P947879, year of construction: 2017, with working pressure up to 25 bar / 362.6 psi, dimensions: 1350 mm x 500 mm x 700 mm.	2500
11	Pentair Südmo GmbH	4 Pentair Südmo GmbH control valves, type: KV NC DN 50-100, dimensions: (4x) 100 mm x 100 mm x 350 mm.	400



12	HERMANN WALDNER GmbH & Co. KG / Alfa Laval	HERMANN WALDNER GmbH & Co. KG reversed cooling installation consisting of HERMANN WALDNER GmbH & Co. KG vessel, fabrication number: 5262, year of construction: 2017, maximum pressure: -1 / 1 bar, minimum / maximum temperature: 0 / 140 °C, volume: 560 liter, Alfa Laval heat exchanger, type: M10-MFM, serial number: 30110-24481, year of construction: 2017, S1 - S2 = volume: 53.5 liter, 0 / 5.0 bar, 0 / 120C, S3 - S4 = volume: 54.5 liter, 0 / 5.0 bar, 0 / 120C, Sterling SIHI GmbH ring liquid vacuum pumps, model: LEMA 150 AZ, serial number: AAE OK 0 2D, year of construction: 2017, 140 / 170 m ³ per hour, Ramex SRL s/s hose reel with hose and pistol, model: AV3501, year of construction: 2017, Endress + Hauser guided radar, model: Levelflex FMP53-MKX3/0 and various Pentair Südmo GmbH control valves, total dimensions: 2800 mm x 1000 mm x 3750 mm.	4500
13	Rittal	Rittal s/s switch cabinet with electrical and pneumatic components, dimensions: 800 mm x 330 mm x 1450 mm.	400
14	Nimo KG	Nimo KG lifter for 200 liter meat bins with infeed hopper, type: SKV 200 MK2, serial number: 12578, year of construction: 2017, 3 x 400 V, 50 Hz, 3.40 A, elevating height: 3650 mm, total dimensions: 1300 mm x 2300 mm x 4700 mm, 2 sensors, length: 1700 mm.	5000
15	HERMANN WALDNER GmbH & Co. KG	HERMANN WALDNER GmbH & Co. KG double jacketed cooking vessel with agitator and scrapers, fabrication number: 5256, year of construction: 2017, volume: 2328 liter (maximum filling volume: 1750 liter), 3 heating zones, steam heated, glycol cooled, inner vessel: -1 / 1 bar, 0/150C, outer vessel I: -1 / 6 bar, 0 / 150 °C, volume: 5 liter, outer vessel II / III: -1 / 6 bar, 0 / 150 °C, volume: 1.5 liter, high-tech agitators with reverse running, fully automatic closable manway doors, automatic dosing various ingredients, diameter vessel: 1550 mm, height vessel: 3600 mm.	27500
16	Pumpenfabrik Wangen GmbH	Pumpenfabrik Wangen GmbH twin screw pump, type: TWIN 104.53-1, number: P947878, year of construction: 2017, with working pressure up to 25 bar / 362.6 psi, dimensions: 1350 mm x 500 mm x 700 mm.	2500
17	Pentair Südmo GmbH	4 Pentair Südmo GmbH control valves, type: KV NC DN 50-100, dimensions: (4x) 100 mm x 100 mm x 350 mm.	400



18	Kreuzmayr Maschinenbau GmbH	Kreuzmayr Maschinenbau GmbH passing machine, machine type: KEP 1500, production number: O051 QE 03, year of construction: 2017, 400 V, 50 Hz, 10.5 kW, diameter drum: 16 mm, total dimensions: 2000 mm x 1000 mm x 1950 mm.	5000
19	Packo Inox NV	Packo Inox NV hygienic process pump, type: FP2/32-125/222, serial number: 167349, year of construction: 2017, Q = 10 m ³ per hour, dimensions: 600 mm x 300 mm x 450 mm, 1 Pentair Südmo GmbH control valve, type: KV NC DN 50-100, dimensions: 100 mm x 100 mm x 350 mm.	1500
20	HERMANN WALDNER GmbH & Co. KG	HERMANN WALDNER GmbH & Co. KG double jacketed buffer tank with agitator (used for semi-finished products), fabrication number: 5257, year of construction: 2017, minimum / maximum temperature: 0 / 100 °C, volume: 2870 liter (maximum filling volume: 2500 liter), diameter tank: 1550 mm, height tank: 3700 mm.	15000
21	Packo Inox NV	Packo Inox NV hygienic process pump on s/s frame, type: FP2/32-125/222, serial number: 168433, year of construction: 2017, Q = 10 m ³ per hour, dimensions: 600 mm x 300 mm x 800 mm, 1 Pentair Südmo GmbH control valve, type: KV NC DN 50-100, dimensions: 100 mm x 100 mm x 350 mm.	1500
22	Pentair Südmo GmbH	2 Pentair Südmo GmbH control valves, type: KV NC DN 50-100, dimensions: (2x) 100 mm x 100 mm x 350 mm.	200
23	HERMANN WALDNER GmbH & Co. KG	HERMANN WALDNER GmbH & Co. KG double jacketed buffer tank with agitator (used for semi-finished products), fabrication number: 5261, year of construction: 2017, minimum / maximum temperature: 0 / 100 °C, volume: 2870 liter (maximum filling volume: 2500 liter), diameter tank: 1550 mm, height tank: 3700 mm.	15000
24	Pumpenfabrik Wangen GmbH	Pumpenfabrik Wangen GmbH twin screw pump, type: TWIN 104.53-1, year of construction: 2017, with working pressure up to 25 bar / 362.6 psi, dimensions: 1350 mm x 500 mm x 700 mm.	2500
25	HERMANN WALDNER GmbH & Co. KG	HERMANN WALDNER GmbH & Co. KG double jacketed buffer tank (used for raw materials), year of construction: 2017, minimum / maximum temperature: 0 / 100 °C, volume: 2870 liter (maximum filling volume: 2500 liter), diameter tank: 1550 mm, height tank: 3400 mm.	10000
26	Pumpenfabrik Wangen GmbH	Pumpenfabrik Wangen GmbH twin screw pump, type: TWIN 104.53-1, number: P947880, year of construction: 2017, with working pressure up to 25 bar / 362.6 psi, dimensions: 1350 mm x 500 mm x 700 mm.	2500



27	Pentair Südmo GmbH	3 Pentair Südmo GmbH control valves, type: KV NC DN 50-100, dimensions: (3x) 100 mm x 100 mm x 350 mm.	300
28	Packo Inox NV	Packo Inox NV air-handling pump, type: IRP +/40-160/552, serial number: 167352, year of construction: 2017, capacity: 35 m ³ per hour, dimensions pump: 700 mm x 400 mm x 450 mm, 2 Pentair Südmo GmbH control valves, type: KV NC DN 50-100, dimensions: (2x) 100 mm x 100 mm x 350 mm.	1500
29	Kreuzmayr Maschinenbau GmbH	Kreuzmayr Maschinenbau GmbH passing machine with switch cabinet, machine type: KEP 2500, production number: O054 QF 03, year of construction: 2017, 400 V, 50 Hz, 15.74 kW, diameter drum: 16 mm, dimensions passing machine: 2200 mm x 800 mm x 2000 mm, dimensions switch cabinet: 700 mm x 400 mm x 1800 mm.	5000
30	Pentair Südmo GmbH	2 Pentair Südmo GmbH control valves, (1x) type: KV NC DN 50-100, dimensions: (1x) 100 mm x 100 mm x 350 mm and (1x) identification number: 2329950, dimensions: (1x) 650 mm x 160 mm x 160 mm.	200
31	Pumpenfabrik Wangen GmbH	Pumpenfabrik Wangen GmbH twin screw pump, type: TWIN 70.43-1, number: P948259, year of construction: 2017, dimensions: 1350 mm x 500 mm x 700 mm.	2500
32	HERMANN WALDNER GmbH & Co. KG	HERMANN WALDNER GmbH & Co. KG s/s platform with stairs and control panel Nimo KG lifter and HERMANN WALDNER GmbH & Co. KG double jacketed cooking vessel, total dimensions: 2200 mm x 6700 mm x 3450 mm. Already prepared to place 1 extra vessel.	2500
33	Rittal	Rittal s/s switch cabinet with electrical and pneumatic components, dimensions: 800 mm x 300 mm x 1500 mm.	400
34	Rittal	Rittal s/s switch cabinet with electrical and pneumatic components, dimensions: 800 mm x 330 mm x 1300 mm.	400
35	Pentair Südmo GmbH	21 various Pentair Südmo GmbH valves, types: KV NC DN 50-100 / KV NC DN 10-20.	2100
36	HERMANN WALDNER GmbH & Co. KG	HERMANN WALDNER GmbH & Co. KG double jacketed buffer tank with agitator (used for finished products), production number: 5260, year of construction: 2017, volume: 2870 liter (maximum filling volume: 2500 liter), inner vessel: 0 / 100°C, outer vessel I: -1 / 6 bar, 0 / 150°C, volume: 21 liter, diameter tank: 1600 mm, height tank: 3700 mm.	15000



37	Pumpenfabrik Wangen GmbH	Pumpenfabrik Wangen GmbH twin screw pump, type: TWIN 70.43-1, number: P947853, year of construction: 2017, dimensions: 1350 mm x 500 mm x 700 mm.	2500
38	Grundfos	S/s frame with Grundfos circulation pump, type: TP 32-230 / A - F - A - BQQE, model: A98278909P217280005, capacity: 6.8 m ³ per hour, p/t: 10 / 120 bar / °C maximum and Gemü valve station, total dimensions: 1000 mm x 900 mm x 1150 mm.	1000
39	Rittal	Rittal s/s switch cabinet with electrical and pneumatic components, dimensions: 800 mm x 330 mm x 1300 mm.	400
40	HERMANN WALDNER GmbH & Co. KG	HERMANN WALDNER GmbH & Co. KG flow plate station used for Dosomat / bag in box machine, including 2 Pentair Südmo GmbH control valves, type: KV NC DN 50-100, total dimensions: 700 mm x 500 mm x 400 mm.	200
41	HERMANN WALDNER GmbH & Co. KG	HERMANN WALDNER GmbH & Co. KG switch cabinet for cooking line with 2 Rittal enclosure cooling units for switch cabinets, year of construction: 2017, total dimensions: 4000 mm x 620 mm x 2200 mm.	5000
42	HERMANN WALDNER GmbH & Co. KG	HERMANN WALDNER GmbH & Co. KG pump station for 2 sorts of oil or similar liquids and pump station for products in parts (like tomatoes etc.), consisting of Pumpenfabrik Wangen GmbH self-priming pump, type: KL30SL V4A, number: P947883, year of construction: 2017, 2 Packo Inox NV hygienic process pump on s/s frame, type: FP2/32-125/152, serial number: 167351, year of construction: 2017, capacity: 3 m ³ per hour, 2 Promass F coriolis flowmeters, order code: 8F1B25-3KC6/0, Q-maximum: 18000 kg/hour, total dimensions pump installation: 1800 mm x 1000 mm x 2100 mm.	7500
43	Asecos / Kaiser + Kraft	Asecos / Kaiser + Kraft plastic drip tray for 2 IBC-tanks, type: KTC-Station W.15479, production number: A1206-6225632-1-1, year of construction: 2018, volume: 1100 liter, capacity: 2000 kg per place, dimensions: 2300 mm x 1400 mm x 700 mm. Including empty IBC tank used for olive oil, dimensions: 1200 mm x 1000 mm x 1150 mm.	400
44	Spirax Sarco	Spirax Sarco condensate pump installation, type of assembly / machine: MFP14PU, serial number: 2017/410, year of construction: 2017, maximum operating pressure: 13.8 bar, maximum operating temperature: 198°C, size: DN50/50, dimensions: 1500 mm x 900 mm x 2400 mm. Including various pipings.	2500



45	Grundfos / Reflex	Grundfos pump installation for glycol with various pipings and Reflex pressure vessel, type pump: TPE 65-240/4 A-F-A-BQQE, model: A99113696P217330001, capacity: 47.5 m ³ per hour, pressure: 16 bar maximum, temperature: 120° C maximum, dimensions pump: 400 mm x 400 mm x 750 mm, Reflex pressure vessel, fabrication / serial number: 17 S 0206 00053, volume: 80 liter.	4000
46	Thermofin	Thermofin dry cooler with double coil in V-shape - two fan rows, model: TDD.2-091-23-A-E-DE-BB-04, unit number: 001, article number: HPO 001 487, project number: 50011010 - 010, year of construction: 2017, ventilators: 380-480 V, 4.08 kW, maximum working pressure: 10 bar, test pressure: 11 bar, medium temperature allowed (ethylene glycol) TS -22 / + 60 (39%)°C, total dimensions: 4600 mm x 2500 mm x 2350 mm.	15000
47	HERMANN WALDNER GmbH & Co. KG	HERMANN WALDNER GmbH & Co. KG CIP-installation consisting of 3 HERMANN WALDNER GmbH & Co. KG tanks on s/s frame, fabrication numbers: 5265 / 5266 / 5267, year of construction: 2017, volume: (3x) 3460 liter (maximum filling volume: 3000 liter), minimum/maximum operating temperature: 0 / 100 °C, Prominent GmbH pump, type: S2BAHM04350PVTS07FS000, various Pentair Südmo GmbH valves, total dimensions frame with 3 tanks: 5000 mm x 1650 mm x 3200 mm, Spirax Sarco valve, model: PN16, Packo Inox NV industrial pump with hygienic couplings, type: ICP+/40-195/1102, serial number: 167448, year of construction: 2017, quantity: 30 m ³ per hour, switch cabinet, dimensions: 800 mm x 600 mm x 2450 mm, total dimensions frame with valve, pump and switch cabinet: 2500 mm x 600 mm x 2450 mm.	19500
48	Asecos / Kaiser + Kraft	Asecos / Kaiser + Kraft plastic drip tray for 2 IBC-tanks, type: KTC-Station W.15479, production number: A1206-6220185-3-1, year of construction: 2018, volume: 1100 liter, capacity: 2000 kg per place, dimensions: 2300 mm x 1400 mm x 700 mm. Including IBC tank with approximately 85 liter FINKTEC FC 2063 disinfection and empty IBC tank, dimensions tanks: 1200 mm x 1000 mm x 1150 mm.	400
49	Asecos / Kaiser + Kraft	2 Asecos / Kaiser + Kraft plastic drip trays with 10 Finktec cans disinfection, amongst others: Fink FC 1032 Glanzspüler, FT 38 SR Saurer Schaumreiniger, FT 107 DES disinfection, dimensions drip trays: (2x) 1250 mm x 820 mm x 450 mm.	200



50	PHT	Pallet with approximately 23 rolls PHT hand towels, width: 200 mm, dimensions pallet: 1200 mm x 800 mm x 400 mm.	50
51	NN barrels	Large amount of empty cans.	25
52	PA	PA hose with pistol, model: RB65, 24 bar, 60 liter per minute.	25
53	Gebra	2 Gebra Secuboxes for glasses and gloves, dimensions: (2x) 240 mm x 120 mm x 120 mm.	10
54	HERMANN WALDNER GmbH & Co. KG	HERMANN WALDNER GmbH & Co. KG double jacketed vacuum pilot cooker with agitator and scrapers, fabrication number: 4523, year of construction: 2012, inner vessel: -1 / 3 bar, 0 / 150 ° C, volume: 360 liter (maximum filling volume: 200 liter), outer vessel I: -1 / 3 bar, 0 / 150 ° C, volume: 6 liter, outer vessel II: -1 / 3 bar, 0 / 150°C, volume: 7 liter, viscosity maximum: 10000 mPas, on s/s mobile skid with Silverson pump, model: FMX 30, machine number: FMX30113, 400 V, 3 Ph, 50 Hz, Sterling SIHI GmbH ring liquid vacuum pumps, type: 35000375, switch cabinet and scrapers, total dimensions: 2800 mm x 2200 mm x 2450 mm.	72500
55	Itec / PHT	Itec s/s sink, year of construction: 2017, 50-60 Hz, 3.5 kW, sensor control, dimensions sink: 430 mm x 450 mm x 600 mm, PHT paper dispenser, dimensions: 300 mm x 220 mm x 370 mm and PHT s/s waste bin, dimensions: 410 mm x 350 mm x 750 mm.	250
56	Itec	Itec apron rack with 10 s/s apron hangers, dimensions rack: 1200 mm x 580 mm x 680 mm, dimensions apron hangers: 1000 mm x 700 mm.	250
57	Vikan	S/s peg with 3 Vikan plastic shovels, length: 1300 mm and 1 squeegee, length: 1550 mm.	25
58	Gebra	2 Gebra Secuboxes for glasses and gloves, dimensions: (2x) 240 mm x 120 mm x 120 mm.	10
59	Ramex SRL	Ramex SRL s/s hose reel with hose and PA pistol, model: AV3501, year of construction: 2017, maximum: 20 meter, maximum: 80 bar, maximum: 90°C, PA pistol, model: RB 65, 24 bar, 350 PSI, 60 liter per minute, dimensions hose reel: 600 mm x 300 mm x 600 mm.	250
60	Kreuzmayr Maschinenbau GmbH	Kreuzmayr Maschinenbau GmbH bag-in-box machine, model: TEC 500, machine number: GDR 171-05-02, year of construction: 2017, 400 V, 50 Hz, 3 A, 2.3 kW, s/s roller, roll width: 620 mm, 2 Omron sensors, total dimensions: 1800 mm x 1000 mm x 1800 mm, Tesseraux Spezialverpackungen bags, dimensions: 400 mm x 300 mm.	7500



61	Yantai Maoyuan Food Machinery	Yantai Maoyuan Food Machinery soybean peeling machine, model: DTJ-180, number: A - 2 - 2, year of construction: 2018, 380 V, 0.75 kW, capacity: 150 kg / hour, total dimensions: 1200 mm x 800 mm x 1200 mm. Including various spare parts.	500
62	Videojet	Videojet mobile inkjet printer, model: 1560, serial number: 17331007C46ZH, 100-120 V, 200-240 V, 1 Ph, 50/60 Hz, 3A, 120 W, dimensions: 800 mm x 900 mm x 1650 mm.	1500
63	NN waste bag holder	S/s waste bag holder, diameter: 500 mm, height: 1000 mm.	25
64	NN pegs	4 s/s wall mounted pegs, length: (4x) 530 mm.	25
65	NN peg	S/s peg for 5 jackets, length: 1000 mm.	25
66	NN table	S/s mobile table with side cover, working height: 790 mm, total dimensions: 1600 mm x 500 mm x 1150 mm.	100
67	Vikan	S/s peg with 1 Vikan plastic shovels, length: 1300 mm and 2 squeegees, length: 1550 mm.	25
68	NN table	S/s table with sieve plate and drain, diameter holes: 5 mm, total dimensions: 1250 mm x 850 mm x 1000 mm.	25
69	HERMANN WALDNER GmbH & Co. KG	HERMANN WALDNER GmbH & Co. KG 4-lane cup filling and sealing machine with large denester for cups and buffer tank, type: Dosomat 10.4, machine number: 2788, year of construction: 2018, 400 V, 3 Ph, 50-60 Hz, 17 kW, 25 A, weight: 4000 kg, cups: 4800 - 8000 per hour (depending on cup size and viscosity), filling volume: 180 - 500 ml (used for 350 ML cups), film width: 460 mm, buffer tank, fabrication number: 2788, year of construction: 2017, volume: 40 liter, dimensions filling and sealing machine: 2500 mm x 2100 mm x 2650 mm, transport belt with plastic trays for 4 cups to loading station, dimensions transport belt, dimensions: 4500 mm x 700 mm x 1350 mm, HERMANN WALDNER GmbH & Co. KG full-automatic loading station for cups in trays, 12 pieces cups per handling, dimensions loading station: 2700 mm x 3100 mm x 3600 mm, Packo Inox NV air-handling pump, type: IRP+/32-125/302, year of construction: 2018, capacity: 20 m ³ per hour, HERMANN WALDNER GmbH & Co. KG switch cabinet, dimensions: 1200 mm x 700 mm x 2250 mm. Including various parts. Dimensions of cups / see drawings.	95000



70	Minebea Intec Bovenden GmbH & Co. KG	Minebea Intec Bovenden GmbH & Co. KG weighing scale with label printer, type scale: CAWS - SPC - 3 - NCE, serial number: 36566542, maximum: 1500 gram, minimum: 10 gram, e = 0.5 gram, dimensions scale: 320 mm x 240 mm, control panel, type: SARTOCOMB, serial number: 36566542, Minebea Intec Bovenden GmbH & CO KG label printer, model: YDP21, serial number: 36064239, dimensions printer: 160 mm x 240 mm x 160 mm, total dimensions: 600 mm x 450 mm x 1250 mm.	400
71	Videojet	Videojet mobile inkjet printer, model: 1560, serial number: 17331004C46ZH, 100-120 V, 200-240 V, 1 Ph, 50/60 Hz, 3A, 120 W, dimensions: 800 mm x 900 mm x 1650 mm.	1500
72	Steritech	Steritech pasteurizing and cooling tower used for 360 gram cups, serial number: CV.17.0620, year of construction: 2017, consisting of 1 tower for pasteurizing and 3 towers for cooling, product: 360 gram, maximum product height: 130 mm, pasteurizing tower, 13 trays, process time: 20 minutes, full steam: ca 37 kWh, cooling towers, 26 x 3 trays = 78 pieces, process time: 121 minutes, glycol water -5°C, ca. 250 kWh, power: ca 25 kWh, water: 4 x ca. 900 liter, total cycle time: 141 minutes, capacity: 2000 kg per hour, pasteurizing tower with Tranter International AB heat exchanger, type: GCP-026PR, serial number: 246486-1, year of construction: 2017, volume: 7 & 8 liter, Wilo pump, type: BL50/140-7.5/2, cooling towers with Tranter International AB heat exchanger, type: GXD-042NR, serial number: 246486-2, year of construction: 2017, volume: (2x) 110.39 liter, Ramex SRL s/s hose reel, s/s trays for 12 x 12 cups per tray, dimensions trays: 1315 mm x 1220 mm x 50 mm, including infeed and outfeed belts for trays, total dimensions installation: 5900 mm x 13500 mm x 6000 mm.	200000



73	HERMANN WALDNER GmbH & Co. KG	HERMANN WALDNER GmbH & Co. KG full automatic unloading, drying and lidding system for cups including HERMANN WALDNER GmbH & Co. KG tray packer, type: Deckelsetzer 4, machine number: 2789, year of construction: 2018, 400 V, 3 Ph, 50 - 60 Hz, 29 A, 20 kW, deckel: 600 - 1020 per hour, unloading system, 12 pieces per handling, plastic mesh outfeed belt, belt width: 1320 mm, HERMANN WALDNER GmbH & Co. KG 4-lane lidding machine with Busch vacuum pump, type: SV 1016 C 000, serial number: C1748000405, maximum: 19 m ³ per hour, HERMANN WALDNER GmbH & Co. KG tray packer with Nordson hot melt glue unit, dimensions cartons: 415 mm x 393 mm, plastic mesh belt, belt width: 100 mm, Nordson hot melt glue unit, model: Problue 4, serial number: SA17L40279, total dimensions: 8600 mm x 4400 mm x 3600 mm. Including 2 Kostal Industrie Elektrik GmbH ventilators and pipings used for drying cups.	4000
74	HERMANN WALDNER GmbH & Co. KG	HERMANN WALDNER GmbH & Co. KG tray erector with Nordson hot melt glue unit and Busch vacuum pump, type: KARTONAUFRICHTER, machine number: 2790, year of construction: 2018, 400 V, 3 Ph, 50-60 Hz, 23 A, 16 kW, 6 bar, weight: 1800 kg, cartons: 600 - 1020 per hour, dimensions erected cartons: 396 mm x 197 mm x 24 mm (8-compartments), Busch vacuum pump, type: SV 1025 C 000, serial number: C1741000434, maximum: 30 m ³ per hour, Nordson hot melt glue unit, model: Problue 4, serial number: SA17G36521, total dimensions: 4900 mm x 1200 mm x 1800 mm.	17500
75	NN curve conveyor	180° curve conveyor, s/s frame, plastic mesh belt, belt width: 225 mm, total dimensions: 5400 mm x 2000 mm x 1250 mm, including s/s waste bin, dimensions: 420 mm x 340 mm x 920 mm.	2500
76	Wolke / Videojet	Wolke / Videojet inkjet printer with 90° curve conveyor, model: m600 touch, 100-240 V, 50/60 Hz, 4.5 - 1.9 A, s/s frame, plastic mesh belt, belt width: 225 mm, total dimensions: 1500 mm x 1700 mm x 1200 mm.	1250
77	Bizerba	Bizerba metal detector with rejector, type metal detector: UNICON+D 2500/200/250/200 Intuity, type head: Intuity 250/200, serial number: MD11523601, year of construction: 2018, 230 V, 50/60 Hz, 16 A, 6 - 8 bar, plastic belt, belt width: 200 mm, clearance: 250 mm x 147 mm, s/s outfeed rollers, roll width: 600 mm, total dimensions: 2600 mm x 1300 mm x 1650 mm.	7500



78	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roll width: 300 mm, total dimensions: 2100 mm x 600 mm x 900 mm.	400
79	NN rollie	S/s rollie with plastic crate, dimensions rollie: 660 mm x 410 mm x 170 mm, dimensions crate: 600 mm x 400 mm x 320 mm.	25
80	NN trolleys	3 s/s trolleys for trays for Steritech pasteurizing and cooling tower, 9 floors, total dimensions trolleys: 1320 mm x 1245 mm x 2000 mm.	75
81	SIAT	SIAT palletwrapper, model: ONEWRAP, type: L-HSD-FM, serial number: PRJ0010000015580009, year of construction: 2017, 220-240 V, 1 Ph, 50-60 Hz, 3.94 A, 7160 W, film width: 495 mm, diameter wrapper: 1500 mm, total dimensions: 2500 mm x 1900 mm x 2450 mm.	1500
82	Henkel / Technomelt	Pallet with 24 bags fast setting hotmelt, model: Technomelt Supra 100, each bag 25 kg net, processing temperature: 160 - 190°C, best before: 09.03.2020, dimensions pallet: 1200 mm x 800 mm x 1300 mm.	500
83	Itec / PHT	Itec s/s sink, year of construction: 2017, 50-60 Hz, 3.5 kW, sensor control, dimensions sink: 430 mm x 450 mm x 600 mm and PHT paper dispenser, dimensions: 300 mm x 210 mm x 360 mm.	250
84	NN rollies	3 s/s rollies for E2-crates with 2 plastic crates, dimensions crates: 600 mm x 400 mm x 320 mm, dimensions rollies: 660 mm x 410 mm x 170 mm.	50
85	Ramex SRL	Ramex SRL s/s hose reel with hose and PA pistol, model: AV3501, year of construction: 2017, maximum: 20 meter, maximum: 80 bar, maximum: 90°C, PA pistol, model: RB 65, 24 bar, 350 PSI, 60 liter per minute, dimensions hose reel: 600 mm x 300 mm x 600 mm.	250
86	PHT	PHT s/s washing table with flexible faucet, dimensions: 1200 mm x 700 mm x 1800 mm.	400
87	PHT / Itec	PHT / Itec dishwasher, model: LO67, inside dimensions: 720 mm x 670 mm x 700 mm, total dimensions: 870 mm x 830 mm x 1860 mm. Including s/s soap can rack and 2 cans of Finktec disinfection.	1000
88	Foamico	Foamico mobile foam mixing station with plastic hose and pistol, dimensions: 1050 mm x 600 mm x 1350 mm. Including 2 cans Finktec disinfection.	400
89	Foamico	Foamico mobile foam mixing station with plastic hose and pistol, dimensions: 1050 mm x 600 mm x 1350 mm. Including 2 cans Finktec disinfection.	400
90	Gebra	Gebra storage box for safety equipment, model: SecuBox, dimensions: 250 mm x 200 mm x 300 mm.	20



91	Itec / PHT	Itec s/s sink, year of construction: 2017, 50-60 Hz, 3.5 kW, sensor control, dimensions sink: 430 mm x 450 mm x 600 mm, PHT paper dispenser, dimensions: 300 mm x 220 mm x 370 mm and PHT s/s waste bin, dimensions: 410 mm x 350 mm x 750 mm.	250
92	PHT	PHT meat bin washer for 200 liter meat bins, type: BM200, machine number: 2018 0264, year of construction: 1/2018, Ecolab dosing pump, model: CDI 01, serial number: 8234, Grundfos circulation pump: type: CRN15-17 A-FGJ-G-E-HQQE, model: A96501970P31747, serial number: 0002, total dimensions: 3600 mm x 2150 mm x 3600 mm.	7500
93	PA	PA hose with pistol, model: RB65, 24 bar, 60 liter per minute.	25
94	Itec / PHT	Itec s/s sink, year of construction: 2017, 50-60 Hz, 3.5 kW, sensor control, dimensions sink: 430 mm x 450 mm x 600 mm, PHT paper dispenser and glove dispenser, dimensions: 300 mm x 220 mm x 370 mm and PHT s/s waste bin, dimensions: 410 mm x 350 mm x 750 mm.	250
95	CAB	CAB label printer and control screen in s/s mobile writing desk, type: EOS4/300, serial number: 0063764 B50, 100-240 V, 50-60 Hz, 2.5 A, dimensions writing desk: 250 mm x 400 mm x 340 mm.	400
96	NN mixing tools	Mixing tools, 2 spatulas, whisk and taste spoon, length: 1250.	50
97	Seydelmann	Seydelmann cutter, type: K 40 AC 8, machine number: S8-00040-0616-18, year of construction: 2018, 400 V, 50 Hz, 66 A, 33 kW, s/s bowl and knives, volume: 40 liter, Seydelmann COMMAND 1000 K control panel, dimensions cutter: 1200 mm x 100 mm x 1200 mm, dimensions switch cabinet: 800 mm x 450 mm x 1000 mm.	12500
98	Ramex SRL	Ramex SRL s/s hose reel, model: AV3501, year of construction: 2017, maximum: 20 meter, maximum: 80 bar, maximum: 90°C, PA pistol, model: RB 65, 24 bar, 350 PSI, 60 liter per minute, dimensions: 700 mm x 320 mm x 1700 mm.	250
99	Schadler	Schadler insect killer, dimensions: 470 mm x 350 mm x 150 mm.	25
100	Soehnle	Soehnle floor weighing scale with indicator, serial number: 2814.001806449, year of construction: 2018, 100-240 V, 50-60 Hz, 400 mA, maximum weight: 300-600 kg, minimum weight: 2-4 kg, e = 100 - 200 gram, dimensions indicator: 520 mm x 400 mm x 100 mm, dimensions scale: 1050 mm x 1050 mm x 80 mm.	400



101	NN meat bins	3 s/s meat bins, volume: 200 liter.	300
102	Bimos	2 Bimos adjustable stools, dimensions: (2x) 520 mm x 370 mm x 700 mm.	50
103	Soehnle	Soehnle weighing scale with indicator, serial number: 7392.141806413, 100-240 V, 50-60 Hz, 400 mA, maximum weight: 15-30 kg, minimum weight: 100-200 gram, E = 5-10 gram, Soehnle weighing cell, type: SEB56B-100-C3-3M, dimensions scale: 520 mm x 400 mm x 100 mm	250
104	Franz Nahrungsmittelmaschinen	Franz Nahrungsmittelmaschinen inspection belt used for vegetables, type: PT 3500/600, machine number: 2022/1, year of construction: 2018, 400 V, 0.37 kW, 4 stations, s/s frame, plastic belt, belt width: 600 mm, total dimensions: 3700 mm x 2000 mm x 2030 mm.	1500
105	Franz Nahrungsmittelmaschinen	Franz Nahrungsmittelmaschinen elevating belt with sprinkle installation, type: VB 2800/500, machine number: 2022/2, year of construction: 2018, 400 V, 0.37 kW, s/s frame, plastic belt with dividers, belt width: 525 mm, divider height: 75 mm, distance between dividers: 305 mm, elevating height: 1450 mm, total dimensions: 3000 mm x 1100 mm x 1900 mm.	1500
106	Urschel	Urschel mobile dicer, model: SPRINT2, serial number: 1004, year of construction: 2017, dimensions: 1700 mm x 1500 mm x 1400 mm. Including various parts, among others, 2 knives sets, 19 knives, distance between knives: 10 mm, 37 knives, distance between knives: 5 mm, 2 drums, and grease.	15000
107	NN meat bin	S/s meat bin, volume: 200 liter.	100
108	NN meat bin	S/s meat bin with s/s filter, volume: 200 liter, perforations: 4 mm, dimensions filter: 640 mm x 640 mm x 80 mm.	150
109	NN meat bin	S/s meat bin, volume: 200 liter.	100
110	NN meat bin	S/s meat bin, volume: 200 liter.	100
111	NN meat bin	S/s meat bin, volume: 200 liter.	100
112	NN meat bin	S/s meat bin with s/s cover, volume: 200 liter, diameter pipe: \varnothing 85, dimensions cover: 730 mm x 830 mm x 270 mm.	150
113	NN meat bins	2 s/s meat bins, volume: 200 liter.	200
114	NN meat bins	3 s/s meat bins, volume: 200 liter.	300
115	NN meat bins	3 s/s meat bins, volume: 200 liter.	300
116	NN meat bins	4 s/s meat bins, volume: 200 liter.	400
117	NN rollies	6 s/s rollies for E-2 crates, dimensions: (6x) 660 mm x 410 mm x 100 mm.	60
118	NN rollies	7 s/s rollies for E-2 crates, dimensions: (7x) 660 mm x 410 mm x 100 mm.	70



119	NN rollies	6 s/s rollies for E-2 crates, dimensions: (6x) 660 mm x 410 mm x 100 mm.	60
120	NN waste bag holders	2 s/s waste bag holders, dimensions: 510 mm x 510 mm x 1000 mm and 550 mm x 550 mm x 1040 mm.	20
121	Mara Spezie	136 cans of Mara Spezie hot pepper extract, content: 4.2 kg each can, best before: 06/2020.	200
122	Mara Spezie	144 cans of Mara Spezie hot pepper extract, content: 4.2 kg each can, best before: 06/2020.	200
123	Mara Spezie	144 cans of Mara Spezie hot pepper extract, content: 4.2 kg each can, best before: 06/2020.	200
124	Mara Spezie	122 cans of Mara Spezie hot pepper extract, content: 4.2 kg each can, best before: 06/2020.	200
125	Mara Spezie	136 cans of Mara Spezie hot pepper extract, content: 4.2 kg each can, best before: 06/2020.	200
126	Mara Spezie	144 cans of Mara Spezie hot pepper extract, content: 4.2 kg each can, best before: 06/2020.	200
127	Mara Spezie	136 cans of Mara Spezie hot pepper extract, content: 4.2 kg each can, best before: 06/2020.	200
128	Mara Spezie	129 cans of Mara Spezie hot pepper extract, content: 4.2 kg each can, best before: 06/2020.	200
129	Mara Spezie	3 pallets with each 136 cans of Mara Spezie hot pepper extract, total: 408 cans, content: 4.2 kg each can, best before: 06/2020.	500
130	NN carton boxes	Large amount of carton boxes, 3 pallets, approximately 1200 boxes, dimensions: 594 mm x 394 mm x 215 mm and 450 mm x 320 mm x 225 mm.	75
131	NN carton boxes	Large amount of carton boxes, 6 pallets, approximately 1100 boxes, dimensions: 586 mm x 386 mm x 272 mm.	150
132	NN carton boxes	Large amount of carton boxes, 2 pallets, approximately 700 boxes, dimensions: 345 mm x 180 mm x 150 mm.	50
133	NN carton plates	Large amount of carton plates, approximately 400 plates, dimensions: 1200 mm x 800 mm.	50
134	AROY-D	36 boxes with bags AROY-D organic coconut milk, volume: 20 liter each bag, best before: 06/09/2019.	150
135	NN herbs and spices	Large amount of various herbs and spices, among others: Bio cumin, best before: 21-09-2020, Coconut oil, best before: 30-11-2019, Bio smoked paprika, best before: 13-12-2018.	150
136	Pacovis AG	14 boxes with Pacovis AG Trigon carton bowls, 500 bowls each box, volume bowl: 300 ml, dimensions bowl: 170 mm x 170 mm x 50 mm.	75
137	Cemo	Cemo IBC-collecting tray, dimensions: 2440 mm x 1440 mm x 750 mm.	200
138	NN meat bins	6 s/s meat bins, volume: 200 liter. New.	900



139	Rotherm Industrietechnik GmbH	Rotherm Industrietechnik GmbH working cage for fork lift, type: ABR1DST, serial number: 25744, year of construction: 2018, weight: 80 kg, maximum capacity: 120 kg, clearance forks: (2x) 230 mm x 100 mm, total dimensions: 800 mm x 800 mm x 1320 mm. Damaged.	200
140	NN meat bins	2 s/s meat bins, volume: 200 liter. New.	300
141	NN meat bin	S/s meat bin, volume: 200 liter.	100
142	NN waste bag holder	S/s waste bag holder, dimensions: 510 mm x 510 mm x 1000 mm.	10
143	NN plastic plates	10 plastic plates, dimensions: (10x) 810 mm x 720 mm x 40 mm.	10
144	NN plastic crates	80 plastic crates, dimensions: (80x) 600 mm x 400 mm x 250 mm.	50
145	Storopack	12 boxes with Storopack thermoboxes, 10 pieces in each box, dimensions: 450 mm x 320 mm x 210 mm.	50
146	Dini Argeo	Dini Argeo s/s pallet lifter with weighing scale, model: TPWLKIM-2, serial number: 0100574389, maximum weight: 1000-2000 kg, minimum weight: 10-20 kg, E = 0.5-1 kg, dimensions forks: (2x) 1150 mm x 180 mm, total dimensions: 1500 mm x 550 mm x 1200 mm.	500
147	NN meat bins	4 s/s meat bins, volume: 200 liter. New.	600
148	Toyota	Toyota s/s pallet lifter, model: LHM200ST, serial number: 4357919, year of construction: 13-20-2017, capacity: 2000 kg, dimensions forks: (2x) 1150 mm x 160 mm, total dimensions: 1500 mm x 520 mm x 1220 mm.	300
149	Toyota	Toyota s/s pallet lifter, model: LHM200ST, serial number: 4357921, year of construction: 13-20-2017, capacity: 2000 kg, dimensions forks: (2x) 1150 mm x 160 mm, total dimensions: 1500 mm x 520 mm x 1220 mm.	300
150	NN plastic crates	29 plastic crates, dimensions: (15x) 600 mm x 400 mm x 320 mm and (14x) 600 mm x 400 mm x 220 mm. Including lids, hairnets, gloves and meat bin covers.	50
151	Vikan	Vikan tools, 4 hand shovels, 4 measuring cups, 3 hand squeegees, 2 shovels and sieve.	50
152	Daikin	Daikin screw compressor unit used for direct cooling of Steritech pasteurizing / cooling tower (294 kW/h), model: EWLD500J-SS004, serial number: CH17L02196-KKKKXX, year of construction: 9/2017, 400 V, 3 Ph, 50 Hz, 227 A, weight: 2747 kg, refrigerant: R134a, consisting of 2 screw compressors, model: (2x) HSA197QS11YA, serial numbers: C-173681 and C-173680, year of construction: 09/2017, 400-460 V, 3 Ph, 50/60 Hz, total dimensions: 2700 mm x 900 mm x 2150 mm.	22500



153	Grundfos / Refairco / Reflex	Pump installation consisting of Grundfos circulation pump, type: TPE 80-250/2 A-F-A-BQQE, model: A99113950P217380006, 90.4 m ³ per hour, p/t: 16/120 bar / °C maximum, 2 Refairco universal liquid receivers, type: (2x) FBU-161, year of construction: 20-06-2017, volume: 160 liter, minimum temperature: -10 °C, maximum temperature: 120 °C, 37 bar, refrigerant: R134A, Reflex pressure vessel, type: Reflex N 400, serial number: 17 S 0119 90321, volume: 400 liter, minimum temperature: -10 °C, maximum temperature: 70 °C, 6 bar, Isolated storage tank, dimensions tank: 650 mm x 650 mm x 2200 mm.	7500
154	Thermofin GmbH	Thermofin GmbH roof condenser, model: X-TCH.3-091-26A-L-WE-BC-02, unit number: 001, year of construction: 10/2017, 230 V, 5.64 kW, volume tube: 231.7 liter, empty weight: 2146 kg, 12 fans, , minimum temperature: -30 °C, maximum temperature: 120 °C, dimensions: 10200 mm x 2300 mm x 3000 mm.	12500
155	Jumag	Jumag steam boiler, type: FLO1060, serial number: 34561117, year of construction: 2017, 760 kW, volume: 227 liter, weight: 2450 kg, Wieshaupt burner, type: WM-G10/3A, serial number: 40453482, year of construction: 2017, 230-400 V, 1-3 Ph, 50 Hz, 10 A, 1.86 kW, minimum: 100 kW, maximum: 1000 kW, minimum: 15 mbar, maximum: 500 mbar, dimensions steam boiler: 1150 mm x 1150 mm x 2600 mm, dimensions control unit: 650 mm x 300 mm x 1150 mm, height suction pipe: 4200 mm.	17500
156	Jumag	Jumag steam boiler, type: FLO1060, serial number: 34561117, year of construction: 2017, 760 kW, volume: 227 liter, weight: 2450 kg, Wieshaupt burner, type: WM-G10/3A, serial number: 40453481, year of construction: 2017, 230-400 V, 1-3 Ph, 50 Hz, 10 A, 1.86 kW, minimum: 100 kW, maximum: 1000 kW, minimum: 15 mbar, maximum: 500 mbar, dimensions steam boiler: 1150 mm x 1150 mm x 2600 mm, dimensions control unit: 650 mm x 300 mm x 1150 mm, height suction pipe: 4200 mm.	17500
157	Jumag	Jumag s/s feed water tank / condensate vessel (uses then condensate, relaxation steam and residual energy of the blow-down water for preheating), type: SWG1540, serial number: 906, year of construction: 2017, volume: 1540 liter, maximum pressure: 0.5 bar, Grundfos dosing pump, type: DDE 6-10 P-PP/E/C-X-31U2U2FG, 100-240 V, 50/60 Hz, total dimensions: 1800 mm x 1250 mm x 2550 mm.	3500



158	Jumag	Jumag s/s blow down vessel and desalination tank, dimensions: 500 mm x 500 mm x 2100 mm	2750
159	BWT	BWT water softening installation, consisting of: 2 BWT composite tanks, type: (2x) BWT-2138-A3, serial numbers: A1037-171205 and A1038-171205, year of construction: 2017, volume: 178 liter, dimensions: 1150 mm x 550 mm x 1620 mm, BWT plastic tub for salt, type: Rondomat DUO 10/ Standard, serial number: 039299, year of construction: 10.2017, volume: 245 liter, dimensions tub: 650 mm x 650 mm x 900 mm.	1000
160	HERMANN WALDNER GmbH & Co. KG	HERMANN WALDNER GmbH & Co. KG filling machine, type: Dosomat 12.3, machine number: 2269, year of construction: 2009, 230/400 V, 50 Hz, 14 A, 10 kW, weight: 3100 kg, filling range per cup: 450-2500 gram, capacity: 6000 cups per hour, 3 filling heads, dye: 119 mm x 119 mm, plastic belt, belt width: 100 mm, total dimensions: 3800 mm x 2500 mm x 2650 mm, dimensions switch cabinet: 1200 mm x 650 mm x 2350 mm. Including box with various parts.	40000
161	Haagen & Rinau Mischtechnik GmbH	Haagen & Rinau Mischtechnik GmbH tiltable homogenizer, type: Unimix, machine number: 8254154, year of construction: 1992, volume: 432 liter, double jacketed, steam injection and mixing, dimensions homogenizer: 2400 mm x 1350 mm x 2770 mm, dimensions cabinet: 800 mm x 400 mm x 1350 mm. Control panel incomplete.	10000
162	HERMANN WALDNER GmbH & Co. KG	HERMANN WALDNER GmbH & Co. KG sleeve, type: Sleeve, machine number: 2653, year of construction: 2015, 400 V, 3 Ph, 50-60 Hz, 36 A, 25 kW, 6 bar, weight: 3800 kg, capacity: 3600 cups per hour, plastic mesh belts, belt width: 100 mm, 190 mm and 280 mm, dye: (6x) 260 mm x 160 mm and (6x) 235 mm x 100 mm, chain conveyor, chain width: 470 mm, Nordson glue unit, type: PROBLUE L7, serial number: SA15H16387, 230/400 V, 1/3 Ph, 50/60 Hz, 25 A, total dimensions: 7400 mm x 1800 mm x 2600 mm. Including Nordson container for hot melt.	10000
163	Schadler	Schadler insect killer, dimensions: 470 mm x 350 mm x 150 mm.	25
164	CFS	CFS ScanBrine installation, type: ScanBrine 500, model: SBR 500-PI and SBR 500-SI, serial number: 128, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 18.7 A, 8.5 kW, volume each tank: 500 liter, weight each tank: 450 kg, total dimensions: 3300 mm x 2100 mm x 1600 mm. Including pallet with parts. Missing some pipes.	6000



165	PHT	PHT s/s waste bin, dimensions: 350 mm x 250 mm x 450 mm. Including PHT paper dispenser, dimensions: 250 mm x 250 mm x 350 mm and 2 soap dispensers.	75
166	PHT	PHT lockers, 12 doors, dimensions: 1800 mm x 500 mm x 1850 mm.	100
167	PHT	PHT waste bag holder, type: R730, foot control, dimensions: 500 mm x 350 mm x 950 mm.	50
168	NN bench	S/s bench, 2 floors, dimensions: 1700 mm x 750 mm x 500 mm.	200
169	Itec	Itec s/s hair net dispenser, dimensions: 400 mm x 250 mm x 500 mm.	25
170	NN working clothes	Reflector working clothes, overalls and jacket, size: XL.	25
171	NN coat rack	S/s coat rack, 20 hooks, width: 2000 mm.	25
172	PHT	PHT boot dryer, model: HYG MINI, for 10 pairs, dimensions: 600 mm x 450 mm x 2000 mm.	400
173	Itec	Itec hygiene station with sole cleaner, handisinfection unit and tourniquet, model: STAR CLEAN IV, type: 23882, series: 1076, year of construction: 01/2018, 400 V, 3 Ph, 50-60 Hz, 0.8 kW, shoe brush, brush length: (2x) 1000 mm, brush width: (2x) 160 mm, Itec hand disinfection unit, type: 23740-re, series: 3926, year of construction: 01/2018, 230 V, 50-60 Hz, 0.3 kW, total dimensions: 2200 mm x 100 mm x 1870 mm. Including gate, dimensions: 1250 mm x 1300 and protection rack, dimensions rack: 1040 mm x 1250 mm.	4000
174	Itec	2 Itec hair net dispensers, dimensions: 400 mm x 250 mm x 500 mm and 300 mm x 120 mm x 520 mm.	50
175	Itec / PHT	Itec s/s sink, 3 faucets, sensor control, year of construction: 2018, dimensions: 1460 mm x 450 mm x 600 mm. Including 2 s/s PHT paper dispensers, dimensions: (2x) 280 mm x 200 mm x 400 mm.	400
176	PHT	PHT waste bag holder, type: R730, foot control, dimensions: 500 mm x 350 mm x 950 mm.	50
177	NN cabinet	S/s cabinet, dimensions: 900 mm x 500 mm x 1950 mm.	200
178	PHT	PHT boot dryer, model: HYG MINI, for 15 pairs, dimensions: 850 mm x 450 mm x 2000 mm.	400
179	NN coat rack	S/s coat rack, 20 hooks, width: 2000 mm.	25
180	NN bench	S/s bench, 2 floors, dimensions: 2700 mm x 750 mm x 500 mm.	200
181	NN bench	S/s bench, 2 floors, dimensions: 2700 mm x 750 mm x 500 mm.	200
182	PHT	PHT waste bag holder, type: R730, foot control, dimensions: 500 mm x 350 mm x 950 mm.	50
183	PHT	PHT lockers, 16 doors, dimensions: 2400 mm x 500 mm x 1850 mm.	100



184	Itec	Itec s/s hair net dispenser, dimensions: 400 mm x 250 mm x 500 mm.	25
185	PHT	PHT s/s waste bin, dimensions: 350 mm x 250 mm x 450 mm. Including PHT paper dispenser, dimensions: 250 mm x 250 mm x 350 mm and 2 soap dispensers.	25
186	Wilo	Wilo pump installation, type: SiBoost Smart 3HELIX VE 405-WMS, maximum temperature: 50°C, PN: 16 bar, consisting of (3x) Wilo circulation pumps, type: HELIX VE405-1/16/E/S/EC, 380-400-480 V, 50-60 Hz, 3 / 3.1 / 2/6 A, total dimensions: 1150 mm x 650 mm x 830 mm.	2500
187	Grundfos	Grundfos circulation pump, type: CRNE3-9 JX-CA-GI-E-HQQE, model: A99200471P11727, serial number: 0003, 50/60 Hz, 6.00 kW, capacity: 3.5 m ³ per hour, dimensions: 320 mm x 360 mm x 840 mm.	500
188	Gebrüder Heyl	Gebrüder Heyl measuring instrument, type: Testomat 2000, serial number: 246 937, 230 V, 50-60 Hz, 0.3 - 8 bar, maximum: 30 W, dimensions: 360 mm x 230 mm x 470 mm.	400



General Terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers

Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the



website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Government laws and regulations, such as the Money Laundering and Terrorist Financing Prevention Act (WWFT), may impose (additional) obligations on Industrial Auctions. The client is required to provide all information requested by Industrial Auctions including (but not limited to) information about the client's identity to establish and verify this further, to verify and record the identity of the ultimate beneficial owner, the purpose and nature of the engagement or to exercise a transaction or an ongoing control over the business relationship or the natural person who represents or is authorized to do so by the client and whether the client is acting for themselves or for a third party. If the requested information is not supplied within 5 days after the first request, Industrial Auctions may immediately terminate the agreement and, pending the



information, Industrial Auctions may suspend the services. Industrial Auctions is then not obliged or liable for any compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the supporting system;
- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including



taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:



- Not to recognize a bid as such;
- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a



different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by



him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery



13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the



agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including



the loss of the good itself);

- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;

- Damage caused by environmentally harmful substances in or on the purchased;

- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);

- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



**Industrial
Auctions** BV



**Industrial
Auctions** BV

Address: Looyenbeemd 11
5652 BH Eindhoven, Netherlands
Tel.: +31 (0)40 2409 208
Fax: +31 (0)40 2409 209
Email: info@industrial-auctions.com
Web: www.industrial-auctions.com

Upcoming auctions:

02-11 Online auction machinery and slaughtering technology in Sint-Oedenrode (NL)