



Industrial Auctions BV

Online auction machinery for the food industry on behalf of Fountain Group Ltd in Nordelph (UK)

Closing: 25 November 2021 from 14:00 hrs.



Viewing day:

Address:

White barn farm Silt road
PE38 0BW Nordelph
United Kingdom



General terms and conditions of the online auction

Closing date	25 November 2021 from 14:00 hrs.
Viewing	
Organizing Company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 Fax: +31 (0)40 2409 209 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
V.A.T	20% over the highest bid including Premium
Pickup date	02 December 2021 from 09:00 till 16:00 hrs.
Pickup address	White barn farm Silt road PE38 OBW Nordelph United Kingdom
Delivery instructions	The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Industrial Auctions B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address.
Payment details	Before collection of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is made in the last 5 minutes the lot closes, the closing time of that lot will be extended with 5 minutes until no bids are made.



Nr	Title	Description	Start €
1	NN sheeter	S/s sheeter, dimensions hopper: 1280 mm x 270 mm x 390 mm, s/s rolls, roll width: 1280 mm & 1200 mm, total dimensions: 2800 mm x 1800 mm x 2950 mm.	1500
2	Blackrow Engineering Co. Ltd	Blackrow Engineering Co. Ltd transport belt, s/s frame, type: PU CONVEYOR BELT A, manufacturing number: 3003-122398, year of construction: 2013, plastic belt, belt width: 1290 mm, total dimensions: 3370 mm x 1420 mm x 940 mm.	750
3	NN press roller	S/s press roller, s/s roll, roll width: 1200 mm, total dimensions: 2650 mm x 800 mm x 1870 mm. In height adjustable.	1250
4	Blackrow Engineering Co. Ltd	Blackrow Engineering Co. Ltd extensible transport belt, s/s frame, type: PU CONVEYOR BELT B, manufacturing number: 3004-122398, year of construction: 2013, plastic belt, belt width: 1300 mm, total dimensions: 5380 mm x 1510 mm x 820 mm.	950
5	Aasted ApS	Aasted ApS mobile strip slicer, type: spreading table, serial number: 5621-24-0003, year of construction: 2018, 25 knives, distance between knives: 50 mm, plastic wire belt, belt width: 1200 mm - 1450 mm, total dimensions: 3020 mm x 2030 mm x 1470 mm.	1500
6	Aasted ApS	Aasted ApS mobile strip slicer, type: spreading table, serial number: 5621-24-0004, year of construction: 2018, 35 knives, distance between knives: 35 mm, plastic wire belt, belt width: 1200 mm - 1450 mm, total dimensions: 3020 mm x 2030 mm x 1470 mm.	1500
7	Aasted ApS	Aasted ApS mobile strip slicer, type: spreading table, serial number: 5621-24-0005, year of construction: 2018, 49 knives, distance between knives: 25 mm, plastic wire belt, belt width: 1200 mm - 1450 mm, total dimensions: 3020 mm x 2030 mm x 1470 mm.	1500
8	NN pump unit	S/s pump unit, double jacked, 2x s/s screw, screw width: (2x) 205 mm, tier: (2x) 75 mm, screw length: (2x) 1470 mm, inside dimensions: 1470 mm x 400 mm x 420 mm, total dimensions: 2550 mm x 800 mm x 1040 mm.	1250
9	York	York roof condenser, 4 fans, model: Yosa-156-1-3, serial number: 0707911932001, 400 V, 3 Ph, 44 A, 55 kW, dimensions: 3770 mm x 1120 mm x 2300 mm.	1500
10	NN washing drum	S/s washing drum, dimensions drum: Ø 1200 mm x 910 mm, total dimensions: 1600 mm x 1570 mm x 1690 mm.	1000
11	NN washing drum	S/s washing drum, dimensions drum: Ø 1200 mm x 1190 mm, dimensions tank: 900 mm x 600 mm x 740 mm, total dimensions: 3050 mm x 1650 mm x 1850 mm.	1500
12	CPX	CPX s/s vibrating gutter, serial number: HS 4361, maximum stroke 5 mm, gutter width: 350 mm, total dimensions: 2830 mm x 890 mm x 570 mm.	250
13	M&S Engineering	M&S Engineering transport belt, s/s frame, plastic belt, belt width: 670 mm, total dimensions: 1500 mm x 750 mm x 900 mm.	200



14	Ilapak Italia S.p.A.	Ilapak Italia S.p.A. flowpacker, type: CARRERA 1000 PC, serial number: 04 004, year of construction: 1-04, 400 V, 50 Hz, 5000 W, plastic infeed belt with dividers, belt width: 50 mm, divider height: 50 mm, distance between dividers: 380 mm, seal width: 255 mm, plastic outfeed belt, belt width: 240 mm, total dimensions: 4700 mm x 1220 mm x 1840 mm.	2500
15	Hanningfield	Hanningfield over driven conical mill, model: M20-B, serial number: M20-B-0102, year of construction: 2011, weight: 199 kg, capacity: 1800 kg/h, maximum 1500 rpm, infeed hopper: Ø 340 mm, screen: Ø 203 mm, total dimensions: 1480 mm x 700 mm x 1600 mm.	1250
16	NN silo	Vibrating silo with valve, dimensions: 1700 mm x 1670 mm x 1530 mm.	500
17	NN ice machine	S/s ice machine with ZhaoQing Greenhalgh Refrigeration air cooled condensor, type condensor: XZ5-28-1072 (2.5T), year of construction: 2015-01-22, refrigerant: R404A/R22/R507A, dimensions: 2070 mm x 1230 mm x 2090 mm.	750
18	C-TRAK LTD	C-TRAK LTD transport belt, s/s frame, serial number: 11476, year of construction: September 2020, plastic mesh belt, belt width: 400 mm, total dimensions: 920 mm x 630 mm x 1220 mm.	100
19	Ishida	Ishida multihead weigher, 15-heads, model: CCW-s-212-s, number: 9457, year of construction: October 1984, 220 V, 50 Hz, 10.8 A, weighing range: 500 gram, dimensions: 1230 mm x 1230 mm x 1500 mm.	1250
20	IPC Engineering Ltd	IPC Engineering Ltd packaging station, s/s frame, serial number: 10134-2, year of construction: 09-2014, 2x plastic mesh belt, belt width: 300 mm & 200 mm, roller conveyor, plastic rollers, roller width: 300 mm, total dimensions: 4100 mm x 910 mm x 1900 mm.	450
21	M&S Engineering	M&S; Engineering transport belt, s/s frame, plastic belt, belt width: 630 mm, total dimensions: 1500 mm x 950 mm x 900 mm.	200
22	Conveyor Technology	Conveyor Technology 45° curve conveyor, s/s frame, serial number: 00535, year of construction: may 2017, plastic belt, belt width: 670 mm, total dimensions: 1530 mm x 1140 mm x 1300 mm.	200
23	Conveyor Technology	Conveyor Technology 45° curve conveyor, s/s frame, serial number: 00535, year of construction: may 2017, plastic belt, belt width: 670 mm, total dimensions: 1560 mm x 1200 mm x 1120 mm.	200
24	Conveyor Technology	Conveyor Technology 45° curve conveyor, s/s frame, serial number: 00535, year of construction: may 2017, plastic belt, belt width: 670 mm, total dimensions: 1530 mm x 1140 mm x 1340 mm.	200
25	Packaging Automation	Packaging Automation traysealer, model: Eclipse SL 6, serial number: ECG-MC-00008, 415 V, 50 Hz, 4 dye's, dimensions dye's: (4x) 300 mm x 180 mm, dimensions: 3300 mm x 1200 mm x 2000 mm.	3250



26	Polar Systems Ltd	Polar Systems Ltd lifter for barrels, number: 2396B100, maximum barrel height: 1010 mm, lifting height: 1120 mm, capacity: 250 kg, total dimensions: 2500 mm x 1300 mm x 2050 mm.	950
27	Sessions of York	Sessions of York labelling machine with Avery labeller, 220 V, 50 Hz, plastic belt, belt width: 90 mm, total dimensions: 2980 mm x 1220 mm x 1200 mm.	200
28	Giro GH, S.A.	Giro GH, S.A. roller conveyor, s/s frame, model: 2003ER0803500, serial number: OER0000285, year of construction: 2016, 380 v, 50 Hz, 0.50 kW, s/s rollers, roller width: 810 mm, total dimensions: 3510 mm x 1320 mm x 1000 mm.	500
29	Priden Engineering Ltd	Priden Engineering Ltd elevating belt, serial number: 0810662-3, chain belt with plastic dividers, divider width: 450 mm, divider height: 140 mm, distance between dividers: 190 mm, total dimensions: 6430 mm x 600 mm x 2450 mm.	250
30	Nesbad Industries Ltd	Nesbad Industries Ltd filling line consisting of: 3 Nesbad Industries Ltd mobile depositors and 2 denesters, model: MORAN II, number: 00171.12.02, 380 V, 50 Hz, 7400 W, Ø cups: (2x) 110 mm, total dimensions: 3690 mm x 1480 mm x 1870 mm. Including pallet with parts, dimensions pallet: 1200 mm x 800 mm x 1180 mm.	750
31	Gronemeyer	Gronemeyer 90° curve conveyor, s/s frame, type: NFA POS.1, machine number: 11688-037-84, year of construction: 10/2006, plastic belt, belt width: 85 mm, total dimensions: 1900 mm x 800 mm x 1180 mm.	200
32	Priden Engineering Ltd	Priden Engineering Ltd transport belt, s/s frame, serial number: 08-10662-1, plastic belt, belt width: 500 mm, total dimensions: 4600 mm x 1000 mm x 500 mm.	200
33	C-TRAK LTD	C-TRAK LTD mobile roller conveyor, s/s frame, serial number: 11437-GRAV, year of construction: July 2020, plastic rollers, roller width: 250 mm, total dimensions: 2970 mm x 370 mm x 900 mm.	100
34	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 200 mm, divider height: 50 mm, distance between dividers: 250 mm, elevating height: 1150 mm, total dimensions: 2800 mm x 580 mm x 2100 mm.	200
35	NN floor weighing scale	S/s floor weighing scale with Dini Argeo indicator, model indicator: DFWLKI-2, serial number: 0100683883, 110-230 V, 50/60 Hz, 0.7 A, 15 W, dimensions scale: 1250 mm x 1250 mm x 100 mm.	200
36	Jøni Foodline A/S	Jøni Foodline A/S cooking vessel, model: EASY, serial number: 016293-3841, year of construction: 2014, 230 V, 1 Ph, 50-60 Hz, 0.5 A, 0.12 kW, heating: external steam generator, steam volume: 24 liter, kettle volume: (gross / nett) 91 / 80 liter, total dimensions: 1300 mm x 1030 mm x 1240 mm.	950
37	Priden Engineering Ltd	Priden Engineering Ltd transport belt, s/s frame, serial number: 08-10662-2, plastic belt, belt width: 490 mm, total dimensions: 6370 mm x 800 mm x 650 mm.	200



38	Ulma	Ulma flowpacker, model: Florida E, number: 141725, year of construction: 2012, 415 V, 50 Hz, 9 A, 5.9 kW, chain infeed belt with plastic dividers, product width: 120 mm, divider height: 30 mm, distance between dividers: 200 mm, seal length: 300, plastic outfeed belt, belt width: 300 mm, total dimensions: 4250 mm x 1250 mm x 1860 mm. Technical condition unknown.	5000
39	Wolfking	Wolfking mobile giraffe elevating screw with infeed hopper, type: H/V-CONVEYOR, number: 55868, year of construction: 1992, 380 V, 3 Ph, 50 Hz, 30 A, 14 kW, weight: 600 kg, elevating height: 2820 mm, total dimensions: 3300 mm x 920 mm x 3040 mm.	500
40	Kronen	Kronen mobile dicer, type: KUJ, serial number: 294, year of construction: 2000, 400 V, 50 Hz, \emptyset infeed: 160 mm, total dimensions: 1100 mm x 1000 mm x 1300 mm.	2500
41	Ishida	Ishida checkweigher, model: DACS-V-030-SB/WP-I, number: 30151, year of construction: March 1995, 240 V, 50 Hz, 1.3 A, weighing capacity: 3.0 kg, plastic belt, belt width: 300 mm, total dimensions: 960 mm x 530 mm x 1500 mm.	200
42	Domino	Domino inkjet printer on a s/s frame, type: A-Series PLUS, dimensions: 660 mm x 660 mm x 2020 mm.	50
43	CFM	CFM industrial vacuum cleaner, type: 3106 Z22, number: 07A6159, year of construction: 2006, 230-400 V, 3 Ph, 50 Hz, 4.2/2.4 A, 0.85 kW, weight: 64 kg, dimensions: 840 mm x 420 mm x 1420 mm.	350
44	CFM	CFM industrial vacuum cleaner, type: 3106 Z22, number: 07A6158, year of construction: 2006, 230-400 V, 3 Ph, 50 Hz, 4.2/2.4 A, 0.85 kW, weight: 64 kg, dimensions: 840 mm x 420 mm x 1420 mm.	350
45	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 460 mm, total dimensions: 1200 mm x 500 mm x 860 mm.	50
46	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 460 mm, total dimensions: 1500 mm x 500 mm x 940 mm.	50
47	NN transport screw	S/s transport screw, diameter screw: 450 mm, tier: 240 mm, screw length: 3790 mm, total dimensions: 42520 mm x 1070 mm x 610 mm.	250
48	Unitech	Unitech transport belt, s/s frame, plastic mesh belt, belt width: 250 mm, total dimensions: 1510 mm x 600 mm x 820 mm.	100
49	Saleenco	Saleenco s/s vibrating gutter with slicer, type: CALIBRATION & CUTTING, serial number: 2849 PFU 001, year of construction: 2014, weight: 2500 kg, gutter width: 1000 mm, 10 knives, distance between knives: 85 mm, total dimensions: 4000 mm x 1500 mm x 1910 mm. Missing motors.	500
50	Saleenco	Saleenco s/s vibrating gutter with slicer, type: CALIBRATION & CUTTING, serial number: 2849 PFU 002, year of construction: 2014, weight: 2500 kg, gutter width: 1000 mm, 10 knives, distance between knives: 85 mm, total dimensions: 4000 mm x 1500 mm x 1910 mm.	500
51	NN elevating belt	Elevating belt, steel frame, plastic belt with dividers, belt width: 400 mm, divider height: 40 mm, distance between dividers: 250 mm, total dimensions: 4200 mm x 1020 mm x 860 mm.	150



52	Daumar S/A	Daumar S/A multihead weigher used for fruit, type: PA-25, serial number: 082515, year of construction: 1998, 415 V, 50 Hz, 1270 W, weight: 814 kg, 15 weighing stations, plastic infeed belt, belt width: 220 mm, plastic outfeed belt, belt width: 240 mm, total dimensions: 1700 mm x 1340 mm x 2660 mm.	450
53	Giro GH, S.A.	Giro GH, S.A. bag filling machine used for fruit, model: GB/UB, number: 832847, year of construction: 2010, 400 V, 3.5 kW, 6 bar, plastic outfeed belt, belt width: 240 mm, seal width: 100 mm, total dimensions: 1800 mm x 940 mm x 2210 mm.	350
54	CPX	CPX s/s vibrating gutter, serial number: HS 1891, stroke: 1 - 4 mm, gutter width: 320 mm, total dimensions: 2130 mm x 400 mm x 960 mm.	200
55	CPX	CPX s/s vibrating gutter, serial number: HS 1891, stroke: 1 - 4 mm, gutter width: 320 mm, total dimensions: 2130 mm x 400 mm x 960 mm.	200
56	CPX	CPX s/s vibrating gutter, serial number: HS 1891, stroke: 1 - 4 mm, gutter width: 320 mm, total dimensions: 2130 mm x 400 mm x 960 mm.	200
57	CPX	CPX s/s vibrating gutter, serial number: HS 1891, stroke: 1 - 4 mm, gutter width: 320 mm, total dimensions: 2130 mm x 400 mm x 960 mm.	200
58	CPX	CPX s/s vibrating gutter, serial number: HS 1891, stroke: 1 - 4 mm, gutter width: 320 mm, total dimensions: 2130 mm x 400 mm x 960 mm.	200
59	NN waste water tank	S/s waste water tank for water treatment, dimensions: 2850 mm x 2100 mm x 2450 mm.	2000
60	NN waste water tank	S/s waste water tank for water treatment, dimensions: 2850 mm x 2100 mm x 2450 mm.	2000
61	NN tank	S/s tank for water treatment with AL-5 Filtration controller, dimensions tank: Ø 840 mm x 1580 mm, total dimensions: 1620 mm x 1550 mm x 2490 mm.	1750
62	Allibert Helix	Allibert Helix plastic tank, volume: 3000 liter, dimensions: 2200 mm x 2000 mm x 3300 mm.	500
63	Allibert Helix	Allibert Helix plastic tank, volume: 3000 liter, dimensions: 2200 mm x 2000 mm x 3300 mm.	500
64	Allibert Helix	Allibert Helix plastic tank, volume: 10000 liter, dimensions: 3200 mm x 3100 mm x 2980 mm.	500
65	Hydracap	Hydracap water filtering system with Grundfoss pump and Francis Ward plastic tank, serial number Francis Ward: 651s, year of construction: 11/09, type Grundfos: MGE132sc2-FF265-D1, serial number: 1219, total dimensions: 3050 mm x 1130 mm x 2120 mm.	3500
66	Lvyuantong	2 Lvyuantong FRP pressure vessels for reverse osmose system, dimensions: 3650 mm x 1000 mm x 2000 mm.	2500
67	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 450 mm, total dimensions: 3650 mm x 1000 mm x 2000 mm.	50
68	NN turning table	S/s turning table, dimensions: Ø 1000 mm x 810 mm.	250



69	CTD Tiulmax	CTD Tiulmax s/s turning table, type/model: FF-0601, serial number: 2127-165, year of construction: 2021, 230 V, 50 Hz, 2.07 A, 0.25 kW, weight: 80 kg, dimensions: Ø 1210 mm x 830 mm.	950
70	NN transport belt	Transport belt with 2 roller conveyors, s/s frame, plastic belt, belt width: 300 mm, plastic rollers, roller width: (2x) 300 mm, total dimensions: 4500 mm x 1310 mm x 1340 mm.	200
71	NN transport belt	Transport belt with roller conveyors, s/s frame, plastic belt, belt width: 300 mm, plastic rollers, roller width: 300 mm, total dimensions: 4500 mm x 1310 mm x 1340 mm. Including plastic crate with spare rollers.	200
72	Blackrow Engineering Co. Ltd	Blackrow Engineering Co. Ltd extentable transport belt, s/s frame, type: PU CONVEYOR BELT C, manufacturing number: 3005-122398, year of construction: 2013, plastic belt, belt width: 800 mm, total dimensions: 5440 mm x 1370 mm x 1520 mm.	500
73	NN transport belt	Transport belt with 2 roller conveyors, s/s frame, plastic belt, belt width: 300 mm, plastic rollers, roller width: (2x) 300 mm, total dimensions: 4500 mm x 1310 mm x 1340 mm.	200
74	NN table	S/s mobile table, dimensions: 3010 mm x 760 mm x 1300 mm.	100
75	Leuze Electronics	4 Leuze Electronics laser lights, dimensions: (4x) 160 mm x 160 mm x 1960 mm.	100
76	Eillert B.V.	Eillert B.V. vegetable slicer, type: G 4400, number: 050, year of construction: 2001-20, 400 V, 16 A, plastic infeed belt, belt width: 250 mm, clearance: 260 mm x 85 mm, total dimensions: 2930 mm x 950 mm x 1670 mm.	2500
77	NN elevating belt	Mobile elevating belt, s/s frame, s/s mesh belt, elevating height: 900 mm, total dimensions: 3500 mm x 900 mm x 2200 mm.	250
78	Priden Engineering Ltd	Priden Engineering Ltd elevating screw, serial number: 08-10582, Ø screw: 400 mm, tier: 100 mm, screw length: 6600 mm, total dimensions: 7600 mm x 1460 mm x 1100 mm.	250
79	CPX	CPX s/s vibrating gutter, serial number: 1678, stroke: 5 - 10 mm, gutter width: 420 mm, total dimensions: 5430 mm x 620 mm x 1120 mm.	250
80	Polar Systems Ltd	Polar Systems Ltd transport belt, s/s frame, number: 4365-A4-08, plastic belt with dividers, belt width: 600 mm, divider height: 10 mm, distance between dividers: 700 mm, total dimensions: 5950 mm x 960 mm x 620 mm.	250
81	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 165 mm, total dimensions: 4400 mm x 650 mm x 950 mm.	100
82	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 240 mm, total dimensions: 2960 mm x 800 mm x 1040 mm.	100
83	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 535 mm, total dimensions: 1720 mm x 800 mm x 1120 mm.	200
84	C-TRAK LTD	C-TRAK LTD mobile roller conveyor, s/s frame, serial number: 11387/GR, year of construction: April 2020, plastic rollers, roller width: 250 mm, total dimensions: 2970 mm x 400 mm x 920 mm.	100
85	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 370 mm, total dimensions: 2740 mm x 700 mm x 1100 mm. Missing 1 wheel.	150



86	SF Engineering	SF Engineering transport belt, s/s frame, serial number: SF 408612-499, year of construction: 22/11/2012, plastic mesh belt, belt width: 400 mm, total dimensions: 1500 mm x 860 mm x 1100 mm.	150
87	NN elevating belt	S/s elevating belt, chain belt with plastic dividers, divider width: 450 mm, divider height: 140 mm, distance between dividers: 190 mm, elevating height: 2550 mm, total dimensions: 6700 mm x 1640 mm x 3100 mm.	500
88	Priden Engineering Ltd	Priden Engineering Ltd mobile transport belt, s/s frame, serial number: 068850, plastic belt with dividers, belt width: 400 mm, divider height: 10 mm, distance between dividers: 180 mm, total dimensions: 2070 mm x 720 mm x 860 mm.	250
89	NN table	S/s table, dimensions: 840 mm x 610 mm x 850 mm.	150
90	M&S Engineering	M&S; Engineering transport belt, s/s frame, plastic belt, belt width: 680 mm, total dimensions: 1000 mm x 940 mm x 1000 mm.	250
91	Bila	Bila pallet stacker, type: 40217-152102-09-SP, serial number: 17-0159, year of construction: 2017, 1 Ph, 16 A, 510 kg, total dimensions: 1470 mm x 1550 mm x 3750 mm.	150
92	Bleuprint Automation	Blueprint Automation checkweigher with rejector, serial number: V 1280, s/s rollers, roller width: 400 mm, total dimensions: 710 mm x 510 mm x 700 mm & 800 mm x 590 mm x 1260 mm.	200
93	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 330 mm, total dimensions: 760 mm x 600 mm x 640 mm.	100
94	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 240 mm, elevating height: 900 mm, total dimensions: 2510 mm x 500 mm x 930 mm.	150
95	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 1320 mm x 600 mm x 870 mm.	100
96	CFS	6 CFS grids and 1 knife for a grinder, Ø knife and grids: 300 mm.	100
97	Autolabel	Autolabel mobile labeller, model: T63, year of construction: 2015, 100-120 / 200-240 V, 50-60 Hz, 5.0 / 2.5 A, maximum label width: 180 mm, total dimensions: 1700 mm x 700 mm x 700 mm.	100
98	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 250 mm, total dimensions: 3220 mm x 450 mm x 1080 mm.	100
99	NN coat rack	S/s coat rack with 120 hangers, total dimensions: 2990 mm x 300 mm x 1920 mm.	50
100	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 300 mm, elevating height: 1170 mm, total dimensions: 1540 mm x 650 mm x 1210 mm.	150
101	Etipack	Etipack labeller, model: TECNOS 1.3 EMC DX, serial number: A1A210R1-7, year of construction: 2000, 240 V, 50-60 Hz, 0.5 A, plastic belt, belt width: 200 mm, total dimensions: 1560 mm x 800 mm x 1940 mm.	150
102	Sorma	Sorma elevating belt, s/s frame, model: NER 121, serial number: 2052178, year of construction: 2012, plastic belt with dividers, belt width: 300 mm, divider height: 40 mm, distance between dividers: 150 mm, elevating height: 910 mm, total dimensions: 1520 mm x 570 mm x 980 mm.	250



103	Lucy Electric	Lucy Electric transformer cabinet, type: ACULOK THM0136952, serial number: LVT0003491, year of construction: 2019, weight: 260 kg, current: 2500 A, dimensions: 830 mm x 750 mm x 1600 mm.	750
104	Thermo Ramsey Italia S.r.L.	Thermo Ramsey Italia S.r.L. transport belt, s/s frame, model: BOX-BAG, serial number: 70018, year of construction: 2006, 230 V, 50 Hz, 0.6 kVA, plastic belt, belt width: 475 mm, total dimensions: 1020 mm x 850 mm x 980 mm.	100
105	Etipack	Etipack labeller, model: TECNOS 1.3 EMC, serial number: C1A46R4-1, year of construction: 2002, 230 V, 50-60 Hz, 0.5 A, plastic belt, belt width: 290 mm, total dimensions: 1090 mm x 980 mm x 2080 mm.	100
106	NN tank	S/s tank with agitator, dimensions: 1100 mm x 800 mm x 1280 mm.	200
107	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 380 mm, total dimensions: 1060 mm x 560 mm x 990 mm.	100
108	Autolabel	Autolabel mobile labeller, maximum label width: 180 mm, dimensions: 750 mm x 700 mm x 1700 mm.	150
109	SF Engineering	SF Engineering s/s frame for transport belt, serial number: SF850515/963, year of construction: 12/10/15, belt width: 380 mm, s/s rollers, roller width: 375 mm, total dimensions: 1890 mm x 720 mm x 1000 mm.	50
110	PCL Machinery	PCL Machinery mobile metal detector, s/s frame, year of construction: 2000, plastic belt, belt width: 600, clearance: 665 mm x 120 mm, total dimensions: 2050 mm x 1010 mm x 1160 mm.	150
111	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 360 mm, total dimensions: 5010 mm x 800 mm x 1550 mm.	150
112	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 300 mm, total dimensions: 1960 mm x 600 mm x 970 mm.	150
113	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 295 mm, total dimensions: 1400 mm x 500 mm x 960 mm.	100
114	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 210 mm, total dimensions: 810 mm x 530 mm x 950 mm.	50
115	Carso	Carso transport belt, s/s frame, type/model: BUFFER LIGHT 2000, number: P2286-1C, year of construction: 2011, 230 V, 1 Ph, 0.12 kW, 8 bar, plastic belt, belt width: 340 mm, total dimensions: 2470 mm x 580 mm x 1410 mm.	100
116	LOVESHAW Europe	LOVESHAW Europe mobile box closing machine, model: LD35B, serial number: 110036SBX, year of construction: 02 06 10, 240 V, 1 Ph, 50 Hz, 4.5 A, plastic belt, belt width: (2x) 50 mm, total dimensions: 1260 mm x 1100 mm x 1700 mm. Missing tapers.	100
117	Wymbs Engineering Ltd	Wymbs Engineering Ltd pumping station, year of construction: 18/08/98, dimensions tank: Ø 800 mm x 800 mm, total dimensions: 1320 mm x 1000 mm x 1850 mm.	450
118	Packaging Automation	Packaging Automation mobile rotary traysealer, serial number: E182746, 240 V, 50 Hz, 4 dye's (2x 2 dye's) dimensions dye's: (4x) 130 mm x 105 mm, total dimensions: 1130 mm x 1340 mm x 1680 mm.	950



119	Carsoe	Carsoe denester, type/model: ANYTRAY DENESTER, number: SO-9972, year of construction: 2012, 8 bar, clearance: 225 mm x 140 mm, total dimensions: 600 mm x 520 mm x 650 mm.	175
120	Water Technology Ltd	Water Technology Ltd chlorine dioxide generator, model: COMPACT CL02, year of construction: 13/06/06, 230 V, 3 A, dimensions: 740 mm x 550 mm x 970 mm.	50
121	Siat	Siat box closing machine with outfeed roller conveyor, model box closing machine: SM11-89, serial number: 14603, year of construction: 1991, 440 V, 3 Ph, 50 Hz, 1.2 A, 240 W, plastic rollers, roller width: (6x) 40 mm, plastic belt, belt width: (2x) 80 mm, model outfeed conveyor: AG21NT-500, serial number: 1562, year of construction: 1991, 440 V, 3 Ph, 50 Hz, 0.6 A, 120 W, s/s rollers, roller width: 490 mm, plastic belt, belt width: 100 mm, total dimensions: 2520 mm x 900 mm x 1400 mm.	450
122	FAM	FAM mobile dicer, type: ILC.2, number: 7631, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 4 kW, weight: 650 kg, Ø infeed: 320 mm, total dimensions: 1450 mm x 870 mm x 2100 mm. Incomplete, missing knives.	8500
123	Grasselli	Grasselli slicer, model: SL600, plastic outfeed belt, belt width: 585 mm, total dimensions: 1200 mm x 900 mm x 1800 mm. Incomplete. Including box with spare parts.	1750
124	Palamatic	Palamatic crusher, working width: 1100 mm, total dimensions: 1550 mm x 1130 mm x 1480 mm.	500
125	Multivac	Multivac thermoformer, model: R5200 MC, serial number: 3232/110, year of construction: 1997, 415 V, 3 Ph, 50 Hz, 47 A, 18 kW, film width: (bottom) 460 mm & (top) 420, index: 460 mm, dimensions dye: (10x) 140 mm x 70 mm, plastic outfeed belt, belt width: 390 mm, total dimensions: 7930 mm x 1150 mm x 2110 mm.	2500
126	Aaron Packaging Machinery	Aaron Packaging Machinery packaging machine, model: EDL 780 A, serial number: 51245, year of refurbishing: 1-2-11, 415 V, 3 Ph, 32 A, s/s rollers, roller width: 500 mm, plastic belt, belt width: 300 mm, seal width: 670 mm, total dimensions: 2470 mm x 1200 mm x 1870 mm.	100
127	ED	ED shrink tunnel, model: 24/15 ST, serial number: 32206, 415 V, 3 Ph, 50 Hz, 30 A, 19 kW, s/s rollers, roller width: 630 mm, clearance: 610 mm x 425 mm, total dimensions: 2900 mm x 1140 mm x 1840 mm.	100
128	NN weighing scale	Weighing scale on s/s frame with Mettler Toledo indicator, type indicator: IND690 Desk, serial number: 3219492, 100-240 V, 50-60 Hz, dimensions scale: 600 mm x 500 mm, total dimensions: 1000 mm x 980 mm x 1180 mm.	50
129	Endoline	Endoline box taper, model: 102, serial number: 161277761-6, year of construction: 2016, 5.5 bar, dimensions: 820 mm x 560 mm x 950 mm.	50
130	Endoline	Endoline box taper, model: 102, serial number: 161277761-5, year of construction: 2016, 5.5 bar, dimensions: 820 mm x 560 mm x 950 mm.	50



131	Johnson	Johnson lobe pump, model: CP10/0008, serial number: 42214/A/08, maximum pressure: 8 bar, dimensions: 900 mm x 790 mm x 700 mm.	50
132	Wright	Wright lobe pump, model: 0300 TRA20, serial number: 07F4896, dimensions: 900 mm x 260 mm x 350 mm.	50
133	Johnson	Johnson lobe pump, model: CP30/0069, serial number: 43450/A/08, maximum pressure: 3.5 bar, dimensions: 1080 mm x 280 mm x 330 mm.	50
134	Turbo Tools	Turbo Tools mobile depositor, serial number: NMD449388, dimensions: 970 mm x 610 mm x 1500 mm. Incomplete.	50
135	Turbo Systems Ltd	Turbo Systems Ltd mobile depositor, type: NMD150P, machine number: NMD150P5411382, year of construction: 2008, dimensions: 1040 mm x 620 mm x 1640 mm. Incomplete.	50
136	Turbo Tools	Turbo Tools mobile depositor, serial number: NMD430388, dimensions: 1050 mm x 610 mm x 1560 mm. Incomplete.	50
137	Gei Turbo	Gei Turbo mobile depositor, type: M100P, machine number: M100P 48 07079, year of construction: 1998, dimensions: 950 mm x 640 mm x 1250 mm. Incomplete.	50
138	NN transport belt	Transport belt with roller conveyors, s/s frame, plastic belt, belt width: 300 mm, plastic rollers, roller width: 300 mm, total dimensions: 4500 mm x 1310 mm x 1340 mm.	100
139	Activeozone	Activeozone steel cabinet, dimensions: 700 mm x 650 mm x 1960 mm.	50
140	Activeozone	Activeozone steel cabinet, dimensions: 700 mm x 650 mm x 1960 mm.	50
141	Activeozone	Activeozone steel cabinet, dimensions: 700 mm x 650 mm x 1960 mm.	50
142	Activeozone	Activeozone steel cabinet, dimensions: 700 mm x 650 mm x 1960 mm.	50
143	NN trolley	S/s trolley, dimensions: 950 mm x 650 mm x 960 mm.	50
144	NN trolley	S/s trolley with parts for a multihead weigher, dimensions: 980 mm x 930 mm x 1160 mm.	50
145	NN pastry roller	S/s trolley with a pastry roller, clearance infeed: 640 mm x 160 mm, total dimensions: 1300 mm x 940 mm x 1530 mm.	100
146	EPACKAGING	EPACKAGING mobile labeller, serial number: 4651, year of construction: 2011, plastic belt, belt width: 275 mm, total dimensions: 1530 mm x 1160 mm x 1220 mm.	100
147	Bartlett	Bartlett mobile serving counter, dimensions: 1360 mm x 1320 mm x 880 mm.	50
148	NN platform	S/s platform with stairs, height platform: 1050 mm, total dimensions: 2550 mm x 890 mm x 2140 mm.	150
149	NN switch cabinet	S/s switch cabinet, dimensions: 500 mm x 260 mm x 1720 mm.	50
150	NN infeed table	S/s infeed table, dimensions: 1200 mm x 970 mm x 870 mm.	50



151	Covimac S.r.L.	Covimac S.r.L. packaging machine with shrink tunnel, model: ECO 650, serial number: 262, year of construction: 1997, 220-380 V, 10 kW, weight: 250 kg, film width: 500, clearance shrink tunnel: 700 mm x 440 mm, total dimensions: 2850 mm x 1060 mm x 1750 mm.	100
152	EPACKAGING	EPACKAGING labeller, plastic belt, belt width: 280 mm, total dimensions: 1440 mm x 1200 mm x 1230 mm.	50
153	Consol	Consol converging conveyor, model: freeway, serial number: C657623, year of construction: 03/2012, 230 V, 15 A, plastic mesh belt, belt width: 320 mm, total dimensions: 2000 mm x 850 mm x 1070 mm.	150
154	Package Automation	Package Automation chain and peg conveyor, s/s frame, distance between pegs: 185 mm, distance between chains: 100 mm, total dimensions: 4620 mm x 600 mm.	100
155	Fletcher	9 plastic Fletcher bowl trolleys, maximum diameter bowls: 450 mm, total dimensions: 500 mm x 500 mm x 100 mm.	50
156	Teknomek	Teknomek s/s writing desk, dimensions: 700 mm x 600 mm x 1100 mm.	50
157	Teknomek	Teknomek s/s writing desk, dimensions: 700 mm x 600 mm x 1100 mm.	50
158	NN switch cabinet	S/s switch cabinet, dimensions: 490 mm x 480 mm x 1770 mm.	50
159	PCL Machinery	PCL Machinery double metal detector with rejector, model: Cintex Sentry, serial number: AUK60002-07417D, plastic belt, belt width: 750, clearance: (2x) 800 mm x 100 mm, total dimensions: 1590 mm x 1610 mm x 1360 mm.	1250
160	Shanklin	Shanklin shrink tunnel, model: T 6 HE, serial number: T9B215, 400 V, 3 Ph, 50 Hz, 15 A, clearance: 450 mm x 270 mm, belt width: 285 mm, total dimensions: 1450 mm x 980 mm x 1870 mm.	150
161	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 260 mm, total dimensions: 5000 mm x 580 mm x 940 mm.	100
162	Sharp Systems	Sharp Systems transport belt, s/s frame, number: SP4320-06, year of construction: 29-10-18, plastic belt, belt width: 260 mm, total dimensions: 3500 mm x 800 mm x 870 mm.	100
163	Falcon	Falcon steamer, 415 V, 6 floors, dimensions floor: (6x) 500 mm x 450 mm, total dimensions: 720 mm x 610 mm x 1620 mm.	50
164	LAC	LAC transport belt, s/s frame, type: Conveyor 2, serial number: F10361-2, year of construction: March 2011, plastic mesh belt, belt width: 200, total dimensions: 4580 mm x 660 mm x 1160 mm.	100
165	LAC	LAC transport belt, s/s frame, type: Conveyor 1, serial number: F10361-1, year of construction: March 2011, plastic mesh belt, belt width: 200, total dimensions: 4580 mm x 660 mm x 1160 mm.	100
166	NN trolley	S/s trolley with 12 floors, dimensions floor: (12x) 750 mm x 490 mm, total dimensions: 770 mm x 550 mm x 1710 mm.	50



167	Markem	Markem mobile inkjet printer, type: 9064, serial number: 030574, 115/230 V, 50-60 Hz, 8/4 A, dimensions: 980 mm x 980 mm x 1650 mm.	50
168	NN transport belt	Mobile transport belt with plastic curtains, s/s frame, plastic belt, belt width: 340 mm, total dimensions: 3660 mm x 1870 mm x 2150 mm.	100
169	NN press roller	S/s press roller, plastic belt, belt width: (2x) 1180 mm, s/s roll, roll width: 1230 mm, total dimensions: 3040 mm x 2030 mm x 1980 mm.	200
170	NN trolley	S/s trolley, 4 floors, dimensions floor: (4x) 1000 mm x 900 mm, total dimensions: 1000 mm x 900 mm x 1610 mm.	50
171	New Smith	New Smith crate washer, model: Silver Series, serial number: KM1166, year of construction: 99, triple plastic chain belt, clearance: 700 mm x 240 mm, total dimensions: 4950 mm x 1730 mm x 2360 mm.	2500
172	Fortress	Fortress mobile metal detector with rejector, model: Phantom, plastic mesh belt, belt width, 290 mm, clearance: 260 mm x 105 mm, total dimensions: 3920 mm x 1300 mm x 1270 mm.	1250
173	NN fans	2 fans on a steel frame, dimensions: (2x) 1300 mm x 740 mm x 1460 mm.	50



General Terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers

Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the



website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Government laws and regulations, such as the Money Laundering and Terrorist Financing Prevention Act (WWFT), may impose (additional) obligations on Industrial Auctions. The client is required to provide all information requested by Industrial Auctions including (but not limited to) information about the client's identity to establish and verify this further, to verify and record the identity of the ultimate beneficial owner, the purpose and nature of the engagement or to exercise a transaction or an ongoing control over the business relationship or the natural person who represents or is authorized to do so by the client and whether the client is acting for themselves or for a third party. If the requested information is not supplied within 5 days after the first request, Industrial Auctions may immediately terminate the agreement and, pending the



information, Industrial Auctions may suspend the services. Industrial Auctions is then not obliged or liable for any compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the supporting system;
- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including



taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:



- Not to recognize a bid as such;
- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a



different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by



him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery



13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the



agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including



the loss of the good itself);

- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;

- Damage caused by environmentally harmful substances in or on the purchased;

- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);

- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



**Industrial
Auctions** BV



**Industrial
Auctions** BV

Address: Looyenbeemd 11
5652 BH Eindhoven, Netherlands
Tel.: +31 (0)40 2409 208
Fax: +31 (0)40 2409 209
Email: info@industrial-auctions.com
Web: www.industrial-auctions.com