



# Industrial Auctions BV

Online auction machinery for the food industry in  
Emmerich am Rhein (DE)

**Closing: 01 December 2021 from 14:00 hrs.**



**Viewing day:**

**Address:**

Dechant-Sprüngen-Straße 51a  
46446 Emmerich am Rhein  
Germany



## General terms and conditions of the online auction

Closing date	01 December 2021 from 14:00 hrs.
Viewing	
Organizing Company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 Fax: +31 (0)40 2409 209 E-mail: <a href="mailto:info@industrial-auctions.com">info@industrial-auctions.com</a>
Buyers premium	18% over the highest bid
V.A.T	19% over the highest bid including Premium
Pickup date	08 December 2021 from 09:00 till 16:00 hrs.
Pickup address	Dechant-Sprünken-Straße 51a 46446 Emmerich am Rhein Germany
Delivery instructions	The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Industrial Auctions B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address.
Payment details	Before collection of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is made in the last 5 minutes the lot closes, the closing time of that lot will be extended with 5 minutes until no bids are made.



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
1	Kramer + Grebe	Kramer + Grebe double shaft cutter, type: Duo 500, machine number: 278/109, year of construction: 1991, s/s bowl, volume: 500 liter, plastic rejecter, with lifter for 200 liter meat bins, dimensions: 3200 mm x 2300 mm x 2200 mm. With s/s switch cabinet, dimensions switch cabinet: 2450 mm x 550 mm x 2350 mm and trolley with spare parts, among others, 10 s/s cutter knives.	15000
2	GMST	5 GMST cutter knives, model: CS500TC266 R350, length knife: 330 mm.	100
3	GMST	5 GMST cutter knives, model: CS500TC266 R350, length knife: 330 mm.	100
4	Yale	Pallet with 2 Yale chain hoists, serial number: GHDA27149R and GHDA26547R, year of construction: 1997 and 1996, 400 V, 3 Ph, 50 Hz, 1 A, 0.4 kW, capacity: 250 kg, inclusive rollers.	75
5	MAI	MAI bandsaw, type: 630 8, number: 300144, year of construction: 1989, 380 V, 3 Ph, 50 Hz, 3.7 A, 1.5 kW, table dimensions: 770 mm x 710 mm, total dimensions: 770 mm x 710 mm x 1650 mm. With spare saws.	200
6	Heinrich GmbH	Heinrich GmbH mobile sausage cutter, type: Trenn-Fix, machine number: 985603, year of construction: 1998, 220 V, 50 Hz, clearance: 680 mm x 660 mm, total dimensions: 3000 mm x 850 mm x 1760 mm.	2500
7	Weber	Weber mobile skinning and derinding machine, type: ASB 600-2, number: 1043, 380 V, 50 Hz, 0.7 / 0.85 kW, plastic belt, belt width: 295 mm, working width: 340 mm, total dimensions: 1160 mm x 680 mm x 1150 mm.	950
8	Maja	Maja skinning machine, working width: 295 mm, total dimensions: 500 mm x 450 mm x 1000 mm.	150
10	Maja	Maja mobile skinning and derinding machine, type: BXA 554, serial number: M-50414, year of construction: 2012, 400 v, 3 Ph, 50 Hz, 2.8 A, 1.1 kW, weight: 380 kg, plastic infeed belt, belt width: 500 mm, plastic mesh belt, belt width: 500 mm, working width: 560 mm, total dimensions: 1300 mm x 1000 mm x 1380 mm.	2500
11	Weber	Weber mobile skinning machine, type: ASE 553, number: 859, 380 V, 50 Hz, 0.4 kW, plastic belt, belt width: 295 mm, clearance: 400 mm, total dimensions: 1160 mm x 680 mm x 1150 mm.	500
12	Walter	Walter mobile injector with filter, 8 needles, plastic belt, belt width: 260 mm, clearance: 270 mm x 170 mm, total dimensions: 1250 mm x 400 mm x 1460 mm.	500
13	Rühle	Rühle mobile injector with filter, 15 needles, s/s belt, belt width: 275 mm, total dimensions: 1200 mm x 450 mm x 1700 mm. Technical condition unknown.	250
14	NN brushing machine	Mobile s/s brushing machine, brush length: 175 mm, total dimensions: 1200 mm x 610 mm x 1000 mm.	150



15	Hako	Hako floor scrubber, type: HAKOMATIC B550-B850 VAR, number: 745814 80642 2, 24 V, 1.4/1.65 kW, weight: 463 kg, dimensions: 2000 mm x 1200 mm x 1200 mm.	250
16	Tipper Tie Technopack	Tipper Tie Technopack mobile double clipper, type: DCA-EN, number: DCA-EN 773 444, dimensions: 1400 mm x 800 mm x 1950 mm.	1000
17	Berkel	Berkel grinder, plate diameter: 98 mm, total dimensions: 900 mm x 560 mm x 1200 mm. Missing plate.	500
18	NN grinder	Grinder, plate diameter: 980 mm, total dimensions: 860 mm x 520 mm x 1080 mm.	500
19	Kapman	Kapman cooled vacuum tumbler, model: PRTC-500c, serial number: 0202011002, year of construction: 2020/10, 380 V, 3 Ph, 32 A, volume: 500 liter, with vacuum pump and MIT cooling compressor, total dimensions: 2100 mm x 950 mm x 1580 mm.	5000
20	HBK	HBK mobile bandsaw, type: PS 91, machine number: 0018, year of construction: 1991, 200 Hz, 0.8 kW, pressure: 8 bar, total dimensions: 1060 mm x 750 mm x 1400 mm.	250
22	Frey	Frey piston filler, type: Kompakta 2, knee control, dimensions: 760 mm x 700 mm x 1200 mm. Including 3 filling pipes.	1250
23	Tipper Tie Technopack	Tipper Tie Technopack mobile clipper, type: TCEA.N.435.335, dimensions: 1070 mm x 700 mm x 1870 mm.	500
24	NN sole cleaner	Sole cleaner, 2 brushes, length brushes: (2x) 700 mm, total dimensions: 1800 mm x 830 mm x 1300 mm.	500
25	NN hygiene station	Mobile hygiene station with pump and hoses, dimensions: 900 mm x 460 mm x 900 mm.	75
26	Dantherm	Dantherm mobile dehumidifier, model: CD 2400, serial number: 138515950124, 230 V, 50 Hz, 8.5 A, 3.6 kW, pressure: 24 bar, capacity: 800 m <sup>3</sup> per hour, refrigerant: R22, 1.05 kg, dimensions: 580 mm x 550 mm x 1250 mm.	75
27	Felix Brockhage	Felix Brockhage mobile slicer, clearance: 100 mm x 90 mm, 7 dividers, distance between dividers: 10 mm, total dimensions: 1940 mm x 600 mm x 1900 mm.	500
28	Sartorius	Sartorius weighing device for 200 liter meat bins, type indicator: DX BQ 300, number: D02-09-007, dimensions: 1100 mm x 800 mm x 1150 mm.	250
29	NN meat bins	S/s meat bin, volume 200 liter.	40
30	K-PZ Waagen	K-PZ Waagen double weighing scale for döner skewers, model: KPZ 51-9, year of construction: 2004, dimensions: 1100 mm x 800 mm x 1150 mm.	400
31	Haacon	Haacon lifter, type: 220-0.3, fabrication number: 9348664, year of construction: 1993, capacity: 2030 / 3000 N, fork length: 590 mm, lifting height: 1830 mm, total dimensions: 1100 mm x 500 mm x 2000 mm.	100
32	Electrolux	Electrolux cooking vessel, gas heated, inside dimensions: 600 mm x 600 mm x 450 mm, total dimensions: 1080 mm x 900 mm x 1850 mm.	250



33	Electrolux	Electrolux cooking vessel, gas heated, inside dimensions: 590 mm x 590 mm x 400 mm, total dimensions: 1060 mm x 900 mm x 1880 mm.	250
34	NN cooking vessel	S/s cooking vessel, number: 22822, volume 250 liter, pressure: 0.5 bar, volume: 250 liter, temperature: 111°C, total dimensions: 1500 mm x 1140 mm x 1100 mm. Technical condition unknown.	200
35	Memmert	Memmert incubator, 2 floors, dimensions floors: (2x) 1000 mm x 480 mm, total dimensions: 1100 mm x 700 mm x 1100 mm.	100
36	Melag	Melag incubator, type: 80, nr: F80623, 220 V, 50 Hz, 0.55 A, 120 W, floor dimensions: 140 mm x 110 mm, inside dimensions: 140 mm x 110 mm x 310 mm, total dimensions: 270 mm x 130 mm x 420 mm.	50
37	NN turning table	S/s turning table, diameter table: 790 mm, total dimensions: 1100 mm x 1040 mm x 1200 mm.	100
38	NN tenderizer	Mobile tenderizer, plastic belt, belt width: 330 mm, clearance: 380 mm x 140 mm, total dimensions: 1900 mm x 870 mm x 1640 mm. Technical condition unknown.	400
39	Günther	Günther vacuum tumbler with CO2 function, type: GPC2200MN2, machine number: 24177, 400 V, 32 A, volume: 2200 liter, Busch vacuum pump, type: RC 0063 E 501, number: 436963/GMZZ/ND, year of construction: 1995, total dimensions: 2420 mm x 2040 mm x 2300 mm. Including s/s hose for CO2 function.	2500
40	H. Glass	H. Glass vacuum tumbler, type: VSM 600, machine number: 2109, year of construction: 1995, 400 V, 50 Hz, 13.8 A, 5.85 kW, volume: 600 liter, dimensions: 1600 mm x 1350 mm x 1950 mm. Missing pneumatic arm for lid. Without vacuum pump.	1500
41	Henneken	Henneken vacuum tumbler, volume: 2500 liter, total dimensions: 2450 mm x 2200 mm x 2120 mm. Missing frequency converter. Without vacuum pump.	1500
42	NN spiral mixer	Spiral mixer with infeed gutter, s/s bowl, bowl dimensions: 900 mm x 900 mm x 500 mm, total dimensions: 1750 mm x 1500 mm x 2270 mm.	3750
43	NN spiral mixer	Spiral mixer with infeed gutter, s/s bowl, bowl dimensions: 900 mm x 900 mm x 500 mm, total dimensions: 1750 mm x 1500 mm x 2270 mm.	3750
44	Stork	Stork mobile forming machine, model: THV 400, year of construction: 1992, dimensions forms: 370 mm x 50 mm, total dimensions: 1940 mm x 720 mm x 2000 mm. Defect, incomplete.	750
45	Sierra S.p.A.	Sierra S.p.A. roof condenser, model: CSE 663 ST, serial number: C0001559, year of construction: 03/04/2008, 400 V, 3 Ph, 50 Hz, 4.8 A, 137 kW, 3 fans, total dimensions: 3700 mm x 1050 mm x 1200 mm. Missing copper side bar.	250
46	Sierra S.p.A.	Sierra S.p.A. roof condenser, 3 fans, total dimensions: 3700 mm x 1050 mm x 1200 mm.	400



47	Hobart	Hobart dishwasher, plastic belt, belt width: 550 mm, clearance: 615 mm x 415 mm, dimensions: 2000 mm x 850 mm x 1600 mm and 1400 mm x 850 mm x 1600 mm. Incomplete, technical condition unknown.	500
48	Ziehl Abegg	Biehl Abegg fan, 3x400 V, 50 Hz, 3.5/1.8 A, 1.65/1.0 kW, temperature: 50°C, dimensions: 1000 mm x 1000 mm x 300 mm.	25
49	NN blower	Blower, dimensions: 720 mm x 720 mm x 600 mm.	25
50	Matthews & Yates	3 Matthews & Yates steel fans, with steel cover, dimensions: (3x) 850 mm x 850 mm x 230 mm.	75
51	Allewijjnse Panelenbouw B.V.	Allewijjnse Panelenbouw B.V. switch cabinet, year of construction: 2007, dimensions: 800 mm x 420 mm x 2200 mm.	150
52	NN vacuum machine	Mobile vacuum machine, model: DZQ-500, 110-240 V, 50/60 Hz, 900 W, weight: 105 kg, seal width: (2x) 500 mm, chamber dimensions: 500 mm x 430 mm, total dimensions: 650 mm x 590 mm x 1000 mm.	150
53	Schröter	Schröter smoking chamber, model: Smokjet, type: RH, fabrication numbers: 087-0408, year of construction: 07-2008, Schröter smoking and cooking chamber, model: Thermicjet, type: HRKR-2, fabrication numbers: 087-0407, year of construction: 07-2008, 2 Schröter smoke generator for wood chips, type: RH, fabrication number: 087-0408, year of construction: 07-2008, 115/1/02, 400 V, dimensions smoke generators: (2x) 1450 mm x 850 mm x 1690 mm, 2 switch cabinets, dimensions switch cabinets: (2x) 1340 mm x 750 mm x 480 mm. 2 Schröter blowers, dimensions: 1300 mm x 1100 mm x 950 mm.	5000
54	Bovo-Treviso	Bovo-Treviso pasteurizer, model: Cortina, 50 Hz, inside dimensions: 520 mm x 520 mm x 500 mm, total dimensions: 760 mm x 700 mm x 1150 mm.	200
55	Oberwerk	Oberwerk slicer, dimensions: 550 mm x 550 mm x 480 mm. Defect.	50
56	Bizerba	Bizerba automatic slicer, type: VS 8 D, number: 1428638, year of construction: 1995, 230/400 v, 50 Hz, 2.1 /1.5 A, dimensions: 800 mm x 650 mm x 550 mm. Incomplete.	100
57	Hendi BV	Hendi BV slicer, model: 210017, year of construction: 29-04-2008, 230/240 V, 420 W, dimensions: 500 mm x 400 mm x 400 mm. Defect.	50
58	NN slicer	Slicer, model: G 30, nr: 035, 220 V, 50 Hz, dimensions: 500 mm x 400 mm x 500 mm. Defect.	50
59	Sanpack Lagertechnik GmbH	Sanpack Lagertechnik GmbH pallet wrapper, type: Sanpack-Mat, number: MAT21.010.147.1-V, 3x 380 V, 50 Hz, 4.57 A, 0.99 kW, film width: 500 mm, diameter platform: 1500 mm, total dimensions: 2700 mm x 1500 mm x 800 mm. Including pallet with large amount of plastic film rolls, film width: 520 mm, dimensions pallet with film: 1200 mm x 800 mm x 1700 mm.	750



60	Busch	Busch vacuum pump, type: WV 0500 B 001 KAGG, number: NM00370102, year of construction: 2006, dimensions: 1000 mm x 400 mm x 550 mm.	200
61	GEA Küba	2 GEA Küba evaporators, 1 fan, type: DPA 041 Decken-luft comfort, manufacturing number: P209890208 / 2004 / 98902068 / 6 and P209890208 / 2004 / 9890208 / 9, year of construction: 2004, 230 V, 1 Ph, 50 Hz, temperature: -40°C/+100°C, pressure: 5/25 bar, dimensions: (2x) 1000 mm x 970 mm x 270 mm.	300
62	NN table	Aluminium table, dimensions: 2260 mm x 1200 mm x 850 mm.	75
63	Mettler Toledo	Mettler Toledo weighing scale, type: L2-15M-h2s, number: 2380403, year of construction: 2000, 170-240 V, 50/60 Hz, 270-100 mA, maximum weight: 3/6/15 kg, minimum weight: 20 gram, e= 1/2/5 gram, scale dimensions: 350 mm x 280 mm, total dimensions: 450 mm x 350 mm x 480 mm.	75
64	Avery Dennison	Avery Dennison label printer, type: AP5.4, serial number: 1114311405-AP54, year of construction: 2014, 100-240 V, 50/60 Hz, 1.5- 3.0 A, dimensions: 460 mm x 260 mm x 260 mm.	75
65	Avery Dennison	Avery Dennison label printer, type: AP5.4, serial number: 1143740705-AP54, 100-240 V, 50/60 Hz, 3.2 A, dimensions: 460 mm x 260 mm x 260 mm.	75
66	Soehnle	Soehnle weighing scale, model: SEB4B-200-C3-HS, serial number: 187486, maximum weight: 200 kg, dimensions: 520 mm x 390 mm x 140 mm. Missing scale and indicator.	50
67	Bizerba	Bizerba weighing scale with label printer, type: GLP-W, number: 10138751, year of construction: 2005, 230 V, 50 Hz, 0.65 A, maximum weight: 10 kg, minimum weight: 0.1 kg, e= 0.005 kg, dimensions weighing scale: 330 mm x 260 mm x 80 mm, dimensions label printer: 500 mm x 250 mm x 400 mm.	100
69	NN table	S/s table, dimensions: 3000 mm x 930 mm x 1030 mm.	150
70	AND	AND weighing scale, serial number: 5011207, 12 V, 0.3 A, diameter scale: 105 mm, total dimensions: 320 mm x 190 mm x 70 mm.	25
71	Rhewa	Rhewa weighing scale, model: 941, maximum weight: 3 kg, d= 1 gram, T= -3 kg, scale dimensions: 235 mm x 230 mm, total dimensions: 350 mm x 230 mm x 100 mm.	30
72	ADE	ADE weighing scale, model: BT 6056, maximum weight: 5 kg, scale dimensions: 180 mm x 140 mm, total dimensions: 230 mm x 180 mm x 40 mm.	20
73	Soehnle	Soehnle indicator, fabrication number: UMB - 2721, maximum weight: 1000 kg, minimum weight: 25 kg, dimensions: 380 mm x 200 mm x 100 mm.	20



75	Bizerba	Bizerba weighing scale, maximum weight: 6/15 kg, minimum weight: 40 gram, e= 2/5 gram, scale dimensions: 335 mm x 260 mm, total dimensions: 340 mm x 340 mm x 120 mm. Technical condition unknown.	20
76	Colibri	Colibri laminator, model: PL12A, serial number: 97812, 230-240 V, 50 Hz, 3.6 A, working width: 320 mm, total dimensions: 490 mm x 220 mm x 120 mm.	5
77	Soehnle	Soehnle weighing scale, model: SEB4B-200-C3-HS, serial number: 194799, maximum weight: 200 kg, dimensions: 520 mm x 390 mm x 140 mm. Missing scale and indicator.	50
78	Soehnle	Soehnle weighing scale, model: SEB4B-200-C3-HS, serial number: 148543, maximum weight: 200 kg, dimensions: 520 mm x 390 mm x 140 mm. Missing scale and indicator.	50
79	Soehnle	2 Soehnle weighing scales, model: SEB4B-200-C3-HS, serial number: 168081 and 173298, maximum weight: 200 kg, dimensions: (2x) 520 mm x 400 mm x 140 mm. Without indicator.	100
80	Soehnle	2 Soehnle weighing scales, model: SEB4B-200-C3-HS, serial number: 194801 and 175618, maximum weight: 200 kg, dimensions: (2x) 520 mm x 400 mm x 140 mm. Without indicator.	100
81	Soehnle	Soehnle weighing scale, model: SEB4B-200-C3-HS, serial number: 194800, maximum weight: 200 kg, dimensions: 520 mm x 400 mm x 140 mm. Without indicator.	50
82	Soehnle	Soehnle weighing scale, model: SEB4B-200-C3-HS, serial number: 186298, maximum weight: 200 kg, dimensions: 520 mm x 400 mm x 140 mm. Without indicator.	50
83	Citizen Systems	Citizen Systems label printer, model: JM40-M01, serial number: JMBB056847, 220-240 V, 50/60 Hz, 1.5 A, dimensions: 270 mm x 230 mm x 270 mm.	25
84	Espera	Espera control panel, model: ESC 903, number: 70 08 3828, 24 V, 1 A, dimensions: 330 mm x 240 mm x 350 mm.	50
85	Espera	Espera control panel, model: ESC 903, number: 70 10 5393, 24 V, 1 A, dimensions: 330 mm x 240 mm x 350 mm.	50
86	Espera	Espera control panel, model: ESC 924, number: 0750200636, , 30-48 V, 2 A, dimensions: 460 mm x 370 mm x 370 mm.	50
87	Orient	Orient label printer, model: BTP-R880NP, serial number: 12/05NO.028337, 24 V, 2 A, dimensions: 200 mm x 145 mm x 145 mm.	25
88	Epson	Epson label printer, dimensions: 200 mm x 145 mm x 150 mm.	25
89	Espera	Espera control panel, model: ESC 924, number: 0750100460, 30-48 V, 2 A, dimensions: 460 mm x 370 mm x 370 mm.	50



90	Espera	Espera weighing scale, model: ESW 2104, serial number: 0090000420, year of construction: 2007, 24 V, 0.2 A, maximum weight: 3/6/15 kg, minimum weight: 20 gram, e= 1/2/5 gram, T= -3000 gram, scale dimensions: 330 mm x 240 mm, total dimensions: 330 mm x 260 mm x 75 mm. Without indicator.	50
91	Espera	Espera thermal- transfer printer, model: ESD 404, serial number: 264 01 00124, 100-240 V, 50-60 Hz, 3.0 A, dimensions: 500 mm x 340 mm x 280 mm.	75
92	Soehnle	Soehnle weighing scale with indicator, serial number indicator: 2881/10 -0023, year of construction: 2010, maximum weight: 60/150 kg, minimum weight: 400 gram/1 kg, e= 20/50 gram, model weighing scale: SEB4B-200-C3-HS, serial number: 185144, maximum weight: 200 kg, dimensions weighing scale: 520 mm x 400 mm x 140 mm.	75
93	Soehnle	Soehnle weighing scale, model: SEB4B-200-C3-HS, serial number: 189775, maximum weight: 200 kg, dimensions: 520 mm x 400 mm x 140 mm. Without indicator.	50
94	Espera	Espera labelling machine, model: ESD 233, number: 107 00 2108, dimensions: 470 mm x 370 mm x 560 mm.	75
95	Klein / Hanns. G	Klein / Hanns. G desktop, type computer: Micro-client, serial number: 4218, dimensions computer: 420 mm x 180 mm x 420 mm, Hanns.G monitor, model: HSG1033, 100-240 V, 50/60 Hz, 1.2 A, dimensions monitor: 460 mm x 160 mm x 370 mm.	50
96	Espera	Espera control panel, model: ESC 954, serial number: 2920000540, 35-48 V, 3 A, dimensions: 470 mm x 390 mm x 340 mm.	50
97	Espera	Espera labelling machine, model: ESD 233, number: 107 00 2054, dimensions: 470 mm x 370 mm x 560 mm.	75
98	NN table	S/s table, dimensions: 2000 mm x 700 mm x 840 mm.	150
99	NN table	Aluminium table, dimensions: 2000 mm x 800 mm x 840 mm.	100
100	Rietschle	Rietschle vacuum pump, type: VFS 201 [01], number: 926419, year of construction: 1985, 220/380 V, 50 Hz, 21/12 A, 5.5 kW, dimensions: 980 mm x 260 mm x 460 mm.	150
101	NN tumbler	S/s tumbler, volume: 10000 liter, divided into 4 parts, total length tumbler: 3600 mm, diameter tank: 1880 mm, s/s frame with rotation wheels, dimensions frame: 1800 mm x 2000 mm x 1400 mm, s/s cover, dimensions cover: 1450 mm x 900 mm x 780 mm, including lifter, lifting height: 1900 mm, dimensions: 670 mm x 550 mm x 2560 mm. Without switch cabinet. Technical condition unknown.	4000



102	Rühle	Rühle injector, type: IR 112, number: 011, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 32 A, 16.5 kW, 112 needles, plastic belt, belt width: 700 mm, s/s walking beam, clearance: 690 mm x 210 mm, with s/s trolley, dimensions trolley: 1200 mm x 1100 mm x 2150 mm, total dimensions: 3800 mm x 1360 mm x 2270 mm. Incomplete, technical condition unknown.	3000
103	Coletti Treviso	Coletti Treviso mobile ice cream machine, double vessel with agitator, inside dimensions: (2x) 500 mm x 350 mm x 600 mm, total dimensions: 1050 mm x 800 mm x 1650 mm.	500
104	DWM Copeland	DWM Copeland cooling compressor, model: DKLP-15X-EWL, serial number: 10D060750, year of construction: 10/17, 220-420 V, 3 Ph, 50 Hz, 3.4/5.9 A, capacity: 7.35 m <sup>3</sup> per hour, dimensions: 570 mm x 500 mm x 450 mm.	250
105	DWM Copeland	DWM Copeland cooling compressor, model: DLFB-301-EWL 000 SO, fabrication number: 445500, year of construction: 1988, 220-420 V, 3 Ph, 50 Hz, 11.3 A, capacity: 12.9 m <sup>3</sup> per hour, dimensions: 430 mm x 430 mm x 340 mm.	200
106	Rietschle	Rietschle vacuum pump, type: VFS 201, number: 702889, year of construction: 1982, 220/380 V, 50 Hz, 21/12 A, 5.5 kW, capacity: 200 m <sup>3</sup> per hour, dimensions: 980 mm x 440 mm x 750 mm.	150
107	Wonda	2 Wonda heat exchangers, model: CR 150, fabrication number: K3865, year of construction: 1999, refrigerant: H2O, total dimensions: 1560 mm x 650 mm x 700 mm.	100
108	DWM Copeland	DWM Copeland cooling compressor, model: D9RS4-1500-AWM/D, serial number: 1646169, year of construction: 1999, 380-480 V, 3 Ph, 50 Hz, 31.4 A, capacity: 49.90 m <sup>3</sup> per hour, dimensions: 770 mm x 600 mm x 500 mm.	200
109	DWM Copeland	DWM Copeland cooling compressor, type: DoRH1-500-EWM 89L, fabrication number: 89L 20771, year of construction: 1989, 380-420 V, 3 Ph, 250-283 A, capacity: 106.5 m <sup>3</sup> per hour, dimensions: 770 mm x 600 mm x 500 mm.	150
110	DWM Copeland / Alfa Laval	DWM Copeland cooling compressor, type: D9RS4-1500-AWM/D-000, fabrication number: 1172975, year of construction: 1994, 380-480 V, 3 Ph, 50/60 Hz, 113-129 A, capacity: 49.5 m <sup>3</sup> per hour, dimensions: 750 mm x 400 mm x 500 mm, Alfa Laval heat exchanger, fabrication number: 0580, year of construction: 28/01/97, fluid: HFC-HCFC, pressure: 28 bar, dimensions: 840 mm x 200 mm x 1000 mm.	200
111	Bitzer	Bitzer cooling compressor, dimensions: 900 mm x 400 mm x 400 mm.	150



112	Emerson Copeland	Emerson Copeland cooling compressor, model: 3DA5-75X-AWM/D, serial number: 17K066725M, 380-480 V, 3 Ph, 50/60 Hz, 93-106 A, capacity: 32.20 m <sup>3</sup> per hour, dimensions: 680 mm x 400 mm x 470 mm.	200
113	Bock	Bock cooling compressor, type: HGX8/2470-4 S, number: AN24155A017, 380-480 V, 3 Ph, 50/60 Hz, 551 A, capacity: 257.1 m <sup>3</sup> per hour, dimensions: 900 mm x 600 mm x 620 mm.	300
114	DWM Copeland	DWM Copeland cooling compressor, type: D9RC - 750 - EWM - 000, fabrication number: 245035, year of construction: 1991, 380-420 V, 3 Ph, 50 Hz, 71-78 A, 38 m <sup>3</sup> per hour, dimensions: 680 mm x 360 mm x 460 mm.	200
115	DWM Copeland	DWM Copeland cooling compressor, type: D9RC3-750/ EWM/000, fabrication number: 0719786, year of construction: 1991, 380-420 V, 50 Hz, 71-78 A, 38 m <sup>3</sup> per hour, pressure: 25/20.5 bar, dimensions: 680 mm x 360 mm x 460 mm.	200
116	Bitzer	Bitzer cooling compressor, type: D4SJ-300X-AWM, 380/420 V, 50 Hz, 48 A, capacity: 84.5 m <sup>3</sup> per hour, dimensions: 800 mm x 500 mm x 450 mm.	200
117	DWM Copeland	DWM Copeland cooling compressor, type: D3DS4-1500-AWM/D, serial number: 1583688, year of construction: 1998, 380-480 V, 3 Ph, 50-60 Hz, 113-129 A, capacity: 49.90 m <sup>3</sup> per hour, pressure: 28/22.5 bar, dimensions: 800 mm x 500 mm x 460 mm.	250
118	DWM Copeland	DWM Copeland cooling compressor, model: D3DS5-100X-AWM/D, serial number: 2044931, year of construction: 2003, 380-480 V, 3 Ph, 50-60 Hz, 103-121 A, capacity: 49.90 m <sup>3</sup> per hour, 28/22.5 bar, dimensions: 1120 mm x 820 mm x 710 mm.	350
119	DWM Copeland	DWM Copeland cooling compressor, model: D3DS4-1000-AWM/D - 000, fabrication number: 1200344, year of construction: 1996, 380-480 V, 3 Ph, 50-60 Hz, 103-121 A, capacity: 49.90 m <sup>3</sup> per hour, 25/20.5 bar, dimensions: 1030 mm x 800 mm x 710 mm.	350
120	Bitzer	Bitzer cooling compressor, type: 6H.2, serial number: 65612800, capacity: 68.5-133.4 m <sup>3</sup> per hour, pressure: 19 / 25 bar, dimensions: 1200 mm x 700 mm x 600 mm. With switch cabinet, dimensions switch cabinet: 800 mm x 300 mm x 800 mm.	300
121	Rietschle	Rietschle vacuum pump, type: CLFH 220 V [01], fabrication number: 891143, year of construction: 1985, capacity: 220 m <sup>3</sup> per hour, dimensions: 880 mm x 620 mm x 400 mm.	250
122	Helios	Helios fan, type: RR 34.5C, number: 6098, 230 V, 50 Hz, 1.46 A, 0.334 kW, dimensions: 400 mm x 400 mm x 720 mm.	25



123	GEA Küba	GEA Küba evaporator, 1 fan, type: DZA 081 Deckenluftkuhl, manufacturing number: 5370004, year of construction: 1997, 230/400 V, 3 Ph, 50/60 Hz, 450 W, temperature: -40°C/+100°C, pressure: 5/25 bar, dimensions: 1370 mm x 1310 mm x 550 mm.	150
124	NN evaporator	Evaporator, 2 fans, dimensions: 2480 mm x 720 m x 770 mm.	250
125	NN evaporator	Evaporator, 2 fans, dimensions: 2480 mm x 720 m x 770 mm.	250
126	NN evaporator	Evaporator, 2 fans, dimensions: 2500 mm x 720 m x 770 mm.	250
127	NN evaporator	Evaporator, 2 fans, dimensions: 2480 mm x 720 m x 770 mm.	250
128	Sierra S.p.A.	Sierra S.p.A. chiller, type: CDR 8 84 ST, serial number: C0001546, year of construction: 28/03/2008, 400 V, 3 Ph, 50 Hz, 19.2 A, 262 kW, air flow: 107000 m <sup>3</sup> per hour, 8 fans, dimensions: 4100 mm x 2150 mm x 2350 mm.	3000
129	KSB	KSB vertical high pressure pumps, type; Hyamat VP 2/1805, serial number: S-W, 230/400 V, 50 Hz, 11.8 A, 5.5 kW, pressure: 16 bar, capacity: 17 m <sup>3</sup> per hour, dimensions: 1200 mm x 1000 mm x 1400 mm.	500
130	KTK Klimatechnik S.r.l. / DWM Copeland	KTK Klimatechnik S.r.l. / DWM Copeland cooling compressor rack, type: TWH 212 B/Z, serie: 91132780, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 219 A, 220 kW, capacity: 27 m <sup>3</sup> per hour, refrigerant: R407c, pressure: 2/25 bar, 2 DWM Copeland cooling compressors, model: D6SJ1-400X-AWM/D, serial number: 99E 60923 and 99E 60924, year of construction: 1999, 380-480 V, 3 Ph, 50/60 Hz, 298-347 A, capacity: 127 m <sup>3</sup> per hour, pressure: 31/25 bar, total dimensions: 3250 mm x 850 mm x 1900 mm.	1250
131	Sierra S.p.A.	Sierra S.p.A. chiller, type: CDR 8 83 ST, serial number: C0001547, year of construction: 28/03/2008, 400 V, 3 Ph, 50 Hz, 19.2 A, 284 kW, air flow: 117000 m <sup>3</sup> per hour, pressure: 28 bar, 8 fans, dimensions: 4100 mm x 2150 mm x 2350 mm.	3000
132	Dixie Union	Dixie Union transport belt, type: HV090.9731, year of construction: 1999, plastic wire belt, belt width: 330 mm, total dimensions: 980 mm x 620 mm x 1160 mm.	150
133	Boekels	Boekels checkweigher, type: EWK 438, number: 7.89.91.05.127, year of construction: 1992, 220 V, 50 Hz, plastic wire belt, belt width: 205 mm, total dimensions: 1150 mm x 1100 mm x 1850 mm.	150
134	NN frames	Plastic pallet box with large amount of aluminium frames, various length, dimensions pallet box: 1180 mm x 780 mm x 760 mm.	75
135	NN infeed gutter	S/s mobile infeed gutter, dimensions: 1100 mm x 1050 mm x 1930 mm.	75



136	NN smoke trolley	S/s smoke trolley, 6 floors, floor dimensions: (6x) 950 mm x 930 mm, total dimensions: 1000 mm x 1010 mm x 1990 mm.	75
137	Güntner/Daikin	Güntner roof condenser with Daikin scroll compressor, type roof condenser: GCVC RD 063.2/12-35-3931053M, serial number: 504061642/20.01873, year of construction: 2018, temperature: -30 °C /+50°C, type scroll compressor: EWLP030KBW1NA, number: 1400102, year of construction: 2014-11, 400 v, 3 Ph, 50 Hz, 22 A, refrigerant: R407C, weight: 151 kg, total dimensions: 4450 mm x 1000 mm x 1400 mm.	1500
138	Air Liquide	Air liquide tunnel freezer, type: CFL 6-25 U, year of construction: 1999 - 2005, 3 Ph, 9 kW, refrigerant: CO <sup>2</sup> , s/s mesh belt, belt width: 660 mm, clearance: 660 mm x 170 mm, total dimensions: 3700 mm x 1450 mm x 1850 mm. Including s/s switch cabinet, dimensions: 850 mm x 300 mm x 2000 mm.	3000
139	Fischbach luft-und Ventilatorentechnik GmbH	Fischbach luft-und Ventilatorentechnik GmbH air handling unit, dimensions: 700 mm x 670 mm x 1050 mm.	50
140	DMW Copeland	DMW Copeland cooling compressor, dimensions: 680 mm x 400 mm x 500 mm.	200
141	Bock	Bock cooling compressor, type: HGX22P/190-4 S, number: AT03900A025, 220-480 V, 3 Ph, 50/60 Hz, 16.1/9.3 A, capacity: 16.5 / 19.8 m <sup>3</sup> per hour, dimensions: 900 mm x 600 mm x 620 mm.	150
142	Sogevac/Leybold	Sogevac/Leybold vacuum pump, type: SV300 FP, number: 31001986420, year of construction: 2019, capacity: 240 m <sup>3</sup> per hour, weight: 223 kg, dimensions: 1100 mm x 600 mm x 950 mm.	950
143	NN motors	Pallet with various motors.	100
144	Busch	Busch vacuum pump, type: RA 0250 D 503, serial number: C1021000218, year of construction: 2010, capacity: 250 m <sup>3</sup> per hour, dimensions: 920 mm x 560 mm x 1000 mm.	750
145	Sogevac/Leybold	Sogevac/Leybold vacuum pump, type: SV300 FP, number: 31001952416, year of construction: 2019, capacity: 240 m <sup>3</sup> per hour, weight: 223 kg, dimensions: 1100 mm x 600 mm x 950 mm.	950
147	NN elevating belt	Mobile s/s elevating belt with dip tray, s/s belt, belt width: 400 mm, working width: 450 mm, lifting height: 1100 mm, total dimensions: 1500 mm x 530 mm x 1100 mm.	250



148	Dixie Union	Dixie Union slicing line consisting of Dixie Union slicer, type: NOVA SLICER, number: 498 1781, year of construction: 1998, 3x 400 V, 50/60 Hz, 26 A, plastic wire belt, belt width: 265 mm, plastic belt, belt width: 405 mm, dimensions: 2230 mm x 1150 mm x 2200 mm, without cover and knife, Dixie Union transport belt, plastic wire belt, belt width: 270 mm, dimensions: 1000 mm x 610 mm x 1130 mm, Dixie union checkweigher, type: DC 2000 090.9184, number: 98336907, year of construction: 1998, fabric belt, belt width: 370 mm, dimensions: 840 mm x 800 mm x 1120 mm and Dixie Union outfeed belt, plastic belt, belt width: 400 mm, dimensions: 3000 mm x 1200 mm x 1250 mm.	2750
150	Innotec	Innotec emulsifier, type: I175CDI-75, machine number: 103-00604, year of construction: 2007, 230/400 V, 50 Hz, 152 A, 91 kW, 106 kVA, with s/s switch cabinet, dimensions switch cabinet: 1200 mm x 600 mm x 2100 mm, dimensions emulsifier: 2000 mm x 900 mm x 850 mm. Missing knife set, technical condition unknown.	4500
151	Innotec	Innotec emulsifier, type: I175CDI-75, machine number: 103-00605, year of construction: 2007, 230/400 V, 50 Hz, 152 A, 91 kW, 106 kVA, with s/s switch cabinet, dimensions switch cabinet: 1200 mm x 600 mm x 2100 mm, dimensions emulsifier: 2000 mm x 900 mm x 850 mm. Missing knife set, technical condition unknown.	4500
152	Kittner	Kittner lifter for boxes, type: 4022.05, serial number: 05284, year of construction: 2004, 400 V, 50 Hz, 3.6 A, 1.5 kW, capacity: 600 kg, lifting height: 1600 mm, total dimensions: 2800 mm x 1300 mm x 830 mm.	500
153	CW Instruments	CW Instruments fat extractor, dimensions: 610 mm x 520 mm x 1100 mm.	50
154	NN table	S/s table, dimensions: 455 mm x 455 mm x 600 mm.	25
155	TVM	TVM mobile portioning machine, dimensions: 1700 mm x 740 mm x 2460 mm. Incomplete, technical condition unknown.	600
156	NN refrigerated counters	2 refrigerated counters, inside dimensions: (2x) 1500 mm x 310 mm x 150 mm, total dimensions: (2x) 2000 mm x 370 mm x 610 mm. Glass broken.	75
157	Skov & Weidemann	Skov & Weidemann mobile belt fryer, type: B4, number: 2275, 380 V, 3 Ph, 54000 Watt, s/s belt, belt width: 425 mm, total dimensions: 3700 mm x 850 mm x 1600 mm. Electrically defect.	1250
158	Igloo	Igloo refrigerated showcase, type: Luzon 1.88, serial number: NS-215038, year of construction: 05-2017, 230 V, 50 Hz, 1.9 A, 34 W, dimensions: 1940 mm x 1150 mm x 1330 mm.	200



159	NN refrigerated showcase	Refrigerated showcase, serial number: 19.05.01, 220-230 V, 50-60 Hz, 0.45 kW, refrigerant: R134-A, 330 gram, capacity: 320 liter, dimensions: 1500 mm x 800 mm x 1360 mm.	150
160	NN refrigerated showcase	Refrigerated showcase, serial number: 19.03.125, 220-230 V, 50-60 Hz, 3.5 kW, capacity: 4x 1/1 GN, dimensions: 1500 mm x 790 mm x 1340 mm.	150
161	NN showcase	S/s showcase, dimensions: 1150 mm x 800 mm x 1360 mm.	100
162	True Manufacturing Co., Inc.	True Manufacturing Co., Inc. refrigerator, model: GDM-35, serial number: 1-4168216, 230 V, 50 Hz, 5.0 A, refrigerant: R134/A, 0.397 kg, dimensions floors: 530 mm x 430 mm, total dimensions: 1000 mm x 800 mm x 2000 mm.	100
163	Audion Elektro	Audion Elektro mobile sealing machine, type: 820 MGM-2, serial number: 1006690, year of construction: 2011, 230 V, 50 Hz, 8 A, 1300 W, seal length: 865 mm, total dimensions: 1000 mm x 1000 mm x 1150 mm.	75
164	NN press	Hydraulic press, dimensions pressing device: 75 mm x 75 mm, total dimensions: 780 mm x 600 mm x 1750 mm.	100
165	Bizerba	Bizerba automatic slicer, type: VS 8 A, number: 1313530, 220 V, 50 Hz, 2.3 A, dimensions: 750 mm x 600 mm x 500 mm. Including knife sharpener.	250
166	Boge	Boge air dryer, type: D 70 / 312, serial number: 98/2/11711/06, year of construction: 1998, 230 V 1 Ph, 50 Hz, 0.850 kW, maximum pressure: 16 bar, maximum temperature: 60° Celsius, refrigerant: R 134a, 1.150 kg, dimensions: 700 mm x 660 mm x 800 mm.	150
167	NN cutter knives	6 s/s cutter knives, length: 280 mm.	50
168	NN cutter knives	6 s/s cutter knives, length: 280 mm.	50
169	Zanussi	Zanussi fryer, inside dimensions: 920 mm x 600 mm x 180 mm, total dimensions: 1150 mm x 1050 mm x 900 mm.	200
170	Vibra Maschinenfabrik Schultheis GmbH & Co.	Vibra Maschinenfabrik Schultheis GmbH & Co. vibrating gutter, type: ER 41, number: 9319, year of construction: 2004, 230 V, 2.3 A, 50 Hz, gutter width: 360 mm, total dimensions: 1400 mm x 550 mm x 1600 mm.	400
171	Cryovac	Cryovac dip tank, type: CUVE 600 FRM ELEC, serie: CF 137.00.00, number: 06, year of construction: 11/90, 380 V, 3 Ph, 50 Hz, 24 kW, clearance: 540 mm x 325 mm, total dimensions: 1550 mm x 900 mm x 2450 mm. Fan motor defect.	500
172	Soehnle	Soehnle mobile weighing scale, model indicator: S10 2721, maximum: 60 kg, minimum: 2.5 kg, e=dd= 50 gram, scale dimensions: 660 mm x 550 mm, total dimensions: 660 mm x 650 mm x 1550 mm.	100
173	Jungheinrich	Jungheinrich electric pallet lifter, type: EJC 10, serial number: 90030660, year of construction: 2001, capacity: 1000 kg, 24 V, fork length: 1150 mm, lifting height: 1800 mm, total dimensions: 1800 mm x 780 mm x 2020 mm. Technical condition unknown. Without battery charger.	200



174	Wichelmann Metallbau	Wichelmann Metallbau tumbler outfeed gutter, type: TAMMLER, machine number: 002206, year of construction: 2000, 1.5 kW, dimensions tumbler: 700 mm x 700 mm x 1050 mm, total dimensions: 2000 mm x 1300 mm x 1400 mm.	1500
175	NN meat hooks	Plastic pallet box with large amount of meat hooks, width hooks: 140 mm, total dimensions: 1200 mm x 800 mm x 1500 mm.	200
176	NN rack for film rolls	S/s rack for 6 film rolls, dimensions: 1000 mm x 400 mm x 1630 mm.	75
177	Busch	2 Busch vacuum pumps on s/s rack, type: 251-512 023, vacuum: 0.5 mbar and type: CB 0220 D 1, number: 03050125, year of construction: 2003, capacity: 220 m <sup>3</sup> per hour, dimensions: 1000 mm x 400 mm x 1630 mm.	400
178	Igloo	Igloo refrigerated showcase, type: GASTROLINE CUBE 1.3G, serial number: NS-215685, year of construction: 03 2017, 230 V, 50 Hz, dimensions: 1300 mm x 800 mm x 1250 mm.	150
179	G.Mondini S.p.a.	G.Mondini S.p.a. traysealer with snap on lid machine, type traysealer: E365 VG, serial number: 3131/06-1, year of construction: 31/01/07, 400 V, 3 Ph, 50 Hz, plastic wire belt, belt width: 270 mm, dimensions: 3900 mm x 1000 mm x 2250 mm, type snap on lid machine: CP, serial number: 3132/06-1, year of construction: 05-04-2007, 400 V, 3 Ph, 50 Hz, 4 lines plastic wire belt, belt width: (4x) 100 mm, chain belt width divider, divider height: 20 mm, distance between dividers: 150 mm, total dimensions: 2100 mm x 1230 mm x 2010 mm, 2 tool trolleys with moulds, dye: (6x) 130 mm x 80 mm, dimensions trolleys: (2x) 1100 mm x 1050 mm x 1550 mm and 2 switch cabinet. Technical condition unknown.	3750
182	Atlas Copco	Atlas Copco compressed air system consisting of Atlas Copco air compressor, type: GA 15 SP, serial number: All 236886, year of construction: 1998, nominal shaft power: 15 kW, rotational shaft speed: 3000 r/min, maximum working pressure: 10 bar, capacity: 35 liter per second, weight: 375 kg, dimensions: 850 mm x 780 mm x 1160 mm, Atlas Copco air dryer, type: FX 6, serial number: CAI339023, year of construction: 2008, 230 V, 1 Ph, 50 Hz, 0.84 kW, refrigerant: R404 A, 0.4 kg, dimensions: 700 mm x 450 mm x 800 mm, Atlas Copco pressure vessel, dimensions: 800 mm x 500 mm x 2400 mm.	950



183	CFS	CFS thermoformer, type: 680, machine number: 685/0273, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 32 A, 21 kW, with CFS labeller, type: BL-150, machine number: 603/0393, year of construction: 2004, plastic outfeed belt, belt width: 460 mm, dimensions part 1: 3400 mm x 1150 mm x 1200, dimensions part 2: 4800 mm x 1200 mm x 2000 mm, dimensions part 3: 3400 mm x 900 mm x 1050 mm, including film roll holder and 4 pallets with dyes, dimensions dyes: (6x) 225 mm x 145 mm, (4x) 225 mm x 205 mm and (12x) 125 mm x 110 mm.	5000
184	Macer M. GmbH	Macer M. GmbH electric pallet lifter, type: B01016SP, serial number: 72369, year of construction: 2003, 12 V, 1.3 kW, fork length: 800 mm, lifting height: 1600 mm, total dimensions: 1400 mm x 750 mm x 1780 mm. Defect.	200
185	O.M.P. di Possenti & C s.r.l.	O.M.P. di Possenti & C s.r.l. ham press, type: Einziehpresse, model: F-PFT5-000, serial number: 0021, year of construction: 1995, diameter dye: 75 mm, total dimensions: 2200 mm x 500 mm x 1780 mm.	400
186	Kaiser Kraft	Kaiser Kraft electric pallet lifter, type: BS 1092, fabrication number: 35649, year of construction: 1984, capacity: 1000kg, weight: 300 kg, fork length: 1100 mm, lifting height: 1900 mm, total dimensions: 1700 mm x 700 mm x 1960 mm. Defect, including P.M.B. s.p.a. battery charger, type: MATIC EQ.12/15, serial number: 37059604, 230 V, 1 Ph, 50-60 Hz. Defect.	200
187	Cyklop	Cyklop mobile strapping machine, type: BETA 90-500, machine number: 812.542, year of construction: 1990, 380 V, 50 Hz, working width: 500 mm, total dimensions: 1160 mm x 500 mm x 1550 mm.	150
188	CFS	CFS thermoformer, type: 680, machine number: 685/0284, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 34 A, 22 kW, with CFS labeller, type: TL-150, machine number: 602/0887, year of construction: 2005, plastic outfeed belt, belt width: 460 mm, dimensions part 1: 3400 mm x 900 mm x 1100 mm, dimensions part 2: 4600 mm x 1250 mm x 2000 mm, dimensions part 3: 3350 mm x 950 mm x 1200 mm, including 2 film roll holder and 1 pallet with dye.	5000
189	Dixie Union	Dixie Union thermoformer, type: Evolution, number: EVO.0157, year of construction: 1998, 3x 400 V, 50 Hz, 15 A, belt width: 420 mm, dye: (4x) 180 mm x 125 mm, total dimensions: 9000 mm x 1200 mm x 1960 mm. Including film roll holder.	4000



190	CFS / GEA	CFS / GEA thermoformer, type: 680, machine number: 685/0223, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 35 A, 23 kW, GEA labeller, type: Tirolabel, serial number: 603/0211, year of construction: 2001, belt width: 460 mm, dye: (2x) 460 mm x 290 mm, film width: 520 mm, dimensions part 1: 5100 mm x 1350 mm x 1780 mm, dimensions part 2: 6200 mm x 1300 mm x 1950 mm. Including film roll holder and 2 pallets with parts.	5000
191	Tetra Laval Food	Tetra Laval Food thermoformer, type: 680, machine number: 681/159, year of construction: 1996, 400 V, 3 Ph, 50 Hz, 42-50 A, dimensions: 7100 mm x 1200 mm x 2000 mm. Including pallet box with suction device and film roll holder.	3500
192	CFS	CFS thermoformer, type: 680, number: 681/0521, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 25 A, 16.5 kW, belt width: 490 mm, total dimensions: 8000 mm x 1200 mm x 2000 mm. Including pallet box with suction device and film roll holder.	5000
193	NN shutter door	Shutter door, width door: 3200 mm, height: 3200 mm. Technical condition unknown.	150
194	NN shutter door	Shutter door, width door: 2900 mm, height: 3500 mm. Technical condition unknown.	150
195	NN sinks	S/s sink to clean boots, dimensions: 1180 mm x 500 mm x 1730 mm and s/s sink with faucet, dimensions: 400 mm x 300 mm x 1200 mm.	100
196	NN smoke trolleys	6 s/s smoke trolleys, 6 floors, dimensions floor: 980 mm x 930 mm, total dimensions: (6x) 1030 mm x 1000 mm x 2000 mm.	450
197	NN smoke trolleys	9 s/s smoke trolleys, 6 floors, dimensions floor: 980 mm x 930 mm, total dimensions: (9x) 1030 mm x 1000 mm x 2000 mm.	675
198	NN smoke sticks	6 plastic pallet boxes with large amount of smoke sticks, length sticks: 900 mm.	300
199	NN shutter door	Shutter door, width door: 2300 mm, height: 3000 mm. Technical condition unknown.	150
200	Steiner	Steiner cooking vessel, steam heated, type: KK1000, machine number: 99-489, year of construction: 1999, volume: 1000 liter, total dimensions: 2410 mm x 1700 mm x 1140 mm.	500
201	Steiner	Steiner cooking vessel, steam heated, type: KK1000, machine number: 99-490, year of construction: 1999, volume: 1000 liter, total dimensions: 2410 mm x 1700 mm x 1140 mm.	500
202	Berief	Berief cooking vessel, inside dimensions: 2110 mm x 1020 mm x 520 mm, total dimensions: 2400 mm x 1400 mm x 1200 mm. Including 3 baskets, dimensions: (3x) 550 mm x 900 mm x 450 mm.	400
203	NN cooling doors	3 s/s cooling doors, dimensions: (3x) 2070 mm x 1430 mm x 220 mm.	225



204	Berief	Berief cooking vessel, inside dimensions: 2110 mm x 1020 mm x 520 mm, total dimensions: 2400 mm x 1400 mm x 1200 mm. Including 3 baskets, dimensions: (3x) 550 mm x 900 mm x 450 mm.	400
205	NN cabinet	S/s cabinet, dimensions: 1150 mm x 1140 mm x 2200 mm.	50
206	Variovac	13 pallets with film for thermoformers, among others: Variovac film for thermoformer, film thickness: 230 µ, film width: 463 mm.	200
207	NN racks	2 steel racks, 10 floors, dimensions: (2x) 1450 mm x 620 mm x 1800 mm.	80
208	NN trolleys	3 steel trolleys, 7 and 9 floors, total dimensions: (3x) 1400 mm x 600 mm x 1700 mm.	120
209	Maneurop	Maneurop cooling compressor, model: MTZ80HP4AVE, serial number: ND103537450, 380-400 V, 3 Ph, 50/60 Hz, 18 A, refrigerant: R134a-R507A-R404A-R407C, dimensions: 980 mm x 700 mm x 560 mm.	250
210	Maneurop	Maneurop cooling compressor, model: MTZ80HP4AVE, 380-400 V, 3 Ph, 50/60 Hz, 18 A, refrigerant: R134a-R507A-R404A-R407C, dimensions: 980 mm x 700 mm x 560 mm.	250
211	NN cooling compressor	Cooling compressor, dimensions: 780 mm x 700 mm x 560 mm.	150
212	Glass	Glass tumbler with lifter for 200 liter meat bins, type: LPM 2300, machine number: 2082, year of construction: 1996, 400 V, 50 Hz, 7.75 A, 3.3 kW, volume: 2300 liter, dimensions tumbler: Ø1100 mm x 2600 mm, total dimensions: 3300 mm x 1370 mm x 2100 mm, including lifter for meat bins, lifting height: 1730 mm, total dimensions: 2850 mm x 1500 mm x 600 mm.	2000
213	WB Busser Technology GmbH	WB Busser Technology GmbH packing system, consisting of lifter, type: WB301, machine number: 20061307, year of construction: 2006, lifting height: 1800 mm, dimensions lifter: 2900 mm x 1500 mm x 1200 mm, tilting device, dimensions tilting device: 1560 mm x 1140 mm x 1300 mm, packaging belt with 3 roller conveyors, plastic rollers, roller width: 400 mm, plastic belt, belt width: 400 mm and 800 mm, total dimensions: 7700 mm x 1170 mm x 1850 mm.	2000
214	GEA Küba	GEA Küba evaporator, 1 fan, dimensions: 1100 mm x 700 mm x 630 mm.	50
215	Spomasz	Spomasz double shaft ribbon mixer, serial number: 2404, year of construction: 1982, inside dimensions: 750 mm x 1130 mm x 600 mm, total dimensions: 1350 mm x 1000 mm x 1400 mm.	500
216	Retech	Retech evaporator for spiral freezer, type: LSP 1861/1561/0967-6918, number: 2928.01-01, year of construction: 1993, refrigerant: R22, dimensions: 1850 mm x 1700 mm x 2050 mm.	1000



217	NN fryer	NN fryer, 4 fryers, dimensions: 2000 mm x 800 mm x 1350 mm.	150
218	Bastra	Bastra smoke chamber, dimensions: 2700 mm x 1160 mm x 1400 mm.	750
219	Soehnle	Soehnle switch cabinets and indicator on pallet, indicator, serial number: 2881/13-0053, maximum weight: 60-150 kg, minimum weight: 400 gram - 1 kg, E = 20-50 gram, dimensions indicator: 400 mm x 300 mm x 210 mm, dimensions switch cabinet: 600 mm x 380 mm x 200 mm.	50
220	NN fans	2 steel fans, dimensions: (2x) 800 mm x 800 mm x 400 mm.	50
221	Ziehl-Abegg	4 Ziehl-Abegg fans, 400 V, 50 Hz, 0.69/0.48 kW, length: (3x) 750 mm and (1x) 500 mm.	50
222	NN charge container	S/s mobile charge container, dimensions: 2270 mm x 100 mm x 1860 mm.	100
223	Angelo Po Grandi Cucine S.p.A.	Angelo Po Grandi Cucine S.p.A. double fryer, model: 191FR4E-ZMRO, serial number: 069819324001, 230/400 V, 3 Ph, 50/60 Hz, 21/36 A, 14.4 kW, total dimensions: 930 mm x 800 mm x 850 mm.	500
224	MR Etikettiertechnik	MR Etikettiertechnik mobile labeller, model: MR 162, type: TT4392, machine number: 15292/98, year of construction: 1998, 230 V, 50 Hz, 12500 VA, dimensions: 900 mm x 530 mm x 1200 mm. Incomplete and defect.	75



## **General Terms of the online auction**

### **Article 1. Definitions**

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers

Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website [www.Industrial-Auctions.com](http://www.Industrial-Auctions.com), which is maintained by Industrial Auctions, based in Eindhoven;

### **Article 2. Applicability**

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

### **Article 3. Registration on the website and the use**

3.1 By registration on the website a user is able to follow the progress of auctions on the



website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Government laws and regulations, such as the Money Laundering and Terrorist Financing Prevention Act (WWFT), may impose (additional) obligations on Industrial Auctions. The client is required to provide all information requested by Industrial Auctions including (but not limited to) information about the client's identity to establish and verify this further, to verify and record the identity of the ultimate beneficial owner, the purpose and nature of the engagement or to exercise a transaction or an ongoing control over the business relationship or the natural person who represents or is authorized to do so by the client and whether the client is acting for themselves or for a third party. If the requested information is not supplied within 5 days after the first request, Industrial Auctions may immediately terminate the agreement and, pending the



information, Industrial Auctions may suspend the services. Industrial Auctions is then not obliged or liable for any compensation for damages.

#### **Article 4. The auction**

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the supporting system;
- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

#### **Article 5. Security**

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including



taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

## **Article 6. Description lots**

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

## **Article 7. Adjustments; operation**

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

## **Article 8. Auction organization by Industrial Auctions**

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:



- Not to recognize a bid as such;
- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

#### **Article 9. Bid; Purchase Agreement**

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a



different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

#### **Article 10. Guarantees, claims and indemnities**

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by



him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

### **Article 11. Payment obligations of the buyer**

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

### **Article 12. Viewing days, auction days, pick-up days**

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

### **Article 13. Delivery**



13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

#### **Article 14. Termination**

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the



agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

## **Article 15. Liability**

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including



the loss of the good itself);

- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;

- Damage caused by environmentally harmful substances in or on the purchased;

- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);

- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

#### **Article 16. Applicable law**

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.





**Industrial  
Auctions** BV



**Industrial  
Auctions** BV

Address: Looyenbeemd 11  
5652 BH Eindhoven, Netherlands  
Tel.: +31 (0)40 2409 208  
Fax: +31 (0)40 2409 209  
Email: [info@industrial-auctions.com](mailto:info@industrial-auctions.com)  
Web: [www.industrial-auctions.com](http://www.industrial-auctions.com)

**Upcoming auctions:**

**15-12 Online auction food processing machinery, catering and  
butchery equipment in Anzegem (BE)**