



# Industrial Auctions BV

Online auction machinery for the food industry on behalf  
of Florin GmbH in Willich (DE)

**Closing: 18 January 2022 from 14:00 hrs.**



**Viewing day:**

**Address:**

Daimlerstraße 4  
47877 Willich  
Germany



## General terms and conditions of the online auction

Closing date	18 January 2022 from 14:00 hrs.
Viewing	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: <a href="mailto:info@industrial-auctions.com">info@industrial-auctions.com</a>
Buyers premium	18% over the highest bid
VAT	19% over the highest bid including Premium
Pick up date	25 January 2022 from 09:00 till 16:00 hrs.
Pick up address	Daimlerstraße 4 47877 Willich Germany
Delivery instructions	The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Industrial Auctions B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick up bought lots) will only take place on the mentioned delivery date/time and address..
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
1	Alco food-machines GmbH & Co.KG	Alco food-machines GmbH & Co.KG forming machine with lifter for 200 liter meat bins, type: AFM 400 PC, serial number: 01411211, year of construction: 2000, 400 V, 16 Kw, weight: 1300 kg, dye: (5x) 55 mm x 55 mm, s/s mesh belt, belt width: 400 mm, total dimensions: 4250 mm x 1310 mm x 2240 mm.	5000
2	NN contact grill	Contact grill, s/s frame, teflon belt, belt width: 600 mm, plastic belt, belt width: 640 mm, total dimensions: 7150 mm x 1310 mm x 2240 mm.	3000
3	NN grill marker	Grill marker, working width: 600 mm, total dimensions: 1200 mm x 1900 mm x 2380 mm.	500
4	NN curve conveyor	90° curve conveyor, s/s frame, s/s mesh belt, belt width: 600 mm, total dimensions: 1580 mm x 1300 mm x 1640 mm.	900
5	Schomaker Convenience Technik GmbH	Schomaker Convenience Technik GmbH mobile s/s mesh belt, type: STG 1.100/500-231116, belt width: 500 mm, total dimensions: 1100 mm x 1000 mm x 900 mm.	800
6	Bilwinco A/S	Bilwinco A/S 18-heads multihead weigher on s/s platform, type: BW118-W, number: 5418, year of construction: 2003, 3x400 V, 50 Hz, 10 A, 5000 VA, pressure: 5-10 bar, weighing range: 10 - 1000 gram, dimensions multihead: 1450 mm x 1450 mm x 1050 mm, s/s frame, platform height: 770 mm, dimensions frame: 3020 mm x 2030 mm x 2500 mm.	5000
7	Hermann Waldner GmbH & Co. KG	Hermann Waldner GmbH & Co. KG cup filling and sealing machine, type: Dosomat 2/2, machine number: 1904, year of construction: 2000, 230/400 V, 50 Hz, 11.0 A, 7500 W, weight: 1800 kg, diameter cups: 65 mm, total dimensions: 2000 mm x 2000 mm x 1900 mm.	5000
8	NN depositor	1 head depositor for liquids, model: G/WY, filling range: 500-5000 ML(g), pressure range: 0.4-0.6 Mpa, filling accuracy: ± 0.5 %, dimensions: 1200 mm x 600 mm x 600 mm.	1000
9	NN depositor	1 head depositor for paste, dimensions: 970 mm x 360 mm x 360 mm. Missing infeed hopper.	800
15	Scanvaegt	Scanvaegt weighing scale, maximum weight: 3 kg, minimum weight: 20 g, e= 1g, dimensions scale: 240 mm x 200 mm, total dimensions: 350 mm x 300 mm x 350 mm.	50
16	NN table	S/s table, dimensions: 850 mm x 350 mm x 910 mm.	40
17	AND	AND weighing scale, type: FS-15Ki, serial number: IQ7510156, maximum weight: 15 kg, minimum weight: 100 gram, e= 5 gram, dimensions scale: 245 mm x 245 mm, total dimensions: 245 mm x 350 mm x 500 mm.	50



18	CAS	CAS weighing scale, model: BI-IIN, serial number: 161232680, 12 V, 0.28 W, maximum weight: 15 kg, minimum weight: 100 gram, T= -15 kg, e=d= 5 gram, dimensions scale: 280 mm x 280 mm, total dimensions: 370 mm x 280 mm x 580 mm.	50
19	Scanvaegt	Scanvaegt weighing scale, type: 1025.10.15, serial number: BEF02769, type indicator: 8406, serial number: BEF02769 E, 115/230 V, 50-60 Hz, maximum weight: 3 kg, minimum weight: 20 g, e= 1g, dimensions scale: 240 mm x 200 mm, total dimensions: 350 mm x 300 mm x 350 mm.	50
20	Sartorius	Sartorius weighing scale, model: Midrics 1, maximum weight: 3000 g, minimum weight: 20 g, e= 1 g, dimensions scale: 320 mm x 240 mm, dimensions indicator: 230 mm x 170 mm x 100 mm.	60
21	Scanvaegt	Scanvaegt weighing scale, maximum weight: 3 kg, minimum weight: 20 g, e= 1g, dimensions scale: 240 mm x 200 mm, total dimensions: 350 mm x 300 mm x 350 mm.	100
22	AND	AND weighing scale, type: FS-15Ki, serial number: IQ7510156, maximum weight: 15 kg, minimum weight: 100 gram, e= 5 gram, dimensions scale: 245 mm x 245 mm, total dimensions: 245 mm x 350 mm x 500 mm.	50
23	NN table	S/s table, dimensions: 900 mm x 710 mm x 940 mm.	100
24	NN trolley	S/s trolley, dimensions: 820 mm x 360 mm x 800 mm.	30
25	Paul Lippke Handels-GmbH	Paul Lippke Handels-GmbH leak detector, model: Lippke 4000, serial number: 0807000016, 100-240 Vac, 0.5 A, dimensions: 340 mm x 270 mm x 550 mm.	60
26	Memmert	Memmert heated cabinet, type: 760I, 220 V, 2100 W, temperature: 30-100 °C, diameter: (10x) 105 mm, total dimensions: 955 mm x 410 mm x 215 mm.	100
27	Sartorius	Sartorius weighing scale, type: L310-D, fabrication number: 37070021, maximum weight: 310 g, minimum weight: 2.5 g, dd= 0.01 g, e= 5dd, diameter scale: 130 mm, total dimensions: 240 mm x 220 mm x 700 mm.	50
28	Bilwinco A/S	Bilwinco batcher, machine type: AFG001, serial number: 985, dimensions forms: (10x) 125 mm x 50 mm, total dimensions: 1000 mm x 850 mm x 900 mm.	500
29	Nieco	Nieco mobile belt grill, model: JF64, serial number: 732-44439, year of construction: 04-05-2017, 230 V, 1 Ph, 50/60 Hz, 0.2 kW, natural gas, belt width: 680 mm, clearance: 680 mm x 50 mm, total dimensions: 1200 mm x 1080 mm x 1700 mm.	500



30	Thermo Ramsey Italia S.R.L.	Thermo Ramsey Italia S.R.L. checkweigher for cans, model: Cabinet Versa, serial number: 9087, year of construction: 2011, 230 V, 50 Hz, 0.5 kVA, feed worm with chain conveyor, distance between chains: 45 mm, dimensions checkweigher: 2100 mm x 650 mm x 1400 mm, dimensions display cabinet: 550 mm x 400 mm x 1650 mm.	800
31	NN transport belt	Mobile tiltable transport belt with s/s roller, plastic belt, belt width: (2x) 90 mm, total dimensions: 1300 mm x 480 mm x 1120 mm.	100
33	Still	Still battery charger, type: D 80/125 PL, fabrication number: 96028/7, 80 V, 125 A, dimensions: 560 mm x 400 mm x 750 mm.	50
34	Thermo Ramsey Tecnoeuropa S.R.L.	Thermo Ramsey Tecnoeuropa S.R.L. checkweigher for cans, model: Cabinet, type: AC 9000 Plus, serial number: 6731, year of construction: 2006, 230 V, 50 Hz, 0.5 kVA, feed worm with chain conveyor, adjustable in width, distance between chains: 45 mm, dimensions checkweigher: 2500 mm x 1050 mm x 1500 mm, dimensions display cabinet: 480 mm x 440 mm x 1770 mm.	500
35	NN lid splitter	S/s mobile splitting machine for lids, dimensions: 800 mm x 500 mm x 1750 mm.	100
36	Voltman	Voltman mobile s/s mesh belt, belt width: 200 mm, total dimensions: 1060 mm x 620 mm x 1090 mm. With spare mesh belt.	150
37	Protech Food Machinery AB	Protech Food Machinery AB add back system, type: Add back system, serial number: 0834, year of construction: 2008, 240 V, 50 Hz, dimensions tub: 700 mm x 550 mm, total dimensions: 1200 mm x 750 mm x 1850 mm.	80
38	Wabäma	Wabäma mobile automatic bread slicer, model: Economy Plus 450.220 Elektronik, machine number: 091203382, year of construction: 2009, 400 V, 750 W, 280 kg, maximum length bread: 450 mm, width slice: 4-26 mm, capacity: 200 slices/min, total dimensions: 1200 mm x 760 mm x 1280 mm.	500
39	Seegräber	Seegräber turning table, type: Sammeltisch mit Antrieb, serial number: 1D4820, year of construction: 2018, diameter table: 1000 mm, outfeed with: 100 mm, total dimensions: 1450 mm x 1300 mm x 1150 mm.	1250
40	Liebel	Liebel checkweigher with sorting line, type weigher: USS 12, fabrication number: 09 005, year of construction: 2009, 230/400 V, 50 Hz, 6 A, maximum weight: 500 g, minimum weight: 80 g, capacity: 120 pieces/min, belt width: 200 mm, total dimensions: 1550 mm x 780 mm x 1660 mm, sorting line with 12 ejectors, belt width: 200 mm, total dimensions: 6050 mm x 900 mm x 1400 mm	2500
41	Steiner Apparatebau GmbH	Steiner Apparatebau piston pump used for soups, dimensions: 1450 mm x 640 mm x 640 mm.	700



42	NN lids	Pallet with 40 s/s lids for 200 or 300 liter meat bins, dimensions each lid: 720 mm x 680 mm, total dimensions: 1000 mm x 1200 mm x 1160 mm. New.	2000
43	Heinrich Frey Maschinenbau GmbH	Heinrich Frey Maschinenbau GmbH piston filler, type: Kompakta 2, machine number: K2 30 03 10 97, 400 V, 50 Hz, volume: 30 liter, dimensions: 880 mm x 710 mm x 1250 mm.	3000
44	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 80 mm, total dimensions: 1050 mm x 960 mm x 420 mm.	800
45	Bilwinco A/S	Bilwinco A/S 10-heads multihead weigher, type: BW210-W, serial number: 5632, year of construction: 2005, 3x400 V, 50 Hz, 16 A, 5000 VA, pressure: 5-10 bar, weighing range: 200 gram - 1500 gram, total dimensions: 1850 mm x 1850 mm x 1540 mm.	3000
47	Müpeck	Müpeck bottle closing machine, 4 heads, type: V6-4P, machine number: 543487, year of construction: 1995, 400 V, 50 Hz, plastic belt, belt width: 80 mm, total dimensions: 2100 mm x 1500 mm x 2150 mm.	3500
48	Serap Industries	Serap Industries double jacketed cooled tank with agitator, model: SM 2560, serial number: 33304 KD, year of construction: 1981, 400 V, 3 Ph, 50 Hz, 6 kW, refrigerant: R422D, quantity: 3 kg, volume tank: 2550 liter, dimensions: 3250 mm x 1580 mm x 1700 mm.	900
49	Pamog	Pamog bottle filling machines used for oil and vinegar, 8 heads, plastic belt, belt width: 80 mm, total dimensions: 2700 mm x 1250 mm x 2380 mm.	5000
50	NN vibrating gutter	S/s vibrating gutter, gutter width: 900 mm, total dimensions: 950 mm x 1000 mm x 1080 mm.	250
51	Pago	Pago labeller, type: System 520 A, serial number: 1S20005, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 4.5 A, 2 Pagomat 6 labellers, plastic belt, belt width: 80 mm, total dimensions: 3700 mm x 2000 mm x 2250 mm.	2000
52	NN tool trolley	S/s tool trolley, dimensions: 1400 mm x 1150 mm x 1850 mm.	500
53	Polyketting Conveyor Technology	Polyketting Conveyor Technology elevating belt, type: SPEC, number: 061392, year of construction: 2006, 0.12 kW, elevating from 630 mm to 1200 mm, total dimensions: 1000 mm x 500 mm x 1480 mm.	900
54	Engelsmann AG	Engelsmann AG screening machine, type: DO.B. 10/3/1.4541/GS-S, machine number: 3479, year of construction: 1987, weight: 900 kg, total dimensions: 2470 mm x 1100 mm x 1200 mm.	1000
55	NN elevating belt	Elevating belt, s/s frame, plastic belt and dividers, belt width: 440 mm, distance between dividers: 200 mm, divider height: 50 mm, elevating height: 2320 mm, total dimensions: 3900 mm x 1800 mm x 2450 mm.	1500
56	Jost	Jost vibrating gutter, gutter width: 400 mm, total dimensions: 850 mm x 640 mm x 1180 mm.	700



57	Jost	Jost vibrating gutter, type: FDL 400/-100x800, machine number: 1671349, year of construction: 2016, gutter width: 400 mm, total dimensions: 850 mm x 640 mm x 1180 mm.	700
58	Jost	Jost vibrating gutter, type: FDL 400/-100x800, machine number: 1670954, year of construction: 2016, gutter width: 400 mm, total dimensions: 880 mm x 680 mm x 1140 mm.	700
59	Erbe	Erbe vibrating gutter, type: FRST 1750, 230 V, 50 Hz, gutter width: 390 mm, total dimensions: 2060 mm x 800 mm x 980 mm.	1000
60	Jost	Jost vibrating gutter, type: FDL 400/-100x800, machine number: 1770146, year of construction: 2017, gutter width: 400 mm, total dimensions: 850 mm x 640 mm x 1180 mm.	700
61	Jost	Jost vibrating gutter, type: FDL 400/-100x800, machine number: 1770147, year of construction: 2017, gutter width: 400 mm, total dimensions: 850 mm x 640 mm x 1180 mm.	700
62	Jost	Jost vibrating gutter, type: FDL 400/-100x800, machine number: 1671351, year of construction: 2016, gutter width: 400 mm, total dimensions: 850 mm x 640 mm x 1180 mm.	700
63	Jost	Jost vibrating gutter, type: FDL 400/-100x800, machine number: 1770148, year of construction: 2017, gutter width: 400 mm, total dimensions: 850 mm x 640 mm x 1180 mm.	700
64	NN curve conveyer	S/s mesh 180° curve conveyor, belt width: 350 mm, total dimensions: 2770 mm x 1700 mm x 960 mm.	500
65	Manfred Blind GmbH	Manfred Blind GmbH s/s mobile mesh belt, type: Stabgeflechtsband 1, machine number: 003.051.01.01.001-1, year of construction: 2014, 0.25 kW, weight: 240 kg, belt width: 600 mm, total dimensions: 5920 mm x 820 mm x 1070 mm.	1500
66	NN meat bin	S/s meat bin, volume: 200 liter, with drain, hose and parts.	100
67	H. Wolff Apparatebau KG	H. Wolff Apparatebau KG tumbler, type: GTM 250, machine number: 79148, year of construction: 1979, 380 V, 50 Hz, 0.8 kW, volume: 250 liter, dimensions: 1580 mm x 1400 mm x 1770 mm.	500
68	Cabinplant	Cabinplant dosing machine, dimensions: 1050 mm x 900 mm x 1700 mm.	750
69	Alexanderwerk	Alexanderwerk slicer / grinder, type: GKM, machine number: 17078, 380 V, 2.1/3.1 A, 1.1/1.3 kW, 1400/2800 rpm, dimensions: 820 mm x 820 mm x 950 mm. Including 2 pallets with attachment for grinder and vegetable slicer.	150
71	NN batcher	Mobile batcher, outfeed: (8x) 100 mm x 175 mm, total dimensions: 1450 mm x 1000 mm x 1950 mm.	500



72	Klaeger	Klaeger metal saw, model: 5b/400, machine number: 104573, year of construction: 1977, length saw: 400 mm, total dimensions: 1500 mm x 420 mm x 880 mm.	100
73	Minimax	Minimax fire hose reel in cabinet, length: 30 meter, year of construction: 1999, dimensions: 840 mm x 740 mm x 260 mm.	80
74	Domino	Domino inkjet printer, serial number: N1A 13229, dimensions: 500 mm x 260 mm x 660 mm.	300
75	Solia	Solia mobile slicer, type: M30D, machine number: 66/020899-11, 400 V, 3 Ph, 50 Hz, 3.3/3.9 A, 1.4/1.8 kW, infeed: Ø 60 mm , Ø80 mm, 100 mm x 260 mm, total dimensions: 1000 mm x 500 mm x 1160 mm. Defect. With pallet with various parts.	100
76	Comarme	Comarme box closing machine, model: GEM-50/RC, serial number: Z0014746, year of construction: 1997, 380 V, 50 Hz, 0.8 A, 184 W, weight: 72 kg, s/s rollers, roller width: 500 mm, plastic belt, belt width: (2x) 50 mm, total dimensions: 900 mm x 860 mm x 1350 mm.	200
77	Cericke	Cericke dosing screw used for herbs, dimensions: 1380 mm x 780 mm x 900 mm.	500
78	Jost	2 Jost vibrating gutters, gutter width: 400 mm, total dimensions: (2x) 850 mm x 640 mm x 1180 mm.	500
79	NN progressive cavity pump	Progressive cavity pump, dimensions: 1300 mm x 370 mm x 450 mm.	500
80	Dito Sama	Dito Sama vegetable slicer, model: TR21, number: GT74928, year of construction: 1991, 220 V, 1 Ph, 50 Hz, 2.85 A, 250 W, dimensions: 230 mm x 430 mm x 450 mm.	20
81	Züchner	Züchner inline vacuum tester, dimensions: 1000 mm x 640 mm x 340 mm.	150
82	Metronics	Metronics Technologies waterjet cutting machine, model: WATERCUT 172LX, serial number: 198172LX, year of construction: 2015, 380 V, 50 Hz, 10 kW, 750 kg, 2800 bar, 44 knives, working width: 730 mm, distance between knives: 15 mm, total dimensions: 1800 mm x 1250 mm x 1450 mm.	2000
83	Bilwinco A/S	Bilwinco A/S frame for multihead weigher, dimensions frame: 1800 mm x 1400 mm x 2300 mm, Bilwinco 14-heads multihead weigher, type: DW60/14-D, number: 5048, year of construction: 2000, 3x400 V, 50 Hz, 10 A, 5000 VA, weighing range: 50 gram - 1000 gram, pressure: 5-10 bar, dimensions: 1100 mm x 900 mm x 1000 mm, with spare 14-heads multihead weigher, dimensions multihead weigher: 800 mm x 800 mm 750 mm, missing weighing heads.	3000
84	Niko GmbH & Co. KG	Niko cabbage corer, double lanes, dimensions drills: Ø 100 mm, distance between drills: 265 mm, chain belt, belt width: 850 mm, dimensions: 2100 mm x 1200 mm x 2280 mm. Overhauled.	10000



85	Stiels Spezialmaschinenbau	Stiels cabbage cleaning machine, type cleaner: 32.021, serial number: 133/75, working width: 920 mm, dimensions: 2140 mm x 1360 mm x 1100 mm. Overhauled.	9000
86	Stiels Spezialmaschinenbau	Stiels cabbage cleaning machine, type cleaner: 32.021, serial number: 134/75, working width: 920 mm, dimensions: 2140 mm x 1360 mm x 1100 mm. Overhauled.	9000
87	Langguth	Langguth labeller, type: E23/FVT 18, year of construction: 1992, 230/400 V, 50 Hz, 6 A, plastic belt, belt width: 80 mm, total dimensions: 2450 mm x 1500 mm x 1250 mm. Including 2 pallets with spare parts.	2500
88	Alwid	Alwid bottle capping machine, 4 stations, type: Favorit, number: 010991, plastic belt, belt width: 80 mm, total dimensions: 2150 mm x 930 mm x 2340 mm.	3000
89	Pago	Pago labeller, type: System 222/157, number: 20722210, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 1.4 A, 2 Pagomat 6/2 labellers, plastic belt, belt width: 80 mm, total dimensions: 3200 mm x 1100 mm x 2330 mm. Missing display.	1500
91	Lock Inspection Systems	Lock Inspection Systems metal detector with rejector, type: MET30+, serial number: 324501, 100/240 V, 50/60 Hz, 3 A, plastic belt, belt width: 330 mm, total dimensions: 350 mm x 130 mm, total dimensions: 1600 mm x 950 mm x 1500 mm. Technical condition unknown.	350
92	Ross	Ross meat press, type: 914 CE, number: 1275, 400 V, 3 Ph, 50 Hz, 17 A, 6.8 kW, chamber dimensions 220 mm x 80 mm, total dimensions: 2120 mm x 730 mm x 1570 mm.	500
93	Jung	Jung cabbage slicer, knife $\varnothing$ : 800 mm, capacity: 5000 kg per hour, total dimensions: 1180 mm x 1320 mm x 1600 mm. Overhauled.	10000
94	NN knives	5 knives for vegetable slicer, dimensions each knife: $\varnothing$ 820 mm, on pallet.	5000
95	NN knives	3 knives for vegetable slicer, dimensions each knife: $\varnothing$ 820 mm, on pallet.	3000
96	Cintex	Cintex metal detector, plastic mesh belt, belt width: 300 mm, clearance: 450 mm x 180 mm, total dimensions: 1600 mm x 1100 mm x 1660 mm.	350
97	OKS	OKS pressure vessel, serial number: 471141, year of construction: 1999, volume: 1000 liter, maximum pressure: 11 bar, maximum temperature: 50°C, dimensions: 2300 mm x 800 mm x 860 mm.	200
98	NN hand disinfection units	2 hand disinfection units on s/s frame, dimensions: 420 mm x 420 mm x 1360 mm.	200
99	Schäfer	Schäfer labelling machine, type: Combina 228, maximum height labels: 110 mm, belt width: 90 mm, total dimensions: 2500 mm x 1000 mm x 1800 mm.	950



100	NN hand disinfection unit	Hand disinfection unit on s/s frame, dimensions: 420 mm x 420 mm x 1360 mm.	100
101	NN hand disinfection unit	Hand disinfection unit on s/s frame, dimensions: 420 mm x 420 mm x 1360 mm.	100
102	NN hand disinfection unit	Hand disinfection unit on s/s frame, dimensions: 420 mm x 420 mm x 1360 mm.	100
103	NN hand disinfection unit	Hand disinfection unit on s/s frame, dimensions: 420 mm x 420 mm x 1360 mm.	100
104	NN hand disinfection unit	Hand disinfection unit on s/s frame, dimensions: 420 mm x 420 mm x 1360 mm.	100
105	NN hand disinfection unit	Hand disinfection unit on s/s frame, dimensions: 420 mm x 420 mm x 1360 mm.	100
106	Steiner Apparatebau GmbH	Steiner Apparatebau GmbH cooking vessel with agitator and scrapers, type: TM 600, machine number: 12-1442, year of construction: 12.2012, 400 V, 400 V, 2.2 kW, volume kettle: 820 liter, dimensions: 1930 mm x 1320 mm x 1780 mm. Welds are damaged, not strong enough for steam pressure cooking.	500
107	Solia	Solia vegetable dryer, model: SWA100, machine number: 807810-89, 220 V, 1 Ph, 50 Hz, 5 A, diameter basket: 470 mm, total dimensions: 1480 mm x 750 mm x 1050 mm.	150
108	Holmatec	Holmatec bottle turning machine, type: Flaschendreystation, number: 2650705, year of construction: 10-2005, plastic belt, belt width: (2x) 80 mm, total dimensions: 1500 mm x 870 mm x 1660 mm.	350
109	NN filling machine	Bottle filling machines used for oil and vinegar, 6 heads, plastic belt, belt width: 80 mm, total dimensions: 2600 mm x 1150 mm x 1720 mm.	2000
110	Trans-Tech Hysek GmbH	Trans-Tech Hysek GmbH 2 pallets with BMH invertors, suitable for glasses with the following dimensions: Ø 90 mm x 147 mm, Ø 54 mm x 95 mm, Ø 72 mm x 120 mm.	100
111	NN dye for tray sealer	Pallet with dye for tray sealer.	150
112	Brita	2 Brita water purification filters, model: purity 1200 steam.	20
113	Bellonmit	Bellonmit hydraulic sweeper, type: T SPH, model: 2350, year of construction: 2015, weights: 310 kg, brush width: 2350 mm, total dimensions: 2600 mm x 1200 mm x 900 mm.	350
114	Alpma	Alpma cheese segment slicer, type: SC 150, year of construction: 2005, diameter cheese: 250 mm x 420 mm, capacity: 120 slices/ minute, dimensions: 2500 mm x 1650 mm x 2000 mm, with Sartorius checkweigher, type: WS 20 kg MCC, belt width 300 mm, dimensions: 500 mm x 550 mm x 900 mm, including 5 transport belts, dimensions: 2100 mm x 1000 mm x 1550 mm, 1100 mm x 800 mm x 1200 mm, 700 mm x 1300 mm x 1100 mm, pallet box with parts and pallet with s/s switch cabinet, dimensions: 900 mm x 320 mm x 1900 mm.	2000



115	NN centrifugal pump	Centrifugal pump, dimensions: 900 mm x 430 mm x 900 mm.	500
116	Pomac	Pomac centrifugal pump, type: CP15533/130 OS (E), serial number: 20003, year of construction: 2007, capacity: 6 m <sup>3</sup> /h, dimensions: 570 mm x 260 mm x 340 mm.	500
117	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 100 mm, total dimensions: 2400 mm x 750 mm x 2120 mm.	300
118	Bilwinco	Bilwinco multihead weighing line, consisting of: Bilwinco 6-heads multihead weigher, type: DW 80, serial number: 5568, year of construction: 2005, 3x 400 V, 50 Hz, 16 A, weight range: 10-10 g, capacity: 50/min, dimensions: 2300 mm x 1500 mm x 3600 mm, Kessen Maschinenbau GmbH tray conveyor, type: position band SPV, year of construction: 10/2013, plastic mesh belt, belt width: (3x) 45 mm, dimensions: 3000 mm x 850 mm x 1560 mm, Kessen Maschinenbau GmbH mobile denester, dimensions: 700 mm x 700 mm x 1600 mm, Kessen Maschinenbau GmbH mobile vibrating gutter, width: 650 mm, total dimensions: 1400 mm x 1300 mm x 1300 mm, box with frames, dimensions: 1500 mm x 2300 mm x 1500 mm, pallet with frames, dimensions: 1500 mm x 1250 mm x 800 mm, pallet box with parts, pallet with s/s switch cabinet, dimensions: 1200 mm x 800 mm x 500 mm, s/s stairs, height: 2600 mm.	8000
119	Pago	Pago labelling machine, number: Pago 30 488, dimensions: 1250 mm x 800 mm x 1200 mm.	200
120	NN loading and unloading device	Autoclave loading and unloading for autoclave cages, inside dimensions: 740 mm x 800 mm x 1000 mm, total dimensions: 1000 mm x 1300 mm x 1030 mm. Including hydraulic unit.	500
121	Ishida	Ishida linear weigher, type: FFW, year of construction: 2012, (2x) 6 heads, dimensions: 2500 mm x 1000 mm x 1000 mm. Including pallet box with bins, dimensions: 1200 mm x 800 mm x 800 mm, Ishida transport belt, dimensions: 3400 mm x 560 mm x 1350 mm, pallet with s/s stairs, dimensions: 2400 mm x 880 mm x 920 mm, 4 pallets with parts and platform, dimensions: 1420 mm x 2200 mm x 1450 mm.	4500
122	NN steam hose	Pallet with steam hose, 18 bar, 210 °C.	100
123	NN transport system	Transport system used for transporting bottles, plastic belt, belt width: 80 mm, total dimensions: 1900 mm x 800 mm x 1050 mm, 2800 mm x 600 mm x 1050 mm, 2650 mm x 600 mm x 1050 mm, 2450 mm x 650 mm x 1050 mm, 1700 mm x 800 mm x 1050 mm, 1900 mm x 550 mm x 1050 mm, 1550 mm x 600 mm x 1050 mm and 4 pallets with parts and switch cabinet.	500



124	Shun Da	Shun Da boiler on s/s frame with water filter, model: LDR12-0.45-Z, 380 V, 4/8/12 kW, weight: 85 kg, water capacity: 27 liter, steam pressure: 0.45 MPa, steam temperature: 155°C, rating steam output: 16 kg per hour, dimensions: 1000 mm x 680 mm x 1300 mm.	500
125	Tinofix	Tinofix can and glass washing machine, type: Inline can and glass washing machine including blow-off, model: 431A, number: 2041, 380 V, 50 Hz, 2.2 kW, weight: 600 kg, steam heated, dosing pump for detergents, capacity: 5000 containers per hour, chain belt, belt width: max 110 (adjustable), total dimensions: 4000 mm x 1000 mm x 1900 mm.	1500
126	Lenssen Vul- & Sluittechniek	Lenssen Vul- & Sluittechniek, portioning can filling station for the filling of different components in one jar, consisting of: infeed conveyor with plastic infeed belt and distancing device, push conveyor with 3 pneumatic press units, 3 scales and vacuum filling unit for brine, type: GV-15-10, machine number: GV-15-001, year of construction: 2015, 400 Vac, 50 Hz, capacity: 400 jars per hour. dimensions scale: (3x) 160 mm x 160 mm, belt width: 135 mm, dimensions conveyor line: 3510 mm x 600 mm x 2000 mm, filling line with 3 fill bunkers and fill screw in each bunker, dimensions each bunker: (2x) 500 mm x 400 mm x 600 mm, (1x) 500 mm x 300 mm x 440 mm, dimensions filling line: 2500 mm x 900 mm x 1900 mm.	12500
127	Zagres	Zagres aluminium platform, 5 steps, platform height: 1270 mm, total dimensions: 2300 mm x 750 mm x 230 mm.	100
128	Cabinplant	Cabinplant 24-heads multihead weigher, dimensions: 1500 mm x 1250 mm x 1850 mm.	4000
129	HD. Wiegetechnik + Sondermaschinen GmbH	HD. Wiegetechnik + Sondermaschinen GmbH 14-heads multihead weigher, type: HDW 14-1.5, machine number: 054, year of construction: 2/2004, capacity: 140/min, maximum weight per head: 2500 g, dimensions: 1900 mm x 1500 mm x 1700 mm.	1500
130	NN depositor	Volume depositor, 6 heads, diameter heads: (6x) 50 mm and (6x) 70 mm, dimensions pallet box: 1000 mm x 1200 mm x 1000 mm.	250
131	NN forks	2 forks for forklift, length forks: 1140 mm, width forks: 100 mm.	50
132	J. Legendre	J. Legendre infeed belt, s/s frame, s/s belt, belt width: 80 mm, total length infeed belt: 4200 mm.	500
133	Metternich Fördertechnik	Metternich Fördertechnik s/s mesh belt, belt width: 400 mm, total dimensions: 1000 mm x 750 mm x 600 mm.	750
134	Pomac	Pomac centrifugal pump, type: CP15533/130 OS (E), serial number: 19996, year of construction: 2007, capacity: 6 m³/h, dimensions: 570 mm x 260 mm x 340 mm.	500



135	Pomac	Pomac centrifugal pump, type: CP15533/130 OS (E), serial number: 18728, year of construction: 2007, capacity: 6 m <sup>3</sup> /h, dimensions: 570 mm x 260 mm x 340 mm.	500
136	Pomac	2 Pomac centrifugal pumps, type: CP15533/130 OS (E), serial number: 20000 and 19999, year of construction: 2007, capacity: 6 m <sup>3</sup> /h, dimensions: 570 mm x 260 mm x 340 mm.	1000
138	NN table	S/s table, dimensions: 440 mm x 440 mm x 500 mm.	30
139	Ferrum	25 Ferrum depitting plates for cherries among others, dimensions holes: 22.5/12, 108 holes per plate.	1000
140	Ferrum	70 Ferrum depitting plates for plums, dimensions holes: (37x) 40/20 and (33x) 40/25, 30 holes per plate.	1500
141	NN glue pumps	2 glue pumps, dimensions: (2x) 370 mm x 750 mm x 370 mm.	800
142	NN filter	S/s filter for piping, diameter pipe: 100 mm,	200
143	Pomac	2 Pomac centrifugal pumps, type: CP15533/130 OS (E), serial number: 18729 and 20001, year of construction: 2007, capacity: 6 m <sup>3</sup> /h, dimensions: 570 mm x 260 mm x 340 mm.	1000
144	Busch	Busch vacuum pump, type: RC 0040 B 3Z1, dimensions: 600 mm x 280 mm x 400 mm.	150
145	Ten Brink	Ten Brink infeed bunker, type: DS, number: 29195, year of construction: 1995, dimensions bunker: 800 mm x 800 mm x 750 mm, dimensions outfeed pipe: Ø 100, total dimensions: 1200 mm x 1700 mm x 2550 mm. Including pallet with spare motor and screws.	300
146	NN plumping	3 plastic buckets with valves and links, diameter: 35 mm and 50 mm.	150
147	Müpeck	Müpeck bottle filling machine used for oil and vinegar, 12 heads, type: M5-12-12, machine number: 543486, year of construction: 1995, 400 V, 50 Hz, plastic belt, belt width: 80 mm, total dimensions: 2500 mm x 1400 mm x 2050 mm.	4000
148	Müpeck	Müpeck cap reservoir transport and sorting unit, type: Elevator, machine number: 543488, year of construction: 1995, 400 V, 50 Hz, plastic belt and dividers, belt width: 200 mm, distance between dividers: 200 mm, divider height: 40 mm, elevating height: 1950 mm, total dimensions: 1570 mm x 1020 mm x 2050 mm.	1500
149	Krones	Krones Labelling machine for glue labels, type Universella, dimensions: 2300 mm x 1780 mm x 2.400 mm.	3500
150	Meypack	Meypack packaging machine for trays and trays with lid, max. capacity: up to 30 trays / min, used for glass and plastic bottles (100 ml - 1.000 ml), with Nordson hot melt glue unit, type: ProBlue P/N213 544C, dimensions: 8700 mm x 3300 mm x 2200 mm.	8000



151	NN jars	Pallet with 82 boxes with 12 jars each box, volume jar: 380 ml, dimensions pallet: 800 mm x 1200 mm x 1000 mm. Without lids.	300
152	NN switch cabinet	Steel switch cabinet, dimensions: 2050 mm x 1000 mm x 450 mm.	150
153	Yamato / Hassia	Yamato 10-heads multihead weigher with Hassia vertical bag fill-, form-, seal machine, year of construction multihead weigher: 1998, type vertical form-, fill-, seal machine: Redatron RV 220/300, number: 8003, year of construction: 1986, weighing range: 30-1 , 500 gram, capacity: 30 bags per minute.	5000
154	Schröder	Schröder tenderizer, type: NT 350 number: 350 274 01, year of construction: 2001, 400 V, 50 Hz, 11.5 A, 5.5 kW, 6 bar, plastic mesh belt, belt width: 600 mm, total dimensions: 2500 mm x 1200 mm x 2200 mm. Lot located in Speikern (DE).	500
155	Oli	Oli case packer, model: 410 Ü, year of construction: 2003, carton size: 425 ml: 204 mm x 212 mm x 264 mm 800 ml: 222 mm x 297 mm x 288 mm, capacity: 150 bottles per minute. Lot located in Grasberg (DE).	4500
156	Record	Record flowpacker, model: Jaguar, serial number: 31-94-007, 380 V, 50 Hz, 5000 W. Lot located in Wittebreut-Ulbering (DE).	1000



## **General terms of the online auction**

### **Article 1. Definitions**

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers

Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website [www.Industrial-Auctions.com](http://www.Industrial-Auctions.com), which is maintained by Industrial Auctions, based in Eindhoven;

### **Article 2. Applicability**

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

### **Article 3. Registration on the website and the use**

3.1 By registration on the website a user is able to follow the progress of auctions on the



website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Government laws and regulations, such as the Money Laundering and Terrorist Financing Prevention Act (WWFT), may impose (additional) obligations on Industrial Auctions. The client is required to provide all information requested by Industrial Auctions including (but not limited to) information about the client's identity to establish and verify this further, to verify and record the identity of the ultimate beneficial owner, the purpose and nature of the engagement or to exercise a transaction or an ongoing control over the business relationship or the natural person who represents or is authorized to do so by the client and whether the client is acting for themselves or for a third party. If the requested information is not supplied within 5 days after the first request, Industrial Auctions may immediately terminate the agreement and, pending the



information, Industrial Auctions may suspend the services. Industrial Auctions is then not obliged or liable for any compensation for damages.

#### **Article 4. The auction**

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the supporting system;
- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

#### **Article 5. Security**

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including



taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

#### **Article 6. Description lots**

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

#### **Article 7. Adjustments; operation**

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

#### **Article 8. Auction organization by Industrial Auctions**

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:



- Not to recognize a bid as such;
- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

#### **Article 9. Bid; Purchase Agreement**

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a



different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

#### **Article 10. Guarantees, claims and indemnities**

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by



him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

### **Article 11. Payment obligations of the buyer**

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

### **Article 12. Viewing days, auction days, pick-up days**

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

### **Article 13. Delivery**



13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

#### **Article 14. Termination**

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the



agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

## **Article 15. Liability**

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including



the loss of the good itself);

- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;

- Damage caused by environmentally harmful substances in or on the purchased;

- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);

- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

#### **Article 16. Applicable law**

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.





**Industrial  
Auctions** BV



**Industrial  
Auctions** BV

Address: Looyenbeemd 11  
5652 BH Eindhoven, Netherlands  
Tel.: +31 (0)40 2409 208  
Email: [info@industrial-auctions.com](mailto:info@industrial-auctions.com)  
Web: [www.industrial-auctions.com](http://www.industrial-auctions.com)

**Upcoming auctions:**

**19-01 Online auction of company kitchen and inventory in  
Eindhoven (NL)**