



Industrial Auctions BV

Online auction machinery for the food industry in Boxtel
(NL)

Closing: 19 January 2022 from 14:00 hrs.



Viewing day:

Address:

Hemelrijk 11-13
5281 PS Boxtel
Netherlands



General terms and conditions of the online auction

Closing date	19 January 2022 from 14:00 hrs.
Viewing	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	17% over the highest bid
VAT	21% over the highest bid including Premium
Pick up date	26 January 2022 from 09:00 till 16:00 hrs.
Pick up address	Hemelrijk 11-13 5281 PS Boxtel Netherlands
Delivery instructions	The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Industrial Auctions B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick up bought lots) will only take place on the mentioned delivery date/time and address..
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 265 mm, distance between dividers: 150 mm, divider height: 40 mm, elevating height: 1550 mm, total dimensions: 2100 mm x 1050 mm x 1700 mm.	300
2	FAM	FAM mobile slicer, type: ILC-3D, serial number: 5853, year of construction: 2003, 415 V, 3 Ph, 50 Hz, 4 kW, weight: 400 kg, dimensions: 1850 mm x 1050 mm x 1600 mm.	5000
3	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 320 mm, distance between dividers: 150 mm, divider height: 35 mm, elevating height: 1700 mm, total dimensions: 2000 mm x 800 mm x 2000.	300
4	FAM	FAM mobile slicer, type: ILC-3D, serial number: 5250, year of construction: 2001, 415 V, 3 Ph, 50 Hz, 4 kW, weight: 400 kg, dimensions: 1850 mm x 1050 mm x 1600 mm.	5000
5	Urschel slicer	Urschel mobile slicer with s/s mobile storage tub, type: OC, plastic infeed belt, clearance: 100 mm x 100 mm, dimensions slicer: 3000 mm x 1100 mm x 1900 mm, inside dimensions storage tub: (2x) 550 mm x 550 mm x 450 mm, total dimensions storage tub: 1800 mm x 750 mm x 1200 mm.	3500
6	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 290 mm, distance between dividers: 90 mm, divider height: 10 mm, elevating height: 1400 mm, total dimensions: 2100 mm x 900 mm x 1400 mm.	200
7	NN drip table	S/s drip table, dimensions: 1630 mm x 670 mm x 1270 mm.	75
8	SF	SF turning table, serial number: 436713.565 C, year of construction: 28/05/2013, s/s frame, plastic top, diameter top: 1500 mm, total dimensions: 1550 mm x 1550 mm x 820 mm. Technical condition unknown.	400
9	NN turning table	Mobile turning table, s/s frame, s/s top, diameter top: 800 mm, total dimensions: 820 mm x 820 mm x 850 mm.	300
10	NN elevating screw	Mobile elevating screw, screw width: 100 mm, tier: 70 mm, elevating height: 1250 mm, total dimensions: 2000 mm x 800 mm x 1930 mm.	450



11	Wolff Apparatebau KG	Wolff Apparatebau KG blanching and cooling line consisting of: Van Wees mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 175 mm, distance between dividers: 165 mm, divider height: 50 mm, elevating height: 2930 mm, total dimensions: 3300 mm x 1100 mm x 3000 mm Wolff Apparatebau KG blanching machine, type: B950/3000, machine number: 93-962, year of construction: 1993, 380 V, 50 Hz, 6.5 kW, dimensions: 4650 mm x 1550 mm x 3050 mm Wolff Apparatebau KG cooling drum, type: TRK950/3000, machine number: 93-963, year of construction: 1993, 380 V, 50 Hz, 10 kW, dimensions: 4650 mm x 1500 mm x 2400 mm S/s filter tub with circulation pump, inside dimensions: 1000 mm x 1000 mm x 950 mm, dimensions filter tub: 1400 mm x 1000 mm x 1130 mm S/s platform, dimensions: 4100 mm x 1800 mm x 1980 mm, 3000 mm x 1100 mm x 1980 mm, 2900 mm x 1800 mm x 1980 mm S/s switch cabinet, dimensions: 1430 mm x 400 mm x 2300 mm.	15000
12	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 175 mm, distance between dividers: 165 mm, divider height: 50 mm, elevating height: 2930 mm, total dimensions: 3300 mm x 1100 mm x 3000 mm.	750
13	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 175 mm, distance between dividers: 165 mm, divider height: 50 mm, elevating height: 2930 mm, total dimensions: 3300 mm x 1100 mm x 3000 mm.	750
14	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 175 mm, distance between dividers: 165 mm, divider height: 50 mm, elevating height: 2930 mm, total dimensions: 3300 mm x 1100 mm x 3000 mm.	750
15	NN screen	Mobile s/s screen, dimensions: 2600 mm x 1080 mm x 2650 mm.	75
16	NN table	S/s table, dimensions: 900 mm x 600 mm x 860 mm.	25
17	NN platform	S/s platform, dimensions: 1300 mm x 650 mm x 550 mm.	25
18	Grundfos	Grundfos pump unit, consisting of: (2x) Grundfos circulation pumps and expansion vessel, dimensions: 700 mm x 700 mm x 1450 mm.	200
19	Nederman	Nederman s/s hose reel, year of construction: 2011, maximum pressure: 10 mPh, maximum length: 25 meter, dimensions: 530 mm x 310 mm x 730 mm.	100
20	NN platform	S/s platform, dimensions: 1700 mm x 660 mm x 2900 mm.	100
21	Staes	Staes plastic storage tank, volume: 2000 liter, membrane pump, dimensions: 1900 mm x 1200 mm x 2550 mm.	200
22	Staes	Staes plastic storage tank, volume: 2000 liter, membrane pump, dimensions: 1900 mm x 1200 mm x 2550 mm.	200
23	Ingersoll Rand	Ingersoll Rand pressure unit, type: TZ 325, fabrication number: 07/45740, year of construction: 2007, 230 V, 50/60 Hz, dimensions: 1400 mm x 1200 mm x 2100 mm. Including pallet with filters.	500



24	Pujolás	Pujolás netting/casing loading machine, type: PMT 360, serial number: 011116, year of construction: 2011, 230 V, dimensions: 1230 mm x 1140 mm x 2300 mm.	4000
25	Pujolás	Pujolás automatic stuffing, stretching and clipping machine, type: Lapeg 900, serial number: 110616, year of construction: 2006, plastic infeed loading belt with dividers, belt width: 860 mm, distance between dividers: 145 mm, divider height: 30 mm, dimensions chamber: \varnothing 140 mm x 995 mm, Poly-Clip System GmbH & Co. KG automatic double clipper, type: PDC 200F, number: 1220/06, bar: 5-7, total dimensions: 3800 mm x 2000 mm x 2300 mm and 2400 mm x 1100 mm x 2030 mm.	12000
27	Berko	Berko air compressor, type: BSD 40, machine number: 32000309, year of construction: 1995, 400 V, 50 Hz, 28.2 kW, operating pressure: 10 bar, dimensions: 1950 mm x 790 mm x 1520 mm.	750
28	Berko	Berko air dryer, type: BP3310, number: 3-11258, year of construction: 2003, dimensions: 680 mm x 530 mm x 1630 mm.	300
29	Ingersoll Rand	Ingersoll Rand air dryer, model: D240IN-A, year of construction: 2011, 230 V, 1 Ph, 50 Hz, dimensions: 700 mm x 500 mm x 950 mm.	250
30	Supertape	Supertape mobile box closing machine, model: S8-CE, type: A, serial number: 195, year of construction: 2003, 380 V, 3 Ph, 50 Hz, 180 W, 1 A, steel rollers, roller width: 500 mm, 650 mm, total dimensions: 1800 mm x 900 mm x 1730 mm. ZFTP	100
31	NN mixing tub	Mobile s/s tiltable mixing tub, type: PM 150-14 610, fabrication number: 14-7610, inside dimensions: \varnothing 585 mm x 550 mm, total dimensions: 860 mm x 750 mm x 1250 mm.	400
32	NN brine mixer	Mobile s/s brine mixer, inside dimensions: \varnothing 500 mm x 420 mm, total dimensions: 700 mm x 500 mm x 1250 mm.	300
33	NN tub	S/s tub, inside dimensions: 1330 mm x 860 mm x 1050 mm, total dimensions: 2000 mm x 1000 mm x 1800 mm.	100
34	Rudolf Schad	Rudolf Schad mobile binding machine with outfeed table, type: E 85-1, number: 141, year of construction: 11.00, dimensions: 1580 mm x 900 mm x 1230 mm.	350
35	NN elevating belt	Elevating belt, steel frame, plastic belt with dividers, belt width: 695 mm, distance between dividers: 155 mm, divider height: 20 mm, elevating height: 1000 mm, total dimensions: 1650 mm x 1100 mm x 1300 mm.	400
36	NN turning table	Turning table, s/s frame, s/s top, diameter top: 1000 mm, total dimensions: 1030 mm x 1030 mm x 1100 mm.	400
37	Weber	Weber mobile skinning machine, type: ASE 530, number: 231, year of construction: 2011, weight: 200 kg, 400 V, 50 Hz, 0.55 kW, working width: 515 mm, total dimensions: 900 mm x 620 mm x 980 mm.	750
38	Weber	Weber mobile automatic skinning and derinding machine, type: ASK 560, number: 111, year of construction: 2007, weight: 470 kg, 400 V, 50 Hz, 7.7 kW, plastic belt, belt width: 495 mm, total dimensions: 2150 mm x 1100 mm x 1300 mm.	1000



39	Soco System	Soco System box closing machine with in-and outfeed roller conveyor, model: T-10, machine number: 186-2009, year of construction: 11/2009, 400 V, 3 Ph, 10 Hz 1.5 A, plastic rollers, roller width: 410 mm, (2x) 260 mm, total dimensions: 3000 mm x 800 mm x 1600 mm.	150
40	NN rack for ham forms	Mobile s/s rack for ham forms, (6x) 10 floors, dimensions floors: (60x) 500 mm x 245 mm, total dimensions: 1000 mm x 920 mm x 2000 mm.	650
41	Cyklop	Cyklop mobile box closing machine, model: CT52SD-T22, serial number: N1902856, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 0.18 kW, s/s rollers, roller width: 515 mm, total dimensions: 900 mm x 800 mm x 1400 mm.	100
42	Comarme S.r.l.	Comarme S.r.l. mobile box closing machine, model: GEM 52 INOX, machine number: N160098, year of construction: 2016, weight: 83 kg, 400 V, 3 Ph, 50 Hz, 0.8 A, 0.18 kW, s/s rollers, roller width: 510 mm, (2x) 180 mm, total dimensions: 900 mm x 850 mm x 1680 mm.	100
43	Grundfos	Water softening installation consisting of 2 water softeners with Aqua Cubic controller unit, Grundfos pressure unit, type: S-MONO GDI 1CR1-7, 400 V, 3 Ph, 50 Hz and 2 bags of clarosel salt tablets, volume: (2x) 25 kg, dimensions: 2250 mm x 850 mm x 1250 mm.	350
45	NN tilting device for pallet boxes	Mobile s/s tilting device for pallet boxes, type: 321, number: 345, year of construction: 1986, 380 V, 50 Hz, 4.0 A, tilting height: 1400 mm, total dimensions: 1850 mm x 1650 mm x 1600 mm.	1000
46	NN tilting device for meat bins	Mobile s/s tilting device for meat bins, tilting height: 1000 mm, total dimensions: 1500 mm x 1400 mm x 1240 mm.	650
47	NN transport belt for tray feeder	Double transport belt for tray feeder, s/s frame, plastic belt, belt width: (2x) 100 mm, total dimensions: 1550 mm x 500 mm x 1630 mm.	400
48	NN lockers	2 4-doors steel lockers, dimensions: (2x) 1200 mm x 550 mm x 2100 mm.	50
49	Bedu Pompen B.V.	Bedu Pompen B.V. exentric screw pump, type: BK052-4S-G5-F561-F1BA-E/D 11 kW, serial number: 6068716BD4326, dimensions: 2750 mm x 450 mm x 500 mm.	200
50	NN sand blasting cabinet	Steel sand blasting cabinet, dimensions: 950 mm x 700 mm x 1400 mm.	300
51	NN locker	4-doors steel locker, dimensions: 1200 mm x 550 mm x 2100 mm.	25
52	NN locker	4-doors steel locker, dimensions: 1200 mm x 550 mm x 2100 mm.	25
53	NN locker	4-doors steel locker, dimensions: 1200 mm x 550 mm x 2100 mm.	25
54	NN lockers	2 4-doors steel lockers, dimensions: (2x) 1200 mm x 550 mm x 2100 mm.	50



55	Meissner GmbH. & CO. KG.	Meissner GmbH. & CO. KG. bowl cutter, type: RSM-120, machine number: 138406, 380 V, 50 Hz, 54 A, 26.5 kW, steel bowl, diameter bowl: 950 mm, total dimensions: 1440 mm x 1200 mm x 1300 mm.	700
56	Ulma	Ulma flow packer, type: Pacific SSF, machine number: 1310100, year of construction: 2008, 415 V, 50 Hz, 17 A, 11.1 kW, seal width: 300 mm, total dimensions: 2830 mm x 900 mm x 1280 mm, 2800 mm x 1400 mm x 1800 mm.	7000
57	G. Mondini S.p.a.	G. Mondini S.p.a. traysealer, model: EVO 390 VG XL, machine number: 3763/09-2, year of construction: 12/2009, 415 V, 3 Ph, 50 Hz, s/s chain infeed belt, distance between dividers: 200 mm, plastic belt, belt width: 290 mm, total dimensions: 4600 mm x 1070 mm x 2300 mm, 7630 mm x 700 mm x 1530 mm. Including 2 pallets with dyes, dimensions dyes: (7x) 152 mm x 197 mm and (8x) 130 mm x 130 mm and s/s G. Mondini S.p.a. trolley for dyes, model: CPS/R, machine number: A/16/A-11382, year of construction: 2016.	10000
58	Record	Record mobile flow packer, model: Scorpion E, serial number: 09-02-128, year of construction: 2002, weight: 680 kg, speed: 20/100 RPM, 5 kW, seal width: 250 mm, total dimensions: 4400 mm x 1270 mm x 1750 mm.	1800
59	Multivac	Multivac thermoformer, type: R530, machine number: 1330, year of construction: 1998, 220 V, 3 Ph, 50 Hz, 55 A, 13 kW, film width: 545 mm, dimensions dye: (4x) 245 mm x 233 mm, Rietschle vacuum pump, total dimensions: 7100 mm x 1200 mm x 1950 mm. Including extra film unwinding machine, dimensions: 1150 mm x 1100 mm x 870 mm.	11500
60	Budé Innovative Solutions BV	Budé Innovative Solutions BV laser burner installation consisting of control cabinet with 3 Synrad power supply's, type laser: (3x) Synrad Evo 240S , 400 V, 50 Hz, 45 A, 28 kW, wavelength: 10.64 um, dimensions: 2350 mm x 1650 mm x 2600 mm, s/s switch cabinet, dimensions: 1250 mm x 600 mm x 1800 mm, s/s filter cabinet, dimensions: 840 mm x 700 mm x 1650 mm, transport belt, s/s mesh belt, belt width: 600 mm, dimensions transport belt: 2750 mm x 1000 mm x 1500 mm.	5000
61	NN waste bag holder	S/s waste bag holder, dimensions: 500 mm x 500 mm x 1000 mm.	10
62	Geset	Geset mobile labelling machine, machine number: A7969, year of construction: 02/2009, 230/115 V, 1.5/3.0 A, dimensions: 1200 mm x 830 mm x 1730 mm.	150
63	Ingersoll Rand	Ingersoll Rand screw compressor, model: SSR ML 110, serial number: 93 M110 E 62820, 380 / 415 V, 3 Ph, 50 Hz, 230.5 / 223 A, 123.5 kW, dimensions: 2770 mm x 1320 mm x 1300 mm.	500
64	Berko	Berko screw compressor, type: C40 10 SS, number: 095.0590, year of construction: 1985, 4050 liter/min, 10 bar, 30 kW, dimensions: 1700 mm x 800 mm x 1400 mm.	250
65	Atlas Copco	Atlas Copco air dryer, type: FD 120, serial number: 302536, 380/415 V, 3 Ph, 50 Hz, dimensions: 1550 mm x 680 mm x 920 mm.	300



66	Atlas Copco	Atlas Copco steel pressure vessel, fabrication number: LV 2011/478, year of construction: 1998, operating pressure: maximum 11 bar, operating temperature: -10 °C/50 °C, volume: 2000 liter, dimensions: 1550 mm x 1200 mm x 2800 mm.	300
67	Ingersoll Rand	Ingersoll Rand absorption dryer, type: TZV 197, serial number: 15545/2, year of construction: 2009, volume: (2x) 305 liter, dimensions: 1400 mm x 950 mm x 2680 mm.	500
68	Kiekens	Kiekens mobile dust extraction unit, type: C-337, serial number: 6346-35, year of construction: 05-92, 380 V, 3 Ph, 50 Hz, 1.4/2.2 kW, air flow: 290 m ³ per hour, weight: 90 kg, dimensions: 850 mm x 700 mm x 1150 mm.	200
69	Kiekens	Kiekens mobile dust extraction unit, type: C-337, serial number: 6346-34, year of construction: 05-92, 380 V, 3 Ph, 50 Hz, 1.4/2.2 kW, air flow: 290 m ³ per hour, weight: 90 kg, dimensions: 850 mm x 700 mm x 1150 mm.	200
70	Kronen	Kronen mobile belt-cutting machine, type: GS 10, serial number: 1153, year of construction: 2004, 230 V, 1 Ph, 50/60 Hz, 1.8 kW, plastic belt, belt width: 130 mm, chamber dimensions: 150 mm x 125 mm, total dimensions: 1650 mm x 780 mm x 1410 mm.	550
71	Alma	Alma sealing machine / small inspection belt, serial number: F1617, 415 V, 3 Ph, 50 Hz, working width: 520 mm, seal width: (2x) 470 mm, total dimensions: 1640 mm x 750 mm x 1550 mm. Missing transport belt and motor.	500
72	Syspal	Syspal mobile film roll holder, type: MH200-1012, serial number: K5306 2-1, year of construction: 2015, weight: 50 kg, total dimensions: 1000 mm x 880 mm x 1550 mm.	400
73	Syspal	Syspal mobile film roll holder, type: MH200-1013, serial number: K5306 3-1, year of construction: 2015, weight: 50 kg, total dimensions: 1000 mm x 880 mm x 1550 mm.	400
74	Syspal	Syspal mobile film roll holder, type: MH200-1011, serial number: K5306 1-1, year of construction: 2015, weight: 50 kg, fork length: 400 mm, total dimensions: 1000 mm x 880 mm x 1550 mm.	400
75	NN film roll holder	S/s trolley for plastic film rolls, arm length: 425 mm, total dimensions: 650 mm x 480 mm x 1240 mm.	250
76	Safeline	Safeline mobile metal detector, 50/60 Hz, plastic mesh belt, belt width: 610 mm, clearance: 650 mm x 300 mm, total dimensions: 2270 mm x 1050 mm x 1300 mm.	1000
77	Ceia THS	Ceia THS metal detector, model: T/21E-350200-000, serial number: 21300246070, year of construction: 2013, 200-240 V, 1 Ph, 50/60 Hz, 11.4 A, plastic belt, belt width: 300 mm, clearance: 350 mm x 170 mm, total dimensions: 1550 mm x 1000 mm x 1200 mm.	1000



78	Variovac	Variovac PS Systempack GmbH thermoformer for hard film, type: Primus, serial number: 420.644.07, machine number: 644, year of construction: 2007, 230/400 V, 50 Hz, 37/32 A, 19.7 kW, 6 bar, film width: 427 mm, index: 575 mm, belt width outfeed belt: 390 mm, with interleaver, dye: (3x) 140 mm x 75 mm, 2 Busch vacuum pumps, type: WV 0500 B 001 KAGM, year of construction: 2007, capacity: 500 m ³ per hour and type: RA 0100 F 503, year of construction: 2020, capacity: 100 m ³ per hour, total dimensions thermoformer: 7500 mm x 930 mm x 1920 mm, including Additif film unwinding device, dimensions: 1140 mm x 1120 mm x 910 mm.	7000
79	Flintec	Flintec weighing scale, type: PC7-100kg C3, serial number: 12618813, total dimensions: 600 mm x 500 mm x 140 mm.	50
80	Loma	Loma metal detector, model: IQ2, year of construction: September 2004, plastic belt, belt width: 405 mm, clearance: 450 mm x 70 mm, total dimensions: 2650 mm x 950 mm x 2100 mm.	800
81	Mesutronic	Mesutronic metal detector, type: MN 5.0 CI 200/100, serial number: 930930-CI, year of construction: 2007, 100-240 V, 50-60 Hz, 50-300 mA, plastic belt, belt width: 150 mm, clearance: 200 mm x 75 mm, total dimensions: 1170 mm x 900 mm x 1000 mm.	700
82	G. Mondini S.p.a.	G.Mondini S.p.a. traysealer, model: EVO 390 - XL, machine number: 3762/09, year of construction: 2009, 415 V, 3 Ph, 50 Hz, plastic infeed belt, belt width: 300 mm, plastic string outfeed belt, belt width: 280 mm, dimensions traysealer: 4700 mm x 1030 mm x 2100 mm. With mobile infeed belt, model infeed belt: C/T, serial number: 3763/09-1, year of construction: 12/2009, 415 V, 3 Ph, 50 Hz, dimensions infeed belt: 7450 mm x 1030 mm x 2100 mm. 2 trolleys with dyes, dimensions dyes: (6x) 230 mm x 180 mm, dimensions trolleys: (2x) 1750 mm x 800 mm x 1500, 2 pallets with dye's, dimensions dyes: (7x) 210 mm x 150 mm and (7x) 200 mm x 150 mm.	10000
83	Waldner	Waldner sleever, type: sleever, machine number: 2653, year of construction: 2015, 400 V, 3 Ph, 50-60 Hz, 36 A, 25 kW, pressure: 6 bar, weight: 3800 kg, capacity: 3600 trays per hour, plastic mesh infeed belt, belt width: 100 mm, plastic outfeed belt, belt width: 190 mm, total dimensions: 6450 mm x 2000 mm x 2550 mm. Including separate infeed transport belt, s/s frame, plastic mesh belt, belt width: 280 mm, dimensions transport belt: 880 mm x 580 mm x 1110 mm.	6000
84	NN elevating belt	S/s mobile elevating belt, plastic belt with dividers, divider height: 55 mm, distance between dividers: 200 mm, belt width: 100 mm, elevating height: 3220 mm, total dimensions: 1950 mm x 1000 mm x 3400 mm.	750
85	Svendborg Skibshydraulik A/S	Svendborg Skibshydraulik A/S mobile tilting device for pallet boxes, elevating height: 1500 mm, total dimensions: 1750 mm x 1350 mm x 1830 mm.	700



86	H. Wolff	H. Wolff s/s vibrating gutter, type: VIB600/2500, machine number: 93-964, year of construction: 1993, 380 V, 50 Hz, 1.6 kW, working width: 650 mm, dimensions vibrating gutter: 3000 mm x 1500 mm x 1960 mm, s/s waste water drum, inside dimensions: 1200 mm x 800 mm x 600 mm, total dimensions: 1550 mm x 820 mm x 1330 mm.	1250
87	NN elevating screw	Mobile s/s elevating screw, diameter screw: 400 mm, total dimensions: 2850 mm x 830 mm x 2820 mm.	1000
88	Mettler Toledo Garvens / Safeline	Mettler Toledo Garvens / Safeline metal detector with checkweigher and double ejector, type: XE 3 CC, serial number: 35000904, year of construction: 2003, 100-240 V, 50-60 Hz, 330 W, maximum weight: 3000 gram, minimum weight: 10 gram, e=0.5 gram, plastic belt, belt width: 220 mm and 300 mm, clearance: 350 mm x 210 mm, dimensions double ejector: 650 mm x 750 mm x 1100 mm, total dimensions: 1080 mm x 780 mm x 1400 mm.	1000
89	Mesutronic	Mesutronic mobile metal detector, type: MN 5.0 CI 450/200, serial number: 951214-CI, 100-240 V, 50-60 Hz, 50-300 mA, plastic belt, belt width: 400 mm, clearance: 450 mm x 165 mm, total dimensions: 1550 mm x 900 mm x 1100 mm.	800
90	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 345 mm, total dimensions: 3000 mm x 410 mm x 640 mm.	100
91	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 345 mm, total dimensions: 3000 mm x 410 mm x 640 mm. Missing some rollers.	100
92	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 200 mm, total dimensions: 2000 mm x 230 mm x 900 mm.	80
93	Domino	Domino mobile inkjet printer, serial number: CSB 008187, 90-250 V, 50-60 Hz, 373 mA, dimensions: 750 mm x 650 mm x 1800 mm.	300
94	Domino	Domino inkjet printer, serial number: CSB 008186, 90-250 V, 50-60 Hz, 373 mA, dimensions: 750 mm x 650 mm x 1800 mm.	300
95	Domino	Domino inkjet printer, type: Multi Head Base, serial number: CSB 016436, 100-250 V, 50-60 Hz, 2.5 A, dimensions: 660 mm x 400 mm x 1370 mm.	300
96	NN transport belt	Transport belt, steel frame, plastic belt, belt width: 200 mm, total dimensions: 3000 mm x 500 mm x 1250 mm.	200
97	Thermo Ramsey	Thermo Ramsey checkweigher, type: AC9000Plus Sentron, serial number: 5290, year of construction: 2005, 230 V, 50 Hz, 10 A, temperature: 0-40°C, pressure: 6 bar, maximum weight: 1500 gram, minimum weight: 35 gram, e=0.5 gram, dimensions: 480 mm x 480 mm x 1840 mm.	150
98	Polyketting Conveyor Technology	Polyketting Conveyor Technology mobile elevating belt, type: BT, fabrication number: 041112, year of construction: 2004, 0.37 kW, speed: 0.6 -1.1 meter per second, plastic belt, belt width: 170 mm, elevating height: 1450 mm, total dimensions: 2600 mm x 600 mm x 1770 mm.	400



99	Racupack	Racupack case packer, type: Catamaran II, serial number: 0106357, year of construction: 2006, 3x415 V, 50 Hz, 20 A, weight: 2000 kg, infeed conveyor, working width: 160 mm, outfeed conveyor: 90 mm, Nordson glue unit, type: PROBLUE 4, serial number: SA5L23616, 230/400 V, 50/60 Hz, 26 A, total dimensions: 7000 mm x 2400 mm x 2180 mm.	4000
100	Domino	Domino inkjet printer, model: Multi Head Base, serial number: CSB_016438, 100-250 V, 50-60 Hz, 2.5 A, dimensions: 550 mm x 400 mm x 1680 mm.	300
101	NN roller conveyor	Mobile roller conveyor, plastic rollers, roller width: 350 mm, total dimensions: 4000 mm x 380 mm x 800 mm.	100
103	Safeline / Mettler Toledo	Safeline / Mettler Toledo x-ray scanner, model: ADV 3, serial number: 2670ADV3, year of construction: July 2012, 230 V, 50 Hz, 10 A, 2.3 kW, pressure: 6 bar, plastic belt, belt width: 325 mm, clearance: 355 mm x 200 mm, total dimensions: 1760 mm x 850 mm x 1400 mm.	4000
104	Bartelt Rexham	Bartelt Rexham form, fill and seal machine on s/s platform, type: packager, serial number: 2886, maximum seal width: 520 mm, dimensions: 6550 mm x 1500 mm x 5430 mm, platform height: 2450 mm, dimensions platform: 3000 mm x 3050 mm x 3350 mm. Including Gardner Denver vacuum pump, type: V-VC 75 (20), capacity: 70/84 m ³ per hour, year of construction: 2012, 1.85 / 2.20 kW.	3000
105	Thermo Ramsey	Thermo Ramsey checkweigher, type: AC9000Plus Rx, serial number: 5468, year of construction: 2004, 230 V, 50 Hz, 10 A, temperature: 0-40°C, pressure: 6 bar, plastic belt, belt width: 140 mm, clearance: 210 mm x 70 mm, total dimensions: 640 mm x 580 mm x 1590 mm.	750
106	Safeline / Mettler Toledo	Safeline / Mettler Toledo x-ray scanner, model: ADV 8, serial number: 2324ADV3, year of construction: August 11, 230 V, 50 Hz, 10 A, 23 kW, plastic belt, belt width: 330 mm, clearance: 360 mm x 60 mm, total dimensions: 1420 mm x 900 mm x 1400 mm.	4000
107	NN transport belt	Transport belt system, extendable in height, steel frame, plastic belt, belt width: 150 mm, dimensions transport belts: 1550 mm x 450 mm x 1200 mm, 900 mm x 450 mm x 1230 mm, 1410 mm x 550 mm x 1280 mm and 1250 mm x 800 mm x 1370 mm.	400
108	Racupack	Racupack case packer, type: RTI Catamaran, serial number: 0404322, year of construction: 2004, 3x415 V, 50 Hz, 20 A, weight: 1300 kg, plastic infeed conveyor, belt width 200 mm, s/s belt, belt width: 190 mm, double plastic chain belt with dividers, distance between dividers: 95 mm, divider height: 65 mm, total dimensions: 6000 mm x 2600 mm x 1870 mm.	3000
112	NN roller conveyor	Mobile roller conveyor, s/s frame, plastic rollers, roller width: 400 mm, total dimensions: 4200 mm x 450 mm x 1240 mm.	120
113	NN transport belt	Mobile transport belt, steel frame, plastic belt, belt width: 150 mm, total dimensions: 3750 mm x 650 mm x 950 mm.	400



114	Bartelt Rexham	Bartelt Rexham form, fill and seal machine on s/s platform, type: packager, serial number: 3166, maximum seal width: 520 mm, dimensions: 6550 mm x 1500 mm x 5430 mm, platform height: 2450 mm, dimensions platform: 3000 mm x 3050 mm x 3350 mm.	3000
115	Thermo Ramsey	Thermo Ramsey checkweigher, model: RXM, serial number: 5774, year of construction: 2003, 230 V, 50 Hz, 0.6 kVa, plastic belt, belt width: 140 mm, total dimensions: 1080 mm x 630 mm x 1600 mm.	750
116	Thermo Fisher	Thermo Fisher X-ray scanner, model: NEXTGUARD C330 SP/SR, serial number: 16517906, year of construction: 01.2017, plastic belt, belt width: 330 mm, total dimensions: 1300 mm x 1050 mm x 1480 mm.	5500
117	Duursma	Duursma elevating belt, s/s frame, plastic belt, belt width: 90 mm, elevating height: 1150 mm, total dimensions: 1800 mm x 600 mm x 1250 mm.	300
118	Cariba	Cariba case packer, model: PHB 220, machine number: 471, Nordson glue unit, model: Problue 4, dimensions pouch conveyor: 120 mm x 100 mm, total dimensions: 2970 mm x 1500 mm x 2300 mm. Including steel switch cabinet, dimensions: 800 mm x 600 mm x 2100 mm.	3000
119	NN curve conveyor	Curve conveyor, s/s frame, plastic belt, belt width: 80 mm, total dimensions: 1580 mm x 1000 mm x 1200 mm.	150
120	Thermo Electron	Thermo Electron checkweigher with rejector, model: AC9000plus, serial number: 6858, year of construction: 2006, 230 V, 50 Hz, 0.6 kVA, weighing range: 35/1500 g, e= 0,5 g, d= 0.5 g, T= 1500 g, plastic belt, belt width: 150 mm, 190 mm, total dimensions: 1700 mm x 750 mm x 1950 mm.	750
121	Somic GmbH	Somic case packer, type: WA 404, machine number: N-00133, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 32 A, 15 kW, plastic infeed belt, belt width: 160 mm, plastic outfeed belt, belt width: 70 mm, Nordson glue unit, model: Problue 4, total dimensions: 5260 mm x 2100 mm x 2300 mm.	2000
122	Domino	Domino inkjet printer, model: Multi Head Base, serial number: CSB_016437, 100-250 V, 50-60 Hz, 2.5 A, dimensions: 550 mm x 400 mm x 1680 mm.	300
123	NN roller conveyor	Roller conveyor, aluminium frame, plastic rollers, roller width: 390 mm, total dimensions: 3000 mm x 450 mm x 900 mm.	80
124	NN protection pole	S/s protection pole, dimensions: 400 mm x 400 mm x 1150 mm.	25
125	NN film roll holder	Mobile film roll holder, arm length: 280 mm, total dimensions: 630 mm x 500 mm x 980 mm.	50
126	NN frames	2 steel frames, dimensions: (2x) 1180 mm x 1000 mm x 560 mm.	30
127	Thermofin GmbH	Thermofin GmbH evaporator, model: TGDN-040.1-B-2-07, article number: HY1 015 500, year of construction: 05/2020, 400 V, 0.46 kW, volume: 8.9 liter, 86 kg, dimensions: 1570 mm x 1460 mm x 350 mm.	500



128	Thermofin GmbH	Thermofin GmbH evaporator, model: TGDN-050.1E-2-07, article number: HY1 015 487, year of construction: 05/2020, 400 V, 0.46 kW, volume: 29 liter, 160 kg, dimensions: 2400 mm x 1580 mm x 330 mm.	500
129	Thermofin GmbH	Thermofin GmbH evaporator, model: TGDN.2-071-12-F-N-D5-012-G, article number: HY1 015 503 RHS, year of construction: 05/2020, 400 V, 1.88 kW, volume: 89.2 liter, 435 kg, dimensions: 3400 mm x 950 mm x 1050 mm, dimensions wooden frame: 3550 mm x 1280 mm x 1310 mm.	700
130	NN table	S/s table, dimensions: 1300 mm x 660 mm x 900 mm.	75
131	Demag / HPS	Demag chain hoist on HPS frame, serial number: 04121, year of construction: 04/2004, capacity: 500 kg, total dimensions: 2000 mm x 750 mm x 4600 mm.	200
132	Ad. A. Klein	Ad. A. Klein chain hoist on steel frame, capacity: 125 kg, dimensions: 1650 mm x 500 mm x 3550 mm.	150
133	Ad. A. Klein	Ad. A. Klein frame for chain hoist, capacity: 125 kg, dimensions: 3600 mm x 1700 mm x 500 mm. Without hoist.	150
134	NN hose	Hose with hose reel holder.	5
135	NN parts	Pallet with various parts, among others: tenderiser, motors and hydraulic presses.	50
136	NN parts	Pallet with large amount of parts for thermoformer.	50
137	SogeVAC / SEW	Pallet with various electro motors and vacuum pump, dimensions: 1200 mm x 800 mm x 730 mm.	50
138	NN motors	Pallet with large amount of electro motors.	50
139	GEA	Pallet with various spare parts for GEA thermoformer, dimensions: 1200 mm x 800 mm x 900 mm.	50
140	Siemens	Pallet with Siemens electro motor, dimensions: 820 mm x 600 mm x 650 mm.	50
141	Nord	Nord motor, dimensions: 850 mm x 300 mm x 250 mm.	50
142	Jay-Craft	Jay-Craft mobile carrot baton machine, serial number: 286, year of construction: 29.7.05, 415 V, 3 Ph, 2 A, diameter output: 100 mm, total dimensions: 1200 mm x 1150 mm x 1850 mm.	2500
143	Eillert	Eillert mobile slicer, type: BL1000A VAR, machine number: 251, year of construction: 2014-40, 400 V, 3 Ph, 50 Hz, 16 A, 1.5 kW, 7 knives, distance between knives: 20 mm, total dimensions: 1460 mm x 980 mm x 1770 mm.	7000
144	Ceia THS	Ceia THS metal detector, model: T/MG21-550300005, serial number: 21300215046, clearance: 550 mm x 360 mm, total dimensions: 1200 mm x 500 mm x 630 mm.	400
145	Thermo Ramsey	Thermo Ramsey checkweigher, model: RXM, serial number: 5466, year of construction: 2003, 230 V, 50 Hz, 0.6 kVA, plastic belt, belt width: 140 mm, total dimensions: 1260 mm x 670 mm x 1700 mm.	750
146	Forpack	Forpack case packer, Rietschle vacuum pump, working width: 80 mm, plastic belt, belt width: 100 mm, dimensions forms: 130 mm x 90 mm x 90 mm, total dimensions: 3300 mm x 2750 mm x 1450 mm.	1500



147	Thermo Ramsey	Thermo Ramsey checkweigher with rejecter, model: Sentron C, serial number: 5773, year of construction: 2003, 230 V, 50 Hz, 0.6 kVA, maximum weight: 1500 gram, minimum weight: 35 gram, e=: 0.5 gram, plastic belt, belt width: 195 mm, total dimensions: 900 mm x 800 mm x 1250 mm. With Thermo Ramsey control panel, dimensions: 500 mm x 430 mm x 1770 mm.	1100
148	ThermoFischer Scientific	ThermoFischer Scientific X-ray scanner, type: Nextguard C330 SP/SR, serial number: 15050253, year of construction: February 2015, 195-250 V, 50/60 Hz, 10 A, clearance: 210 mm x 90 mm, plastic mesh belt, dimensions scanner: 2200 mm x 1050 mm x 1590 mm, total dimensions: 3400 mm x 1500 mm x 1590 mm.	5500
149	Flexlink	Flexlink transport belt with draw mechanism, aluminium frame, plastic mesh belt, belt width: 90 mm, working width: 130 mm, total dimensions: 2250 mm x 1850 mm x 2250 mm.	300
150	Breda Packaging BV	Breda Packaging BV case packer, type: Unipack-N, number: 103, year of construction: 1984, 220-380 V, 50 Hz, 3.5 kW, plastic belt, belt width: 150 mm, total dimensions: 4400 mm x 3500 mm x 2050 mm.	2000
151	Nordson	Nordson glue unit on s/s frame, model: 2302, serial number: AA95J61873, 220-415 V, 50 Hz, 15.8 A, 3790 W, dimensions: 580 mm x 560 mm x 1220 mm.	150
152	De Knegt BV / Mimi	De Knegt BV / Mimi shrink tunnel, type: Uniblock 715/NO, number: 365, 400 V, 50 Hz, 21 kW, cloth belt, belt width: 600 mm and 400 mm, steel rollers, roller width: 630 mm, clearance: 690 mm x 460 mm, total dimensions: 3430 mm x 1600 mm x 1830 mm.	1250
153	NN curve conveyor	180° curve conveyor, s/s frame, plastic rollers, roller width: (2x) 200 mm and (1x) 400 mm, total dimensions: 5800 mm x 3500 mm x 960 mm.	300
154	NN table	S/s table, dimensions: 500 mm x 400 mm x 800 mm.	75
155	Ca. Ve. Co.	Ca. Ve. Co. Mobile depositor, type: D350/2BA, serial number: 2816-2, year of construction: 11-10-2016, 400 V, 50 Hz, 0.8 A, 0.5 kW, dimensions: 860 mm x 700 mm x 1970 mm, trolley for spare parts, with funnel, dimensions trolley: 800 mm x 800 mm x 1400 mm.	500
156	Lock	Lock metal detector with ejector, clearance: 260 mm x 70 mm, plastic belt, belt width: 180 mm, total dimensions: 1300 mm x 900 mm x 1170 mm.	650
157	Radwag Osi	Radwag Osi checkweigher with ejector, model: DWT/HL 6000 HP, serial number: 399343/13, year of construction: 2013, 230 V, 50 Hz, 3 A, temperature: 0 °C / +40 °C, maximum weight: 6000 gram, minimum weight: 40 gram, T=-6000 gram, d= 1 gram, e= 2 gram, plastic belt, belt width: 300 mm, clearance: 355 mm x 150 mm, dimensions checkweigher: 1050 mm x 700 mm x 1600 mm, dimensions ejector: 1100 mm x 800 mm x 1000 mm.	1000



158	Lock	Lock metal detector, type: Met 30+ 3.B 356x178 SO 10355, number: 3583, year of construction: 05/04, 230/400 V, 50 Hz, pressure: 3 bar, plastic mesh belt, belt width: 330 mm, clearance: 360 mm x 140 mm, total dimensions: 1850 mm x 1050 mm x 1560 mm.	750
159	Crown	Crown transport belt, s/s frame, dimensions: 2180 mm x 500 mm x 1050 mm. Including pallet with parts and plastic belt, belt width: 175 mm.	100
160	NN transport belt	Transport belt, s/s frame, working width: 235 mm, total dimensions: 3200 mm x 700 mm x 1020 mm. Pallet with parts and plastic mesh belt, belt width: 220 mm, plastic roller conveyor, roller width: 280 mm.	100
161	NN roller conveyor	Electric driven roller conveyor, steel rollers, roller width: 450 mm, plastic outfeed rollers, roller width: 285 mm, total dimensions: 3000 mm x 950 mm x 1060 mm.	200
162	Crown	Crown s-shaped curve conveyor, plastic mesh belt, belt width: 225 mm, total dimensions: 4700 mm x 1900 mm x 1160 mm.	500
165	Smurfit Kappa	Smurfit Kappa case packer, system: SYS2400, serial number: UKB578, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 80 A, 50KA, plastic belt: 220 mm and 170 mm, maximum working width carton infeed: 450 mm, total dimensions: 5000 mm x 3900 mm x 2650 mm. including Nordson glue unit and cover, dimensions cover: 3620 mm x 1500 mm x 1850 mm. Switch cabinet, dimensions switch cabinet: 3040 mm x 500 mm x 2300 mm.	8000
166	Hermann Waldner GmbH & Co. KG	Hermann Waldner GmbH & Co. KG filling machine, type: Dosomat 12.3, machine number: 2269, year of construction: 2009, 230/400 V, 50 Hz, 14 A, 10 kW, weight: 3100 kg, filling range per cup: 450-2500 gram, capacity: 6000 cups per hour, 3 filling heads, dye: 119 mm x 119 mm, plastic belt, belt width: 100 mm, total dimensions: 3800 mm x 2500 mm x 2650 mm, dimensions switch cabinet: 1200 mm x 650 mm x 2350 mm. Including box with various parts.	15000
167	Amco	Amco pressure vessel, type: ZU24/249, serial number: 468134K, year of construction: 1999, volume: 2000 liter, maximum working temperature: 50°C, pressure: 11 bar, dimensions: 2200 mm x 1100 mm x 1450 mm.	300
168	Ecoair	Ecoair screw air compressor, type: D31, 3x400 V, 50 Hz, temperature: +2 °C / +40 °C, 2930 rpm, Rednal pressure vessel, type: 87/404 EEC, serial number: 15533/014, year of construction: 2000, pressure: 22.5 bar, temperature: -10 °C + 120 °C, capacity: 62 liter, dimensions: 2000 mm x 800 mm x 1550 mm.	750
169	Rohrsystem-Technik GmbH	Rohrsystem- Technik GmbH adsorption dryer, type: KEN 2000, serial number: 1008/26, year of construction: 2003, pressure: 10 bar, volume: 225 liter, dimensions: 1250 mm x 1050 mm x 2180 mm. Including pallet with 3 filters, model: FF 250, filter model: EF 09, year of construction: 2003, pressure: 16 bar, volume: 8.5 liter.	500



170	M.T.A. srl / Ecoair	M.T.A. srl / Ecoair air dryer, model: DE 108, serial number: 1100812997, year of construction: 1998, 230 V, 1 Ph, 50 Hz, 11.7 A, 2.3 kW, refrigerant: R134a, 1.26 kg, pressure: 26 bar, temperature: 65 °C, dimensions: 740 mm x 680 mm x 970 mm.	300
171	Sealed Air / Diversey	Sealed Air / Diversey hygiene trolley with hose and pistol, type: VOYAGER 2K, number: 65651, year of construction: 2016, 3x400 V, 50 Hz, 5 A, pressure: 25 bar, maximum temperature: 70 °C, dimensions: 740 mm x 680 mm x 970 mm.	100
172	Jay -Craft	Jay-Craft salad spinner, maximum basket dimensions: 425 mm x 425 mm x 350 mm, total dimensions: 950 mm x 640 mm x 1000 mm.	400
173	NN meat bin	Plastic meat bin, volume: 200 liter, dimensions: 825 mm x 730 mm x 720 mm.	40
174	NN meat bin	Plastic meat bin, volume: 200 liter, dimensions: 825 mm x 730 mm x 720 mm.	40
175	Maja	Maja skinning and derinding machine, type: VBA 500A, number: 36901, year of construction: 1993, 380 V, 3 Ph, 50 Hz, 2.6 A, 1.1 kW, plastic belt, belt width: 450 mm, working width: 500 mm, total dimensions: 2100 mm x 880 mm x 1190 mm.	800
176	NN tub	S/s mobile tub, inside dimensions: 550 mm x 550 mm x 320 mm, total dimensions: 720 mm x 600 mm x 720 mm.	75
177	NN meat bin	S/s meat bin, inside dimensions: 840 mm x 830 mm x 600 mm, total dimensions: 970 mm x 860 mm x 780 mm.	70
178	NN meat bin	S/s meat bin, inside dimensions: 650 mm x 640 mm x 600 mm, total dimensions: 770 mm x 680 mm x 810 mm.	60
179	NN weighing and packaging table	S/s mobile table with Mettler Toledo weighing scale, model: PBA430-BB30, serial number: C007012310, maximum weight: 30 kg, e minimum: 0.005 kg scale dimensions: 400 mm x 300 mm, Ste Ora sealing machine, type: Pack 3800B, serial number: 034862-001-010, year of construction: 2019, 220/230 V, 50/60 Hz, 1.0 A, seal length: 380 mm, total dimensions table: 2200 mm x 650 mm x 1840 mm.	300
180	L.A.C. Conveyor Systems	L.A.C. Conveyor Systems mobile transport belt, type: belt conveyor, serial number: CP1359-100, year of construction: February 2017, plastic belt, belt width: 400 mm, total dimensions: 12000 mm x 750 mm x 1430 mm.	1750
181	L.A.C. Conveyor Systems	L.A.C. Conveyor Systems finger conveyor with turning table, serial number finger conveyor: CP1359-200, year of construction: February 2017, plastic belt, belt width: (7x) 50 mm, working width: 405 mm, total dimensions finger belt: 1100 mm x 650 mm x 1030 mm, L.A.C. Conveyor Systems turning table, serial number: CP1359-300, year of construction: February 2017, diameter table: 1450 mm, total dimensions: 1510 mm x 1460 mm x 1660 mm.	700
183	L.A.C. Conveyor Systems	L.A.C. Conveyor Systems mobile transport belt, type: belt conveyor, serial number: FI0147-10, year of construction: June 2009, plastic belt, belt width: 400 mm, total dimensions: 6500 mm x 750 mm x 1390 mm.	1000



184	NN weighing and packaging table	S/s mobile table with Mettler Toledo weighing scale, model: PBA430-BB30, serial number: C007012312, maximum weight: 30 kg, e minimum: 0.005 kg, scale dimensions: 400 mm x 300 mm, Ste Ora sealing machine, type: Pack 3800B, serial number: 034862-001-021, year of construction: 2019, 220/230 V, 50/60 Hz, 1.0 A, seal length: 380 mm, total dimensions table: 2200 mm x 650 mm x 1840 mm.	300
186	Kohlhoff	Kohlhoff double-lane knife box washing machine with infeed and outfeed belt, clearance: 110 mm x 550 mm and 130 mm x 550 mm, total dimensions: 7400 mm x 840 mm x 1860 mm. Missing chain.	1000
188	L.A.C. Conveyor Systems	L.A.C. Conveyor Systems sanitising conveyor, serial number: CP1359-400, year of construction: February 2017, plastic mesh belt, belt width: 505 mm, clearance: 510 mm x 510 mm, total dimensions: 2050 mm x 1100 mm x 1450 mm.	800
189	L.A.C. Conveyor Systems	L.A.C. Conveyor Systems sanitising conveyor, serial number: FI0147-100, year of construction: June 2009, plastic mesh belt, belt width: 510 mm, clearance: 510 mm x 510 mm, dimensions: 1960 mm x 1100 mm x 1550 mm. With mobile infeed conveyor, type: Gravity conveyor, serial number: CP1359-500, year of construction: February 2017, steel rollers, roller width: 500 mm, dimensions conveyor: 1800 mm x 660 mm x 990 mm, mobile outfeed conveyor, steel rollers, roller width: 510 mm, dimensions conveyor: 1200 mm x 600 mm x 900 mm.	1000
190	Urschel	Urschel slicer, type: OC, working width: 100 mm, total dimensions: 2800 mm x 680 mm x 2060 mm.	2500
191	NN elevating belt	Mobile elevating belt with dividers and infeed hopper, s/s frame, plastic belt, belt width: 500 mm, clearance: 180 mm, distance between dividers: 200 mm, divider height: 40 mm, elevating height: 2050 mm, total dimensions: 5000 mm x 1500 mm x 2450 mm, including s/s hood and stairs.	600
192	NN tub for tilting device	S/s tub for tilting device, inside dimensions: 900 mm x 550 mm x 1000 mm, total dimensions: 1100 mm x 660 mm x 1010 mm.	100
193	NN filter unit	Filter unit with Wilden membrane pump, dimensions: 950 mm x 450 mm x 850 mm.	200
194	Scanvaegt / Marel	Scanvaegt weighing scale with Marel indicator, type: 816, serial number: BQD01280, 110-260 V, 50/60 Hz, temperature: 0°C / 30 °C, scale dimensions: 600 mm x 500 mm, total dimensions: 600 mm x 550 mm x 1860 mm.	100
195	NN frame	S/s frame, dimensions: 1200 mm x 680 mm x 1570 mm.	50
196	NN table	S/s table, dimensions: 1300 mm x 1000 mm x 850 mm. Including s/s frames and plates.	40
197	Storm	Storm lifter for 200 liter meat bins, type: column lifter, serial number: 31 050 10, year of construction: 2010, 400 V, 50 Hz, 0.80 kW, weight: 300 kg, lifting height: 2030 mm, total dimensions: 1300 mm x 1150 mm x 3080 mm.	500
198	NN meat bins	3 s/s meat bins, volume: 200 liter.	150
199	NN meat bins	6 s/s meat bins, volume: 200 liter.	300
200	NN meat bins	6 s/s meat bins, volume: 200 liter.	300



201	NN meat bin	1 s/s meat bins, volume: 200 liter.	50
202	NN meat bins	9 s/s meat bins, volume: 200 liter.	450
203	NN meat bins	10 s/s meat bins, volume: 200 liter.	500
204	NN meat bins	10 s/s meat bins, volume: 200 liter.	500
205	NN rollies	2 s/s rollies, dimensions: (2x) 650 mm x 410 mm x 150 mm.	50
206	NN table	S/s table with plastic worktop, dimensions: 2000 mm x 800 mm x 860 mm.	200
207	Itec GmbH	Itec GmbH hygiene station, type: 23765-re, series: 148, year of construction: 04/2015, 230 V, 50 Hz, 0.1 kW, consisting of soap dispenser, 2 hand disinfection dispensers and dryer, dimensions: 960 mm x 360 mm x 830 mm.	200
208	KSB / Breuninghaus	KSB centrifugal pump, type: Sewabloc F 110-254G H 132, serial number: 342607, year of construction: 2016, capacity: 64.60 m ³ /h, weight: 169 kg, dimensions: 1200 mm x 800 mm x 550 mm. Brueninghaus hydrolik high pressure pump, type: A10VSO 28 DFR / 31, fabrication number: 0935231, year of construction: 10-94, pressure: 195 bar, dimensions: 750 mm x 350 mm x 330 mm.	125
209	Intec pumper AS	Intec pumper AS centrifugal pump, type: AL-1102/4N, number: 244534.32 2016 PN10, year of construction: 2016, 230/400 V, 3 Ph, 50 Hz, 2.2 kW, 4.6/7.95 A, diameter: 188 mm, maximum temperature: 120°C, dimensions: 460 mm x 320 mm x 610 mm. New in box.	100
210	MMC KULDE AS	MMC KULDE AS circulation pump, type: KS-E5, number: 2008-16, diameter: 240 mm, dimensions: 1180 mm x 460 mm x 440 mm.	50
211	Grundfos	Grundfos circulation pump, type: CR3-12 A-A-A-E-HQQE, model: A96530815P31121, serial number: 0001, capacity: 3 m ³ /h, maximum pressure: 16 bar, maximum temperature: 120 °C, dimensions: 810 mm x 360 mm x 360 mm.	250
212	Ebara	Ebara centrifugal pump, type: 3M/l 40-200/7.5 IE3, number: 1330900004I, year of construction: 2016, 400/690 V, 3 Ph, 50 Hz, 7.5 kW, 13.6/7.9 A, capacity: 12/42 m ³ /h, maximum temperature: 90°C, weight: 50.5 kg, dimensions: 690 mm x 350 mm x 470 mm. New.	250
213	Metronic	Metronic inkjet printer, number: 5983, year of construction: 2002, 230 V, 50 Hz, 0.5 A, dimensions: 350 mm x 300 mm x 950 mm.	300
214	Elpress	Elpress s/s sink, sensor control, dimensions: 460 mm x 500 mm x 760 mm.	75
215	NN table	S/s table with plastic worktop, dimensions: 2500 mm x 800 mm x 860 mm.	200
216	NN knife sterilizer	S/s knife sterilizer, dimensions: 500 mm x 120 mm x 680 mm.	50
217	NN knife sterilizer	S/s knife sterilizer, dimensions: 500 mm x 120 mm x 680 mm.	50



218	NN lockers	2x 6-doors steel lockers, dimensions: (3x) 900 mm x 550 mm x 2000 mm, (1x) 4-doors steel lockers, dimensions: 600 mm x 550 mm x 2000 mm.	75
219	Rema	Rema mobile crane, type: CRM 30, serial number: 22453, year of construction: 2018, capacity: 3000 kg, dimensions: 2150 mm x 1250 mm x 1910 mm.	500
220	Fusion	2 Fusion mobile plastic tubs with drain, type: TS86-01, on s/s frame, dimensions: (2x) 1100 mm x 1300 mm x 1150 mm.	100
221	Fusion	3 Fusion mobile plastic tubs with drain, type: TS86-01, on s/s frame, dimensions: (3x) 1100 mm x 1300 mm x 1150 mm.	150
222	NN container	S/s container, inside dimensions: 4100 mm x 2000 mm x 1200 mm, total dimensions: 4300 mm x 2200 mm x 1470 mm.	3000
223	Terlet	Terlet double jacketed tank, volume: 800 liter, maximum temperature: 143°C, including scraper, dimensions: 1900 mm x 1400 mm x 1900 mm.	500
224	Terlet	Terlet double jacketed tank, volume: 800 liter, maximum temperature: 143°C, including scraper, dimensions: 1900 mm x 1400 mm x 1900 mm.	500
225	NN tank	S/s tank with agitator, dimensions tank: 2300 mm x 2300 mm x 2800 mm, total dimensions: 2750 mm x 2300 mm x 5800 mm.	4000
226	NN tank	S/s tank with agitator, dimensions tank: 2300 mm x 2300 mm x 2800 mm, total dimensions: 2750 mm x 2300 mm x 5800 mm.	4000
227	Bemei BV	Bemei BV elevating belt, s/s frame, plastic mesh belt, belt width: 350 mm, elevating height: 5000 mm x 770 mm x 3440 mm.	400
228	NN freezing bunker	Freezing bunker with 2 evaporators, 5 fans each, with Seuster electrical shutter door, door width: 2500 mm, total dimensions: 4890 mm x 3980 mm x 2720 mm. Lot already dismantled.	500
229	KSB Pump	KSB Pump standardised water pump, model: ETANORM SYT 050-160 SYT8 Ø171 mm, serial number: 9972563973 000300 01, year of construction: 2013, Q: 50.00 m³/h, dimensions: 2000 mm x 700 mm x 1300 mm.	350
230	Thissen & Stecher	Thissen & Stecher cooking vessel, inside dimensions: 1320 mm x 800 mm x 450 mm, total dimensions: 1510 mm x 1350 mm x 1100 mm.	500
231	Hobart Brothers International	Hobart Brother International welding machine on a s/s trolley, type: TG2006NL345, number: 86184942, 220-380 V, total dimensions: 800 mm x 660 mm x 1260 mm.	125



General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers

Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the



website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Government laws and regulations, such as the Money Laundering and Terrorist Financing Prevention Act (WWFT), may impose (additional) obligations on Industrial Auctions. The client is required to provide all information requested by Industrial Auctions including (but not limited to) information about the client's identity to establish and verify this further, to verify and record the identity of the ultimate beneficial owner, the purpose and nature of the engagement or to exercise a transaction or an ongoing control over the business relationship or the natural person who represents or is authorized to do so by the client and whether the client is acting for themselves or for a third party. If the requested information is not supplied within 5 days after the first request, Industrial Auctions may immediately terminate the agreement and, pending the



information, Industrial Auctions may suspend the services. Industrial Auctions is then not obliged or liable for any compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the supporting system;
- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including



taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:



- Not to recognize a bid as such;
- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a



different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by



him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery



13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the



agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including



the loss of the good itself);

- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;

- Damage caused by environmentally harmful substances in or on the purchased;

- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);

- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



**Industrial
Auctions** BV



**Industrial
Auctions** BV

Address: Looyenbeemd 11
5652 BH Eindhoven, Netherlands
Tel.: +31 (0)40 2409 208
Email: info@industrial-auctions.com
Web: www.industrial-auctions.com

Upcoming auctions:

**02-02 Online auction food processing machinery, catering and
butchery equipment in Anzegem (BE)**